

2010 STATISTICS OF CAUSES OF DEATH



Department of Health,
Executive Yuan, R.O.C. (Taiwan)
December, 2011

2010

2010 STATISTICS OF CAUSES OF DEATH

2010



Department of Health, Executive Yuan
R.O. C.(Taiwan)
December, 2011

Compilation

- I:** Provided the current status of death in Taiwan and the difference and distribution situation of various causes of death in terms of gender, age, and areas, as well as an analysis of Cause of death(C.O.D) among infants to understand the changes the nature of the cause of death undergo here in Taiwan. An explanation of statistical terms is also included.
- II:** Display the Summary of Statistical Procedures for COD, Statistical Charts for COD in Cities, Towns, and Villages; various detailed COD statistical tables. In addition, the Summary of Statistical Procedures for COD includes a guideline for filling out the COD documentation, and cause of death category table.

Introduction

1. The classification of causes of death after 1981 is made according to the Revision of 1975 International Statistical Classification of Diseases, Injuries and Causes of Death published by the World Health Organization(ICD9) ; The classification of causes of death after 2008 is made according to the Revision of 1993 International Statistical Classification of Diseases(ICD10).
2. The term "year" as it occurs in this report refers to the calendar year lasting from 1 January through 31 December. The term "end of the year" refers to the end of December of the year under discussion.
3. Content demanding special explanation is clarified in footnotes appended to the tables.
4. Some data are rounded off to the nearest whole number (with 0.5 included as 1). Slight discrepancies may therefore be seen between sub-figures and their grand totals.
5. The text of this report is presented in bilingual form (Chinese-English) for reference by readers abroad and in the interest of international data sharing.
6. In the event of any discrepancies between figures in this report and those in reports previously published by the Department of Health, the figures in this report should be considered correct.
7. As used in this report, the symbol "-" means no numerical value, "0" means numerical value of less than one unit, "()" indicates a negative number, and "... " data do not list because of involving national defense secret or uncertain data. "(p)" means preliminary data , "(r)" means revised data .
8. Statistical figures are usually subject to revision. In case any figure being different from those appeared in previous editions, figures in this edition are preferable.



CONTENTS

I Summary	002
------------------------	-----

II Statistical Charts

(I) Number of Cases Occurred Every Day

Figure 1 Average Number of Cases Occurred Every Day, 2010	028
---	-----

(II) Trend of Death Rates

Figure 2 Trend of Death Rates by Selected Causes.....	029
---	-----

Figure 3 Trend of Age-adjusted Death Rates by Selected Causes	030
---	-----

Figure 4 Trend of Death Rates from Cancer by Selected Causes.....	031
---	-----

Figure 5 Trend of Age-adjusted Death Rates from Cancer by Selected Causes	032
---	-----

Figure 6 Crude Mortality Rates of Accidents and Adverse Effects	033
---	-----

Figure 7 Crude Mortality Rates of Intentional Self-Harm (Suicide).....	034
--	-----

(III) Map of Leading Causes by Locale

Figure 8 Map of Malignant Neoplasms by Locale ,2010	035
---	-----

Figure 9 Map of Heart Disease (Except hypertensive diseases) by Locale.....	036
---	-----

Figure 10 Map of Cerebrovascular Disease by Locale ,2010.....	037
---	-----

Figure 11 Map of Pneumonia by Locale ,2010	038
--	-----

Figure 12 Map of Diabetes mellitus by Locale ,2010	039
--	-----

Figure 13 Map of Accidents and adverse effects by Locale ,2010.....	040
---	-----

Figure 14 Map of Chronic lower respiratory diseases by Locale ,2010.....	041
--	-----

Figure 15 Map of Chronic liver disease and cirrhosis by Locale ,2010.....	042
---	-----

Figure 16 Map of Hypertensive disease by Locale ,2010	043
---	-----

Figure 17 Map of Nephritis, Nephrotic Syndrome and Nephrosis by Locale,2010	044
---	-----

(IV) Map of Leading Cancer Causes by Locale

Figure 18 Map of Trachea, Bronchus, and Lung Cancer by Locale ,2010.....	045
--	-----

Figure 19 Map of Liver and Intrahepatic Bile Ducts Cancer by Locale ,2010.....	046
--	-----

Figure 20 Map of Colon and Rectum and Anus Cancer by Locale ,2010.....	047
Figure 21 Map of Female Breast Cancer by Locale ,2010.....	048
Figure 22 Map of Oral Cavity Cancer by Locale ,2010.....	049
Figure 23 Map of Stomach Cancer by Locale ,2010.....	050
Figure 24 Map of Prostate Cancer by Locale ,2010.....	051
Figure 25 Map of Oesophagus Cancer by Locale ,2010.....	052
Figure 26 Map of Pancreas Cancer by Locale ,2010.....	053
Figure 27 Map of Cervix Uteri and Uterus, Part Unspecified Cancer by Locale,2010.....	054
(V) Map of Leading Causes by Township	
Figure 28 Map of Taiwan.....	055
Figure 29 Map of Malignant Neoplasms by Township.....	056
Figure 30 Map of Heart Disease (Except hypertensive diseases) by Township.....	057
Figure 31 Map of Cerebrovascular Disease by Township.....	058
Figure 32 Map of Pneumonia by Township.....	059
Figure 33 Map of Diabetes mellitus by Township.....	060
Figure 34 Map of Accidents and adverse effects by Township.....	061
Figure 35 Map of Chronic lower respiratory diseases by Township.....	062
Figure 36 Map of Chronic liver disease and cirrhosis by Township.....	063
Figure 37 Map of Hypertensive disease by Township.....	064
Figure 38 Map of Nephritis, Nephrotic Syndrome and Nephrosis by Township.....	065
(VI) Map of Leading Cancer Causes by Township	
Figure 39 Map of Trachea, Bronchus and Lung Cancer by Township.....	066
Figure 40 Map of Liver and Intrahepatic Bile Ducts Cancer by Township.....	067
Figure 41 Map of Colon, Rectum and Anus Cancer by Township.....	068
Figure 42 Map of Female Breast Cancer by Township.....	069
Figure 43 Map of Oral Cavity Cancer by Township.....	070



CONTENTS

Figure 44 Map of Stomach Cancer by Township.....	071
Figure 45 Map of Prostate Cancer by Township.....	072
Figure 46 Map of Oesophagus Cancer by Township	073
Figure 47 Map of Pancreas Cancer by Township.....	074
Figure 48 Map of Cervix Uteri and Uterus, Part Unspecified Cancer by Township.....	075

III Statistical Tables

(I) Time Series of Causes of Death

Table 1 Causes of Death	2
Table2 Causes of Death for Male	12
Table3 Causes of Death for Female.....	22
Table4 The Average Ages of Leading Causes of Death by Gender.....	32
Table5 The Median Ages of Leading Causes of Death by Gender.....	38
Table6 Cancer Causes of Death.....	44
Table7 Cancer Causes of Death for Male	54
Table8 Cancer Causes of Death for Female	64
Table9 The Average Ages of Leading Cancer Causes of Death by Gender.....	74
Table10 The Median Ages of Leading Cancer Causes of Death by Gender	80
Table 11 No. of Deaths and Crude Death Rates for Neonatal,Infant and Maternal.....	86
Table 12 Number of Deaths and Crude Death Rates from Accidents by Mortality List	88
Table 13 No. of Deaths and Crude Death Rates from Intentional Self-Harm (Suicide) by Mortality List	90
Table 14 No. of Deaths and Crude Death Rates for Malignant Neoplasms by Age Group.....	92
Table 15 No. of Deaths and Crude Death Rates for Heart Disease by Age Group.....	98
Table 16 No. of Deaths and Crude Death Rates for Cerebrovascular Disease by Age Group	104
Table 17 No. of Deaths and Crude Death Rates for Diabetes Mellitus by Age Group.....	110
Table 18 No. of Deaths and Crude Death Rates for Accidents and Adverse Effects by Age Group	116
Table 19 No. of Deaths and Crude Death Rates for Pneumonia by Age Group.....	122

Table 20 No. of Deaths and Crude Death Rates for Chronic Liver Disease and Cirrhosis by Age Group.....	128
Table 21 No. of Deaths and Crude Death Rates for Nephritis, Nephritic Syndrome and Nephrosis by Age Group	134
Table 22 No. of Deaths and Crude Death Rates for Intentional Self-Harm (Suicide) and Self-Inflicted Injury by Age Group	140
Table 23 No. of Deaths and Crude Death Rates for Hypertensive Disease by Age Group	146
Table 24 No. of Deaths and Crude Death Rates for Trachea, Bronchus, and Lung Cancer by Age Group....	152
Table 25 No. of Deaths and Crude Death Rates for Liver and Intrahepatic Bile Ducts Cancer by Age Group.....	158
Table 26 No. of Deaths and Crude Death Rates for Colon and Rectum Cancer by Age Group.....	164
Table 27 No. of Deaths and Crude Death Rates for Female Breast Cancer by Age Group.....	170
Table 28 No. of Deaths and Crude Death Rates for Stomach Cancer by Age Group.....	176
Table 29 No. of Deaths and Crude Death Rates for Oral Cavity Cancer by Age Group.....	182
Table 30 No. of Deaths and Crude Death Rates for Prostate Cancer by Age Group.....	188
Table 31 No. of Deaths and Crude Death Rates for Cervix Uteri Cancer by Age Group.....	194
Table 32 No. of Deaths and Crude Death Rates for Oesophagus Cancer by Age Group	200
Table 33 No. of Deaths and Crude Death Rates for Pancreas Cancer by Age Group	206

(II) The Statistics of Causes of Death by the Current Year

Table 34 No. of Deaths and Crude Death Rates from Leading Causes of Death by Age Group and Gender	214
Table 35 No. of Deaths and Crude Death Rates from Leading Causes of Death by Age-Specific Group and Gender	226
Table 36 No. of Deaths from Leading Causes of Death by Locale and Gender.....	238
Table 37 Crude Death Rates from Leading Causes of Death by Locale and Gender	244
Table 38 Standardize Death Rates from Leading Causes of Death by Locale and Gender	250
Table 39 No. of Deaths from Leading Causes of Death by Month and Gender.....	256



CONTENTS

Table 40 No. of Deaths from Leading Causes of Death by Marital Status and Gender	262
Table 41 No. of Deaths and Crude Death Rates from Leading Cancer Causes of Death by Age Group and Gender	264
Table 42 No. of Deaths and Crude Death Rates from Leading Cancer Causes of Death by Age-Specific Group and Gender	276
Table 43 No. of Deaths from Leading Cancer Causes of Death by Locale and Gender	288
Table 44 Crude Death Rates from Leading Cancer Causes of Death by Locale and Gender.....	294
Table 45 Standardize Death Rates from Leading Cancer Causes of Death by Locale and Gender.....	300
Table 46 No. of Deaths from Leading Cancer Causes of Death by Month and Gender.....	306
Table 47 No. of Deaths from Leading Cancer Causes of Death by Marital Status and Gender.....	312
Table 48 No. of Deaths for Maternal by Age Group and Locale.....	314
Table 49 No. of Deaths and Crude Death Rates for Neonatal, Infant and Maternal by Locale.....	316
Table 50 No. of Deaths for Neonatal, Infant and Maternal by Month	318
Table 51 Deaths under 4 Weeks by Month and Locale	320
Table 52 Deaths under 1 Year by Month and Locale.....	322
Table 53 Neonatal and Infant Deaths by Age, Gender and Month	324
Table 54 No. of Deaths and Crude Death Rates from Accidents and adverse effects by Age Group and Mortality List	326
Table 55 No. of Deaths and Crude Death Rates from Accidents and adverse effects by Local and Mortality List.....	332
Table 56 No. of Deaths from Accidents and adverse effects by Month and Mortality List	334
Table 57 No. of Deaths from Accidents and adverse effects by Marital Status, Gender and Mortality List.....	336
Table 58 No. of Deaths and Crude Death Rates from Intentional Self-Harm (Suicide) by Age Group and Mortality List.....	338
Table 59 No. of Deaths and Crude Death Rates from Intentional Self-Harm (Suicide) by Local and Mortality	

List.....	344
Table 60 No. of Deaths from Intentional Self-Harm (Suicide) by Month and Mortality List.....	346
Table 61 No. of Deaths from Intentional Self-Harm (Suicide) by Marital Status, Gender and Mortality List.....	348
Table 62 The Main Death of Potential Years Life of Loss Under Age 70	350
Table 63 Number of Deaths Classified According to the General Mortality Selected List by Gender and Age.....	352
Table 64 Deaths under 1 Year Classified According to the General Mortality Selected List by Gender and Age.....	372
Table 65 Number of Deaths Classified According to the General Mortality Condensed List by Gender and Age	384
Table 66 Deaths under 1 Year Classified According to the General Mortality Condensed List by Gender and Age	390
Table 67 Number of Deaths Classified According to the General Mortality Selected List by Gender and Locale	394
Table 68 Number of Deaths Classified According to the General Mortality Condensed List by Gender and Locale	414
Table 69 Deaths under 1 Year Classified According to the General Mortality Condensed List by Gender and Locale	420
Table 70 Number of Deaths Classified According to the General Mortality Condensed List by Gender and Month.....	424
Table 71 Deaths under 1 Year Classified According to the General Mortality Condensed List by Gender and Month.....	430
Table 72 Number of Deaths at Age 15 and over Classified According to the General Mortality Condensed List by Gender and Marital Status.....	434
Table 73 Number of Deaths Classified According to the General Mortality Condensed List by Gender	



CONTENTS

and Place.....	440
Table 74 The International Comparison of Standardized Mortality	446
Table 75 The International Comparison of Standardized Cancer Mortality.....	447
Table 76 The International Comparison of Main Causes of Standardized Mortalit	448
Table 77 The International Comparison of Standardized Accidents and adverse effects and Suicide Mortality.....	450
Appendices	
(I) Annex Tables	
Annex 1 Composition of Population by Age Group	454
Annex 2 Composition of Population by Locale	456
Annex 3 Dynamical Population by Locale.....	457
Annex 4 Mid-Year Population by Age Group.....	458
Annex 5 Registered Deaths by Month, Gender and Locale	462
Annex 6 Deaths of Occurrence by Month, Gender and Locale.....	464
Annex 7 Neonatal and Infant Death Statistics by Life Time.....	466
Annex 8 Number of Deaths Classified According to the Detailed Tabulation List by Gender and Age Groups	468
Annex 9 No. of Deaths and Crude Death Rates from Accidents and Adverse Effects by Age Group, Gender, Mortality List and Locale	572
Annex 10 No. of Deaths and Crude Death Rates from Intentional Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale	618
(II) Brief Statistical Works of Cause of Death	
1. Selection of underlying cause Certificate of Death.....	666
(III) Key Terminology.....	668

I

Summary




2010 Analysis of Causes of Death Statistics

The standardized death rates described below were normalized according to the standard population announced by the World Health Organization in 2000.

1. The average lifespan of Taiwanese people continued to grow in 2010 and is now 76.2 years old for men and 82.7 years old for women.

The number of deaths in Taiwan in 2010 was 144,709 in total. The standardized death rate was 455.6/100,000 of the population, which has declined by 2.4% as compared with that in 2008 and by 20.0% as compared with that in 2000.

A constant decline of the death rate means the extension of the life spans of Taiwanese people.



Preliminary estimation of the Ministry of the Interior, the average lifespan of Taiwanese people in 2010 is 76.2 years old for men and 82.7 years old for women, which is an increase of 0.1 years and 0.3 years, respectively.

The National Health Insurance (NHI) had been implemented for 15 years. Comparing the statistics before and after the NHI was implemented, the expectation of life after the NHI was put into operation (1995-2010) increases by 4.3 and 4.9 years, and the expectation of life of men and women before the NHI was established (1980-2010) had increased by 2.3 and 3.2 years, respectively. This is mainly due to the fact that the 29.7% decrease of the standardized

death rate in the 15 years since the NHI was implemented is larger than the 20.1% decline of the standardized death rate in the 15 years prior to the NHI implementation.



2. The number of deaths for people aged 65 years old or more occupied 68.5% of the total deaths in 2010


The elderly population aged 65 years and older occupies 10.7% of the total population, having risen by 2.1% in the past decade.

In view of this aging population, out of the total deaths in 1981, only 46.9% were aged 65 years or older; this percentage rose to 60.4% in 1995, and even higher to 68.5% in 2010.

Out of the deaths in 2010, those at 0~64, 65~79 and > 80 years old occupy 31.5%, 31.3% and 37.2%, respectively. Compared with the deaths in 2000 (36.2% at 0~64, 38.9% at 65~79, 24.8% at > 80 years old), the number of deaths at > 80 years old has increased most significantly by 12.4%, which indicates that the aging population constitutes the main factor in the increase of the death population in Taiwan.

However, through adjustments in the structure of population, the standard death rate of Taiwanese people continues to go down while the average lifespan in Taiwan continues to get longer.

Fig. 2. Age Structure Ratio of Number of People Died



3. Malignant neoplasms remain to be the most common cause of death, and suicide drops to 11th in the list of the ten major causes of death

The International Classification of Diseases version 10 (ICD-10) was used for disease classification in the 2010 statistics of causes of death. If compared with the ICD-10 statistics of causes of death in 2009, suicide occupied the ninth spot as most common causes of death, and high pressure diseases placed in eleventh; however, these have exchanged spots, and since 1997, suicide has been out of the ten major causes of death.

The number of deaths due to the ten major causes of death in 2010 occupies 75.3% of the total number. The number of deaths due to malignant neoplasms is the highest, 28.4%, followed by heart disease, 10.8%, and cerebrovascular diseases, 7.0%.


The statistical results of the ten major reasons for death in 2010 are as follows:

- (1) The sequence of causes of death has changed: the ten major causes of death this year are in the order of (1) malignant neoplasms, 41,046 people; (2) heart disease, 15,675 people; (3) cerebrovascular diseases, 10,134 people; (4) pneumonia, 8,909 people; (5) diabetes mellitus, 8,211 people; (6) accidents, 6,669 people; (7) chronic lower respiratory diseases, 5,197 people; (8) chronic liver disease and cirrhosis, 4,912 people; (9) high pressure and stress, 4,174 people; (10) nephritis, nephritic syndrome and nephrosis, 4,105 people.
- (2) The number of deaths has also changed: the number of deaths due to four reasons among the ten major causes of death in 2010 has also decreased, among which, accidents declined by 9.4% (or 689 people), which is the largest difference; Cerebrovascular declined by 2.4% (or 249 people) and diabetes declined by 0.2% (or 19 people), as well as chronic liver disease and cirrhosis, which declined by 0.1% (or 6 people).

However, six causes of death have increased compared to those of last year, among which, people dying of high pressure and stress diseases increased by 453 people (or 12.2%); the second highest increase goes to chronic lower respiratory diseases by 242 people (or 4.9%); these statistics are then followed by heart disease, up by 581 people (or 3.8%), cerebrovascular diseases by 1,128 people (or 2.8%), and nephritis, nephritic syndrome and nephrosis by 106 people (or 2.7%).

Number of People

Fig. 3. Number of People died from Leading Causes in 2009 and 2010



- (3) The standardized death rates have changed: The standardized death rate, except for those due to pneumonia and high pressure and stress diseases, which increased by 1.2% and 6.1%, respectively, this year, has declined among the remaining major causes of death, with the most significant decrease occurring in accidents.

Fig. 4. Death Rate of Leading Cause in 2010

Death Rate per 100,000 people




Remark : Standard Death Rate is based on the standard population from WHO in 2000

- (4) Standardized death rates and occupancies have changed: The standardized death rate due to pneumonia and hypertension diseases in 2010 has increased from 2009; as a result of this, the standardized death rates due to the other causes of death have declined, including accidents, cerebrovascular diseases, diabetes and chronic liver disease and cirrhosis.



Fig. 5. Changes of Standard Death Rate of Leading Causes of Death and Number of People



Remark : 1. No matter growth rate or occupancy rate, the cause of death in the first quadrant increase which has larger influence more apart from origin
 2.No matter growth rate or occupancy rate, the cause of death in the third quadrant decrease which has less influence.
 3. The number of every cause of death in Parentheses means its ranking.

4. The median age of death increased by four years in the past decade.

The average age of death in 2010 is 70.3 years old, which is 0.7 years more than that in 2009, and 4.5 more than that in 2000; the median age of death is 75.0, an increase of 4 years as compared with that in 2000.

Table 1. Comparison of People died in Middle Age Due to Ten Leading Causes of Death

	Unit : Years old								
	2010 (A)			2000 (B)			Ages Increment/Decrement (A-B)		
	All	Male	Female	All	Male	Female	All	Male	Female
All Causes of Death	75	73	78	71	69	74	4	4	4
Malicious Tumor	69	69	70	68	68	67	1	1	3
Heart Disease	78	75	81	75	73	79	3	2	2
Cerebrovascular disease	78	76	80	74	73	77	4	3	3
Pneumonia	82	81	84	79	77	82	3	4	2
Diabetes Diseases	76	73	78	72	71	74	4	2	4
Damages from Accidents	54	51	62	45	44	49	9	7	13
Chronic Lower Respiratory Disease	82	82	84	78	77	80	4	5	4
Chronic Liver Disease and Cirrhosis	58	54	72	58	52	69	0	2	3
Hypertension	80	78	82	78	75	81	2	3	1
Nephritis, nephrotic Syndrome and neph	78	77	79	75	75	76	3	2	3

The median ages of death caused by six of the ten major causes, including heart disease, cerebrovascular diseases, pneumonia, diabetes mellitus, chronic lower respiratory diseases, hypertension and nephritis, nephritic syndrome and nephrosis, are higher than the average median age of death nationwide, which is 75 years old. Most of the deaths for these causes are associated with chronic diseases so the average age of these deaths is also higher.

The median ages of death for the major causes of death have increased in the past few years, and the increase is the most significant for accidents. This is probably due to the success in long-term prevention of accidents, which lowers teenager's death rate due to accidents. The median ages of death for cardiovascular diseases, diabetes mellitus, pneumonia and chronic lower respiratory diseases have also increased, leading to higher life expectancy.

5. The standardized death rate for males has decreased by 16% as compared with that 10 years ago.

The number of male deaths in 2010 was 88,374. The standardized death rate was 576.2/100,000 of the population, which is a reduction of 1.8% from the previous year and of 16.3% from 2000.

When the number of male and female deaths and the standard death rate are all examined, both of the male categories are higher than that of female, by an average of 1.6 more.

In 2010, the sequence of the ten major causes of death for men was generally similar to that in the previous year, except that pneumonia and accidents, which occupied the 4th and 5th positions, changed places, hypertension moved from the 12th position to the 10th and Nephritis, nephritic syndrome and nephrosis moved from the 10th position into the 11th position.


The sequence of the ten major causes of death for men is as follows:

malignant neoplasms, 29.4%; (2) heart disease, 10.6%; (3) cerebrovascular diseases, 6.7%; (4) pneumonia, 6.3%; (5) accidents, 5.5%; (6) diabetes mellitus, 4.6%; (7) chronic lower respiratory diseases, 4.3%; (8) chronic liver disease and cirrhosis, 4.0%; (9) suicide, 3.0%; and (10) hypertension, 2.4%.

The standardized death rate and occupancies due to pneumonia, heart diseases and hypertension in 2010 has increased compared with 2009; as a result of this, the standardized



Fig. 6. Changes of Male's Standard Death Rate of Leading Causes of Death and Number of People Died --2010 v.s. 2009



Remark : 1. No matter growth rate or occupancy rate, the cause of death in the first quadrant increase which has larger influence more apart from origin
 2.No matter growth rate or occupancy rate, the cause of death in the third quadrant decrease which has less influence.
 3. The number of every cause of death in Parentheses means its ranking.


death rates due to the other causes of death decline, including accidents, cerebrovascular diseases, diabetes and chronic liver disease and cirrhosis.

6. The standardized death rate for women has decreased by 24% as compared with that of 10 years ago

The number of female deaths in 2010 was 56,335, and the standardized death rate was 339.9/100,000 of the population, which is a reduction of 3.0% from the previous year and of 23.5% from 2000.

The ten major causes of death for females in 2010 are in the order of (1) malignant neoplasms, 26.7%; (2) heart disease, 11.2%; (3) cerebrovascular diseases, 7.4%; (4) diabetes mellitus, 7.4%; (5) pneumonia, 5.9%; (6) hypertension related diseases, 3.6%; (7) nephritis, nephritic syndrome and nephrosis, 3.6%; (8) accidents, 3.3%; (9) septicemia, 3.1%; and (10) chronic liver disease and cirrhosis, 2.5%.

Fig. 7. Changes of Female's Standard Death Rate of Leading Causes of Death and Number of People Died --2010 v.s. 2009




Remark : 1. No matter growth rate or occupancy rate, the cause of death in the first quadrant increase which has larger influence more apart from origin
 2.No matter growth rate or occupancy rate, the cause of death in the third quadrant decrease which has less influence.
 3. The number of every cause of death in Parentheses means its ranking.

The standardized death rate and occupancies due to the four causes of pneumonia, hypertension, nephritis, nephritic syndrome and nephrosis and septicemia increased in 2010 as compared with 2009; as a result of this, the standardized death rates due to the other causes of death have declined, including accidents, cerebrovascular diseases, diabetes and chronic liver disease and cirrhosis.

7. 2010 infant crude death rate 4.2‰

The number of infants who died in 2010 is 705, giving a crude death rate of 4.2‰. The crude death rate for male infants is 4.6‰, which is higher than the 3.8‰ for female infants.



The number of deaths among newborns (less than 4 weeks) is 429, which accounts for 60.9% of total infant deaths, and the crude mortality rate is 2.6‰. The crude death rate among pregnant women (=the number of deaths among pregnant women/number of living infants ×100,000) is 4.2‰.

There are four major causes for infant deaths, occurring in the following order: (1) congenital malformations, deformations and chromosomal abnormalities occupying 22.8%; (2) respiratory diseases arising in the perinatal period accounting for 15.2%; (3) Idiopathic perinatal infection accounting for 5.5%; and (4) accidents occupying 5.3%. About 48.8% of the total amount of infant deaths is due to these four causes.


8. Being the most common cause of death in children, the death rate due to accidents constitute the most deaths, but the death rate has declined over the years



In the past few years, the main cause of death in children (1-14 years old) is accidents.

The number of child deaths in 2010 is 574, giving a crude death rate of 16.3/100,000 of the population. If compared with the statistics of the previous year, the number of deaths has decreased by 25.8%, thus the crude death rate decreased by 19.75. The number of people in accidents increased due to Typhoon Morakot of 2009, but, excluding natural disasters, the death rate of children due to accidents is still in a downward trend.


Major causes of child deaths in 2010 occur in the following order: (1) accidents, 150 youths, occupying 26.1%; (2) malignant neoplasms, 107 youths, occupying 18.6%; and (3) congenital deformity, 43 youths, occupying 7.5%. Child deaths due to these three causes occupy 52.3% of total deaths in children.



9. The main cause of young people's deaths is accidents

The number of deaths between the ages of 15-24 years old in 2010 was 1,336 with a crude death rate of 41.7/100,000 of the population. If compared with the statistics in 2009, the number of deaths has decreased by 8.4%, and the crude death rate has declined by 7.7%. Both the number of deaths and the crude death rate were lower than those in 2009.


The three major causes of young people's deaths occur in the following order: (1) accidents, 691 people, occupying 51.7%; (2) suicide, 176 people, occupying 13.2%; (3) malignant neoplasms, 140 people, occupying 10.5%. Young people dying of these three causes occupied 75.4% of the total deaths in this group of people.



10. Malignant neoplasms is the leading cause of death in adults

The number of people who died in 2010 was 10,045, giving a crude death rate of 132.4/100,000 of the population. If compared with the statistics in 2009, the number of deaths has decreased by 13.9%, and the crude death rate has dropped by 5.6%.


Fig. 11. Number of People Died in Prime of Life due to Leading Causes in 2009 & 2010



The major causes of death among adults occur in the following sequence: (1) malignant neoplasms, 25.5%; (2) accidents, 15.2%; (3) suicide, 14.1%; (4) chronic liver disease and cirrhosis, 8.2%; (5) heart disease 6.8%. The people who have died from these five causes occupy 69.8% of the total deaths in this group of people.

The number of deaths due to accidents, cerebrovascular diseases and Septicemia has decreased by 257 (14.2%), 59 people (14.9%) and 23 people (17.9%), respectively. These three causes of death have reduced the most in total number of deaths among adults in 2010.


Fig. 12. Changes of Occupancy Rate of Rough Death Rate from Leading Causes in Prime of Life -- 2010 v.s. 2009



Remark : 1. No matter growth rate or occupancy rate, the cause of death in the first quadrant increase which has larger influence more apart from origin
 2.No matter growth rate or occupancy rate, the cause of death in the third quadrant decrease which has less influence.

11. Accidents and suicides among middle-aged people have declined significantly, which is the leading cause of the reduction of the death rate in 2010


The number of deaths of people aged 45-64 years old in 2010 was 32,985. The crude death rate in this group of people is 534/100,000. Compared with statistics in 2009, although the number of deaths has slightly risen by 2.6%, the crude death rate has reduced by 4.9/100,000, which accounts for a change of 0.9%.



The major causes of middle-aged people's deaths occur in the following order: (1) malignant neoplasms, 41.2%; (2) heart disease, 8.7%; (3) chronic liver disease and cirrhosis, 6.5%; (4) cerebrovascular diseases, 5.9%; and (5) accidents, 5.8%. The number of deaths due to these five causes occupies 68.1% of the total deaths among middle-aged.

As compared with the statistics in 2009, the crude death rates and occupancies of 5 common causes of death, including malignant neoplasms, hypertension, nephritis, nephritic syndrome and nephrosis, chronic liver diseases and cirrhosis of the liver and pneumonia, have all increases in 2010; however, the crude death rates and occupancies of 5 other causes of death have decreased. Most significantly, accidents and suicide have decreased immensely and are the main reason why the death rate of middle-aged people has decreased in 2010.


Fig. 14. Changes of Occupancy Rate of Rough Death Rate from Leading Causes in Middle-aged Life -- 2010 v.s. 2009



Remark : 1. No matter growth rate or occupancy rate, the cause of death in the first quadrant increase which has larger influence more apart from origin
 2. No matter growth rate or occupancy rate, the cause of death in the third quadrant decrease which has less influence.
 3. The cause of death in numbers parenthesis () are represent the overall ranking.


12. The crude death rate of the elderly has increased by 1.0% as compared with that in 2009

In 2010, 68.5% of total deaths in Taiwan are elderly people aged 65 years or older, so their death rate directly affects the change of the number of total deaths in Taiwan.




The number of deaths of people aged 65 years and older was 99,064 in 2010, and the crude death rate is 4,006.2/100,000. The number of deaths increased by 2.7%, whereas the crude death rate increased only slightly by 1.0%, a difference which is mainly caused by the increment of the death rate of people aged 80 years or older.

The order of elderly people' s ten major causes of death in 2010 is as follows: (1) malignant neoplasms, 24.9%; (2) heart disease, 12.1%; (3) cerebrovascular diseases, 8.0%; (4) pneumonia, 7.9%; (5) diabetes mellitus, 6.5%; (6) chronic lower respiratory diseases, 4.9%; (7) hypertensive diseases, 3.5%; (8) nephritis, nephritic syndrome and nephrosis, 3.4%; (9) septicemia, 3.1%; and (10) accidents, 2.4%. About 76.8% of the total number of elderly people' s deaths is due to the ten major causes of death.



The standardized death rate due to heart diseases, pneumonia, hypertension and chronic respiratory diseases in 2010 has increased in comparison with 2009; however, the standardized death rates due to the other causes of death have declined, including accidents, cerebrovascular diseases, diabetes and chronic liver disease and cirrhosis, as well as nephritis, nephritic syndrome and nephrosis.

Fig. 17. Changes of Occupancy Rate of Rough Death Rate from Leading Causes in old-aged Life -- 2010 v.s. 2009



Remark : 1. No matter growth rate or occupancy rate, the cause of death in the first quadrant increase which has larger influence more apart from origin
 2.No matter growth rate or occupancy rate, the cause of death in the third quadrant decrease which has less influence.
 3.The cause of death in numbers parenthesis () are represent the overall ranking.




13. Malignant Neoplasms

(1) Lung cancer and liver cancer are still the first two leading causes among cancer deaths.

In 2009, the number of cancer deaths was 41,046 people, accounting for 28.4% of total deaths. With the standardized death rate of 131.6/100,000; this was 0.7% less as compared with the statistics in 2010.


Malignant neoplasms have been the leading cause of death in Taiwan since 1982. The standardized death rate due to malignant neoplasms had been increasing from 118.9/100,000 in 1987 and reached its plateau in 1997, with 144.3/100,000. It has then dropped slightly each year, and even dropped below 131.6/100,000 in 2000.



The yearly increasing number of malignant neoplasm deaths is related to the aging population in Taiwan. In the past two decades, the crude death rate due to malignant neoplasms has increased from 17.8% in 1990 to 28.4% in 2010, whereas the number of deaths has risen 10.6% over the past two decades. Although the occupancy of male deaths due to malignant neoplasms is higher than that of females, they still share a similar long-term trend.




Fig. 19. Historic Trend Chart of Occupancy Rate of Number of People died from Malicious Tumor




Listed in the order of crude death rates due to various types of cancer, the ten major types of cancer and occupancies of deaths in 2010 are: (1) cancers of trachea, bronchus and lung, 20.0%, (2) cancers of liver and intrahepatic bile ducts, 18.9%, (3) cancers of colon, rectum and anus, 11.4%, (4) female breast cancer, 4.2%, (5) mouth cancer, 5.8%, (6) stomach cancer, 5.5%, (7) prostate cancer, 2.5%, (8) esophagus cancer, 3.8%, (9) pancreas cancer, 3.6% and (10) cancers of cervix uteri and uterus and other part unspecified, 1.7%.

Fig. 20. Occupancy Rate of Number of People Died from Leading Cancer in 2010 and 2009



Comparing the annual increase of standardized death rates due to the ten major types of cancer, the rates due to female breast cancer, cervical, uterine and unknown cancers, prostate cancer, mouth cancer and stomach cancer have all increased; however, the standardized death rates due to liver cancer, stomach cancer and pancreatic cancer have all decreased compared to previously figure.

Fig. 21. Chart of Changes in Historic Standard Death Rate of Leading Cancer -- 2009 v.s.




Remark : 1. No matter growth rate or occupancy rate, the cause of death in the first quadrant increase which has larger influence more apart from origin
 2.No matter growth rate or occupancy rate, the cause of death in the third quadrant decrease which has less influence.
 3. The number of every cause of death in Parentheses means its ranking.

(2) Standardized death rates of male and female cancers have all decreased in 2010.

The numbers of male and female cancer deaths in 2010 are 26,022 and 15,024, and the crude death rates are 171.3 and 93.9/100,000, respectively. The crude death rate of men is 1.8 times more than that of women.

The numbers of males and females who died of cancer in 2010 increased by 2.9% and 2.7%, respectively, as compared with the statistics in 2009. The standardized death rates of males and females dying of cancer decreased by 0.3% and 1.3%, respectively.



(3) The median ages of death due to various types of cancer tend to be higher in the past decade, except for esophageal cancer.

The average age of cancer deaths in Taiwan in 2010 is 67.3 years old, 2.4 years higher than that in 2000, and the median age of death is 69.0, which is the same as last year, but 1 year higher than that in 2000. The median age of death is 1 and 3 years higher for men and women, respectively.

Table 2. Comparison of Middle Number in Age of Death from Cancer

Unit: Years Old

	2010 (A)			2000 (B)			Ages Increased/Decreased (A-B)		
	All	Male	Female	All	Male	Female	All	Male	Female
All Causes of Death from Cancer	69.0	69.0	70.0	68.0	68.0	67.0	1.0	1.0	3.0
Trachea, Bronchus and Lung Cancer	73.0	74.0	72.0	71.0	72.0	69.0	2.0	2.0	3.0
Liver and and intrahepatic bile Duct	68.0	65.0	73.0	65.0	63.0	69.0	3.0	2.0	4.0
Colon, Rectum and Anal Cancer	73.0	73.0	73.0	71.0	71.0	71.0	2.0	2.0	2.0
Female Breast Cancer	57.0	...	57.0	53.0	...	53.0	4.0	...	4.0
Cancer of Oral Cavity	57.0	56.0	69.0	54.0	52.0	68.0	3.0	4.0	1.0
Cancer of Stomach	74.0	75.0	73.0	71.0	72.0	70.0	3.0	3.0	3.0
Prostate Cancer	80.0	80.0	...	77.0	77.0	...	3.0	3.0	...
Esophageal cancer	59.0	58.0	75.0	64.0	63.0	76.0	-5.0	-5.0	-1.0
Pancreatic cancer	71.5	70.0	73.0	69.0	69.0	70.0	2.5	1.0	3.0
Cervix and unknown parts of Uterine cancer	65.0	...	65.0	64.0	...	64.0	1.0	...	1.0

Out of the ten major causes of cancer death, liver cancer, female breast cancer, mouth cancer, cervical cancer and cancer of esophagus have median ages of death lower than 69 years old,

which is the median age of death due to all types of cancer. The median ages of death due to female breast cancer, mouth cancer and cancer of esophagus are even lower than 60 years old, which draws more people's attention.

Except for the median age of death due to esophageal cancer decreasing by 5 years, the median ages of death due to other major cancer-related death have all increased in the past decade.

(4) The female cancer standardized death rate has dropped more significantly compared with males in the past decade.

The standardized death rate due to cancer in 2010 was 131.6/100,000; this number is 4.2% lower than that in 2000. It has decreased 0.6% and 6.9% for men and women, respectively.

Table 3. Comparison of Standard Death Rate of Cancer

Unit : 0/0000, %

	2010 (A)			2000 (B)			Ages Increased/Decreased (A-B)		
	All	Male	Female	All	Male	Female	All	Male	Female
All Causes of Death from Cancer	131.6	171.3	93.9	141.6	178.4	103.3	-7.1	-4.0	-9.1
Trachea, Bronchus and Lung Cancer	25.8	35.1	17.1	28.0	38.0	17.4	-7.9	-7.6	-1.7
Liver and and intrahepatic bile Duct	25.2	36.8	14.2	27.0	40.2	13.4	-6.7	-8.5	6.0
Colon, Rectum and Anal Cancer	14.6	17.6	11.9	15.3	17.3	13.1	-4.6	1.7	-9.2
Female Breast Cancer	11.0	...	11.0	10.3	-	10.3	6.8	...	6.8
Cancer of Oral Cavity	7.8	14.9	1.1	6.6	11.9	1.1	18.2	25.2	0.0
Cancer of Stomach	7.0	9.2	4.9	10.7	14.1	7.1	-34.6	-34.8	-31.0
Prostate Cancer	6.1	6.1	...	5.7	5.7	...	7.0	7.0	...
Esophageal cancer	5.1	9.7	0.6	4.0	7.2	0.7	27.5	34.7	-14.3
Pancreatic cancer	4.7	5.6	3.8	4.4	5.2	3.6	6.8	7.7	5.6
Cervix and unknown parts of Uterine cancer	4.4	...	4.4	8.9	...	8.9	-50.6	...	-50.6

Regarding changes among standardized death rates due to major types of cancer in the past decade, cervical cancer and stomach cancer have the most significant reduction, with 50.6% and 34.6% less, respectively. Although lung cancer and liver cancer are the two most common causes of cancer death, the standardized death rates due to these two cancers have also decreased by 7.9% and 6.7%, respectively in the past 10 years. The drop of standardized death rates due to these five types of cancer described above is the main reason why the overall cancer standardized death rate has also decreased. However, the standardized death rates due to esophageal cancer and mouth cancer have grown by 27.5% and 18.2%, respectively.




14. The death rate due to accidents declines gradually every year

In 2010 the total number of Accident and death was reached to 6,669 people , and the standardized death rate due to accidents is 24.4/100,000, which is lower by 3.3/100,000 and a total of 689 people than that in 2009, a very clear decline. This is mainly due to the effects of Typhoon Morakot, which led the increment in number of people in accidents.

For a long time, except for the 921 Earthquake and Typhoon Morakot in 2009, the death rate due to accidents in the past has been in a downward trend every year, with the crude death rate reducing from 68.8/100,000 in 1990 to 28.8/100,000 in 2010, with a 58.1% of decline over the past 20 years.

Except for the 921 Earthquake in 1999, the number of people who died in traffic accidents accounted for more than 50% of accidental deaths; in addition, accidental falls has also had an upward trend.

Fig. 23. Historic General Overview of Damages from Accidents




15. Suicide

(1) The number of deaths due to suicide in 2009 declined so much that it is no longer on of the ten leading causes of death and is in the 11th position for the first time since 1997.


The number of people who died by suicide in 2010 was 3,889, which is the 11th most common cause of death. The standardized death rate due to suicide is 13.8/100,000, lower by

6.1% than that in 2009.



(2) The number of male deaths due to suicide in the past years is higher as compared with females

The number of deaths due to suicide in Taiwan in 2010 was 3,889; out of this number, about 68% are men and 32% are women. Suicide is the 9th and 12th leading causes of death for men and women, respectively. The standard death rate of men due to suicide is 2.1 times higher than that of women.






The standard death rate due to suicide in 2010 is 18.8/100,000; 8.8/100,000 for men and women, respectively. In 2010, the crude death rates and standardized death rates for men and women both slightly declined.

(3) Suicide death rate increases with age

The suicide crude death rate has increased with age in the past years. In 2010, among different age groups of people, the highest suicide death rate per 100,000 population, 35.8, goes to people aged 65 years or older, followed by 22.8, 18.6 and 5.5 in groups of 45-64, 25-44 and 15-24-year-old people, respectively.



Comparing the suicide death rates in different age groups in 2010 with those in 2009, the only one increment is 5.8% in > 65 age group; the rates in other age groups represent a decline, especially in that of 22-44 age groups, whose death rate decreased by 15.1%.

16. Potential years of life loss (PYLL)

(1) The average years of life loss (AYLL) due to all causes of death is 17.7 years in 2010, 2.5 years shorter than that 10 years ago.

The PYLL for total number of deaths below 70 years old in 2010 (See Table 4 Note 1 for calculation formula) is 998,555 people for years, that is 3.5% lower than that in 2009. The AYLL is 17.7 years (See Note 2 for calculation formula), 0.4 and 2.6 years lower than that of ten years ago.

The PYLLs for men and women are 700,269 and 298,286 people for years, respectively, and the AYLL is 18.0 for each man and 17.1 for each woman, both lower than those in 2009.

Fig. 27. Trend of Average Age Loss from All Causes of Death



(2) PYLLs for deaths due to malignant neoplasms, accidents and suicide are the highest

The PYLLs due to the ten major causes of death from the highest to the lowest are in the following order: (1) accidents, 27.7 years; (2) chronic liver disease and cirrhosis, 18.3 years; (3) heart disease, 15.2 years; (4) malignant neoplasms, 14.7 years; (5) pneumonia, 14.0 years; (6) cerebrovascular diseases, 13.9 years; (7) nephritis, nephritic syndrome, nephrosis and hypertension are the same, 12.2 years; (8) diabetes mellitus diseases, 11.3 years; and (10) chronic lower respiratory disease, 11.0 years.

The PYLL due to malignant neoplasms is the highest and is the key to the life expectancy of Taiwanese people. The second and third highest PYLLs are due to accidents and suicide. The PYLLs due to these three causes of death occupy 52% of the total PYLL of deaths in Taiwan. If compared with last year, the loss of average lifespan due to accident, malignant neoplasms, chronic liver disease and cirrhosis has also declined.

(3) The PYLL due to cancer is 14.7, decreasing by 0.3 for men but the same for women as compared with those before 2009.

Table 4 Average Age Loss of Lifespan of People aged below 70 died from Ten Leading Causes


	Unit : Year								
	2010 (A)			2009 (B)			Ages Increment/Decrement (A-B)		
	All	Male	Female	All	Male	Female	All	Male	Female
All Causes of Death	17.7	18.0	17.1	18.1	18.4	17.5	-0.4	-0.4	-0.4
Malicious Tumor	14.7	14.6	15.0	14.9	14.8	15.0	-0.2	-0.3	0.0
Heart Disease	15.2	15.6	13.8	15.0	15.6	13.4	0.2	0.0	0.5
Cerebrovascular disease	13.9	14.3	13.1	13.9	14.3	13.0	0.0	-0.1	0.1
Pneumonia	14.0	13.9	14.4	13.8	13.9	13.6	0.2	0.0	0.8
Diabetes Diseases	11.3	12.3	9.6	10.9	11.9	9.4	0.3	0.3	0.2
Damages from Accidents	27.7	28.1	26.3	28.0	28.1	27.7	-0.4	-0.1	-1.4
Chronic Lower Respiratory Disease	11.0	10.8	11.7	11.0	10.5	12.5	0.0	0.2	-0.9
Chronic Liver Disease and Cirrhosis	18.3	19.4	13.2	18.5	19.9	12.6	-0.1	-0.5	0.6
Hypertension	12.2	12.5	11.4	11.9	13.1	9.5	0.2	-0.6	1.9
Nephritis, nephrotic Syndrome and ne	12.2	12.5	11.7	12.2	13.5	10.1	0.0	-1.0	1.6

Remark 1 : Loss of Potential Lifespan : Predictive Lifespan per age is (70 - age died) * Sum of People died at that age

2 : Average Loss of Lifespan : Potential Loss of Lifespan /Number of People died from that reason

The total PYLL for people below the age of 70 due to malignant neoplasms in 2010 is 303,883 people years, that is 1.0% higher when compared with that in the previous year. The AYLL is 14.7, which is 0.2 lower than that before 2009.

Fig. 28. Trend of Average Age Loss from Malicious Tumor



The PYLL due to liver cancer is the highest, followed by lung cancer and then mouth cancer. If the AYLL per death is taken into account, the highest ones go to mouth cancer and cancers of colon, rectum and anal, with the gross AYLLs of these four cancers accounting for

50% of that the AYLL due to cancer.


If viewed from average AYLL, mouth cancer, breast cancer and cervical cancer are 16.7 years, which is the leading cause; the others are in sequence of Esophageal cancer, 15.9 years; stomach cancer, 13.7 years; cancers of colon, rectum and anal, 11.8 years; and prostate cancer, 6.5 years. As compared with that of 2009, the AYLL for mouth cancer, prostate cancer, stomach cancer, breast cancer and liver cancer have all declined, except for cervical cancer, which is higher by 0.6 years than that of the previous year.

Table 5 Average Age Loss of Lifespan of People aged below 70 died from Ten Leading Cancers

	Unit : Year								
	2010 (A)			2009 (B)			Ages Increment/Decrement (A-B)		
	All	Male	Female	All	Male	Female	All	Male	Female
All Causes of Death due to Cancer	14.7	14.6	15.0	14.9	14.8	15.0	-0.2	-0.3	0.0
Trachea, Bronchus and Lung Cancer	11.8	11.2	12.9	12.3	11.9	12.9	-0.4	-0.7	0.0
Liver and and intrahepatic bile Duct	13.4	14.1	10.8	13.6	14.4	10.5	-0.2	-0.3	0.3
Colon, Rectum and Anal Cancer	13.6	13.0	14.5	13.6	13.0	14.4	0.1	0.0	0.1
Female Breast Cancer	16.7	...	16.7	17.0	...	17.0	-0.3	...	-0.3
Cancer of Oral Cavity	13.7	12.7	15.4	14.3	12.7	16.7	-0.6	0.0	-1.4
Cancer of Stomach	16.7	16.8	14.5	17.6	17.6	17.6	-0.9	-0.7	-3.1
Prostate Cancer	6.5	6.5	...	7.3	7.3	...	-0.8	-0.8	...
Esophageal cancer	15.9	15.9	14.1	15.5	15.7	12.3	0.4	...	1.9
Pancreatic cancer	12.0	12.4	11.5	11.9	12.4	11.3	0.1	0.0	0.2
Cervix and unknown parts of Uterine cancer	16.7	-	16.7	16.1	-	16.1	0.6	...	0.6

Remark 1 : Loss of Potential Lifespan : Predictive Lifespan per age is (70 - age died) * Sum of People died at that age

2 : Average Loss of Lifespan : Potential Loss of Lifespan /Number of People died from that reason



Statistical Chart




Figure 1 Average Number of Cases Occurred Every Day ,2010



Deaths : 396 persons/day
(One person dies every 3 minutes 38 seconds)



Infant Deaths : 1.9 persons/day
(One person dies every 12 hours 25 minutes)

Malignant Neoplasms (One person dies every 12 minutes 48 seconds)		(112 persons/day)
Diseases of heart (except hypertensive diseases) (One person dies every 33 minutes 32 seconds)		(43 persons/day)
Cerebrovascular Disease (One person dies every 51 minutes 52 seconds)		(28 persons/day)
Pneumonia (One person dies every 59 minutes 0 seconds)		(24 persons/day)
Diabetes Mellitus (One person dies every 1 hour 4 minutes)		(22 persons/day)
Accidents (One person dies every 1 hour 18 minutes)		(18 persons/day)
Chronic lower respiratory Disease (One person dies every 1 hours 41 minutes)		(14 persons/day)
Chronic Liver Disease and Cirrhosis (One person dies every 1 hour 47 minutes)		(13 persons/day)
Hypertensive disease (One person dies every 2 hours 5 minutes)		(11 persons/day)
Nephritis, nephrotic syndrome and nephrosis (One person dies every 2 hour 8 minutes)		(11 persons/day)

Accidents and Adverse Effects

- Motor Vehicle Traffic Accidents : 9.6 persons/day
(One person dies every 2 hour 29 minutes)
- Accidental Drowning and Submersion : 1.0 persons/day
- Accidental Falls : 3.2 persons/day
- Accidental Poisoning : 0.8 persons/day
- Accidents Caused by Fire and Flames : 0.2 persons/day




Figure 2 Trend of Crude Mortality Rates





Figure 3 Trend of Age-adjusted Mortality Rates

Age-adjusted death rates per 100,000 population



Note : Based on 2000 W.H.O. World Standard Population.

Figure 4 Trend of Crude Mortality Rates from Cancer Causes



Death rates per 100,000 population





Figure 5 Trend of Age-adjusted Mortality Rates from Cancer Causes

Ageadjusted death rates per 100,000 populaton



Note : Based on 2000 W.H.O. World Standard Population.

Figure 6 Crude Mortality Rates of Accidents and Adverse Effects

Death rates per 100,000 population




Figure 7 Crude Mortality Rates of Intentional Self-Harm (Suicide)

Death rates per 100,000 population




Figure 8 Map of Malignant Neoplasms by Locale, 2010
 (ICD 10 : C00-C97) Country 177.4 ‰




Figure 9 Map of Heart Disease (Except hypertensive diseases) by Locale
 (ICD 10 : I01-I02.0, I05-I09, I20-I25, I27, I30-I52) Country 67.7 ‰₀₀₀₀




Figure 10 Map of Cerebrovascular disease by Locale, 2010
 (ICD 10 : I60-I69) Country 43.8 $\%_{0000}$




Figure 11 Map of Pneumonia by Locale, 2010
 (ICD 10 : J12-J18) Country 38.5 ‰₀₀₀₀




Figure 12 Map of Diabetes mellitus by Locale, 2010
(ICD 10 : E10-E14) Country 35.5 ⁰/₀₀₀₀




Figure 13 Map of Accidents and adverse effects by Locale, 2010
 (ICD 10 : V01-X59, Y85-Y86) Country 28.8 ‰₀₀₀₀




Figure 14 Map of Chronic lower respiratory diseases by Locale, 2010
 (ICD 10 : J40-J47) Country 22.5 ⁰/₀₀₀₀




Figure 15 Map of Chronic liver disease and cirrhosis by Locale, 2010
 (ICD 10 : K70, K73-K74) Country 21.2 ‰




Figure 16 Map of Hypertensive diseases by Locale, 2010
 (ICD 10 : I10-I15) Country 18.0 ‰




Figure 17 Map of Nephritis, Nephrotic Syndrome and Nephrosis by Locale,2010
 (ICD 10 : N00-N07, N17-N19, N25-N27) Country 17.7 ‰₀₀₀₀




Figure 18 Map of Trachea, Bronchus, and Lung Cancer by Locale ,2010
 (ICD 10 : C33-C34) Country 35.4 ‰




Figure 19 Map of Liver and Intrahepatic Bile Ducts Cancer by Locale ,2010
 (ICD 10 : C22) Country 33.5 ‰₀₀₀₀




Figure 20 Map of Colon and Rectum and Anus Cancer by Locale ,2010
(ICD 10 : C18-C21) Country 20.2 ⁰/₀₀₀₀




Figure 21 Map of Female Breast Cancer by Locale ,2010
 (ICD 10 : C50) Country 14.8 ‰₀₀₀₀




Figure 22 Map of Oral Cavity Cancer by Locale ,2010
 (ICD 10 : C00-C06, C09-C10, C12-C14) Country 10.2 ‰




Figure 23 Map of Stomach Cancer by Locale ,2010
 (ICD 10 : C16) Country 9.8 ‰




Figure 24 Map of Prostate Cancer by Locale ,2010
(ICD 10 : C61) Country 8.8 ‰




Figure 25 Map of Oesophagus Cancer by Locale ,2010
 (ICD 10 : C15) Country 6.8 ‰₀₀₀₀




Figure 26 Map of Pancreas Cancer by Locale ,2010
 (ICD 10 : C25) Country 6.4 ‰




Figure 27 Map of Cervix Uteri and Uterus, Part Unspecified Cancer by Locale,2010
 (ICD 10 : C53, C55) Country 6.1 ‰_{0000}




Figure 28 Map of Taiwan



Figure 29 Map of Malignant Neoplasms by Township, 2010
(ICD 10 : C00-C97) Country 177.4 ‰




Figure 30 Map of Heart Disease (Except hypertensive diseases) by Township
 (ICD 10 : I01-I02.0, I05-I09, I20-I25, I27, I30-I52) Country 67.7 ‰₀₀₀₀




Figure 31 Map of Cerebrovascular disease by Township, 2010
(ICD 10 : I60-I69) Country 43.8 ‰




Figure 32 Map of Pneumonia by Township, 2010
 (ICD 10 : J12-J18) Country 38.5 ⁰/₀₀₀₀




Figure 33 Map of Diabetes mellitus by Township ,2010
(ICD 10 : E10-E14) Country 35.5 ‰




Figure 34 Map of Accidents and adverse effects by Township ,2010
 (ICD 10 : V01-X59, Y85-Y86) Country 28.8 ‰




Figure 35 Map of Chronic lower respiratory diseases by Township, 2010
(ICD 10 : J40-J47) Country 22.5 ⁰/₀₀₀₀




Figure 36 Map of Chronic liver disease and cirrhosis by Township, 2010
 (ICD 10 : K70, K73-K74) Country 21.2 ‰




Figure 37 Map of Hypertensive diseases by Township, 2010
(ICD 10 : I10-I15) Country 18.0 ‰




Figure 38 Map of Nephritis, Nephrotic Syndrome and Nephrosis by Township
 (ICD 10 : 00-N07, N17-N19, N25-N27) Country 17.7 ‰




Figure 39 Map of Trachea, Bronchus and Lung Cancer by Township
(ICD 10 : C33-C34) Country 35.4 ‰




Figure 40 Map of Liver and Intrahepatic Bile Ducts Cancer by Township
 (ICD 10 : C22) Country 33.5 ‰




Figure 41 Map of Colon, Rectum and Anus Cancer by Township
(ICD 10 : C18-C21) Country 20.2 ‰




Figure 42 Map of Female Breast Cancer by Township
 (ICD 10 : C50) Country 14.8 ⁰/₀₀₀₀




Figure 43 Map of Oral Cavity Cancer by Township
(ICD 10 : C00-C06, C09-C10, C12-C14) Country 10.2 ⁰/₀₀₀₀




Figure 44 Map of Stomach Cancer by Township
 (ICD 10 : C16) Country 9.8 ‰




Figure 45 Map of Prostate Cancer by Township
(ICD 10 : C61) Country 8.8 ‰




Figure 46 Map of Oesophagus Cancer by Township
 (ICD 10 : C15) Country 6.8 ‰




Figure 47 Map of Pancreas Cancer by Township
(ICD 10 : C25) Country 6.4 ‰






Figure 48 Map of Cervix Uteri and Uterus, Part Unspecified Cancer by Township (ICD 10 : C53, C55) Country 6.1 ⁰/₀₀₀₀








Statistical Tables





(I) Time Series of Causes of Death



Table 1 Causes of Death

Unit : Person, 0/0000

Rank	1981				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	86,204	479.7	810.2
1	29	Cerebrovascular disease	14,202	79.0	146.2
2	08-14	Malignant neoplasms	13,764	76.6	116.2
3	E47-E53	Accidents and adverse effects	11,616	64.6	73.9
4	250,251, 27,28*	Heart disease	7,706	42.9	85.3
5	26	Hypertensive disease	3,146	17.5	35.4
6	347	Chronic liver disease and cirrhosis	3,075	17.1	26.1
7	323	Bronchitis, emphysema and asthma	2,845	15.8	33.2
8	321	Pneumonia	2,833	15.8	27.7
9	02	Tuberculosis	2,586	14.4	23.7
10	350	Nephritis, nephritic syndrome and nephrosis	2,329	13.0	21.3
11	E54	Suicide	2,037	11.3	14.1
12	181	Diabetes mellitus	1,613	9.0	15.6
13	44	Congenital anomalies	1,034	5.8	4.9
14	45	Certain conditions originating in the perinatal period	984	5.5	4.7
15	341	Ulcer of stomach and duodenum	918	5.1	9.8
16	038	Septicaemia	510	2.8	3.8
17	01	Intestinal infectious diseases	462	2.6	3.5
18	E55	Homicide	336	1.9	1.9
19	200	Anaemias	265	1.5	2.7
20	300	Atherosclerosis	252	1.4	3.2
21	220	Meningitis	222	1.2	1.3
22	322	Influenza	148	0.8	1.8
23	192	Other protein-calorie malnutrition	104	0.6	1.2
24	360	Hyperplasia of prostate	89	0.5	1.4
25	191	Nutritional marasmus	83	0.5	1.2
26	39	Direct obstetric causes	73	0.4	0.4
27	037	Tetanus	48	0.3	0.4
28	342	Appendicitis	38	0.2	0.3
29	042	Measles	18	0.1	0.1
30	38	Abortion	7	0.0	0.0
31	034	Whooping cough	2	0.0	0.0
		All other causes	12,859	71.6	149.0

Remark: 1. Mid-year Population : 17,970,288 in 1981.
2. Beginning 1994, includes Kinmen County and Lienkiang County.
3. Based on 2000 W.H.O. World Standard Population.

Table 1 Causes of Death

Unit : Person, 0/0000

Rank	1986				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	93,865	484.9	731.7
1	08-14	Malignant neoplasms	16,559	85.5	118.3
2	29	Cerebrovascular disease	14,862	76.8	121.9
3	E47-E53	Accidents and adverse effects	12,187	63.0	70.5
4	250,251, 27,28*	Heart disease	9,953	51.4	87.4
5	26	Hypertensive disease	3,349	17.3	29.4
6	347	Chronic liver disease and cirrhosis	3,218	16.6	22.7
7	181	Diabetes mellitus	2,970	15.3	23.1
8	323	Bronchitis, emphysema and asthma	2,644	13.7	24.3
9	321	Pneumonia	2,378	12.3	20.9
10	E54	Suicide	2,260	11.7	13.5
11	350	Nephritis, nephritic syndrome and nephrosis	2,134	11.0	16.6
12	02	Tuberculosis	1,854	9.6	14.2
13	44	Congenital anomalies	877	4.5	4.8
14	038	Septicaemia	758	3.9	5.6
15	341	Ulcer of stomach and duodenum	753	3.9	6.3
16	45	Certain conditions originating in the perinatal period	450	2.3	2.7
17	E55	Homicide	357	1.8	1.8
18	200	Anaemias	255	1.3	2.0
19	01	Intestinal infectious diseases	202	1.0	1.6
20	300	Atherosclerosis	170	0.9	1.7
21	192	Other protein-calorie malnutrition	159	0.8	1.7
22	220	Meningitis	149	0.8	0.9
23	322	Influenza	104	0.5	1.1
24	360	Hyperplasia of prostate	95	0.5	1.0
25	191	Nutritional marasmus	92	0.5	1.0
26	037	Tetanus	36	0.2	0.3
27	39	Direct obstetric causes	28	0.1	0.1
28	342	Appendicitis	22	0.1	0.2
29	042	Measles	3	0.0	0.0
30	38	Abortion	1	0.0	0.0
		All other causes	14,986	77.4	135.8

Remark: 1. Mid-year Population : 19,356,331 in 1986.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.



Table 1 Causes of Death (Con. 1)

Unit : Person, 0/0000

Rank	1991				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	104,461	510.7	669.5
1	08-14	Malignant neoplasms	19,630	96.0	117.8
2	29	Cerebrovascular disease	14,137	69.1	93.7
3	E47-E53	Accidents and adverse effects	13,636	66.7	71.3
4	250,251, 27,28*	Heart disease	12,026	58.8	84.1
5	181	Diabetes mellitus	4,210	20.6	26.6
6	347	Chronic liver disease and cirrhosis	3,601	17.6	21.1
7	321	Pneumonia	2,644	12.9	19.3
8	350	Nephritis, nephrotic syndrome and nephrosis	2,527	12.4	16.6
9	26	Hypertensive disease	2,492	12.2	17.4
10	323	Bronchitis, emphysema and asthma	2,176	10.6	15.4
11	02	Tuberculosis	1,847	9.0	11.9
12	E54	Suicide	1,465	7.2	7.7
13	038	Septicemia	1,429	7.0	9.5
14	341	Peptic ulcer	792	3.9	5.4
15	44	Congenital malformations, deformations and chromosomal abnormalities	751	3.7	4.1
16	45	Certain conditions originating in the perinatal period	384	1.9	2.2
17	E55	Assault (homicide)	379	1.9	1.8
18	220	Meningitis	207	1.0	1.2
19	200	Anaemias	163	0.8	1.1
20	300	Atherosclerosis	155	0.8	1.2
21	191	Nutritional marasmus	107	0.5	0.8
22	192	Other protein-calorie malnutrition	96	0.5	0.8
23	01	Intestinal infectious diseases	86	0.4	0.6
24	360	Hyperplasia of prostate	64	0.3	0.5
25	322	Influenza	30	0.1	0.2
26	39	Direct obstetric causes	25	0.1	0.1
27	342	Appendicitis	21	0.1	0.1
28	037	Tetanus	14	0.1	0.1
		All other causes	19,367	94.7	136.8

Remark: 1. Mid-year Population : 20,454,904 in 1991.

2. Based on 2000 W.H.O. World Standard Population.

Table 1 Causes of Death (Con. 1)

Unit : Person, 0/0000

Rank	1996				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	120,605	562.5	641.1
1	08-14	Malignant neoplasms	27,961	130.4	143.5
2	29	Cerebrovascular disease	13,944	65.0	75.3
3	E47-E53	Accidents and adverse effects	12,422	57.9	58.9
4	250,251, 27,28*	Heart disease	11,273	52.6	62.2
5	181	Diabetes mellitus	7,525	35.1	39.4
6	347	Chronic liver disease and cirrhosis	4,610	21.5	23.1
7	350	Nephritis, nephrotic syndrome and nephrosis	3,547	16.5	19.4
8	321	Pneumonia	3,200	14.9	18.5
9	26	Hypertensive disease	2,656	12.4	14.9
10	323	Bronchitis, emphysema and asthma	2,036	9.5	11.4
11	E54	Suicide	1,847	8.6	8.7
12	02	Tuberculosis	1,699	7.9	9.1
13	038	Septicemia	1,387	6.5	7.7
14	44	Congenital malformations, deformations and chromosomal abnormalities	1,056	4.9	6.0
15	341	Peptic ulcer	984	4.6	5.4
16	45	Certain conditions originating in the perinatal period	923	4.3	5.5
17	E55	Assault (homicide)	327	1.5	1.5
18	220	Meningitis	192	0.9	1.0
19	200	Anaemias	154	0.7	0.8
20	192	Other protein-calorie malnutrition	108	0.5	0.7
21	300	Atherosclerosis	91	0.4	0.5
22	191	Nutritional marasmus	75	0.3	0.4
23	360	Hyperplasia of prostate	47	0.2	0.3
24	322	Influenza	34	0.2	0.2
25	39	Direct obstetric causes	24	0.1	0.1
26	342	Appendicitis	12	0.1	0.1
27	01	Intestinal infectious diseases	11	0.1	0.1
28	037	Tetanus	5	0.0	0.0
29	052	Malaria	2	0.0	0.0
30	38	Abortion	1	0.0	0.0
		All other causes	22,452	104.7	126.5

Remark: 1. Mid-year Population : 21,441,432 in 1996.

2. Based on 2000 W.H.O. World Standard Population.



Table 1 Causes of Death (Cont. 2)

Unit : Person, 0/0000

Rank	2001				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	126,667	567.0	558.7
1	08-14	Malignant neoplasms	32,993	147.7	143.1
2	29	Cerebrovascular disease	13,141	58.8	57.8
3	250,251, 27,28*	Heart disease	11,003	49.2	48.8
4	E47-E53	Accidents and adverse effects	9,513	42.6	41.5
5	181	Diabetes mellitus	9,113	40.8	39.8
6	347	Chronic liver disease and cirrhosis	5,239	23.5	22.3
7	350	Nephritis, nephrotic syndrome and nephrosis	4,056	18.2	17.9
8	321	Pneumonia	3,746	16.8	16.8
9	E54	Suicide	2,781	12.4	11.7
10	26	Hypertensive disease	1,766	7.9	7.9
11	323	Bronchitis, emphysema and asthma	1,589	7.1	7.0
12	02	Tuberculosis	1,299	5.8	5.7
13	038	Septicemia	1,031	4.6	4.6
14	341	Peptic ulcer	915	4.1	4.0
15	45	Certain conditions originating in the perinatal period	756	3.4	5.0
16	44	Congenital malformations, deformations and chromosomal abnormalities	644	2.9	4.0
17	E55	Assault (homicide)	306	1.4	1.3
18	200	Anaemias	240	1.1	1.1
19	220	Meningitis	146	0.7	0.7
20	192	Other protein-calorie malnutrition	84	0.4	0.4
21	300	Atherosclerosis	46	0.2	0.2
22	360	Hyperplasia of prostate	43	0.2	0.2
23	191	Nutritional marasmus	30	0.1	0.1
24	342	Appendicitis	23	0.1	0.1
25	01	Intestinal infectious diseases	17	0.1	0.1
26	39	Direct obstetric causes	15	0.1	0.1
27	38	Abortion	3	0.0	0.0
28	322	Influenza	2	0.0	0.0
29	052	Malaria	1	0.0	0.0
30	037	Tetanus	1	0.0	0.0
		All other causes	26,125	116.9	116.6

Remark: 1. Mid-year Population : 22,341,120 in 2001.

2. Based on 2000 W.H.O. World Standard Population.

Table 1 Causes of Death (Cont. 2)

Unit : Person, 0/0000

Rank	2006				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	135,071	591.8	495.4
1	08-14	Malignant neoplasms	37,998	166.5	139.3
2	29	Cerebrovascular disease	12,596	55.2	44.7
3	250,251,27,28*	Heart disease	12,283	53.8	43.8
4	181	Diabetes mellitus	9,690	42.5	34.9
5	E47-E53	Accidents and adverse effects	8,011	35.1	31.9
6	321	Pneumonia	5,396	23.6	18.9
7	347	Chronic liver disease and cirrhosis	5,049	22.1	18.6
8	350	Nephritis, nephrotic syndrome and nephrosis	4,712	20.6	16.8
9	E54	Suicide	4,406	19.3	16.8
10	26	Hypertensive disease	1,816	8.0	6.4
11	323	Bronchitis, emphysema and asthma	1,231	5.4	4.4
12	038	Septicemia	1,198	5.2	4.2
13	02	Tuberculosis	832	3.6	2.9
14	341	Peptic ulcer	784	3.4	2.8
15	45	Certain conditions originating in the perinatal period	483	2.1	4.5
16	44	Congenital malformations, deformations and chromosomal abnormalities	375	1.6	3.0
17	200	Anaemias	253	1.1	0.9
18	E55	Assault (homicide)	228	1.0	1.0
19	220	Meningitis	105	0.5	0.4
20	192	Other protein-calorie malnutrition	86	0.4	0.3
21	300	Atherosclerosis	28	0.1	0.1
22	360	Hyperplasia of prostate	27	0.1	0.1
23	191	Nutritional marasmus	22	0.1	0.1
24	01	Intestinal infectious diseases	21	0.1	0.1
25	342	Appendicitis	18	0.1	0.1
26	39	Direct obstetric causes	13	0.1	0.1
27	322	Influenza	3	0.0	0.0
28	037	Tetanus	3	0.0	0.0
29	38	Abortion	2	0.0	0.0
		All other causes	27,402	120.1	98.5

Remark: 1. Mid-year Population : 22,823,455 in 2006.

2. Based on 2000 W.H.O. World Standard Population.



Table 1 Causes of Death (Cont. 3)

Unit : Person, 0/0000

Rank	2007				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
	01-56	All causes of death	139,376	608.2	491.6
1	08-14	Malignant neoplasms	40,306	175.9	142.6
2	250,251,27,28*	Heart disease	13,003	56.7	44.4
3	29	Cerebrovascular disease	12,875	56.2	43.8
4	181	Diabetes mellitus	10,231	44.6	35.5
5	E47-E53	Accidents and adverse effects	7,130	31.1	27.9
6	321	Pneumonia	5,895	25.7	19.6
7	347	Chronic liver disease and cirrhosis	5,160	22.5	18.4
8	350	Nephritis, nephrotic syndrome and nephrosis	5,099	22.2	17.3
9	E54	Suicide	3,933	17.2	14.7
10	26	Hypertensive disease	1,977	8.6	6.6
11	038	Septicemia	1,245	5.4	4.2
12	323	Bronchitis, emphysema and asthma	1,165	5.1	3.9
13	02	Tuberculosis	783	3.4	2.6
14	341	Peptic ulcer	747	3.3	2.5
15	45	Certain conditions originating in the perinatal period	487	2.1	4.6
16	44	Congenital malformations, deformations and chromosomal abnormalities	410	1.8	3.3
17	200	Anaemias	268	1.2	0.9
18	E55	Assault (homicide)	176	0.8	0.7
19	220	Meningitis	91	0.4	0.3
20	192	Other protein-calorie malnutrition	68	0.3	0.2
21	300	Atherosclerosis	46	0.2	0.2
22	360	Hyperplasia of prostate	25	0.1	0.1
23	01	Intestinal infectious diseases	18	0.1	0.1
24	342	Appendicitis	15	0.1	0.1
25	191	Nutritional marasmus	14	0.1	0.0
26	39	Direct obstetric causes	13	0.1	0.1
27	322	Influenza	8	0.0	0.0
28	38	Abortion	1	0.0	0.0
29	037	Tetanus	1	0.0	0.0
		All other causes	28,186	123.0	96.9

Remark: 1. Mid-year Population : 22,917,444 in 2007.

2. Based on 2000 W.H.O. World Standard Population.

Table 1 Causes of Death (Cont. 3)

Unit : Person, 0/0000

Rank	2008				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	142,283	618.7	484.3
1	C00-C97	Malignant neoplasms	38,913	169.2	133.7
2	I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Heart disease	15,726	68.4	51.7
3	I60-I69	Cerebrovascular disease	10,663	46.4	35.0
4	J12-J18	Pneumonia	8,661	37.7	27.5
5	E10-E14	Diabetes mellitus	8,036	34.9	26.9
6	V01-X59, Y85-Y86	Accidents and adverse effects	7,077	30.8	27.0
7	J40-J47	Chronic lower respiratory diseases	5,374	23.4	16.9
8	K70, K73-K74	Chronic liver disease and cirrhosis	4,917	21.4	17.1
9	X60-X84, Y87.0	Suicide	4,128	17.9	15.2
10	N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	4,012	17.4	13.2
11	A40-A41	Septicemia	3,534	15.4	11.6
12	I10-I15	Hypertensive disease	3,507	15.2	11.2
13	R54	Senility	1,615	7.0	4.9
14	D00-D48	Remainder of neoplasms	1,342	5.8	4.5
15	M00-M99	Diseases of the musculoskeletal system and connective tissue	1,282	5.6	4.3
16	A15-A19	Tuberculosis	762	3.3	2.5
17	I71	Aortic aneurysm and dissection	662	2.9	2.2
18	J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	603	2.6	1.9
19	K25-K28	Peptic ulcer	588	2.6	1.9
20	G20-G21	Parkinson's disease	544	2.4	1.7
21	L00-L99	Diseases of the skin and subcutaneous tissue	527	2.3	1.7
22	F01-F03	Vascular and unspecified dementia	474	2.1	1.4
23	P00-P96	Certain conditions originating in the perinatal period	422	1.8	4.0
24	K80-K82	Cholelithiasis and other disorders of gallbladder	383	1.7	1.2
25	Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	341	1.5	2.6
26	K40-K46, K56	Hernia and intestinal obstruction	271	1.2	0.9
27	B15-B19	Viral hepatitis	270	1.2	1.0
28	D50-D64	Anaemias	256	1.1	0.9
29	X85-Y09, Y87.1	Assault (homicide)	191	0.8	0.8
30	J60-J65	Pneumoconioses	173	0.8	0.6
		All other causes	17,029	74.0	58.2

Remark: 1. Mid-year Population : 22,997,696 in 2008.

2. Based on 2000 W.H.O. World Standard Population.



Table 1 Causes of Death (Cont'd)

Unit : Person, 0/0000

Rank	2009				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	142,240	616.3	466.7
1	C00-C97	Malignant neoplasms	39,918	173.0	132.5
2	I01-I02.0,I05-I09, I20-I25,I27, I30-I52	Diseases of heart (except hypertensive diseases)	15,094	65.4	47.7
3	I60-I69	Cerebrovascular diseases	10,383	45.0	32.8
4	J12-J18	Pneumonia	8,358	36.2	25.3
5	E10-E14	Diabetes mellitus	8,230	35.7	26.6
6	V01-X59, Y85-Y86	Accidents and adverse effects	7,358	31.9	27.7
7	J40-J47	Chronic lower respiratory diseases	4,955	21.5	14.9
8	K70, K73-K74	Chronic liver disease and cirrhosis	4,918	21.3	16.6
9	X60-X84, Y87.0	Intentional self-harm (suicide)	4,063	17.6	14.7
10	N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	3,999	17.3	12.5
11	I10-I15	Hypertensive diseases	3,721	16.1	11.5
12	A40-A41	Septicemia	3,623	15.7	11.4
13	R54	Senility	1,480	6.4	4.3
14	M00-M99	Diseases of the musculoskeletal system and connective tissue	1,314	5.7	4.2
15	D00-D48	Remainder of neoplasms	1,139	4.9	3.6
16	A15-A19	Tuberculosis	745	3.2	2.3
17	K25-K28	Peptic ulcer	610	2.6	1.9
18	I71	Aortic aneurysm and dissection	605	2.6	1.9
19	G20-G21	Parkinson's disease	572	2.5	1.7
20	F01-F03	Vascular and unspecified dementia	556	2.4	1.6
21	J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	544	2.4	1.7
22	L00-L99	Diseases of the skin and subcutaneous tissue	496	2.1	1.5
23	K80-K82	Cholelithiasis and other disorders of gallbladder	380	1.6	1.2
24	Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	343	1.5	2.6
25	P00-P96	Certain conditions originating in the perinatal period	335	1.5	3.3
26	K40-K46, K56	Hernia and intestinal obstruction	317	1.4	1.0
27	D50-D64	Anaemias	260	1.1	0.9
28	B15-B19	Viral hepatitis	235	1.0	0.8
29	J60-J65	Pneumoconioses	184	0.8	0.6
30	X85-Y09, Y87.1	Assault (homicide)	181	0.8	0.7
		All other causes	17,324	75.1	56.8

Remark: 1. Mid-year Population : 23,078,402 in 2009.

2. Based on 2000 W.H.O. World Standard Population.

Table 1 Causes of Death (Cont'd)

Unit : Person, 0/0000

Rank	2010				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	144,709	625.3	455.6
1	C00-C97	Malignant neoplasms	41,046	177.4	131.6
2	I01-I02.0,I05-I09, I20-I25,I27, I30-I52	Diseases of heart (except hypertensive diseases)	15,675	67.7	47.4
3	I60-I69	Cerebrovascular diseases	10,134	43.8	30.6
4	J12-J18	Pneumonia	8,909	38.5	25.6
5	E10-E14	Diabetes mellitus	8,211	35.5	25.3
6	V01-X59, Y85-Y86	Accidents and adverse effects	6,669	28.8	24.4
7	J40-J47	Chronic lower respiratory diseases	5,197	22.5	14.8
8	K70, K73-K74	Chronic liver disease and cirrhosis	4,912	21.2	16.1
9	I10-I15	Hypertensive diseases	4,174	18.0	12.2
10	N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	4,105	17.7	12.4
11	X60-X84, Y87.0	Intentional self-harm (suicide)	3,889	16.8	13.8
12	A40-A41	Septicemia	3,784	16.4	11.3
13	M00-M99	Diseases of the musculoskeletal system and connective tissue	1,534	6.6	4.6
14	R54	Senility	1,518	6.6	4.1
15	D00-D48	Remainder of neoplasms	968	4.2	3.0
16	I71	Aortic aneurysm and dissection	682	2.9	2.1
17	A15-A19	Tuberculosis	654	2.8	1.9
18	G20-G21	Parkinson's disease	623	2.7	1.8
19	F01-F03	Vascular and unspecified dementia	590	2.5	1.6
20	K25-K28	Peptic ulcer	557	2.4	1.7
21	J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	550	2.4	1.6
22	L00-L99	Diseases of the skin and subcutaneous tissue	506	2.2	1.5
23	K80-K82	Cholelithiasis and other disorders of gallbladder	384	1.7	1.1
24	P00-P96	Certain conditions originating in the perinatal period	324	1.4	3.4
25	K40-K46, K56	Hernia and intestinal obstruction	302	1.3	0.9
26	D50-D64	Anaemias	282	1.2	0.9
27	Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	280	1.2	2.3
28	B15-B19	Viral hepatitis	258	1.1	0.9
29	J60-J65	Pneumoconioses	204	0.9	0.6
30	X85-Y09, Y87.1	Assault (homicide)	179	0.8	0.7
		All other causes	17,609	76.1	55.4

Remark: 1. Mid-year Population : 23,140,948 in 2010.

2. Based on 2000 W.H.O. World Standard Population.



Table 2 Causes of Death for Male

Unit : Person, 0/0000

Rank	1981				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	52,181	557.0	940.5
1	E47-E53	Accidents and adverse effects	8,872	94.7	107.0
2	08-14	Malignant neoplasms	8,719	93.1	139.7
3	29	Cerebrovascular disease	7,790	83.2	155.8
4	250,251,27,28*	Heart disease	4,214	45.0	91.6
5	347	Chronic liver disease and cirrhosis	2,380	25.4	37.7
6	02	Tuberculosis	1,963	21.0	35.7
7	323	Bronchitis, emphysema and asthma	1,730	18.5	42.7
8	26	Hypertensive disease	1,657	17.7	37.0
9	321	Pneumonia	1,571	16.8	32.0
10	350	Nephritis, nephrotic syndrome and nephrosis	1,174	12.5	21.0
11	E54	Suicide	1,168	12.5	15.9
12	181	Diabetes mellitus	675	7.2	12.9
13	341	Peptic ulcer	629	6.7	13.3
14	44	Congenital malformations, deformations and chromosomal abnormalities	580	6.2	5.3
15	45	Certain conditions originating in the perinatal period	566	6.0	5.3
16	E55	Assault (homicide)	296	3.2	3.2
17	038	Septicemia	280	3.0	4.0
18	01	Intestinal infectious diseases	248	2.6	3.7
19	200	Anaemias	128	1.4	2.7
20	300	Atherosclerosis	123	1.3	3.4
21	220	Meningitis	123	1.3	1.4
22	360	Hyperplasia of prostate	89	0.9	3.5
23	322	Influenza	64	0.7	1.8
24	192	Other protein-calorie malnutrition	46	0.5	0.9
25	037	Tetanus	28	0.3	0.5
26	191	Nutritional marasmus	27	0.3	0.7
27	342	Appendicitis	24	0.3	0.4
28	042	Measles	10	0.1	0.1
29	034	Whooping cough	1	0.0	0.0
		All other causes	7,006	74.8	161.2

Remark: 1. Mid-year Population : 9,368,483 in 1981.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.

Table 2 Causes of Death for Male

Unit : Person, 0/0000

Rank	1986				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	57,168	569.4	850.0
1	08-14	Malignant neoplasms	10,584	105.4	143.8
2	E47-E53	Accidents and adverse effects	9,154	91.2	100.2
3	29	Cerebrovascular disease	8,338	83.0	131.1
4	250,251,27,28*	Heart disease	5,611	55.9	95.6
5	347	Chronic liver disease and cirrhosis	2,408	24.0	31.9
6	26	Hypertensive disease	1,840	18.3	30.9
7	323	Bronchitis, emphysema and asthma	1,713	17.1	32.8
8	02	Tuberculosis	1,414	14.1	21.5
9	E54	Suicide	1,406	14.0	16.0
10	321	Pneumonia	1,398	13.9	25.0
11	181	Diabetes mellitus	1,251	12.5	18.6
12	350	Nephritis, nephrotic syndrome and nephrosis	1,104	11.0	17.0
13	341	Peptic ulcer	506	5.0	8.3
14	44	Congenital malformations, deformations and chromosomal abnormalities	478	4.8	5.1
15	038	Septicemia	443	4.4	6.5
16	E55	Assault (homicide)	262	2.6	2.6
17	45	Certain conditions originating in the perinatal period	250	2.5	2.9
18	200	Anaemias	127	1.3	1.9
19	01	Intestinal infectious diseases	119	1.2	1.9
20	360	Hyperplasia of prostate	95	0.9	2.3
21	220	Meningitis	84	0.8	1.1
22	300	Atherosclerosis	78	0.8	1.6
23	192	Other protein-calorie malnutrition	70	0.7	1.4
24	191	Nutritional marasmus	46	0.5	1.0
25	322	Influenza	36	0.4	0.8
26	037	Tetanus	27	0.3	0.4
27	342	Appendicitis	13	0.1	0.3
28	042	Measles	3	0.0	0.0
		All other causes	8,310	82.8	147.5

Remark: 1. Mid-year Population : 10,040,340 in 1986.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.



Table 2 Causes of Death for Male (Cont. 1)

Unit : Person, 0/0000

Rank	1991				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	64,140	607.1	781.5
1	08-14	Malignant neoplasms	12,752	120.7	146.6
2	E47-E53	Accidents and adverse effects	10,257	97.1	102.5
3	29	Cerebrovascular disease	7,998	75.7	100.1
4	250,251,27,28*	Heart disease	6,826	64.6	90.9
5	347	Chronic liver disease and cirrhosis	2,693	25.5	29.8
6	181	Diabetes mellitus	1,829	17.3	21.9
7	321	Pneumonia	1,628	15.4	23.6
8	02	Tuberculosis	1,460	13.8	18.5
9	323	Bronchitis, emphysema and asthma	1,379	13.1	19.5
10	350	Nephritis, nephrotic syndrome and nephrosis	1,314	12.4	17.2
11	26	Hypertensive disease	1,287	12.2	17.0
12	E54	Suicide	953	9.0	9.5
13	038	Septicemia	804	7.6	10.2
14	341	Peptic ulcer	548	5.2	7.3
15	44	Congenital malformations, deformations and chromosomal abnormalities	388	3.7	4.1
16	E55	Assault (homicide)	264	2.5	2.5
17	45	Certain conditions originating in the perinatal period	225	2.1	2.5
18	220	Meningitis	122	1.2	1.4
19	300	Atherosclerosis	68	0.6	1.1
20	200	Anaemias	68	0.6	0.9
21	360	Hyperplasia of prostate	64	0.6	1.1
22	191	Nutritional marasmus	50	0.5	0.7
23	01	Intestinal infectious diseases	48	0.5	0.6
24	192	Other protein-calorie malnutrition	41	0.4	0.6
25	342	Appendicitis	10	0.1	0.1
26	322	Influenza	10	0.1	0.1
27	037	Tetanus	5	0.0	0.1
		All other causes	11,049	104.6	151.1

Remark: 1. Mid-year Population : 10,565,150 in 1991.

2. Based on 2000 W.H.O. World Standard Population.

Table 2 Causes of Death for Male (Cont. 1)

Unit : Person, 0/0000

Rank	1996				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	74,875	678.9	765.8
1	08-14	Malignant neoplasms	18,008	163.3	178.1
2	E47-E53	Accidents and adverse effects	9,408	85.3	85.9
3	29	Cerebrovascular disease	8,181	74.2	84.6
4	250,251,27,28*	Heart disease	6,742	61.1	71.3
5	181	Diabetes mellitus	3,469	31.5	34.7
6	347	Chronic liver disease and cirrhosis	3,417	31.0	32.9
7	321	Pneumonia	2,073	18.8	24.0
8	350	Nephritis, nephrotic syndrome and nephrosis	1,940	17.6	20.8
9	26	Hypertensive disease	1,330	12.1	14.0
10	323	Bronchitis, emphysema and asthma	1,328	12.0	14.7
11	02	Tuberculosis	1,317	11.9	13.8
12	E54	Suicide	1,250	11.3	11.5
13	038	Septicemia	791	7.2	8.5
14	341	Peptic ulcer	657	6.0	7.0
15	44	Congenital malformations, deformations and chromosomal abnormalities	567	5.1	6.2
16	45	Certain conditions originating in the perinatal period	503	4.6	5.7
17	E55	Assault (homicide)	254	2.3	2.2
18	220	Meningitis	131	1.2	1.3
19	200	Anaemias	83	0.8	0.9
20	300	Atherosclerosis	51	0.5	0.6
21	192	Other protein-calorie malnutrition	50	0.5	0.6
22	360	Hyperplasia of prostate	47	0.4	0.6
23	191	Nutritional marasmus	36	0.3	0.4
24	322	Influenza	11	0.1	0.1
25	342	Appendicitis	8	0.1	0.1
26	01	Intestinal infectious diseases	6	0.1	0.1
27	052	Malaria	2	0.0	0.0
28	037	Tetanus	1	0.0	0.0
		All other causes	13,214	119.8	145.1

Remark: 1. Mid-year Population : 11,028,228 in 1996.

2. Based on 2000 W.H.O. World Standard Population.



Table 2 Causes of Death for Male (Cont. 2)

Unit : Person, 0/0000

Rank	2001				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	78,683	689.2	678.8
1	08-14	Malignant neoplasms	21,263	186.2	180.7
2	29	Cerebrovascular disease	7,602	66.6	65.2
3	E47-E53	Accidents and adverse effects	7,061	61.8	60.0
4	250,251,27,28*	Heart disease	6,687	58.6	58.0
5	181	Diabetes mellitus	4,311	37.8	36.8
6	347	Chronic liver disease and cirrhosis	3,840	33.6	32.1
7	321	Pneumonia	2,438	21.4	21.7
8	350	Nephritis, nephrotic syndrome and nephrosis	2,117	18.5	18.5
9	E54	Suicide	1,901	16.7	15.8
10	323	Bronchitis, emphysema and asthma	1,010	8.8	8.7
11	02	Tuberculosis	1,005	8.8	8.7
12	26	Hypertensive disease	891	7.8	7.8
13	341	Peptic ulcer	589	5.2	5.0
14	038	Septicemia	564	4.9	4.9
15	45	Certain conditions originating in the perinatal period	422	3.7	5.4
16	44	Congenital malformations, deformations and chromosomal abnormalities	341	3.0	4.0
17	E55	Assault (homicide)	218	1.9	1.8
18	200	Anaemias	122	1.1	1.1
19	220	Meningitis	81	0.7	0.7
20	360	Hyperplasia of prostate	43	0.4	0.4
21	192	Other protein-calorie malnutrition	38	0.3	0.4
22	300	Atherosclerosis	22	0.2	0.2
23	191	Nutritional marasmus	13	0.1	0.1
24	01	Intestinal infectious diseases	11	0.1	0.1
25	342	Appendicitis	10	0.1	0.1
26	322	Influenza	1	0.0	0.0
27	052	Malaria	1	0.0	0.0
28	037	Tetanus	-	-	-
		All other causes	16,081	140.9	140.7

Remark: 1. Mid-year Population : 11,416,850 in 2001.

2. Based on 2000 W.H.O. World Standard Population.

Table 2 Causes of Death for Male (Cont. 2)

Unit : Person, 0/0000

Rank	2006				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	84,312	728.3	621.1
1	08-14	Malignant neoplasms	24,428	211.0	179.5
2	29	Cerebrovascular disease	7,504	64.8	53.9
3	250,251,27,28*	Heart disease	7,464	64.5	53.8
4	E47-E53	Accidents and adverse effects	5,992	51.8	47.2
5	181	Diabetes mellitus	4,712	40.7	34.5
6	347	Chronic liver disease and cirrhosis	3,613	31.2	26.6
7	321	Pneumonia	3,536	30.5	24.8
8	E54	Suicide	3,088	26.7	23.4
9	350	Nephritis, nephrotic syndrome and nephrosis	2,511	21.7	18.1
10	26	Hypertensive disease	926	8.0	6.6
11	323	Bronchitis, emphysema and asthma	791	6.8	5.6
12	038	Septicemia	637	5.5	4.5
13	02	Tuberculosis	607	5.2	4.3
14	341	Peptic ulcer	480	4.1	3.4
15	45	Certain conditions originating in the perinatal period	273	2.4	4.8
16	44	Congenital malformations, deformations and chromosomal abnormalities	205	1.8	3.1
17	E55	Assault (homicide)	159	1.4	1.3
18	200	Anaemias	132	1.1	1.0
19	220	Meningitis	75	0.6	0.6
20	192	Other protein-calorie malnutrition	42	0.4	0.3
21	360	Hyperplasia of prostate	27	0.2	0.2
22	300	Atherosclerosis	14	0.1	0.1
23	01	Intestinal infectious diseases	14	0.1	0.1
24	342	Appendicitis	12	0.1	0.1
25	191	Nutritional marasmus	8	0.1	0.1
26	322	Influenza	2	0.0	0.0
27	037	Tetanus	1	0.0	0.0
		All other causes	17,059	147.4	123.2

Remark: 1. Mid-year Population : 11,577,074 in 2006.

2. Based on 2000 W.H.O. World Standard Population.



Table 2 Causes of Death for Male (Cont. 3)

Unit : Person, 0/0000

Rank	2007				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	85,882	740.3	613.4
1	08-14	Malignant neoplasms	25,819	222.6	184.7
2	250,251,27,28*	Heart disease	7,660	66.0	53.4
3	29	Cerebrovascular disease	7,655	66.0	53.0
4	E47-E53	Accidents and adverse effects	5,276	45.5	41.0
5	181	Diabetes mellitus	4,995	43.1	35.5
6	321	Pneumonia	3,853	33.2	26.0
7	347	Chronic liver disease and cirrhosis	3,729	32.1	26.8
8	E54	Suicide	2,647	22.8	19.7
9	350	Nephritis, nephrotic syndrome and nephrosis	2,607	22.5	18.0
10	26	Hypertensive disease	967	8.3	6.5
11	323	Bronchitis, emphysema and asthma	743	6.4	5.0
12	038	Septicemia	656	5.7	4.4
13	02	Tuberculosis	618	5.3	4.2
14	341	Peptic ulcer	462	4.0	3.2
15	45	Certain conditions originating in the perinatal period	278	2.4	5.0
16	44	Congenital malformations, deformations and chromosomal abnormalities	223	1.9	3.5
17	200	Anaemias	148	1.3	1.0
18	E55	Assault (homicide)	120	1.0	1.0
19	220	Meningitis	51	0.4	0.4
20	192	Other protein-calorie malnutrition	39	0.3	0.3
21	360	Hyperplasia of prostate	25	0.2	0.2
22	300	Atherosclerosis	23	0.2	0.2
23	191	Nutritional marasmus	8	0.1	0.1
24	342	Appendicitis	8	0.1	0.1
25	01	Intestinal infectious diseases	8	0.1	0.1
26	322	Influenza	3	0.0	0.0
27	037	Tetanus	1	0.0	0.0
		All other causes	17,260	148.8	120.1

Remark: 1. Mid-year Population : 11,600,237 in 2007.

2. Based on 2000 W.H.O. World Standard Population.

Table 2 Causes of Death for Male (Cont. 3)

Unit : Person, 0/0000

Rank	2008				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	87,682	754.7	608.6
1	C00-C97	Malignant neoplasms	24,972	215.0	174.4
2	I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Heart disease	9,386	80.8	63.5
3	I60-I69	Cerebrovascular disease	6,218	53.5	42.0
4	J12-J18	Pneumonia	5,527	47.6	35.9
5	V01-X59, Y85-Y86	Accidents and adverse effects	5,239	45.1	39.9
6	E10-E14	Diabetes mellitus	3,958	34.1	27.4
7	J40-J47	Chronic lower respiratory diseases	3,957	34.1	25.3
8	K70, K73-K74	Chronic liver disease and cirrhosis	3,576	30.8	25.1
9	X60-X84, Y87.0	Suicide	2,820	24.3	20.8
10	N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	2,017	17.4	13.7
11	A40-A41	Septicemia	1,930	16.6	12.9
12	I10-I15	Hypertensive disease	1,789	15.4	11.9
13	D00-D48	Remainder of neoplasms	836	7.2	5.7
14	R54	Senility	755	6.5	4.7
15	M00-M99	Diseases of the musculoskeletal system and connective tissue	640	5.5	4.3
16	A15-A19	Tuberculosis	578	5.0	3.8
17	I71	Aortic aneurysm and dissection	483	4.2	3.3
18	K25-K28	Peptic ulcer	365	3.1	2.4
19	J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	351	3.0	2.3
20	G20-G21	Parkinson's disease	334	2.9	2.1
21	L00-L99	Diseases of the skin and subcutaneous tissue	276	2.4	1.8
22	P00-P96	Certain conditions originating in the perinatal period	235	2.0	4.3
23	F01-F03	Vascular and unspecified dementia	215	1.9	1.3
24	K80-K82	Cholelithiasis and other disorders of gallbladder	202	1.7	1.3
25	B15-B19	Viral hepatitis	189	1.6	1.4
26	J60-J65	Pneumoconioses	172	1.5	1.2
27	Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	171	1.5	2.5
28	K40-K46, K56	Hernia and intestinal obstruction	159	1.4	1.0
29	X85-Y09, Y87.1	Assault (homicide)	138	1.2	1.1
30	D50-D64	Anaemias	128	1.1	0.9
		All other causes	10,066	86.6	70.4

Remark: 1. Mid-year Population : 11,617,559 in 2008.

2. Based on 2000 W.H.O. World Standard Population.



Table 2 Causes of Death for Male (Cont'd)

Unit : Person, 0/0000

Rank	2009				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
1	C00-C97	All causes of death	87,074	748.6	586.6
2	I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Malignant neoplasms	25,284	217.4	171.6
3	I60-I69	Diseases of heart (except hypertensive diseases)	8,992	77.3	59.1
4	V01-X59, Y85-Y86	Cerebrovascular diseases	6,158	52.9	40.3
5	J12-J18	Accidents and adverse effects	5,354	46.0	40.3
6	E10-E14	Pneumonia	5,240	45.0	32.7
7	J40-J47	Diabetes mellitus	4,051	34.8	27.2
8	K70, K73-K74	Chronic lower respiratory diseases	3,686	31.7	22.6
9	X60-X84, Y87.0	Chronic liver disease and cirrhosis	3,477	29.9	24.0
10	N00-N07, N17-N19, N25-N27	Intentional self-harm (suicide)	2,798	24.1	20.3
11	A40-A41	Nephritis, nephrotic syndrome and nephrosis	2,100	18.1	13.5
12	I10-I15	Septicemia	1,971	16.9	12.8
13	D00-D48	Hypertensive diseases	1,952	16.8	12.5
14	R54	Remainder of neoplasms	659	5.7	4.4
15	M00-M99	Senility	636	5.5	3.8
16	A15-A19	Diseases of the musculoskeletal system and connective tissue	605	5.2	3.9
17	I71	Tuberculosis	566	4.9	3.6
18	K25-K28	Aortic aneurysm and dissection	414	3.6	2.7
19	G20-G21	Peptic ulcer	401	3.4	2.6
20	J66, J68-J69	Parkinson's disease	348	3.0	2.1
21	L00-L99	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	321	2.8	2.0
22	F01-F03	Diseases of the skin and subcutaneous tissue	249	2.1	1.6
23	K80-K82	Vascular and unspecified dementia	243	2.1	1.4
24	Q00-Q99	Cholelithiasis and other disorders of gallbladder	204	1.8	1.3
25	K40-K46, K56	Congenital malformations, deformations and chromosomal abnormalities	195	1.7	2.8
26	J60-J65	Hernia and intestinal obstruction	181	1.6	1.2
27	P00-P96	Pneumoconioses	178	1.5	1.2
28	B15-B19	Certain conditions originating in the perinatal period	176	1.5	3.3
29	B20-B24	Viral hepatitis	167	1.4	1.2
30	D50-D64	Human immunodeficiency virus [HIV] disease	137	1.2	1.0
		Anaemias	126	1.1	0.9
		All other causes	10,205	87.7	68.8

Remark: 1. Mid-year Population : 11,631,542 in 2009.

2. Based on 2000 W.H.O. World Standard Population.

Table 2 Causes of Death for Male (Cont'd)

Unit : Person, 0/0000

Rank	2010				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	88,374	759.5	576.2
1	C00-C97	Malignant neoplasms	26,022	223.6	171.3
2	I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	9,389	80.7	59.6
3	I60-I69	Cerebrovascular diseases	5,963	51.2	37.6
4	J12-J18	Pneumonia	5,565	47.8	33.3
5	V01-X59, Y85-Y86	Accidents and adverse effects	4,835	41.6	35.8
6	E10-E14	Diabetes mellitus	4,062	34.9	26.1
7	J40-J47	Chronic lower respiratory diseases	3,823	32.9	22.5
8	K70, K73-K74	Chronic liver disease and cirrhosis	3,508	30.1	23.7
9	X60-X84, Y87.0	Intentional self-harm (suicide)	2,639	22.7	18.8
10	I10-I15	Hypertensive diseases	2,128	18.3	13.1
11	N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	2,088	17.9	13.1
12	A40-A41	Septicemia	2,035	17.5	12.6
13	M00-M99	Diseases of the musculoskeletal system and connective tissue	717	6.2	4.5
14	R54	Senility	700	6.0	3.9
15	D00-D48	Remainder of neoplasms	569	4.9	3.6
16	I71	Aortic aneurysm and dissection	481	4.1	3.1
17	A15-A19	Tuberculosis	476	4.1	2.9
18	K25-K28	Peptic ulcer	365	3.1	2.3
19	G20-G21	Parkinson's disease	363	3.1	2.1
20	J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	333	2.9	2.0
21	F01-F03	Vascular and unspecified dementia	273	2.3	1.5
22	L00-L99	Diseases of the skin and subcutaneous tissue	257	2.2	1.6
23	K80-K82	Cholelithiasis and other disorders of gallbladder	200	1.7	1.2
24	J60-J65	Pneumoconioses	195	1.7	1.2
25	K40-K46, K56	Hernia and intestinal obstruction	185	1.6	1.1
26	B15-B19	Viral hepatitis	182	1.6	1.3
27	P00-P96	Certain conditions originating in the perinatal period	178	1.5	3.6
28	Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	155	1.3	2.6
29	D50-D64	Human immunodeficiency virus [HIV] disease	140	1.2	0.9
30	X85-Y09, Y87.1	Assault (homicide)	127	1.1	1.0
		All other causes	10,421	89.6	68.1

Remark: 1. Mid-year Population : 11,635,980 in 2010.

2. Based on 2000 W.H.O. World Standard Population.



Table 3 Causes of Death for Female

Unit : Person, 0/0000

Rank	1981				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	34,023	395.5	673.8
1	29	Cerebrovascular disease	6,412	74.5	135.7
2	08-14	Malignant neoplasms	5,045	58.7	91.0
3	250,251,27,28*	Heart disease	3,492	40.6	78.1
4	E47-E53	Accidents and adverse effects	2,744	31.9	38.2
5	26	Hypertensive disease	1,489	17.3	33.5
6	321	Pneumonia	1,262	14.7	23.8
7	350	Nephritis, nephrotic syndrome and nephrosis	1,155	13.4	21.8
8	323	Bronchitis, emphysema and asthma	1,115	13.0	25.4
9	181	Diabetes mellitus	938	10.9	18.6
10	E54	Suicide	869	10.1	12.2
11	347	Chronic liver disease and cirrhosis	695	8.1	13.3
12	02	Tuberculosis	623	7.2	11.9
13	44	Congenital malformations, deformations and chromosomal abnormalities	454	5.3	4.5
14	45	Certain conditions originating in the perinatal period	418	4.9	4.2
15	341	Peptic ulcer	289	3.4	6.5
16	038	Septicemia	230	2.7	3.6
17	01	Intestinal infectious diseases	214	2.5	3.3
18	200	Anaemias	137	1.6	2.7
19	300	Atherosclerosis	129	1.5	3.0
20	220	Meningitis	99	1.2	1.2
21	322	Influenza	84	1.0	1.8
22	39	Direct obstetric causes	73	0.8	0.8
23	192	Other protein-calorie malnutrition	58	0.7	1.3
24	191	Nutritional marasmus	56	0.7	1.5
25	E55	Assault (homicide)	40	0.5	0.5
26	037	Tetanus	20	0.2	0.3
27	342	Appendicitis	14	0.2	0.2
28	042	Measles	8	0.1	0.1
29	38	Abortion	7	0.1	0.1
30	034	Whooping cough	1	0.0	0.0
		All other causes	5,853	68.0	135.0

Remark: 1. Mid-year Population : 8,601,805 in 1981.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.

Table 3 Causes of Death for Female

Unit : Person, 0/0000

Rank	1986				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	36,697	393.9	604.5
1	29	Cerebrovascular disease	6,524	70.0	111.4
2	08-14	Malignant neoplasms	5,975	64.1	90.9
3	250,251,27,28*	Heart disease	4,342	46.6	78.1
4	E47-E53	Accidents and adverse effects	3,033	32.6	38.2
5	181	Diabetes mellitus	1,719	18.5	28.1
6	26	Hypertensive disease	1,509	16.2	27.2
7	350	Nephritis, nephrotic syndrome and nephrosis	1,030	11.1	16.5
8	321	Pneumonia	980	10.5	17.1
9	323	Bronchitis, emphysema and asthma	931	10.0	16.9
10	E54	Suicide	854	9.2	10.8
11	347	Chronic liver disease and cirrhosis	810	8.7	12.7
12	02	Tuberculosis	440	4.7	7.0
13	44	Congenital malformations, deformations and chromosomal abnormalities	399	4.3	4.6
14	038	Septicemia	315	3.4	4.8
15	341	Peptic ulcer	247	2.7	4.4
16	45	Certain conditions originating in the perinatal period	200	2.1	2.5
17	200	Anaemias	128	1.4	2.0
18	E55	Assault (homicide)	95	1.0	1.0
19	300	Atherosclerosis	92	1.0	1.8
20	192	Other protein-calorie malnutrition	89	1.0	1.8
21	01	Intestinal infectious diseases	83	0.9	1.3
22	322	Influenza	68	0.7	1.3
23	220	Meningitis	65	0.7	0.8
24	191	Nutritional marasmus	46	0.5	0.9
25	39	Direct obstetric causes	28	0.3	0.3
26	342	Appendicitis	9	0.1	0.1
27	037	Tetanus	9	0.1	0.1
28	38	Abortion	1	0.0	0.0
29	042	Measles	-	-	-
		All other causes	6,676	71.7	121.8

Remark: 1. Mid-year Population : 9,315,992 in 1986.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.



Table 3 Causes of Death for Female (Cont 1)

Unit : Person, 0/0000

Rank	1991				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	40,321	407.7	546.9
1	08-14	Malignant neoplasms	6,878	69.5	86.9
2	29	Cerebrovascular disease	6,139	62.1	85.6
3	250,251,27,28*	Heart disease	5,200	52.6	75.5
4	E47-E53	Accidents and adverse effects	3,379	34.2	37.8
5	181	Diabetes mellitus	2,381	24.1	31.9
6	350	Nephritis, nephrotic syndrome and nephrosis	1,213	12.3	16.3
7	26	Hypertensive disease	1,205	12.2	17.4
8	321	Pneumonia	1,016	10.3	15.0
9	347	Chronic liver disease and cirrhosis	908	9.2	11.7
10	323	Bronchitis, emphysema and asthma	797	8.1	11.5
11	038	Septicemia	625	6.3	8.7
12	E54	Suicide	512	5.2	5.6
13	02	Tuberculosis	387	3.9	5.1
14	44	Congenital malformations, deformations and chromosomal abnormalities	363	3.7	4.2
15	341	Peptic ulcer	244	2.5	3.5
16	45	Certain conditions originating in the perinatal period	159	1.6	1.9
17	E55	Assault (homicide)	115	1.2	1.1
18	200	Anaemias	95	1.0	1.3
19	300	Atherosclerosis	87	0.9	1.3
20	220	Meningitis	85	0.9	1.1
21	191	Nutritional marasmus	57	0.6	0.9
22	192	Other protein-calorie malnutrition	55	0.6	0.9
23	01	Intestinal infectious diseases	38	0.4	0.5
24	39	Direct obstetric causes	25	0.3	0.2
25	322	Influenza	20	0.2	0.3
26	342	Appendicitis	11	0.1	0.1
27	037	Tetanus	9	0.1	0.1
		All other causes	8,318	84.1	120.4

Remark: 1. Mid-year Population : 9,889,753 in 1991.

2. Based on 2000 W.H.O. World Standard Population.

Table 3 Causes of Death for Female (Cont. 1)

Unit : Person, 0/0000

Rank	1996				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	45,730	439.2	507.9
1	08-14	Malignant neoplasms	9,953	95.6	106.5
2	29	Cerebrovascular disease	5,763	55.3	65.0
3	250,251,27,28*	Heart disease	4,531	43.5	51.9
4	181	Diabetes mellitus	4,056	39.0	44.8
5	E47-E53	Accidents and adverse effects	3,014	28.9	30.4
6	350	Nephritis, nephrotic syndrome and nephrosis	1,607	15.4	18.1
7	26	Hypertensive disease	1,326	12.7	15.3
8	347	Chronic liver disease and cirrhosis	1,193	11.5	12.9
9	321	Pneumonia	1,127	10.8	13.1
10	323	Bronchitis, emphysema and asthma	708	6.8	8.1
11	E54	Suicide	597	5.7	5.8
12	038	Septicemia	596	5.7	6.7
13	44	Congenital malformations, deformations and chromosomal abnormalities	489	4.7	5.8
14	45	Certain conditions originating in the perinatal period	420	4.0	5.2
15	02	Tuberculosis	382	3.7	4.2
16	341	Peptic ulcer	327	3.1	3.7
17	E55	Assault (homicide)	73	0.7	0.7
18	200	Anaemias	71	0.7	0.8
19	220	Meningitis	61	0.6	0.7
20	192	Other protein-calorie malnutrition	58	0.6	0.7
21	300	Atherosclerosis	40	0.4	0.5
22	191	Nutritional marasmus	39	0.4	0.5
23	39	Direct obstetric causes	24	0.2	0.2
24	322	Influenza	23	0.2	0.3
25	01	Intestinal infectious diseases	5	0.0	0.1
26	342	Appendicitis	4	0.0	0.0
27	037	Tetanus	4	0.0	0.0
28	38	Abortion	1	0.0	0.0
29	052	Malaria	-	-	-
		All other causes	9,238	88.7	106.0

Remark: 1. Mid-year Population : 10,413,204 in 1996.

2. Based on 2000 W.H.O. World Standard Population.



Table 3 Causes of Death for Female (Cont. 2)

Unit : Person, 0/0000

Rank	2001				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	47,984	439.2	433.6
1	08-14	Malignant neoplasms	11,730	107.4	104.2
2	29	Cerebrovascular disease	5,539	50.7	49.7
3	181	Diabetes mellitus	4,802	44.0	43.0
4	250,251,27,28*	Heart disease	4,316	39.5	38.9
5	E47-E53	Accidents and adverse effects	2,452	22.4	22.4
6	350	Nephritis, nephrotic syndrome and nephrosis	1,939	17.7	17.4
7	347	Chronic liver disease and cirrhosis	1,399	12.8	12.5
8	321	Pneumonia	1,308	12.0	11.8
9	E54	Suicide	880	8.1	7.6
10	26	Hypertensive disease	875	8.0	7.9
11	323	Bronchitis, emphysema and asthma	579	5.3	5.2
12	038	Septicemia	467	4.3	4.2
13	45	Certain conditions originating in the perinatal period	334	3.1	4.7
14	341	Peptic ulcer	326	3.0	3.0
15	44	Congenital malformations, deformations and chromosomal abnormalities	303	2.8	3.9
16	02	Tuberculosis	294	2.7	2.6
17	200	Anaemias	118	1.1	1.1
18	E55	Assault (homicide)	88	0.8	0.8
19	220	Meningitis	65	0.6	0.6
20	192	Other protein-calorie malnutrition	46	0.4	0.4
21	300	Atherosclerosis	24	0.2	0.2
22	191	Nutritional marasmus	17	0.2	0.2
23	39	Direct obstetric causes	15	0.1	0.1
24	342	Appendicitis	13	0.1	0.1
25	01	Intestinal infectious diseases	6	0.1	0.1
26	38	Abortion	3	0.0	0.0
27	322	Influenza	1	0.0	0.0
28	037	Tetanus	1	0.0	0.0
29	052	Malaria	-	-	-
		All other causes	10,044	91.9	90.9

Remark: 1. Mid-year Population : 10,924,270 in 2001.

2. Based on 2000 W.H.O. World Standard Population.

Table 3 Causes of Death for Female (Cont. 2)

Unit : Person, 0/0000

Rank	2006				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	50,759	451.3	369.8
1	08-14	Malignant neoplasms	13,570	120.7	99.5
2	29	Cerebrovascular disease	5,092	45.3	35.7
3	181	Diabetes mellitus	4,978	44.3	35.5
4	250,251,27,28*	Heart disease	4,819	42.8	33.8
5	350	Nephritis, nephrotic syndrome and nephrosis	2,201	19.6	15.6
6	E47-E53	Accidents and adverse effects	2,019	18.0	16.3
7	321	Pneumonia	1,860	16.5	12.9
8	347	Chronic liver disease and cirrhosis	1,436	12.8	10.5
9	E54	Suicide	1,318	11.7	10.1
10	26	Hypertensive disease	890	7.9	6.2
11	038	Septicemia	561	5.0	3.9
12	323	Bronchitis, emphysema and asthma	440	3.9	3.1
13	341	Peptic ulcer	304	2.7	2.1
14	02	Tuberculosis	225	2.0	1.6
15	45	Certain conditions originating in the perinatal period	210	1.9	4.1
16	44	Congenital malformations, deformations and chromosomal abnormalities	170	1.5	2.8
17	200	Anaemias	121	1.1	0.9
18	E55	Assault (homicide)	69	0.6	0.7
19	192	Other protein-calorie malnutrition	44	0.4	0.3
20	220	Meningitis	30	0.3	0.2
21	300	Atherosclerosis	14	0.1	0.1
22	191	Nutritional marasmus	14	0.1	0.1
23	39	Direct obstetric causes	13	0.1	0.1
24	01	Intestinal infectious diseases	7	0.1	0.1
25	342	Appendicitis	6	0.1	0.0
26	38	Abortion	2	0.0	0.0
27	037	Tetanus	2	0.0	0.0
28	322	Influenza	1	0.0	0.0
29		All other causes	10,343	92.0	73.6

Remark: 1. Mid-year Population : 11,246,382 in 2006.

2. Based on 2000 W.H.O. World Standard Population.



Table 3 Causes of Death for Female (Cont. 3)

Unit : Person, 0/0000

Rank	2007				
	ICD-9 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	53,494	472.7	371.0
1	08-14	Malignant neoplasms	14,487	128.0	101.6
2	250,251,27,28*	Heart disease	5,343	47.2	35.5
3	181	Diabetes mellitus	5,236	46.3	35.7
4	29	Cerebrovascular disease	5,220	46.1	34.7
5	350	Nephritis, nephrotic syndrome and nephrosis	2,492	22.0	16.7
6	321	Pneumonia	2,042	18.0	13.3
7	E47-E53	Accidents and adverse effects	1,854	16.4	14.6
8	347	Chronic liver disease and cirrhosis	1,431	12.6	10.1
9	E54	Suicide	1,286	11.4	9.7
10	26	Hypertensive disease	1,010	8.9	6.6
11	038	Septicemia	589	5.2	3.9
12	323	Bronchitis, emphysema and asthma	422	3.7	2.8
13	341	Peptic ulcer	285	2.5	1.9
14	45	Certain conditions originating in the perinatal period	209	1.8	4.1
15	44	Congenital malformations, deformations and chromosomal abnormalities	187	1.7	3.1
16	02	Tuberculosis	165	1.5	1.1
17	200	Anaemias	120	1.1	0.8
18	E55	Assault (homicide)	56	0.5	0.5
19	220	Meningitis	40	0.4	0.3
20	192	Other protein-calorie malnutrition	29	0.3	0.2
21	300	Atherosclerosis	23	0.2	0.1
22	39	Direct obstetric causes	13	0.1	0.1
23	01	Intestinal infectious diseases	10	0.1	0.1
24	342	Appendicitis	7	0.1	0.1
25	191	Nutritional marasmus	6	0.1	0.0
26	322	Influenza	5	0.0	0.0
27	38	Abortion	1	0.0	0.0
28					
29					
		All other causes	10,926	96.5	73.5

Remark: 1. Mid-year Population : 11,317,206 in 2007.

2. Based on 2000 W.H.O. World Standard Population.

Table 3 Causes of Death for Female (Cont. 3)

Unit : Person, 0/0000

Rank	2008				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
1	C00-C97	All causes of death	54,601	479.8	362.5
	I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Malignant neoplasms	13,941	122.5	94.4
2	I60-I69	Heart disease	6,340	55.7	40.2
3	E10-E14	Cerebrovascular disease	4,445	39.1	28.2
4	J12-J18	Diabetes mellitus	4,078	35.8	26.5
5	N00-N07, N17-N19, N25-N27	Pneumonia	3,134	27.5	19.4
6	V01-X59, Y85-Y86	Nephritis, nephrotic syndrome and nephrosis	1,995	17.5	12.8
7	I10-I15	Accidents and adverse effects	1,838	16.2	14.1
8	A40-A41	Hypertensive disease	1,718	15.1	10.6
9	J40-J47	Septicemia	1,604	14.1	10.2
10	K70, K73-K74	Chronic lower respiratory diseases	1,417	12.5	8.8
11	X60-X84, Y87.0	Chronic liver disease and cirrhosis	1,341	11.8	9.1
12	R54	Suicide	1,308	11.5	9.7
13	M00-M99	Senility	860	7.6	5.1
14	D00-D48	Diseases of the musculoskeletal system and connective tissue	642	5.6	4.2
15	F01-F03	Remainder of neoplasms	506	4.4	3.3
16	J66, J68-J69	Vascular and unspecified dementia	259	2.3	1.5
17	L00-L99	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	252	2.2	1.6
18	K25-K28	Diseases of the skin and subcutaneous tissue	251	2.2	1.5
19	G20-G21	Peptic ulcer	223	2.0	1.4
20	P00-P96	Parkinson's disease	210	1.8	1.3
21	A15-A19	Certain conditions originating in the perinatal period	187	1.6	3.7
22	K80-K82	Tuberculosis	184	1.6	1.2
23	I71	Cholelithiasis and other disorders of gallbladder	181	1.6	1.1
24	Q00-Q99	Aortic aneurysm and dissection	179	1.6	1.2
25	D50-D64	Congenital malformations, deformations and chromosomal abnormalities	170	1.5	2.6
26	K40-K46, K56	Anaemias	128	1.1	0.9
27	B15-B19	Hernia and intestinal obstruction	112	1.0	0.7
28	X85-Y09, Y87.1	Viral hepatitis	81	0.7	0.6
29	G12	Assault (homicide)	53	0.5	0.5
30		Spinal muscular atrophy and related syndromes	28	0.2	0.2
		All other causes	6,936	60.9	45.9

Remark: 1. Mid-year Population : 11,380,136 in 2008.

2. Based on 2000 W.H.O. World Standard Population.



Table 3 Causes of Death for Female (Cont'd)

Unit : Person, 0/0000

Rank	2009				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	55,166	481.9	350.5
1	C00-C97	Malignant neoplasms	14,634	127.8	95.1
2	I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	6,102	53.3	36.7
3	I60-I69	Cerebrovascular diseases	4,225	36.9	25.7
4	E10-E14	Diabetes mellitus	4,179	36.5	26.0
5	J12-J18	Pneumonia	3,118	27.2	18.2
6	V01-X59, Y85-Y86	Accidents and adverse effects	2,004	17.5	15.1
7	N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	1,899	16.6	11.6
8	I10-I15	Hypertensive diseases	1,769	15.5	10.5
9	A40-A41	Septicemia	1,652	14.4	10.0
10	K70, K73-K74	Chronic liver disease and cirrhosis	1,441	12.6	9.4
11	J40-J47	Chronic lower respiratory diseases	1,269	11.1	7.4
12	X60-X84, Y87.0	Intentional self-harm (suicide)	1,265	11.1	9.2
13	R54	Senility	844	7.4	4.7
14	M00-M99	Diseases of the musculoskeletal system and connective tissue	709	6.2	4.4
15	D00-D48	Remainder of neoplasms	480	4.2	3.0
16	F01-F03	Vascular and unspecified dementia	313	2.7	1.7
17	L00-L99	Diseases of the skin and subcutaneous tissue	247	2.2	1.4
18	G20-G21	Parkinson's disease	224	2.0	1.3
19	J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	223	1.9	1.4
20	K25-K28	Peptic ulcer	209	1.8	1.2
21	I71	Aortic aneurysm and dissection	191	1.7	1.2
22	A15-A19	Tuberculosis	179	1.6	1.1
23	K80-K82	Cholelithiasis and other disorders of gallbladder	176	1.5	1.0
24	P00-P96	Certain conditions originating in the perinatal period	159	1.4	3.2
25	Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	148	1.3	2.4
26	K40-K46, K56	Hernia and intestinal obstruction	136	1.2	0.8
27	D50-D64	Anaemias	134	1.2	0.9
28	B15-B19	Viral hepatitis	68	0.6	0.5
29	X85-Y09, Y87.1	Human immunodeficiency virus [HIV] disease	60	0.5	0.5
30	G12	Spinal muscular atrophy and related syndromes	36	0.3	0.3
		All other causes	7,073	61.8	44.7

Remark: 1. Mid-year Population : 11,446,859 in 2009.

2. Based on 2000 W.H.O. World Standard Population.

Table 3 Causes of Death for Female (Cont'd)

Unit : Person, 0/0000

Rank	2010				
	ICD-10 Mortality NO.	Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All causes of death	56,335	489.7	339.9
1	C00-C97	Malignant neoplasms	15,024	130.6	93.9
2	I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	6,286	54.6	35.9
3	I60-I69	Cerebrovascular diseases	4,171	36.3	24.0
4	E10-E14	Diabetes mellitus	4,149	36.1	24.4
5	J12-J18	Pneumonia	3,344	29.1	18.4
6	I10-I15	Hypertensive diseases	2,046	17.8	11.4
7	N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	2,017	17.5	11.7
8	V01-X59, Y85-Y86	Accidents and adverse effects	1,834	15.9	13.1
9	A40-A41	Septicemia	1,749	15.2	10.1
10	K70, K73-K74	Chronic liver disease and cirrhosis	1,404	12.2	8.7
11	J40-J47	Chronic lower respiratory diseases	1,374	11.9	7.6
12	X60-X84, Y87.0	Intentional self-harm (suicide)	1,250	10.9	8.8
13	R54	Senility	818	7.1	4.3
14	M00-M99	Diseases of the musculoskeletal system and connective tissue	817	7.1	4.7
15	D00-D48	Remainder of neoplasms	399	3.5	2.4
16	F01-F03	Vascular and unspecified dementia	317	2.8	1.7
17	G20-G21	Parkinson's disease	260	2.3	1.5
18	L00-L99	Diseases of the skin and subcutaneous tissue	249	2.2	1.4
19	J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	217	1.9	1.2
20	I71	Aortic aneurysm and dissection	201	1.7	1.2
21	K25-K28	Peptic ulcer	192	1.7	1.1
22	K80-K82	Cholelithiasis and other disorders of gallbladder	184	1.6	1.0
23	A15-A19	Tuberculosis	178	1.5	1.0
24	P00-P96	Certain conditions originating in the perinatal period	146	1.3	3.2
25	D50-D64	Anaemias	142	1.2	0.9
26	Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	125	1.1	2.1
27	K40-K46, K56	Hernia and intestinal obstruction	117	1.0	0.6
28	B15-B19	Viral hepatitis	76	0.7	0.5
29	X85-Y09, Y87.1	Human immunodeficiency virus [HIV] disease	52	0.5	0.4
30	G12	Spinal muscular atrophy and related syndromes	39	0.3	0.3
		All other causes	7,158	62.2	42.7

Remark: 1. Mid-year Population : 11,504,968 in 2010.

2. Based on 2000 W.H.O. World Standard Population.



Table4 The Average Ages of

1986

Year	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
1986	60.3	60.1	69.3	68.3	67.3
1987	60.7	60.3	69.5	68.8	67.6
1988	61.1	60.6	69.7	69.1	67.5
1989	61.1	60.8	69.8	69.0	68.1
1990	61.7	61.1	70.0	69.0	68.2
1991	62.2	61.5	70.7	69.1	68.2
1992	62.9	62.1	70.9	69.2	69.3
1993	62.8	62.2	71.0	69.3	69.2
1994	63.2	62.5	71.5	69.8	69.3
1995	63.6	63.2	71.5	70.2	69.2
1996	64.0	63.7	71.3	70.7	69.3
1997	64.3	63.8	71.5	71.0	69.8
1998	64.9	64.3	71.7	71.0	70.1
1999	65.3	64.6	72.2	71.9	70.5
2000	65.8	64.9	72.3	71.9	70.9
2001	66.3	65.2	72.3	72.2	70.8
2002	66.9	65.4	72.9	72.2	71.4
2003	67.4	65.8	73.2	72.5	71.5
2004	67.6	65.9	73.3	72.4	71.8
2005	67.9	66.3	73.4	72.9	72.1
2006	67.9	66.3	73.0	73.2	72.2
2007	68.8	66.9	73.2	73.7	72.5
Year	All causes of death	Malignant neoplasms	Diseases of heart (except hypertensive diseases)	Cerebrovascular diseases	Pneumonia
2008※	69.3	66.7	73.5	73.4	78.9
2009※	69.6	67.0	73.7	73.6	79.6
2010※	70.3	67.3	74.0	74.1	79.8

Note : "Rank" is ordered by crude death rates.

Remark:※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Causes of Death by Gender

-2010

Unit: Years

Accidents and adverse effects	Pneumonia	Chronic liver disease and cirrhosis	Nephritis, nephrotic syndrome and nephrosis	Suicide	Hypertensive disease
38.3	61.8	58.0	63.1	45.5	71.5
37.9	65.7	57.6	63.9	46.3	71.9
39.1	65.2	57.8	64.7	47.8	72.2
38.7	66.4	57.8	66.1	47.9	72.2
39.8	68.3	57.5	66.7	47.1	71.9
40.4	69.8	57.4	67.2	46.1	72.5
40.8	70.2	57.2	68.2	47.2	73.4
40.5	70.5	57.2	68.3	47.9	73.8
41.5	72.1	57.1	69.6	47.6	73.8
41.9	72.7	57.6	70.2	48.3	73.8
42.4	74.5	57.3	71.4	49.0	74.1
43.1	73.9	57.0	71.4	49.2	73.7
43.3	74.8	57.4	71.6	49.4	73.9
45.9	75.6	57.9	72.6	49.5	74.8
46.1	75.7	57.8	73.1	50.6	75.7
47.0	76.5	58.1	72.5	50.4	75.7
47.9	76.9	59.5	73.5	48.7	75.5
47.9	76.3	59.3	73.6	49.1	75.7
48.5	77.1	59.2	74.1	48.7	76.8
48.5	77.9	59.3	74.8	47.7	76.9
49.0	78.1	59.2	74.3	48.1	76.5
49.9	79.0	59.0	75.2	49.0	77.8
Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive diseases	Nephritis, nephrotic syndrome and nephrosis
72.5	52.1	79.1	59.7	76.7	74.7
72.9	52.0	79.8	59.9	76.9	75.5
73.6	53.0	80.3	60.1	77.4	75.5



Table4 The Average Ages of

1986

Year	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Accidents and adverse effects
1986	58.3	60.3	67.2	66.8	38.0
1987	58.6	60.6	67.0	67.3	37.5
1988	58.9	60.9	67.1	67.2	38.4
1989	59.1	61.2	66.8	67.1	38.6
1990	59.7	61.6	67.5	67.1	39.9
1991	60.1	62.0	68.1	67.3	40.3
1992	60.8	62.5	68.6	67.4	40.7
1993	60.8	62.7	68.3	67.6	40.2
1994	61.3	63.0	68.9	68.0	41.2
1995	61.7	63.4	69.0	68.5	41.6
1996	62.2	64.2	68.8	69.0	42.0
1997	62.5	64.1	69.0	69.1	42.7
1998	63.0	64.5	68.8	69.1	42.6
1999	63.5	64.7	69.7	69.8	44.9
2000	64.0	65.2	69.6	70.1	45.1
2001	64.6	65.4	69.9	70.2	45.9
2002	65.1	65.4	70.2	70.1	46.9
2003	65.6	65.7	70.5	70.4	47.0
2004	65.8	66.0	70.7	70.2	47.5
2005	66.0	66.3	70.7	70.8	47.5
2006	66.0	66.3	70.3	71.2	47.9
2007	66.8	66.6	70.3	71.6	48.5
Year	All causes of death -Male	Malignant neoplasms	Diseases of heart (except hypertensive diseases)	Cerebrovascular diseases	Pneumonia
2008※	67.3	66.5	70.8	71.3	77.7
2009※	67.6	66.8	70.7	71.6	78.2
2010※	68.3	67.2	71.1	71.9	78.4

Note : "Rank" is ordered by crude death rates.

Remark: ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Causes of Death by Gender(Cont.1)

-2010

Unit: Years

Diabetes mellitus	Pneumonia	Chronic liver disease and cirrhosis	Suicide	Nephritis, nephrotic syndrome and nephrosis	Hypertensive disease
65.6	61.0	56.4	45.7	62.3	69.7
66.1	64.0	55.8	47.1	62.5	70.0
66.0	63.7	56.0	47.7	64.3	70.3
66.3	66.6	55.7	48.4	65.6	70.2
66.7	67.7	55.4	47.2	66.6	70.0
66.2	68.7	55.4	46.0	67.2	70.4
67.4	68.9	54.9	46.5	68.0	70.9
67.4	69.6	54.9	48.6	67.9	71.5
67.4	70.8	54.6	47.1	69.1	71.4
67.5	71.6	55.1	49.0	69.7	71.2
67.6	73.4	54.6	49.4	70.4	71.6
67.9	72.5	54.0	49.2	70.5	71.2
68.3	73.8	54.1	49.9	70.8	71.4
68.5	74.5	54.8	49.6	71.8	72.5
69.0	74.0	54.6	50.8	72.6	72.9
68.9	75.2	55.0	50.3	71.9	73.0
69.4	75.7	56.3	47.7	72.7	73.4
69.6	75.0	55.9	49.0	72.6	73.3
69.8	75.9	55.7	48.3	73.2	74.2
70.1	76.7	55.7	47.7	73.9	74.3
69.9	76.9	55.7	47.7	73.2	73.5
70.1	77.8	55.3	49.0	74.4	75.3
Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Intentional self-harm (suicide)	Hypertensive diseases
50.5	70.0	78.8	56.2	48.9	73.7
50.6	70.5	79.3	56.1	49.2	74.3
51.2	71.1	79.9	56.3	50.2	74.6



Table4 The Average Ages of

1986

Year	All causes of death - Female	Malignant neoplasms	Heart disease	Diabetes mellitus	Cerebrovascular disease
1986	63.4	59.7	72.0	68.6	70.3
1987	64.1	59.7	72.8	68.7	70.7
1988	64.6	60.0	73.0	68.7	71.4
1989	64.4	60.2	73.5	69.3	71.3
1990	64.8	60.2	73.2	69.4	71.3
1991	65.4	60.4	74.1	69.7	71.4
1992	66.2	61.5	74.1	70.8	71.4
1993	66.0	61.3	74.8	70.6	71.8
1994	66.5	61.6	75.2	70.8	72.3
1995	66.7	62.8	75.1	70.7	72.7
1996	66.9	62.8	75.1	70.8	73.1
1997	67.3	63.5	75.1	71.4	73.6
1998	68.0	63.9	75.8	71.7	73.7
1999	68.1	64.3	75.9	72.3	74.7
2000	68.6	64.4	76.3	72.5	74.6
2001	69.2	65.0	76.2	72.5	75.0
2002	69.8	65.5	76.7	73.2	75.1
2003	70.3	66.1	77.1	73.3	75.2
2004	70.5	65.9	77.2	73.6	75.4
2005	70.9	66.4	77.5	74.0	75.9
2006	71.1	66.5	77.1	74.4	76.2
2007	71.9	67.3	77.3	74.7	76.8
Year	All causes of death -Female	Malignant neoplasms	Diseases of heart (except hypertensive diseases)	Cerebrovascular diseases	Diabetes mellitus
2008※	72.4	66.9	77.5	76.4	75.0
2009※	72.6	67.3	78.0	76.6	75.3
2010※	73.3	67.6	78.3	77.1	76.1

Note : "Rank" is ordered by crude death rates.

Remark:※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Causes of Death by Gender(Cont'd)

-2010

Unit: Years

Nephritis, nephrotic syndrome and nephrosis	Pneumonia	Accidents and adverse effects	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
64.0	63.0	39.1	63.0	45.2	73.7
65.4	68.4	39.2	63.2	45.0	74.3
65.2	67.6	41.2	63.1	47.8	74.2
66.6	66.1	39.2	63.8	47.1	74.6
66.8	69.2	39.7	63.3	47.1	74.0
67.2	71.5	40.9	63.5	46.3	74.7
68.4	72.1	41.0	64.1	48.4	75.9
68.9	72.2	41.4	64.2	46.6	76.2
70.1	74.5	42.3	64.2	48.4	76.2
70.9	74.8	42.8	65.0	47.1	76.5
72.7	76.4	43.8	64.9	48.2	76.7
72.5	76.4	44.5	65.5	49.2	76.5
72.4	76.7	45.5	66.4	48.5	76.6
73.5	77.8	48.2	66.8	49.3	77.2
73.6	78.6	48.8	66.5	50.2	78.9
73.2	79.0	50.1	66.6	50.4	78.4
74.4	79.2	50.4	67.8	50.8	77.8
74.5	78.8	50.2	67.6	49.3	78.4
75.1	79.6	51.4	67.9	49.7	79.5
75.9	80.1	51.5	68.4	47.6	79.6
75.5	80.3	52.1	68.0	49.2	79.6
76.1	81.4	53.8	68.7	48.9	80.2
Pneumonia	Hypertensive diseases	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
80.9	79.9	76.3	56.8	77.4	68.9
81.8	79.9	77.3	55.6	77.4	68.9
82.0	80.4	77.0	57.9	77.4	69.8



Table5 The Median Ages of

1986

Year	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
1986	66.0	62.0	72.0	70.0	69.0
1987	66.0	63.0	72.0	70.0	69.0
1988	67.0	63.0	72.0	71.0	69.0
1989	67.0	63.0	72.0	71.0	69.0
1990	67.0	63.0	73.0	71.0	69.0
1991	67.0	64.0	73.0	71.0	69.0
1992	68.0	65.0	73.0	71.0	70.0
1993	68.0	65.0	74.0	71.0	70.0
1994	68.0	65.0	74.0	72.0	70.0
1995	69.0	66.0	74.0	72.0	71.0
1996	69.0	66.0	74.0	73.0	71.0
1997	69.0	67.0	74.0	73.0	71.0
1998	70.0	67.0	74.0	73.0	71.0
1999	70.0	67.0	74.0	74.0	72.0
2000	71.0	68.0	75.0	74.0	72.0
2001	71.0	68.0	75.0	75.0	72.0
2002	72.0	68.0	76.0	75.0	73.0
2003	72.0	68.0	76.0	75.0	73.0
2004	73.0	69.0	76.0	75.0	74.0
2005	73.0	69.0	77.0	76.0	74.0
2006	73.0	69.0	76.0	76.0	74.0
2007	73.0	69.0	77.0	77.0	75.0
Year	All causes of death	Malignant neoplasms	Diseases of heart (except hypertensive diseases)	Cerebrovascular diseases	Pneumonia
2008※	74.0	69.0	77.0	77.0	81.0
2009※	74.0	69.0	78.0	77.0	82.0
2010※	75.0	69.0	78.0	78.0	82.0

Note : "Rank" is ordered by crude death rates.

Remark:※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Causes of Death by Gender

-2010

Unit: Years

Accidents and adverse effects	Pneumonia	Chronic liver disease and cirrhosis	Nephritis, nephrotic syndrome and nephrosis	Suicide	Hypertensive disease
35.0	72.0	59.0	67.0	45.0	73.0
34.0	73.0	59.0	68.0	45.0	73.0
35.0	73.0	59.0	69.0	47.0	73.0
35.0	74.0	59.0	69.0	48.0	73.0
37.0	74.0	59.0	69.0	47.0	73.0
38.0	75.0	59.0	70.0	42.0	74.0
38.0	75.0	58.0	71.0	44.0	74.0
37.0	75.0	58.0	72.0	46.0	75.0
39.0	76.0	57.0	73.0	44.0	75.0
40.0	77.0	58.0	73.0	45.0	75.0
40.0	78.0	58.0	74.0	46.0	76.0
41.0	78.0	57.0	74.0	46.0	75.0
42.0	78.0	57.0	74.0	46.0	75.0
45.0	79.0	58.0	75.0	47.0	76.0
45.0	79.0	58.0	75.0	48.0	78.0
46.0	79.0	58.0	75.0	48.0	77.0
47.0	79.0	60.0	75.0	46.0	77.0
48.0	79.0	59.0	76.0	47.0	77.0
48.0	80.0	59.0	76.0	46.0	78.0
49.0	80.0	59.0	77.0	45.5	79.0
49.0	81.0	58.0	77.0	46.0	79.0
50.0	81.0	57.0	78.0	47.0	80.0
Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive diseases	Nephritis, nephrotic syndrome and nephrosis
75.0	53.0	81.0	58.0	79.0	77.0
75.0	53.0	82.0	58.0	80.0	78.0
76.0	54.0	82.0	58.0	80.0	78.0



Table5 The Median Ages of

1986

Year	All causes of death-Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Accidents and adverse effects
1986	64.0	63.0	69.0	68.0	34.0
1987	64.0	63.0	69.0	69.0	33.0
1988	64.0	63.0	69.0	69.0	35.0
1989	64.0	63.0	69.0	69.0	35.0
1990	65.0	64.0	70.0	69.0	37.0
1991	65.0	64.0	70.0	69.0	37.0
1992	66.0	65.0	71.0	69.0	37.0
1993	66.0	65.0	71.0	69.0	37.0
1994	67.0	65.0	71.0	70.0	39.0
1995	67.0	66.0	71.0	70.0	39.0
1996	68.0	67.0	71.0	71.0	40.0
1997	68.0	67.0	71.0	71.0	40.0
1998	68.0	67.0	71.0	71.0	41.0
1999	69.0	68.0	72.0	72.0	44.0
2000	69.0	68.0	73.0	73.0	44.0
2001	70.0	68.0	73.0	73.0	45.0
2002	70.0	68.0	74.0	73.0	46.0
2003	71.0	68.0	74.0	73.0	46.0
2004	71.0	69.0	74.0	74.0	47.0
2005	71.0	69.0	75.0	74.0	47.0
2006	71.0	69.0	74.0	75.0	47.0
2007	72.0	69.0	74.0	75.0	47.0
Year	All causes of death -Male	Malignant neoplasms	Diseases of heart (except hypertensive diseases)	Cerebrovascular diseases	Pneumonia
2008※	72.0	69.0	75.0	75.0	80.0
2009※	72.0	69.0	75.0	75.0	81.0
2010※	73.0	69.0	75.0	76.0	81.0

Note : "Rank" is ordered by crude death rates.

Remark:※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Causes of Death by Gender(Cont.1)

-2010

Unit: Years

Diabetes mellitus	Pneumonia	Chronic liver disease and cirrhosis	Suicide	Nephritis, nephrotic syndrome and nephrosis	Hypertensive disease
67.0	71.0	57.0	45.0	66.0	70.0
67.0	71.0	56.0	47.0	67.0	71.0
67.0	72.0	57.0	47.0	68.0	71.0
68.0	73.0	56.0	49.0	69.0	71.0
68.0	73.0	56.0	47.0	69.0	71.0
67.0	73.0	56.0	42.0	71.0	71.0
69.0	74.0	55.0	43.0	71.0	71.0
69.0	74.0	55.0	49.0	71.0	72.0
69.0	75.0	54.0	43.0	72.0	72.0
69.0	75.0	55.0	47.0	73.0	72.0
69.0	76.0	54.0	47.0	73.0	72.0
69.0	76.0	53.0	46.0	73.0	72.0
70.0	77.0	52.0	47.0	73.0	73.0
70.0	77.0	53.0	47.0	74.0	74.0
71.0	77.0	52.0	48.0	75.0	75.0
71.0	78.0	53.0	48.0	74.0	75.0
72.0	78.0	54.0	46.0	75.0	75.0
72.0	78.0	53.0	47.0	75.0	75.0
72.0	79.0	53.0	46.0	76.0	76.0
72.0	79.0	53.0	46.0	77.0	77.0
72.0	80.0	53.0	45.0	76.0	76.0
72.0	80.0	53.0	47.0	77.0	78.0
Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Intentional self-harm (suicide)	Hypertensive diseases
50.0	72.0	81.0	54.0	47.0	77.0
51.0	73.0	81.0	54.0	48.0	78.0
51.0	73.0	82.0	54.0	49.0	78.0



Table5 The Median Ages of

1986

Year	All causes of death - Female	Malignant neoplasms	Heart disease	Diabetes mellitus	Cerebrovascular disease
1986	70.0	62.0	75.0	70.0	72.0
1987	70.0	62.0	75.0	70.0	73.0
1988	71.0	62.0	76.0	70.0	73.0
1989	70.0	63.0	76.0	70.0	74.0
1990	71.0	63.0	76.0	71.0	74.0
1991	71.0	63.0	77.0	71.0	74.0
1992	72.0	64.0	77.0	72.0	74.0
1993	72.0	64.0	77.0	71.0	74.0
1994	72.0	64.0	78.0	72.0	75.0
1995	72.0	65.0	78.0	72.0	75.0
1996	73.0	65.0	78.0	72.0	75.0
1997	73.0	66.0	78.0	72.0	76.0
1998	73.0	66.0	78.0	73.0	76.0
1999	73.0	67.0	78.0	73.0	77.0
2000	74.0	67.0	79.0	74.0	77.0
2001	74.0	68.0	79.0	74.0	77.0
2002	74.0	68.0	79.0	74.0	77.0
2003	75.0	68.0	79.0	75.0	78.0
2004	75.0	68.0	80.0	75.0	78.0
2005	75.0	69.0	80.0	76.0	78.0
2006	75.0	69.0	79.0	76.0	79.0
2007	76.0	69.0	80.0	76.0	79.0
Year	All causes of death -Female	Malignant neoplasms	Diseases of heart (except hypertensive diseases)	Cerebrovascular diseases	Diabetes mellitus
2008※	77.0	69.0	80.0	79.0	76.0
2009※	77.0	70.0	81.0	79.0	77.0
2010※	78.0	70.0	81.0	80.0	78.0

Note : "Rank" is ordered by crude death rates.

Remark:※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Causes of Death by Gender(Cont'd)

-2010

Unit: Years

Nephritis, nephrotic syndrome and nephrosis	Pneumonia	Accidents and adverse effects	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
68.0	74.5	37.0	65.0	43.0	75.0
69.0	76.0	36.0	65.0	42.0	76.0
69.0	76.0	39.0	64.0	47.0	76.0
69.0	76.0	36.0	65.0	45.0	76.0
70.0	76.0	37.0	65.0	44.0	75.0
70.0	78.0	39.0	65.0	42.0	77.0
72.0	78.0	40.0	65.0	46.0	77.0
72.0	78.0	40.0	66.0	43.0	78.0
73.0	79.0	41.0	66.0	46.0	78.0
74.0	80.0	43.0	67.0	43.5	78.0
75.0	80.0	43.0	66.0	44.0	79.0
75.0	80.0	45.0	67.0	47.0	78.5
75.0	80.0	46.0	68.0	45.0	79.0
76.0	82.0	49.0	69.0	46.0	79.0
76.0	82.0	49.0	69.0	48.0	81.0
75.0	82.0	53.0	69.0	49.0	80.0
76.0	82.0	53.0	70.0	49.0	79.0
76.0	82.0	53.0	69.0	48.0	80.0
77.0	83.0	55.0	70.0	47.0	81.0
78.0	83.0	55.0	71.0	45.0	81.0
77.0	83.0	55.0	70.0	48.0	81.0
78.0	84.0	57.0	71.0	47.0	82.0
Pneumonia	Hypertensive diseases	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
83.0	82.0	78.0	62.0	80.0	71.0
84.0	82.0	79.0	60.0	80.0	71.0
84.0	82.0	79.0	62.0	80.0	72.0



Table 6 Cancer Causes of Death

Unit : Person, 0/0000

Rank	1981				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	13,764	76.6	116.2
1	155	Cancers of liver and intrahepatic bile ducts	2,753	15.3	22.3
2	162	Cancers of trachea, bronchus and lung	2,118	11.8	18.3
3	151	Cancer of stomach	1,879	10.5	16.8
4	179,180	Cancers of cervix uteri and uterus, part unspecified	757	8.8 (1)	13.5
5	153,154	Cancers of colon, rectum and anus	1,100	6.1	9.9
6	174	Cancer of breast	337	3.9 (1)	6.0
7	150	Cancer of oesophagus	570	3.2	5.3
8	204-208	Leukaemia	542	3.0	3.3
9	147	Cancer of nasopharynx	504	2.8	3.9
10	200,202,203	Non-Hodgkin's lymphoma	335	1.9	2.5
11	140,141,143-146,148,149	Cancer of oral cavity	292	1.6	2.5
12	157	Cancer of pancreas	275	1.5	2.3
13	188	Cancer of bladder	251	1.4	2.4
14	170	Cancers of bone and articular cartilage	245	1.4	2.0
15	183	Cancer of ovary	105	1.2 (1)	1.7
16	185	Cancer of prostate	75	0.8 (2)	1.8
17	191	Cancer of brain	137	0.8	1.0
18	160	Nasal cavities cancer	132	0.7	1.1
19	189	Cancer of kidney	128	0.7	1.1
20	172,173	Skin cancer	124	0.7	1.3
21	161	Larynx cancer	109	0.6	1.0
22	156	Gallbladder and extrahepatic bile ducts cancer	97	0.5	0.9
23	171	Connective and other soft tissue cancer	86	0.5	0.8
24	152	Cancer of small intestine	72	0.4	0.6
25	193	Cancer of thyroid gland	53	0.3	0.5
26	182	Cancer of corpus uteri	17	0.2 (1)	0.3
27	187	Penis and other male genital organs cancer	15	0.2 (2)	0.4
28	186	Testis cancer	13	0.1 (2)	0.2
29	192	Nervous system cancer	24	0.1	0.2
30	158	Retroperitoneum and peritoneum cancer	24	0.1	0.2
31	201	Hodgkin's disease	22	0.1	0.2
32	163	Pleura cancer	22	0.1	0.2
33	190	Eye cancer	17	0.1	0.1
34	142	Cancer of major salivary glands	16	0.1	0.2
35	181	Placenta cancer	7	0.1 (1)	0.1
36	164	Cancer of thymus	13	0.1	0.1
37	175	Male breast cancer	3	0.0 (2)	0.1
		All other causes	495	2.8	4.1

Remark : 1. Mid-year Population : Total 17,970,288 , Male 9,368,483 , Female 8,601,805 in 1981.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Beginning 1994, includes Kinmen County and Lienkiang County.

4. Based on 2000 W.H.O. World Standard Population.

Table 6 Cancer Causes of Death

Unit : Person, 0/0000

Rank	1986				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	16,559	85.5	118.3
1	155	Cancers of liver and intrahepatic bile ducts	3,278	16.9	22.7
2	162	Cancers of trachea, bronchus and lung	2,908	15.0	21.0
3	151	Cancer of stomach	1,942	10.0	14.5
4	179,180	Cancers of cervix uteri and uterus, part unspecified	848	9.1 (1)	13.0
5	153,154	Cancers of colon, rectum and anus	1,376	7.1	10.4
6	174	Cancer of breast	466	5.0 (1)	6.9
7	147	Cancer of nasopharynx	675	3.5	4.5
8	204-208	Leukaemia	623	3.2	3.6
9	150	Cancer of oesophagus	542	2.8	4.0
10	200,202,203	Non-Hodgkin's lymphoma	497	2.6	3.3
11	140,141,143-146,148,149	Cancer of oral cavity	423	2.2	3.0
12	157	Cancer of pancreas	349	1.8	2.5
13	183	Cancer of ovary	141	1.5 (1)	2.0
14	188	Cancer of bladder	287	1.5	2.4
15	185	Cancer of prostate	127	1.3 (2)	2.3
16	156	Gallbladder and extrahepatic bile ducts cancer	211	1.1	1.5
17	170	Cancers of bone and articular cartilage	206	1.1	1.4
18	191	Cancer of brain	194	1.0	1.3
19	189	Cancer of kidney	183	0.9	1.3
20	172,173	Skin cancer	148	0.8	1.2
21	161	Larynx cancer	122	0.6	0.9
22	171	Connective and other soft tissue cancer	81	0.4	0.6
23	160	Nasal cavities cancer	79	0.4	0.6
24	152	Cancer of small intestine	72	0.4	0.5
25	193	Cancer of thyroid gland	58	0.3	0.4
26	192	Nervous system cancer	36	0.2	0.2
27	158	Retroperitoneum and peritoneum cancer	30	0.2	0.2
28	182	Cancer of corpus uteri	13	0.1 (1)	0.2
29	187	Penis and other male genital organs cancer	14	0.1 (2)	0.2
30	142	Cancer of major salivary glands	26	0.1	0.2
31	201	Hodgkin's disease	22	0.1	0.1
32	186	Testis cancer	10	0.1 (2)	0.1
33	164	Cancer of thymus	19	0.1	0.1
34	181	Placenta cancer	9	0.1 (1)	0.1
35	163	Pleura cancer	17	0.1	0.1
36	190	Eye cancer	15	0.1	0.1
37	175	Male breast cancer	7	0.1 (2)	0.1
		All other causes	505	2.6	3.6

Remark : 1. Mid-year Population : Total 19,356,331 , Male 10,040,340 , Female 9,315,992 in 1986.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Beginning 1994, includes Kinmen County and Lienkiang County.

4. Based on 2000 W.H.O. World Standard Population.



Table 6 Cancer Causes of Death (Cont. 1)

Unit : Person, 0/0000

Rank	1991				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	19,630	96.0	117.8
1	155	Cancers of liver and intrahepatic bile ducts	3,870	18.9	22.7
2	162	Cancers of trachea, bronchus and lung	3,759	18.4	22.7
3	151	Cancer of stomach	2,044	10.0	12.6
4	179,180	Cancers of cervix uteri and uterus, part unspecified	870	8.8 (1)	10.9
5	153,154	Cancers of colon, rectum and anus	1,674	8.2	10.4
6	174	Cancer of breast	664	6.7 (1)	8.1
7	147	Cancer of nasopharynx	746	3.6	4.2
8	204-208	Leukaemia	666	3.3	3.7
9	150	Cancer of oesophagus	660	3.2	4.0
10	140,141,143-146,148,149	Cancer of oral cavity	549	2.7	3.2
11	200,202,203	Non-Hodgkin's lymphoma	518	2.5	3.0
12	157	Cancer of pancreas	502	2.5	3.0
13	185	Cancer of prostate	233	2.2 (2)	3.3
14	191	Cancer of brain	389	1.9	2.2
15	188	Cancer of bladder	360	1.8	2.4
16	183	Cancer of ovary	155	1.6 (1)	1.9
17	156	Gallbladder and extrahepatic bile ducts cancer	319	1.6	1.9
18	189	Cancer of kidney	214	1.0	1.3
19	170	Cancers of bone and articular cartilage	174	0.9	1.0
20	161	Larynx cancer	161	0.8	1.0
21	172,173	Skin cancer	106	0.5	0.7
22	152	Cancer of small intestine	86	0.4	0.5
23	193	Cancer of thyroid gland	79	0.4	0.5
24	171	Connective and other soft tissue cancer	74	0.4	0.5
25	158	Retroperitoneum and peritoneum cancer	51	0.2	0.3
26	160	Nasal cavities cancer	50	0.2	0.3
27	192	Nervous system cancer	33	0.2	0.2
28	142	Cancer of major salivary glands	33	0.2	0.2
29	175	Male breast cancer	13	0.1 (2)	0.2
30	164	Cancer of thymus	25	0.1	0.1
31	187	Penis and other male genital organs cancer	12	0.1 (2)	0.1
32	163	Pleura cancer	22	0.1	0.1
33	181	Placenta cancer	7	0.1 (1)	0.1
34	201	Hodgkin's disease	14	0.1	0.1
35	190	Eye cancer	14	0.1	0.1
36	182	Cancer of corpus uteri	4	0.0 (1)	0.1
37	186	Testis cancer	4	0.0 (2)	0.0
		All other causes	476	2.3	2.9

Remark : 1. Mid-year Population : Total 20,454,904 , Male 10,565,150 , Female 9,889,753 in 1991.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.



Table 6 Cancer Causes of Death (Cont. 1)

Unit : Person, 0/0000

Rank	1996				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	27,961	130.4	143.5
1	155	Cancers of liver and intrahepatic bile ducts	5,794	27.0	29.5
2	162	Cancers of trachea, bronchus and lung	5,439	25.4	28.0
3	153,154	Cancers of colon, rectum and anus	2,642	12.3	13.8
4	151	Cancer of stomach	2,519	11.7	13.0
5	174	Cancer of breast	987	9.5 (1)	10.1
6	179,180	Cancers of cervix uteri and uterus, part unspecified	979	9.4 (1)	10.5
7	140,141,143-146,148,149	Cancer of oral cavity	1,042	4.9	5.3
8	185	Cancer of prostate	463	4.2 (2)	5.0
9	147	Cancer of nasopharynx	881	4.1	4.3
10	200,202,203	Non-Hodgkin's lymphoma	880	4.1	4.4
11	157	Cancer of pancreas	785	3.7	4.0
12	150	Cancer of oesophagus	770	3.6	4.0
13	204-208	Leukaemia	726	3.4	3.6
14	156	Gallbladder and extrahepatic bile ducts cancer	636	3.0	3.3
15	188	Cancer of bladder	527	2.5	2.9
16	191	Cancer of brain	518	2.4	2.6
17	183	Cancer of ovary	225	2.2 (1)	2.4
18	189.0	Cancer of kidney	332	1.5	1.7
19	161	Larynx cancer	212	1.0	1.1
20	170	Cancers of bone and articular cartilage	161	0.8	0.8
21	152	Cancer of small intestine	157	0.7	0.8
22	172,173	Skin cancer	128	0.6	0.7
23	193	Cancer of thyroid gland	116	0.5	0.6
24	171	Connective and other soft tissue cancer	105	0.5	0.5
25	182	Cancer of corpus uteri	36	0.3 (1)	0.4
26	164	Cancer of thymus	71	0.3	0.4
27	192	Nervous system cancer	58	0.3	0.3
28	187	Penis and other male genital organs cancer	23	0.2 (2)	0.2
29	142	Cancer of major salivary glands	43	0.2	0.2
30	158	Retroperitoneum and peritoneum cancer	38	0.2	0.2
31	160	Nasal cavities cancer	24	0.1	0.1
32	175	Male breast cancer	10	0.1 (2)	0.1
33	201	Hodgkin's disease	18	0.1	0.1
34	186	Testis cancer	8	0.1 (2)	0.1
35	163	Pleura cancer	8	0.0	0.0
36	181	Placenta cancer	3	0.0 (1)	0.0
37	190	Eye cancer	2	0.0	0.0
		All other causes	595	2.8	3.1

Remark : 1. Mid-year Population : Total 21,441,432 , Male 11,028,228 , Female 10,413,204 in 1996.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.

Table 6 Cancer Causes of Death (Cont. 2)

Unit : Person, 0/0000

Rank	2001				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	32,993	147.7	143.1
1	162	Cancers of trachea, bronchus and lung	6,555	29.3	28.3
2	155	Cancers of liver and intrahepatic bile ducts	6,415	28.7	28.0
3	153,154	Cancers of colon, rectum and anus	3,457	15.5	15.0
4	174	Cancer of breast	1,241	11.4 (1)	10.7
5	151	Cancer of stomach	2,446	10.9	10.5
6	179,180	Cancers of cervix uteri and uterus, part unspecified	939	8.6 (1)	8.2
7	140,141,143-146,148,149	Cancer of oral cavity	1,560	7.0	6.7
8	185	Cancer of prostate	693	6.1 (2)	5.9
9	200,202,203	Non-Hodgkin's lymphoma	1,024	4.6	4.4
10	150	Cancer of oesophagus	999	4.5	4.4
11	157	Cancer of pancreas	992	4.4	4.3
12	156	Gallbladder and extrahepatic bile ducts cancer	866	3.9	3.8
13	147	Cancer of nasopharynx	820	3.7	3.5
14	204-208	Leukaemia	766	3.4	3.3
15	183	Cancer of ovary	297	2.7 (1)	2.6
16	188	Cancer of bladder	587	2.6	2.6
17	189.0	Cancer of kidney	407	1.8	1.8
18	191	Cancer of brain	390	1.7	1.7
19	172,173	Skin cancer	266	1.2	1.2
20	161	Larynx cancer	236	1.1	1.0
21	182	Cancer of corpus uteri	82	0.8 (1)	0.7
22	152	Cancer of small intestine	166	0.7	0.7
23	193	Cancer of thyroid gland	121	0.5	0.5
24	171	Connective and other soft tissue cancer	120	0.5	0.5
25	170	Cancers of bone and articular cartilage	111	0.5	0.5
26	158	Retroperitoneum and peritoneum cancer	103	0.5	0.4
27	164	Cancer of thymus	102	0.5	0.4
28	192	Nervous system cancer	65	0.3	0.3
29	142	Cancer of major salivary glands	54	0.2	0.2
30	160	Nasal cavities cancer	41	0.2	0.2
31	187	Penis and other male genital organs cancer	19	0.2 (2)	0.2
32	175	Male breast cancer	9	0.1 (2)	0.1
33	186	Testis cancer	8	0.1 (2)	0.1
34	201	Hodgkin's disease	15	0.1	0.1
35	163	Pleura cancer	9	0.0	0.0
36	190	Eye cancer	3	0.0	0.0
37	181	Placenta cancer	1	0.0 (1)	0.0
		All other causes	1,008	4.5	4.4

Remark : 1. Mid-year Population : Total 22,341,120 , Male 11,416,850 , Female 10,924,270 in 2001.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.

Table 6 Cancer Causes of Death (Cont. 2)

Unit : Person, 0/0000

Rank	2006				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	37,998	166.5	139.3
1	162	Cancers of trachea, bronchus and lung	7,479	32.8	27.0
2	155	Cancers of liver and intrahepatic bile ducts	7,415	32.5	27.6
3	153,154	Cancers of colon, rectum and anus	4,284	18.8	15.5
4	174	Cancer of breast	1,439	12.8 (1)	10.6
5	151	Cancer of stomach	2,398	10.5	8.6
6	140,141,143-146,148,149	Cancer of oral cavity	2,202	9.6	8.1
7	185	Cancer of prostate	957	8.3 (2)	6.6
8	179,180	Cancers of cervix uteri and uterus, part unspecified	792	7.0 (1)	5.7
9	150	Cancer of oesophagus	1,304	5.7	4.8
10	157	Cancer of pancreas	1,247	5.5	4.6
11	200,202,203	Non-Hodgkin's lymphoma	1,211	5.3	4.5
12	156	Gallbladder and extrahepatic bile ducts cancer	996	4.4	3.7
13	204-208	Leukaemia	883	3.9	3.4
14	147	Cancer of nasopharynx	798	3.5	2.9
15	183	Cancer of ovary	380	3.4 (1)	2.8
16	188	Cancer of bladder	681	3.0	2.4
17	189.0	Cancer of kidney	478	2.1	1.7
18	191	Cancer of brain	401	1.8	1.6
19	182	Cancer of corpus uteri	135	1.2 (1)	1.0
20	172,173	Skin cancer	240	1.1	0.9
21	161	Larynx cancer	210	0.9	0.8
22	158	Retroperitoneum and peritoneum cancer	170	0.7	0.6
23	193	Cancer of thyroid gland	148	0.6	0.5
24	152	Cancer of small intestine	147	0.6	0.5
25	171	Connective and other soft tissue cancer	144	0.6	0.5
26	170	Cancers of bone and articular cartilage	100	0.4	0.4
27	164	Cancer of thymus	91	0.4	0.3
28	192	Nervous system cancer	55	0.2	0.2
29	160	Nasal cavities cancer	47	0.2	0.2
30	187	Penis and other male genital organs cancer	23	0.2 (2)	0.2
31	142	Cancer of major salivary glands	42	0.2	0.2
32	163	Pleura cancer	23	0.1	0.1
33	186	Testis cancer	11	0.1 (2)	0.1
34	175	Male breast cancer	11	0.1 (2)	0.1
35	201	Hodgkin's disease	18	0.1	0.1
36	190	Eye cancer	7	0.0	0.0
37	181	Placenta cancer	3	0.0 (1)	0.0
		All other causes	1,028	4.5	3.7

Remark : 1. Mid-year Population : Total 22,823,455 , Male 11,577,074 , Female 11,246,382 in 2006.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.



Table 6 Cancer Causes of Death (Cont. 3)

Unit : Person, 0/0000

Rank	2007				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	40,306	175.9	142.6
1	162	Cancers of trachea, bronchus and lung	7,993	34.9	27.9
2	155	Cancers of liver and intrahepatic bile ducts	7,809	34.1	28.1
3	153,154	Cancers of colon, rectum and anus	4,470	19.5	15.6
4	174	Cancer of breast	1,552	13.7 (1)	11.1
5	151	Cancer of stomach	2,474	10.8	8.5
6	140,141,143-146,148,149	Cancer of oral cavity	2,312	10.1	8.3
7	185	Cancer of prostate	1,003	8.6 (2)	6.7
8	179,180	Cancers of cervix uteri and uterus, part unspecified	833	7.4 (1)	5.8
9	150	Cancer of oesophagus	1,438	6.3	5.2
10	157	Cancer of pancreas	1,354	5.9	4.8
11	200,202,203	Non-Hodgkin's lymphoma	1,298	5.7	4.6
12	156	Gallbladder and extrahepatic bile ducts cancer	1,145	5.0	4.1
13	204-208	Leukaemia	861	3.8	3.2
14	183	Cancer of ovary	405	3.6 (1)	2.9
15	188	Cancer of bladder	804	3.5	2.7
16	147	Cancer of nasopharynx	797	3.5	2.9
17	189.0	Cancer of kidney	522	2.3	1.8
18	191	Cancer of brain	455	2.0	1.7
19	172,173	Skin cancer	273	1.2	1.0
20	182	Cancer of corpus uteri	121	1.1 (1)	0.9
21	161	Cancer of larynx	240	1.0	0.8
22	152	Cancer of small intestine	198	0.9	0.7
23	171	Connective and other soft tissue cancer	165	0.7	0.6
24	158	Retroperitoneum and peritoneum cancer	139	0.6	0.5
25	193	Cancer of thyroid gland	122	0.5	0.4
26	164	Cancer of thymus	116	0.5	0.4
27	170	Cancers of bone and articular cartilage	98	0.4	0.4
28	192	Nervous system cancer	58	0.3	0.3
29	187	Penis and other male genital organs cancer	28	0.2 (2)	0.2
30	142	Cancer of major salivary glands	54	0.2	0.2
31	160	Nasal cavities cancer	45	0.2	0.2
32	186	Testis cancer	19	0.2 (2)	0.2
33	201	Hodgkin's disease	24	0.1	0.1
34	163	Pleura cancer	19	0.1	0.1
35	175	Male breast cancer	9	0.1 (2)	0.1
36	190	Eye cancer	12	0.1	0.1
37	181	Placenta cancer	2	0.0 (1)	0.0
		All other causes	1,039	4.5	3.6

Remark : 1. Mid-year Population : Total 22,917,444 , Male 11,600,237 , Female 11,317,206 in 2007.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.

Table 6 Cancer Causes of Death (Cont. 3)

Unit : Person, 0/0000

Rank	2008				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	38,913	169.2	133.7
1	C33-C34	Cancers of trachea, bronchus and lung	7,777	33.8	26.3
2	C22	Cancers of liver and intrahepatic bile ducts	7,651	33.3	26.8
3	C18-C21	Cancers of colon, rectum and anus	4,266	18.5	14.4
4	C50	Cancer of breast	1,541	13.5 (1)	10.7
5	C16	Cancer of stomach	2,292	10.0	7.6
6	C00-C06, C09-C10, C12-C14	Cancer of oral cavity	2,218	9.6	7.8
7	C61	Cancer of prostate	892	7.7 (2)	5.7
8	C53, C55	Cancers of cervix uteri and uterus, part unspecified	710	6.2 (1)	4.7
9	C15	Cancer of oesophagus	1,433	6.2	5.0
10	C25	Cancer of pancreas	1,364	5.9	4.7
11	C82-C85	Non-Hodgkin's lymphoma	900	3.9	3.1
12	C91-C95	Leukaemia	878	3.8	3.2
13	C56	Cancer of ovary	406	3.6 (1)	2.8
14	C11	Cancer of nasopharynx	748	3.3	2.6
15	C67	Cancer of bladder	689	3.0	2.2
16	C23-C24	Cancers of gallbladder and other parts of biliary tract	548	2.4	1.9
17	C64-C65	Cancer of kidney	511	2.2	1.8
18	C71	Cancer of brain	381	1.7	1.5
19	C54	Cancer of corpus uteri	166	1.5 (1)	1.2
20	C45-C49	Cancers of mesothelial and soft tissue	287	1.2	1.0
21	C43-C44	Melanoma and other cancers of skin	221	1.0	0.8
22	C32	Cancer of larynx	202	0.9	0.7
23	C73	Cancer of thyroid gland	146	0.6	0.5
24	C17	Cancer of small intestine	110	0.5	0.4
25	C40-C41	Cancers of bone and articular cartilage	78	0.3	0.3
26	C37	Cancer of thymus	76	0.3	0.3
27	C60, C62, C63	Cancers of male genital organs, except prostate	32	0.3 (2)	0.2
28	C38	Cancers of heart, mediastinum and pleura	46	0.2	0.2
29	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	44	0.2	0.2
30	C07-C08	Cancer of major salivary glands	41	0.2	0.1
31	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	15	0.1	0.1
32	C81	Hodgkin's disease	11	0.0	0.0
		All other causes	2,233	9.7	7.7

Remark : 1. Mid-year Population : Total 22,997,696 , Male 11,617,559 , Female 11,380,136 in 2008.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.



Table 6 Cancer Causes of Death (Cont'd)

Unit : Person, 0/0000

Rank	2009				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	39,918	173.0	132.5
1	C33-C34	Cancers of trachea, bronchus and lung	7,951	34.5	25.9
2	C22	Cancers of liver and intrahepatic bile ducts	7,759	33.6	26.2
3	C18-C21	Cancers of colon, rectum and anus	4,531	19.6	14.8
4	C50	Cancer of breast	1,589	13.9 (1)	10.6
5	C16	Cancer of stomach	2,282	9.9	7.3
6	C00-C06, C09-C10, C12-C14	Cancer of oral cavity	2,249	9.7	7.6
7	C61	Cancer of prostate	936	8.0 (2)	5.9
8	C15	Cancer of oesophagus	1,489	6.5	5.0
9	C25	Cancer of pancreas	1,480	6.4	4.9
10	C53, C55	Cancers of cervix uteri and uterus, part unspecified	657	5.7 (1)	4.2
11	C91-C95	Leukaemia	924	4.0	3.3
12	C82-C85	Non-Hodgkin's lymphoma	914	4.0	3.0
13	C56	Cancer of ovary	438	3.8 (1)	2.9
14	C67	Cancer of bladder	756	3.3	2.4
15	C11	Cancer of nasopharynx	674	2.9	2.3
16	C23-C24	Cancers of gallbladder and other parts of biliary tract	621	2.7	2.0
17	C64-C65	Cancer of kidney	468	2.0	1.5
18	C71	Cancer of brain	455	2.0	1.7
19	C54	Cancer of corpus uteri	151	1.3 (1)	1.0
20	C45-C49	Cancers of mesothelial and soft tissue	276	1.2	1.0
21	C43-C44	Melanoma and other cancers of skin	223	1.0	0.7
22	C32	Cancer of larynx	178	0.8	0.6
23	C73	Cancer of thyroid gland	133	0.6	0.4
24	C17	Cancer of small intestine	129	0.6	0.4
25	C60, C62, C63	Cancers of male genital organs, except prostate	39	0.3 (2)	0.3
26	C40-C41	Cancers of bone and articular cartilage	76	0.3	0.3
27	C37	Cancer of thymus	74	0.3	0.2
28	C38	Cancers of heart, mediastinum and pleura	57	0.2	0.2
29	C07-C08	Cancer of major salivary glands	55	0.2	0.2
30	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	47	0.2	0.2
31	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	22	0.1	0.1
32	C81	Hodgkin's disease	19	0.1	0.1
33					
34					
35					
36					
37		All other causes	2,266	9.8	7.5

Remark : 1. Mid-year Population : Total 23,078,402 , Male 11,631,542 , Female 11,446,859 in 2009.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.

Table 6 Cancer Causes of Death (Cont'd)

Unit : Person, 0/0000

Rank	2010				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	41,046	177.4	131.6
1	C33-C34	Cancers of trachea, bronchus and lung	8,194	35.4	25.8
2	C22	Cancers of liver and intrahepatic bile ducts	7,744	33.5	25.2
3	C18-C21	Cancers of colon, rectum and anus	4,676	20.2	14.6
4	C50	Cancer of breast	1,706	14.8 (1)	11.0
5	C00-C06, C09-C10, C12-C14	Cancer of oral cavity	2,370	10.2	7.8
6	C16	Cancer of stomach	2,261	9.8	7.0
7	C61	Cancer of prostate	1,021	8.8 (2)	6.1
8	C15	Cancer of oesophagus	1,563	6.8	5.1
9	C25	Cancer of pancreas	1,470	6.4	4.7
10	C53, C55	Cancers of cervix uteri and uterus, part unspecified	704	6.1 (1)	4.4
11	C82-C85	Non-Hodgkin's lymphoma	991	4.3	3.2
12	C91-C95	Leukaemia	968	4.2	3.3
13	C56, C57.0-C57.4	Cancer of ovary	434	3.8 (1)	2.8
14	C67	Cancer of bladder	735	3.2	2.2
15	C11	Cancer of nasopharynx	658	2.8	2.2
16	C23-C24	Cancers of gallbladder and other parts of biliary tract	529	2.3	1.7
17	C71	Cancer of brain	501	2.2	1.8
18	C64	Cancer of kidney	490	2.1	1.5
19	C54	Cancer of corpus uteri	189	1.6 (1)	1.2
20	C45-C49	Cancers of mesothelial and soft tissue	280	1.2	1.0
21	C43-C44	Melanoma and other cancers of skin	206	0.9	0.6
22	C32	Cancer of larynx	186	0.8	0.6
23	C17	Cancer of small intestine	135	0.6	0.4
24	C73	Cancer of thyroid gland	135	0.6	0.4
25	C40-C41	Cancers of bone and articular cartilage	108	0.5	0.4
26	C37	Cancer of thymus	91	0.4	0.3
27	C60, C62, C63	Cancers of male genital organs, except prostate	34	0.3 (2)	0.3
28	C38	Cancers of heart, mediastinum and pleura	65	0.3	0.2
29	C07-C08	Cancer of major salivary glands	62	0.3	0.2
30	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	36	0.2	0.1
31	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	24	0.1	0.1
32	C81	Hodgkin's disease	18	0.1	0.1
		All other causes	2,462	10.6	7.8

Remark : 1. Mid-year Population : Total 23,140,948 , Male 11,635,980 , Female 11,504,968 in 2010.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.



Table 7 Cancer Causes of Death for Male

Unit : Person, 0/0000

Rank	1981				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	8,719	93.1	139.7
1	155	Cancers of liver and intrahepatic bile ducts	2,172	23.2	32.7
2	162	Cancers of trachea, bronchus and lung	1,472	15.7	24.1
3	151	Cancer of stomach	1,308	14.0	22.4
4	153,154	Cancers of colon, rectum and anus	602	6.4	10.2
5	150	Cancer of oesophagus	478	5.1	8.7
6	147	Cancer of nasopharynx	363	3.9	5.1
7	204-208	Leukaemia	330	3.5	3.9
8	140,141,143-146,148,149	Cancer of oral cavity	241	2.6	3.9
9	200,202,203	Non-Hodgkin's lymphoma	206	2.2	2.8
10	157	Cancer of pancreas	189	2.0	3.0
11	188	Cancer of bladder	163	1.7	3.1
12	170	Cancers of bone and articular cartilage	138	1.5	2.2
13	161	Larynx cancer	95	1.0	1.7
14	160	Nasal cavities cancer	94	1.0	1.5
15	191	Cancer of brain	86	0.9	1.1
16	185	Cancer of prostate	75	0.8	1.8
17	189	Cancer of kidney	74	0.8	1.2
18	172,173	Skin cancer	72	0.8	1.2
19	156	Gallbladder and extrahepatic bile ducts cancer	53	0.6	0.9
20	152	Cancer of small intestine	50	0.5	0.9
21	171	Connective and other soft tissue cancer	45	0.5	0.8
22	193	Cancer of thyroid gland	20	0.2	0.4
23	187	Penis and other male genital organs cancer	15	0.2	0.4
24	163	Pleura cancer	15	0.2	0.2
25	201	Hodgkin's disease	14	0.1	0.2
26	192	Nervous system cancer	14	0.1	0.2
27	158	Retroperitoneum and peritoneum cancer	14	0.1	0.2
28	186	Testis cancer	13	0.1	0.2
29	142	Cancer of major salivary glands	11	0.1	0.2
30	190	Eye cancer	9	0.1	0.1
31	164	Cancer of thymus	7	0.1	0.1
32	175	Male breast cancer	3	0.0	0.1
		All other causes	278	3.0	4.2

Remark : 1. Mid-year Population : 9,368,483 in 1981.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.

Table 7 Cancer Causes of Death for Male

Unit : Person, 0/0000

Rank	1986				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	10,584	105.4	143.8
1	155	Cancers of liver and intrahepatic bile ducts	2,626	26.2	34.1
2	162	Cancers of trachea, bronchus and lung	2,036	20.3	28.0
3	151	Cancer of stomach	1,343	13.4	19.1
4	153,154	Cancers of colon, rectum and anus	788	7.8	11.7
5	147	Cancer of nasopharynx	505	5.0	6.3
6	150	Cancer of oesophagus	476	4.7	6.8
7	204-208	Leukaemia	371	3.7	4.1
8	140,141,143-146,148,149	Cancer of oral cavity	349	3.5	4.7
9	200,202,203	Non-Hodgkin's lymphoma	320	3.2	4.1
10	157	Cancer of pancreas	223	2.2	3.0
11	188	Cancer of bladder	201	2.0	3.4
12	185	Cancer of prostate	127	1.3	2.3
13	189	Cancer of kidney	121	1.2	1.6
14	161	Larynx cancer	111	1.1	1.5
15	156	Gallbladder and extrahepatic bile ducts cancer	108	1.1	1.4
16	170	Cancers of bone and articular cartilage	107	1.1	1.4
17	191	Cancer of brain	103	1.0	1.2
18	172,173	Skin cancer	91	0.9	1.5
19	171	Connective and other soft tissue cancer	55	0.5	0.8
20	160	Nasal cavities cancer	54	0.5	0.7
21	152	Cancer of small intestine	44	0.4	0.6
22	192	Nervous system cancer	25	0.2	0.3
23	142	Cancer of major salivary glands	20	0.2	0.2
24	201	Hodgkin's disease	17	0.2	0.2
25	193	Cancer of thyroid gland	17	0.2	0.2
26	158	Retroperitoneum and peritoneum cancer	16	0.2	0.2
27	187	Penis and other male genital organs cancer	14	0.1	0.2
28	164	Cancer of thymus	13	0.1	0.2
29	163	Pleura cancer	11	0.1	0.1
30	186	Testis cancer	10	0.1	0.1
31	190	Eye cancer	7	0.1	0.1
32	175	Male breast cancer	7	0.1	0.1
		All other causes	268	2.7	3.6

Remark : 1. Mid-year Population : 10,040,340 in 1986.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.



Table 7 Cancer Causes of Death for Male (Cont. 1)

Unit : Person, 0/0000

Rank	1991				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	12,752	120.7	146.6
1	155	Cancers of liver and intrahepatic bile ducts	3,108	29.4	34.5
2	162	Cancers of trachea, bronchus and lung	2,686	25.4	31.0
3	151	Cancer of stomach	1,406	13.3	16.5
4	153,154	Cancers of colon, rectum and anus	924	8.7	11.1
5	150	Cancer of oesophagus	593	5.6	7.0
6	147	Cancer of nasopharynx	577	5.5	6.3
7	140,141,143-146,148,149	Cancer of oral cavity	494	4.7	5.5
8	204-208	Leukaemia	398	3.8	4.3
9	200,202,203	Non-Hodgkin's lymphoma	353	3.3	4.0
10	157	Cancer of pancreas	305	2.9	3.5
11	188	Cancer of bladder	259	2.5	3.4
12	185	Cancer of prostate	233	2.2	3.3
13	191	Cancer of brain	219	2.1	2.5
14	156	Gallbladder and extrahepatic bile ducts cancer	174	1.6	2.0
15	161	Larynx cancer	150	1.4	1.8
16	189	Cancer of kidney	134	1.3	1.5
17	170	Cancers of bone and articular cartilage	112	1.1	1.3
18	172,173	Skin cancer	59	0.6	0.8
19	152	Cancer of small intestine	45	0.4	0.5
20	171	Connective and other soft tissue cancer	43	0.4	0.5
21	160	Nasal cavities cancer	38	0.4	0.4
22	193	Cancer of thyroid gland	29	0.3	0.4
23	158	Retroperitoneum and peritoneum cancer	27	0.3	0.3
24	142	Cancer of major salivary glands	26	0.2	0.3
25	192	Nervous system cancer	23	0.2	0.2
26	163	Pleura cancer	15	0.1	0.2
27	175	Male breast cancer	13	0.1	0.2
28	164	Cancer of thymus	13	0.1	0.1
29	187	Penis and other male genital organs cancer	12	0.1	0.1
30	201	Hodgkin's disease	10	0.1	0.1
31	190	Eye cancer	4	0.0	0.0
32	186	Testis cancer	4	0.0	0.0
		All other causes	266	2.5	3.1

Remark : 1. Mid-year Population : 10,565,150 in 1991 .

2. Based on 2000 W.H.O. World Standard Population.

Table 7 Cancer Causes of Death for Male (Cont. 1)

Unit : Person, 0/0000

Rank	1996				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	18,008	163.3	178.1
1	155	Cancers of liver and intrahepatic bile ducts	4,469	40.5	43.8
2	162	Cancers of trachea, bronchus and lung	3,846	34.9	37.7
3	151	Cancer of stomach	1,712	15.5	17.0
4	153,154	Cancers of colon, rectum and anus	1,546	14.0	15.6
5	140,141,143-146,148,149	Cancer of oral cavity	941	8.5	9.3
6	150	Cancer of oesophagus	678	6.1	6.8
7	147	Cancer of nasopharynx	651	5.9	6.2
8	200,202,203	Non-Hodgkin's lymphoma	560	5.1	5.3
9	157	Cancer of pancreas	474	4.3	4.6
10	185	Cancer of prostate	463	4.2	5.0
11	204-208	Leukaemia	414	3.8	4.0
12	188	Cancer of bladder	370	3.4	4.0
13	156	Gallbladder and extrahepatic bile ducts cancer	309	2.8	3.1
14	191	Cancer of brain	308	2.8	2.9
15	161	Larynx cancer	202	1.8	2.1
16	189.0	Cancer of kidney	202	1.8	2.0
17	170	Cancers of bone and articular cartilage	91	0.8	0.9
18	152	Cancer of small intestine	88	0.8	0.8
19	172,173	Skin cancer	71	0.6	0.7
20	171	Connective and other soft tissue cancer	69	0.6	0.7
21	164	Cancer of thymus	51	0.5	0.5
22	193	Cancer of thyroid gland	45	0.4	0.4
23	142	Cancer of major salivary glands	29	0.3	0.3
24	192	Nervous system cancer	24	0.2	0.2
25	187	Penis and other male genital organs cancer	23	0.2	0.2
26	158	Retroperitoneum and peritoneum cancer	16	0.1	0.2
27	160	Nasal cavities cancer	15	0.1	0.2
28	201	Hodgkin's disease	13	0.1	0.1
29	175	Male breast cancer	10	0.1	0.1
30	186	Testis cancer	8	0.1	0.1
31	163	Pleura cancer	7	0.1	0.1
32	190	Eye cancer	1	0.0	0.0
		All other causes	302	2.7	3.0

Remark : 1. Mid-year Population : 11,028,228 in 1996.

2. Based on 2000 W.H.O. World Standard Population.



Table 7 Cancer Causes of Death for Male (Cont. 2)

Unit : Person, 0/0000

Rank	2001				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	21,263	186.2	180.7
1	155	Cancers of liver and intrahepatic bile ducts	4,759	41.7	40.9
2	162	Cancers of trachea, bronchus and lung	4,599	40.3	38.6
3	153,154	Cancers of colon, rectum and anus	2,024	17.7	17.1
4	151	Cancer of stomach	1,650	14.5	13.9
5	140,141,143-146,148,149	Cancer of oral cavity	1,436	12.6	12.2
6	150	Cancer of oesophagus	922	8.1	7.9
7	185	Cancer of prostate	693	6.1	5.9
8	200,202,203	Non-Hodgkin's lymphoma	646	5.7	5.5
9	157	Cancer of pancreas	635	5.6	5.4
10	147	Cancer of nasopharynx	616	5.4	5.2
11	204-208	Leukaemia	462	4.0	3.9
12	156	Gallbladder and extrahepatic bile ducts cancer	439	3.8	3.7
13	188	Cancer of bladder	396	3.5	3.4
14	189.0	Cancer of kidney	245	2.1	2.1
15	191	Cancer of brain	229	2.0	1.9
16	161	Larynx cancer	225	2.0	1.9
17	172,173	Skin cancer	153	1.3	1.3
18	152	Cancer of small intestine	108	0.9	0.9
19	164	Cancer of thymus	70	0.6	0.6
20	171	Connective and other soft tissue cancer	69	0.6	0.6
21	170	Cancers of bone and articular cartilage	69	0.6	0.6
22	193	Cancer of thyroid gland	53	0.5	0.5
23	158	Retroperitoneum and peritoneum cancer	46	0.4	0.4
24	192	Nervous system cancer	37	0.3	0.3
25	142	Cancer of major salivary glands	35	0.3	0.3
26	160	Nasal cavities cancer	25	0.2	0.2
27	187	Penis and other male genital organs cancer	19	0.2	0.2
28	201	Hodgkin's disease	9	0.1	0.1
29	175	Male breast cancer	9	0.1	0.1
30	186	Testis cancer	8	0.1	0.1
31	163	Pleura cancer	5	0.0	0.1
32	190	Eye cancer	2	0.0	0.0
		All other causes	570	5.0	4.9

Remark: 1. Mid-year Population : 11,416,850 in 2001 .

2. Based on 2000 W.H.O. World Standard Population.

Table 7 Cancer Causes of Death for Male (Cont. 2)

Unit : Person, 0/0000

Rank	2006				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	24,428	211.0	179.5
1	155	Cancers of liver and intrahepatic bile ducts	5,383	46.5	40.5
2	162	Cancers of trachea, bronchus and lung	5,149	44.5	37.2
3	153154	Cancers of colon, rectum and anus	2,485	21.5	18.0
4	140-149*	Cancer of oral cavity	2,044	17.7	15.2
5	151	Cancer of stomach	1,571	13.6	11.2
6	150	Cancer of oesophagus	1,230	10.6	9.2
7	185	Cancer of prostate	957	8.3	6.6
8	157	Cancer of pancreas	749	6.5	5.5
9	200202203	Non-Hodgkin's lymphoma	733	6.3	5.4
10	147	Cancer of nasopharynx	611	5.3	4.5
11	156	Gallbladder and extrahepatic bile ducts cancer	529	4.6	4.0
12	204-208	Leukaemia	519	4.5	4.0
13	188	Cancer of bladder	448	3.9	3.2
14	189	Cancer of kidney	281	2.4	2.1
15	191	Cancer of brain	221	1.9	1.7
16	161	Larynx cancer	202	1.7	1.5
17	172173	Skin cancer	133	1.1	1.0
18	152	Cancer of small intestine	94	0.8	0.7
19	158	Retroperitoneum and peritoneum cancer	89	0.8	0.6
20	171	Connective and other soft tissue cancer	84	0.7	0.6
21	193	Cancer of thyroid gland	62	0.5	0.5
22	170	Cancers of bone and articular cartilage	57	0.5	0.5
23	164	Cancer of thymus	47	0.4	0.3
24	192	Nervous system cancer	40	0.3	0.3
25	160	Nasal cavities cancer	36	0.3	0.3
26	142	Cancer of major salivary glands	28	0.2	0.2
27	187	Penis and other male genital organs cancer	23	0.2	0.2
28	163	Pleura cancer	19	0.2	0.1
29	186	Testis cancer	11	0.1	0.1
30	175	Male breast cancer	11	0.1	0.1
31	201	Hodgkin's disease	10	0.1	0.1
	190	Eye cancer	3	0.0	0.0
		All other causes	569	4.9	4.2

Remark: 1. Mid-year Population : 11,577,074 in 2006 .

2. Based on 2000 W.H.O. World Standard Population.



Table 7 Cancer Causes of Death for Male (Cont. 3)

Unit : Person, 0/0000

Rank	2007				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	25,819	222.6	184.7
1	155	Cancers of liver and intrahepatic bile ducts	5,650	48.7	41.4
2	162	Cancers of trachea, bronchus and lung	5,458	47.1	38.4
3	153,154	Cancers of colon, rectum and anus	2,558	22.1	18.1
4	140,141,143-146,148,149	Cancer of oral cavity	2,152	18.6	15.6
5	151	Cancer of stomach	1,631	14.1	11.3
6	150	Cancer of oesophagus	1,343	11.6	9.8
7	185	Cancer of prostate	1,003	8.6	6.7
8	200,202,203	Non-Hodgkin's lymphoma	801	6.9	5.8
9	157	Cancer of pancreas	776	6.7	5.5
10	156	Gallbladder and extrahepatic bile ducts cancer	604	5.2	4.3
11	147	Cancer of nasopharynx	599	5.2	4.4
12	204-208	Leukaemia	545	4.7	4.0
13	188	Cancer of bladder	542	4.7	3.8
14	189.0	Cancer of kidney	314	2.7	2.2
15	191	Cancer of brain	256	2.2	1.9
16	161	Cancer of larynx	226	1.9	1.6
17	172,173	Skin cancer	162	1.4	1.1
18	152	Cancer of small intestine	123	1.1	0.9
19	171	Connective and other soft tissue cancer	104	0.9	0.8
20	164	Cancer of thymus	68	0.6	0.5
21	158	Retroperitoneum and peritoneum cancer	66	0.6	0.5
22	170	Cancers of bone and articular cartilage	47	0.4	0.4
23	193	Cancer of thyroid gland	43	0.4	0.3
24	142	Cancer of major salivary glands	34	0.3	0.2
25	192	Nervous system cancer	34	0.3	0.3
26	160	Nasal cavities cancer	33	0.3	0.2
27	187	Penis and other male genital organs cancer	28	0.2	0.2
28	186	Testis cancer	19	0.2	0.2
29	201	Hodgkin's disease	16	0.1	0.1
30	163	Pleura cancer	15	0.1	0.1
31	175	Male breast cancer	9	0.1	0.1
32	190	Eye cancer	7	0.1	0.1
		All other causes	553	4.8	3.9

Remark: 1. Mid-year Population : 11,600,237 in 2007 .

2. Based on 2000 W.H.O. World Standard Population.

Table 7 Cancer Causes of Death for Male (Cont. 3)

Unit : Person, 0/0000

Rank	2008				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	24,972	215.0	174.4
1	C22	Cancers of liver and intrahepatic bile ducts	5,483	47.2	39.3
2	C33-C34	Cancers of trachea, bronchus and lung	5,306	45.7	36.5
3	C18-C21	Cancers of colon, rectum and anus	2,480	21.3	17.0
4	C00-C06, C09-C10,	Cancer of oral cavity	2,079	17.9	14.8
5	C16	Cancer of stomach	1,516	13.0	10.2
6	C15	Cancer of oesophagus	1,320	11.4	9.3
7	C61	Cancer of prostate	892	7.7	5.7
8	C25	Cancer of pancreas	793	6.8	5.6
9	C11	Cancer of nasopharynx	587	5.1	4.2
10	C82-C85	Non-Hodgkin's lymphoma	558	4.8	3.9
11	C91-C95	Leukaemia	512	4.4	3.8
12	C67	Cancer of bladder	470	4.0	3.1
13	C23-C24	Cancers of gallbladder and other parts of biliary tract	300	2.6	2.1
14	C64-C65	Cancer of kidney	289	2.5	2.0
15	C71	Cancer of brain	231	2.0	1.7
16	C32	Cancer of larynx	195	1.7	1.3
17	C45-C49	Cancers of mesothelial and soft tissue	138	1.2	1.0
18	C43-C44	Melanoma and other cancers of skin	121	1.0	0.9
19	C17	Cancer of small intestine	66	0.6	0.5
20	C73	Cancer of thyroid gland	55	0.5	0.4
21	C40-C41	Cancers of bone and articular cartilage	47	0.4	0.4
22	C37	Cancer of thymus	42	0.4	0.3
23	C38	Cancers of heart, mediastinum and pleura	36	0.3	0.3
24	C60, C62, C63	Cancers of male genital organs, except prostate	32	0.3	0.2
25	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	31	0.3	0.2
26	C07-C08	Cancer of major salivary glands	24	0.2	0.2
27	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	9	0.1	0.1
28	C81	Hodgkin's disease	8	0.1	0.1
		All other causes	1,352	11.6	9.4

Remark: 1. Mid-year Population : 11,617,559 in 2008 .

2. Based on 2000 W.H.O. World Standard Population.



Table 7 Cancer Causes of Death for Male (Cont'd)

Unit : Person, 0/0000

Rank	2009				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	25,284	217.4	171.6
1	C22	Cancers of liver and intrahepatic bile ducts	5,467	47.0	38.0
2	C33-C34	Cancers of trachea, bronchus and lung	5,336	45.9	35.5
3	C18-C21	Cancers of colon, rectum and anus	2,562	22.0	17.2
4	C00-C06, C09-C10, C12-C14	Cancer of oral cavity	2,103	18.1	14.6
5	C16	Cancer of stomach	1,457	12.5	9.5
6	C15	Cancer of oesophagus	1,369	11.8	9.4
7	C61	Cancer of prostate	936	8.0	5.9
8	C25	Cancer of pancreas	871	7.5	5.9
9	C91-C95	Leukaemia	571	4.9	4.1
10	C82-C85	Non-Hodgkin's lymphoma	542	4.7	3.7
11	C11	Cancer of nasopharynx	526	4.5	3.7
12	C67	Cancer of bladder	490	4.2	3.2
13	C23-C24	Cancers of gallbladder and other parts of biliary tract	323	2.8	2.2
14	C64-C65	Cancer of kidney	290	2.5	2.0
15	C71	Cancer of brain	258	2.2	2.0
16	C32	Cancer of larynx	170	1.5	1.1
17	C45-C49	Cancers of mesothelial and soft tissue	149	1.3	1.1
18	C43-C44	Melanoma and other cancers of skin	132	1.1	0.9
19	C17	Cancer of small intestine	83	0.7	0.6
20	C73	Cancer of thyroid gland	51	0.4	0.4
21	C38	Cancers of heart, mediastinum and pleura	45	0.4	0.3
22	C40-C41	Cancers of bone and articular cartilage	43	0.4	0.3
23	C37	Cancer of thymus	42	0.4	0.3
24	C60, C62, C63	Cancers of male genital organs, except prostate	39	0.3	0.3
25	C07-C08	Cancer of major salivary glands	37	0.3	0.3
26	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	34	0.3	0.2
27	C81	Hodgkin's disease	14	0.1	0.1
28	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	11	0.1	0.1
		All other causes	1,333	11.5	9.1

Remark: 1. Mid-year Population : 11,631,542 in 2009 .

2. Based on 2000 W.H.O. World Standard Population.

Table 7 Cancer Causes of Death for Male (Cont'd)

Unit : Person, 0/0000

Rank	2010				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	26,022	223.6	171.3
1	C22	Cancers of liver and intrahepatic bile ducts	5,454	46.9	36.8
2	C33-C34	Cancers of trachea, bronchus and lung	5,412	46.5	35.1
3	C18-C21	Cancers of colon, rectum and anus	2,719	23.4	17.6
4	C00-C06, C09-C10, C12-C14	Cancer of oral cavity	2,198	18.9	14.9
5	C15	Cancer of oesophagus	1,457	12.5	9.7
6	C16	Cancer of stomach	1,446	12.4	9.2
7	C61	Cancer of prostate	1,021	8.8	6.1
8	C25	Cancer of pancreas	855	7.3	5.6
9	C82-C85	Non-Hodgkin's lymphoma	628	5.4	4.1
10	C91-C95	Leukaemia	582	5.0	4.1
11	C11	Cancer of nasopharynx	505	4.3	3.5
12	C67	Cancer of bladder	504	4.3	3.1
13	C64	Cancer of kidney	289	2.5	1.9
14	C71	Cancer of brain	286	2.5	2.1
15	C23-C24	Cancers of gallbladder and other parts of biliary tract	283	2.4	1.8
16	C32	Cancer of larynx	178	1.5	1.1
17	C45-C49	Cancers of mesothelial and soft tissue	161	1.4	1.1
18	C43-C44	Melanoma and other cancers of skin	113	1.0	0.7
19	C17	Cancer of small intestine	91	0.8	0.6
20	C40-C41	Cancers of bone and articular cartilage	58	0.5	0.4
21	C37	Cancer of thymus	57	0.5	0.4
22	C73	Cancer of thyroid gland	56	0.5	0.4
23	C07-C08	Cancer of major salivary glands	40	0.3	0.3
24	C38	Cancers of heart, mediastinum and pleura	40	0.3	0.3
25	C60, C62, C63	Cancers of male genital organs, except prostate	34	0.3	0.3
26	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	22	0.2	0.2
27	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	11	0.1	0.1
28	C81	Hodgkin's disease	10	0.1	0.1
		All other causes	1,512	13.0	9.9

Remark: 1. Mid-year Population : 11,635,980 in 2010 .

2. Based on 2000 W.H.O. World Standard Population.



Table 8 Cancer Causes of Death for Female

Unit : Person, 0/0000

Rank	1981				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	5,045	58.7	91.0
1	179,180	Cancers of cervix uteri and uterus, part unspecified	757	8.8	13.5
2	162	Cancers of trachea, bronchus and lung	646	7.5	12.0
3	155	Cancers of liver and intrahepatic bile ducts	581	6.8	10.5
4	151	Cancer of stomach	571	6.6	10.8
5	153,154	Cancers of colon, rectum and anus	498	5.8	9.5
6	174	Cancer of breast	337	3.9	6.0
7	204-208	Leukaemia	212	2.5	2.7
8	147	Cancer of nasopharynx	141	1.6	2.5
9	200,202,203	Non-Hodgkin's lymphoma	129	1.5	2.1
10	170	Cancers of bone and articular cartilage	107	1.2	1.9
11	183	Cancer of ovary	105	1.2	1.7
12	150	Cancer of oesophagus	92	1.1	1.9
13	188	Cancer of bladder	88	1.0	1.7
14	157	Cancer of pancreas	86	1.0	1.6
15	189	Cancer of kidney	54	0.6	1.0
16	172,173	Skin cancer	52	0.6	1.2
17	191	Cancer of brain	51	0.6	1.0
18	140,141,143-146,148,149	Cancer of oral cavity	51	0.6	0.8
19	156	Gallbladder and extrahepatic bile ducts cancer	44	0.5	0.8
20	171	Connective and other soft tissue cancer	41	0.5	0.8
21	160	Nasal cavities cancer	38	0.4	0.6
22	193	Cancer of thyroid gland	33	0.4	0.6
23	152	Cancer of small intestine	22	0.3	0.4
24	182	Cancer of corpus uteri	17	0.2	0.3
25	161	Larynx cancer	14	0.2	0.3
26	192	Nervous system cancer	10	0.1	0.2
27	158	Retroperitoneum and peritoneum cancer	10	0.1	0.2
28	201	Hodgkin's disease	8	0.1	0.1
29	190	Eye cancer	8	0.1	0.1
30	181	Placenta cancer	7	0.1	0.1
31	163	Pleura cancer	7	0.1	0.1
32	164	Cancer of thymus	6	0.1	0.1
33	142	Cancer of major salivary glands	5	0.1	0.1
		All other causes	217	2.5	3.9

Remark: 1. Mid-year Population : 8,601,805 in 1981.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.

Table 8 Cancer Causes of Death for Female

Unit : Person, 0/0000

Rank	1986				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	5,975	64.1	90.9
1	162	Cancers of trachea, bronchus and lung	872	9.4	13.5
2	179,180	Cancers of cervix uteri and uterus, part unspecified	848	9.1	13.0
3	155	Cancers of liver and intrahepatic bile ducts	652	7.0	10.1
4	151	Cancer of stomach	599	6.4	9.4
5	153,154	Cancers of colon, rectum and anus	588	6.3	9.2
6	174	Cancer of breast	466	5.0	6.9
7	204-208	Leukaemia	252	2.7	3.1
8	200,202,203	Non-Hodgkin's lymphoma	177	1.9	2.5
9	147	Cancer of nasopharynx	170	1.8	2.4
10	183	Cancer of ovary	141	1.5	2.0
11	157	Cancer of pancreas	126	1.4	2.0
12	156	Gallbladder and extrahepatic bile ducts cancer	103	1.1	1.6
13	170	Cancers of bone and articular cartilage	99	1.1	1.4
14	191	Cancer of brain	91	1.0	1.3
15	188	Cancer of bladder	86	0.9	1.5
16	140,141,143-146,148,149	Cancer of oral cavity	74	0.8	1.1
17	150	Cancer of oesophagus	66	0.7	1.1
18	189	Cancer of kidney	62	0.7	1.0
19	172,173	Skin cancer	57	0.6	1.0
20	193	Cancer of thyroid gland	41	0.4	0.7
21	152	Cancer of small intestine	28	0.3	0.4
22	171	Connective and other soft tissue cancer	26	0.3	0.4
23	160	Nasal cavities cancer	25	0.3	0.4
24	158	Retroperitoneum and peritoneum cancer	14	0.2	0.2
25	182	Cancer of corpus uteri	13	0.1	0.2
26	192	Nervous system cancer	11	0.1	0.1
27	161	Larynx cancer	11	0.1	0.2
28	181	Placenta cancer	9	0.1	0.1
29	190	Eye cancer	8	0.1	0.1
30	164	Cancer of thymus	6	0.1	0.1
31	163	Pleura cancer	6	0.1	0.1
32	142	Cancer of major salivary glands	6	0.1	0.1
33	201	Hodgkin's disease	5	0.1	0.1
		All other causes	237	2.5	3.6

Remark: 1. Mid-year Population : 9,315,992 in 1986.

2. Beginning 1994, includes Kinmen County and Lienkiang County.

3. Based on 2000 W.H.O. World Standard Population.



Table 8 Cancer Causes of Death for Female (Cont. 1)

Unit : Person, 0/0000

Rank	1991				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	6,878	69.5	86.9
1	162	Cancers of trachea, bronchus and lung	1,073	10.8	13.8
2	179,180	Cancers of cervix uteri and uterus, part unspecified	870	8.8	10.9
3	155	Cancers of liver and intrahepatic bile ducts	762	7.7	9.7
4	153,154	Cancers of colon, rectum and anus	750	7.6	9.7
5	174	Cancer of breast	664	6.7	8.1
6	151	Cancer of stomach	638	6.5	8.3
7	204-208	Leukaemia	268	2.7	3.1
8	157	Cancer of pancreas	197	2.0	2.6
9	191	Cancer of brain	170	1.7	2.0
10	147	Cancer of nasopharynx	169	1.7	2.0
11	200,202,203	Non-Hodgkin's lymphoma	165	1.7	2.0
12	183	Cancer of ovary	155	1.6	1.9
13	156	Gallbladder and extrahepatic bile ducts cancer	145	1.5	1.8
14	188	Cancer of bladder	101	1.0	1.4
15	189	Cancer of kidney	80	0.8	1.0
16	150	Cancer of oesophagus	67	0.7	0.9
17	170	Cancers of bone and articular cartilage	62	0.6	0.8
18	140,141,143-146,148,149	Cancer of oral cavity	55	0.6	0.7
19	193	Cancer of thyroid gland	50	0.5	0.6
20	172,173	Skin cancer	47	0.5	0.7
21	152	Cancer of small intestine	41	0.4	0.6
22	171	Connective and other soft tissue cancer	31	0.3	0.4
23	158	Retroperitoneum and peritoneum cancer	24	0.2	0.3
24	164	Cancer of thymus	12	0.1	0.1
25	160	Nasal cavities cancer	12	0.1	0.2
26	161	Larynx cancer	11	0.1	0.1
27	192	Nervous system cancer	10	0.1	0.1
28	190	Eye cancer	10	0.1	0.1
29	181	Placenta cancer	7	0.1	0.1
30	163	Pleura cancer	7	0.1	0.1
31	142	Cancer of major salivary glands	7	0.1	0.1
32	201	Hodgkin's disease	4	0.0	0.0
33	182	Cancer of corpus uteri	4	0.0	0.1
		All other causes	210	2.1	2.7

Remark: 1. Mid-year Population : 9,889,753 in 1991.

2. Based on 2000 W.H.O. World Standard Population.

Table 8 Cancer Causes of Death for Female (Cont. 1)

Unit : Person, 0/0000

Rank	1996				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	9,953	95.6	106.5
1	162	Cancers of trachea, bronchus and lung	1,593	15.3	17.3
2	155	Cancers of liver and intrahepatic bile ducts	1,325	12.7	14.4
3	153,154	Cancers of colon, rectum and anus	1,096	10.5	11.9
4	174	Cancer of breast	987	9.5	10.1
5	179,180	Cancers of cervix uteri and uterus, part unspecified	979	9.4	10.5
6	151	Cancer of stomach	807	7.7	8.6
7	156	Gallbladder and extrahepatic bile ducts cancer	327	3.1	3.6
8	200,202,203	Non-Hodgkin's lymphoma	320	3.1	3.4
9	204-208	Leukaemia	312	3.0	3.2
10	157	Cancer of pancreas	311	3.0	3.4
11	147	Cancer of nasopharynx	230	2.2	2.3
12	183	Cancer of ovary	225	2.2	2.4
13	191	Cancer of brain	210	2.0	2.2
14	188	Cancer of bladder	157	1.5	1.8
15	189.0	Cancer of kidney	130	1.2	1.4
16	140,141,143-146,148,149	Cancer of oral cavity	101	1.0	1.1
17	150	Cancer of oesophagus	92	0.9	1.0
18	193	Cancer of thyroid gland	71	0.7	0.8
19	170	Cancers of bone and articular cartilage	70	0.7	0.7
20	152	Cancer of small intestine	69	0.7	0.7
21	172,173	Skin cancer	57	0.5	0.6
22	182	Cancer of corpus uteri	36	0.3	0.4
23	171	Connective and other soft tissue cancer	36	0.3	0.4
24	192	Nervous system cancer	34	0.3	0.4
25	158	Retroperitoneum and peritoneum cancer	22	0.2	0.2
26	164	Cancer of thymus	20	0.2	0.2
27	142	Cancer of major salivary glands	14	0.1	0.2
28	161	Larynx cancer	10	0.1	0.1
29	160	Nasal cavities cancer	9	0.1	0.1
30	201	Hodgkin's disease	5	0.0	0.0
31	181	Placenta cancer	3	0.0	0.0
32	190	Eye cancer	1	0.0	0.0
33	163	Pleura cancer	1	0.0	0.0
		All other causes	293	2.8	3.1

Remark: 1. Mid-year Population : 10,413,204 in 1996.

2. Based on 2000 W.H.O. World Standard Population.



Table 8 Cancer Causes of Death for Female (Cont. 2)

Unit : Person, 0/0000

Rank	2001				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	11,730	107.4	104.2
1	162	Cancers of trachea, bronchus and lung	1,956	17.9	17.5
2	155	Cancers of liver and intrahepatic bile ducts	1,656	15.2	14.9
3	153,154	Cancers of colon, rectum and anus	1,433	13.1	12.7
4	174	Cancer of breast	1,241	11.4	10.7
5	179,180	Cancers of cervix uteri and uterus, part unspecified	939	8.6	8.2
6	151	Cancer of stomach	796	7.3	7.0
7	156	Gallbladder and extrahepatic bile ducts cancer	427	3.9	3.8
8	200,202,203	Non-Hodgkin's lymphoma	378	3.5	3.4
9	157	Cancer of pancreas	357	3.3	3.2
10	204-208	Leukaemia	304	2.8	2.7
11	183	Cancer of ovary	297	2.7	2.6
12	147	Cancer of nasopharynx	204	1.9	1.8
13	188	Cancer of bladder	191	1.7	1.7
14	189.0	Cancer of kidney	162	1.5	1.5
15	191	Cancer of brain	161	1.5	1.4
16	140,141,143-146,148,149	Cancer of oral cavity	124	1.1	1.1
17	172,173	Skin cancer	113	1.0	1.0
18	182	Cancer of corpus uteri	82	0.8	0.7
19	150	Cancer of oesophagus	77	0.7	0.7
20	193	Cancer of thyroid gland	68	0.6	0.6
21	152	Cancer of small intestine	58	0.5	0.5
22	158	Retroperitoneum and peritoneum cancer	57	0.5	0.5
23	171	Connective and other soft tissue cancer	51	0.5	0.5
24	170	Cancers of bone and articular cartilage	42	0.4	0.4
25	164	Cancer of thymus	32	0.3	0.3
26	192	Nervous system cancer	28	0.3	0.3
27	142	Cancer of major salivary glands	19	0.2	0.2
28	160	Nasal cavities cancer	16	0.1	0.1
29	161	Larynx cancer	11	0.1	0.1
30	201	Hodgkin's disease	6	0.1	0.1
31	163	Pleura cancer	4	0.0	0.0
32	190	Eye cancer	1	0.0	0.0
33	181	Placenta cancer	1	0.0	0.0
		All other causes	438	4.0	3.9

Remark: 1. Mid-year Population : 10,924,270 in 2001.

2. Based on 2000 W.H.O. World Standard Population.

Table 8 Cancer Causes of Death for Female (Cont. 2)

Unit : Person, 0/0000

Rank	2006				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	13,570	120.7	99.5
1	162	Cancers of trachea, bronchus and lung	2,330	20.7	16.9
2	155	Cancers of liver and intrahepatic bile ducts	2,032	18.1	15.0
3	153154	Cancers of colon, rectum and anus	1,799	16.0	12.9
4	174	Cancer of breast	1,439	12.8	10.6
5	151	Cancer of stomach	827	7.4	6.0
6	179180	Cancers of cervix uteri and uterus, part unspecified	792	7.0	5.7
7	157	Cancer of pancreas	498	4.4	3.6
8	200202203	Non-Hodgkin's lymphoma	478	4.3	3.5
9	156	Gallbladder and extrahepatic bile ducts cancer	467	4.2	3.4
10	183	Cancer of ovary	380	3.4	2.8
11	204-208	Leukaemia	364	3.2	2.9
12	188	Cancer of bladder	233	2.1	1.7
13	189	Cancer of kidney	197	1.8	1.4
14	147	Cancer of nasopharynx	187	1.7	1.4
15	191	Cancer of brain	180	1.6	1.4
16	140-149*	Cancer of oral cavity	158	1.4	1.2
17	182	Cancer of corpus uteri	135	1.2	1.0
18	172173	Skin cancer	107	1.0	0.8
19	193	Cancer of thyroid gland	86	0.8	0.6
20	158	Retroperitoneum and peritoneum cancer	81	0.7	0.6
21	150	Cancer of oesophagus	74	0.7	0.5
22	171	Connective and other soft tissue cancer	60	0.5	0.5
23	152	Cancer of small intestine	53	0.5	0.4
24	164	Cancer of thymus	44	0.4	0.3
25	170	Cancers of bone and articular cartilage	43	0.4	0.4
26	192	Nervous system cancer	15	0.1	0.1
27	142	Cancer of major salivary glands	14	0.1	0.1
28	160	Nasal cavities cancer	11	0.1	0.1
29	201	Hodgkin's disease	8	0.1	0.1
30	161	Larynx cancer	8	0.1	0.1
31	190	Eye cancer	4	0.0	0.0
32	163	Pleura cancer	4	0.0	0.0
33	181	Placenta cancer	3	0.0	0.0
		All other causes	459	4.1	3.3

Remark: 1. Mid-year Population : 11,246,382 in 2006.

2. Based on 2000 W.H.O. World Standard Population.



Table 8 Cancer Causes of Death for Female (Cont. 3)

Unit : Person, 0/0000

Rank	2007				
	ICD-9 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	14,487	128.0	101.6
1	162	Cancers of trachea, bronchus and lung	2,535	22.4	17.6
2	155	Cancers of liver and intrahepatic bile ducts	2,159	19.1	15.2
3	153,154	Cancers of colon, rectum and anus	1,912	16.9	13.1
4	174	Cancer of breast	1,552	13.7	11.1
5	151	Cancer of stomach	843	7.4	5.8
6	179,180	Cancers of cervix uteri and uterus, part unspecified	833	7.4	5.8
7	157	Cancer of pancreas	578	5.1	4.0
8	156	Gallbladder and extrahepatic bile ducts cancer	541	4.8	3.8
9	200,202,203	Non-Hodgkin's lymphoma	497	4.4	3.5
10	183	Cancer of ovary	405	3.6	2.9
11	204-208	Leukaemia	316	2.8	2.4
12	188	Cancer of bladder	262	2.3	1.8
13	189.0	Cancer of kidney	208	1.8	1.5
14	191	Cancer of brain	199	1.8	1.5
15	147	Cancer of nasopharynx	198	1.7	1.4
16	140,141,143-146,148,149	Cancer of oral cavity	160	1.4	1.1
17	182	Cancer of corpus uteri	121	1.1	0.9
18	172,173	Skin cancer	111	1.0	0.8
19	150	Cancer of oesophagus	95	0.8	0.6
20	193	Cancer of thyroid gland	79	0.7	0.5
21	152	Cancer of small intestine	75	0.7	0.5
22	158	Retroperitoneum and peritoneum cancer	73	0.6	0.5
23	171	Connective and other soft tissue cancer	61	0.5	0.4
24	170	Cancers of bone and articular cartilage	51	0.5	0.4
25	164	Cancer of thymus	48	0.4	0.3
26	192	Nervous system cancer	24	0.2	0.2
27	142	Cancer of major salivary glands	20	0.2	0.1
28	161	Cancer of larynx	14	0.1	0.1
29	160	Nasal cavities cancer	12	0.1	0.1
30	201	Hodgkin's disease	8	0.1	0.1
31	190	Eye cancer	5	0.0	0.1
32	163	Pleura cancer	4	0.0	0.0
33	181	Placenta cancer	2	0.0	0.0
		All other causes	486	4.3	3.3

Remark: 1. Mid-year Population : 11,317,206 in 2007.

2. Based on 2000 W.H.O. World Standard Population.

Table 8 Cancer Causes of Death for Female (Cont. 3)

Unit : Person, 0/0000

Rank	2008				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	13,941	122.5	94.4
1	C33-C34	Cancers of trachea, bronchus and lung	2,471	21.7	16.5
2	C22	Cancers of liver and intrahepatic bile ducts	2,168	19.1	14.7
3	C18-C21	Cancers of colon, rectum and anus	1,786	15.7	11.8
4	C50	Cancer of breast	1,541	13.5	10.7
5	C16	Cancer of stomach	776	6.8	5.1
6	C53, C55	Cancers of cervix uteri and uterus, part unspecified	710	6.2	4.7
7	C25	Cancer of pancreas	571	5.0	3.8
8	C56	Cancer of ovary	406	3.6	2.8
9	C91-C95	Leukaemia	366	3.2	2.7
10	C82-C85	Non-Hodgkin's lymphoma	342	3.0	2.3
11	C23-C24	Cancers of gallbladder and other parts of biliary tract	248	2.2	1.7
12	C64-C65	Cancer of kidney	222	2.0	1.5
13	C67	Cancer of bladder	219	1.9	1.4
14	C54	Cancer of corpus uteri	166	1.5	1.2
15	C11	Cancer of nasopharynx	161	1.4	1.1
16	C71	Cancer of brain	150	1.3	1.2
17	C45-C49	Cancers of mesothelial and soft tissue	149	1.3	1.1
18	C00-C06, C09-C10, C12-C14	Cancer of oral cavity	139	1.2	0.9
19	C15	Cancer of oesophagus	113	1.0	0.7
20	C43-C44	Melanoma and other cancers of skin	100	0.9	0.6
21	C73	Cancer of thyroid gland	91	0.8	0.6
22	C17	Cancer of small intestine	44	0.4	0.3
23	C37	Cancer of thymus	34	0.3	0.2
24	C40-C41	Cancers of bone and articular cartilage	31	0.3	0.2
25	C07-C08	Cancer of major salivary glands	17	0.1	0.1
26	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	13	0.1	0.1
27	C38	Cancers of heart, mediastinum and pleura	10	0.1	0.1
28	C32	Cancer of larynx	7	0.1	0.0
29	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	6	0.1	0.1
30	C81	Hodgkin's disease	3	0.0	0.0
		All other causes	881	7.7	6.0

Remark: 1. Mid-year Population : 11,380,136 in 2008.

2. Based on 2000 W.H.O. World Standard Population.



Table 8 Cancer Causes of Death for Female (Cont'd)

Unit : Person, 0/0000

Rank	2009				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	14,634	127.8	95.1
1	C33-C34	Cancers of trachea, bronchus and lung	2,615	22.8	16.9
2	C22	Cancers of liver and intrahepatic bile ducts	2,292	20.0	14.9
3	C18-C21	Cancers of colon, rectum and anus	1,969	17.2	12.5
4	C50	Cancer of breast	1,589	13.9	10.6
5	C16	Cancer of stomach	825	7.2	5.2
6	C53, C55	Cancers of cervix uteri and uterus, part unspecified	657	5.7	4.2
7	C25	Cancer of pancreas	609	5.3	3.9
8	C56	Cancer of ovary	438	3.8	2.9
9	C82-C85	Non-Hodgkin's lymphoma	372	3.2	2.4
10	C91-C95	Leukaemia	353	3.1	2.5
11	C23-C24	Cancers of gallbladder and other parts of biliary tract	298	2.6	1.9
12	C67	Cancer of bladder	266	2.3	1.6
13	C71	Cancer of brain	197	1.7	1.4
14	C64	Cancer of kidney	178	1.6	1.1
15	C54	Cancer of corpus uteri	151	1.3	1.0
16	C11	Cancer of nasopharynx	148	1.3	1.0
17	C00-C06, C09 -C10, C12-C14	Cancer of oral cavity	146	1.3	0.9
18	C45-C49	Cancers of mesothelial and soft tissue	127	1.1	0.9
19	C15	Cancer of oesophagus	120	1.0	0.8
20	C43-C44	Melanoma and other cancers of skin	91	0.8	0.6
21	C73	Cancer of thyroid gland	82	0.7	0.5
22	C17	Cancer of small intestine	46	0.4	0.3
23	C40-C41	Cancers of bone and articular cartilage	33	0.3	0.2
24	C37	Cancer of thymus	32	0.3	0.2
25	C07-C08	Cancer of major salivary glands	18	0.2	0.1
26	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	13	0.1	0.1
27	C38	Cancers of heart, mediastinum and pleura	12	0.1	0.1
28	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	11	0.1	0.1
29	C32	Cancer of larynx	8	0.1	0.1
30	C81	Hodgkin's disease	5	-	-
		All other causes	933	8.2	6.1

Remark: 1. Mid-year Population : 11,446,859 in 2009.

2. Based on 2000 W.H.O. World Standard Population.

Table 8 Cancer Causes of Death for Female (Cont'd)

Unit : Person, 0/0000

Rank	2010				
	ICD-10 Mortality NO.	Cancer Cause of Death	Number of Deaths	Crude Death Rate	Standardized Death Rate
		All Cancer Cause of Death	15,024	130.6	93.9
1	C33-C34	Cancers of trachea, bronchus and lung	2,782	24.2	17.1
2	C22	Cancers of liver and intrahepatic bile ducts	2,290	19.9	14.2
3	C18-C21	Cancers of colon, rectum and anus	1,957	17.0	11.9
4	C50	Cancer of breast	1,706	14.8	11.0
5	C16	Cancer of stomach	815	7.1	4.9
6	C53, C55	Cancers of cervix uteri and uterus, part unspecified	704	6.1	4.4
7	C25	Cancer of pancreas	615	5.3	3.8
8	C56, C57.0 -C57.4	Cancer of ovary	434	3.8	2.8
9	C91-C95	Leukaemia	386	3.4	2.7
10	C82-C85	Non-Hodgkin's lymphoma	363	3.2	2.2
11	C23-C24	Cancers of gallbladder and other parts of biliary tract	246	2.1	1.5
12	C67	Cancer of bladder	231	2.0	1.4
13	C71	Cancer of brain	215	1.9	1.6
14	C64	Cancer of kidney	201	1.7	1.2
15	C54	Cancer of corpus uteri	189	1.6	1.2
16	C00-C06, C09-C10, C12-C14	Cancer of oral cavity	172	1.5	1.1
17	C11	Cancer of nasopharynx	153	1.3	1.0
18	C45-C49	Cancers of mesothelial and soft tissue	119	1.0	0.8
19	C15	Cancer of oesophagus	106	0.9	0.6
20	C43-C44	Melanoma and other cancers of skin	93	0.8	0.6
21	C73	Cancer of thyroid gland	79	0.7	0.5
22	C40-C41	Cancers of bone and articular cartilage	50	0.4	0.4
23	C17	Cancer of small intestine	44	0.4	0.3
24	C37	Cancer of thymus	34	0.3	0.2
25	C38	Cancers of heart, mediastinum and pleura	25	0.2	0.2
26	C07-C08	Cancer of major salivary glands	22	0.2	0.1
27	C30-C31	Cancers of nasal cavity, middle ear and accessory sinuses	14	0.1	0.1
28	C70, C72	Cancers of meninges and other parts of central nervous system, except brain	13	0.1	0.1
29	C32	Cancer of larynx	8	0.1	0.1
30	C81	Hodgkin's disease	8	0.1	0.1
		All other causes	950	8.3	5.9

Remark: 1. Mid-year Population : 11,504,968 in 2010.

2. Based on 2000 W.H.O. World Standard Population.



Table9 The Average Ages of
1986

Year	All cancer causes of death	Trachea, bronchus, and lung cancer	Liver and intrahepatic bile ducts cancer	Colon and rectum cancer	Female breast cancer
1986	60.1	64.0	58.4	63.6	54.8
1987	60.3	64.5	58.5	63.5	53.7
1988	60.6	65.1	58.6	64.0	54.2
1989	60.9	65.1	59.1	63.6	53.7
1990	61.1	65.2	59.0	64.2	53.8
1991	61.5	65.5	59.6	64.4	54.2
1992	62.1	66.4	60.4	64.8	54.2
1993	62.2	66.8	61.0	64.5	54.1
1994	62.5	66.7	60.8	65.2	54.1
1995	63.2	67.4	61.4	66.6	54.1
1996	63.7	67.6	62.1	67.1	54.2
1997	63.8	68.2	62.1	67.1	54.7
1998	64.3	68.6	62.4	67.4	54.7
1999	64.6	68.9	62.6	68.0	55.5
2000	64.9	69.2	63.0	68.2	55.0
2001	65.3	69.2	63.7	68.2	55.4
2002	65.5	69.3	63.7	68.6	56.7
2003	65.8	69.7	64.1	69.6	56.9
2004	65.9	70.1	64.3	69.2	56.6
2005	66.3	70.3	64.7	69.8	57.4
2006	66.3	70.2	65.1	69.4	57.1
2007	66.9	70.5	65.9	70.3	58.3
Year	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
2008※	66.7	70.4	65.8	69.6	57.7
2009※	67.0	70.6	66.2	69.8	57.9
2010※	67.3	71.0	66.6	70.3	58.4

Note : "Rank" is ordered by crude death rates.

Remark: ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Cancer Causes of Death by Gender

-2010

Unit: Person

Stomach cancer	Oral cavity cancer	Prostate cancer	Cervix uteri cancer	Oesophagus cancer	Pancreas cancer
64.9	59.6	71.8	60.0	65.8	63.4
64.3	57.8	72.1	59.7	65.5	63.9
64.6	58.2	71.4	59.9	66.3	64.1
65.4	57.5	72.5	60.5	65.3	64.2
64.9	58.4	74.2	59.5	64.7	64.6
66.0	56.8	74.0	60.2	65.2	64.7
66.5	56.3	73.8	60.8	65.0	65.2
66.3	55.9	74.6	60.7	65.0	66.0
66.4	56.5	74.1	60.3	65.1	66.0
66.8	55.8	75.2	60.8	65.3	66.6
67.5	56.3	75.8	61.9	65.1	67.4
67.7	55.8	75.9	62.6	64.3	67.8
68.8	55.1	76.1	62.1	64.8	67.5
68.1	54.9	77.0	62.2	64.5	67.5
68.8	55.7	76.4	62.7	62.9	68.1
69.7	55.9	76.8	63.1	63.5	69.4
69.4	55.4	77.7	64.2	62.5	68.1
69.5	56.8	78.1	64.5	62.3	68.0
69.9	56.0	78.4	64.9	62.6	68.6
70.1	56.6	78.2	64.9	61.4	68.7
70.4	56.2	78.0	64.6	60.8	69.0
70.5	56.3	78.3	65.1	61.3	68.9
Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
56.6	70.5	78.8	60.6	69.4	64.4
57.0	71.1	78.8	60.5	69.7	65.1
58.3	71.0	79.2	60.8	69.8	64.4



Table9 The Average Ages of
1986

Year	All cancer causes of death-Male	Liver and intrahepatic bile ducts cancer	Trachea, bronchus, and lung cancer	Colon and rectum cancer	Oral cavity cancer
1986	60.3	57.5	64.4	64.1	58.7
1987	60.6	57.7	64.8	63.6	57.2
1988	60.9	57.7	65.7	63.5	57.9
1989	61.2	58.1	65.3	63.8	57.0
1990	61.6	58.3	65.6	64.2	57.4
1991	62.1	58.9	66.1	64.7	56.1
1992	62.5	59.6	66.8	64.6	54.9
1993	62.7	60.2	67.2	64.4	55.4
1994	63.0	59.9	67.2	65.0	55.4
1995	63.4	60.3	67.8	66.3	54.9
1996	64.2	61.0	68.3	67.6	55.5
1997	64.1	60.8	68.8	66.9	54.9
1998	64.5	61.0	69.1	67.5	54.3
1999	64.7	61.2	69.3	68.5	54.1
2000	65.2	61.7	69.9	68.3	54.8
2001	65.4	61.9	69.9	68.3	55.0
2002	65.4	62.1	69.9	68.5	54.9
2003	65.7	62.3	70.3	69.9	55.9
2004	66.0	62.6	70.9	69.7	55.3
2005	66.3	62.9	70.9	70.0	55.9
2006	66.3	63.3	70.8	69.4	55.6
2007	66.6	63.9	71.1	70.1	55.4
Year	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
2008※	66.5	64.1	71.0	69.8	56.1
2009※	66.8	64.2	71.4	69.8	56.4
2010※	67.2	64.7	71.6	70.3	57.6

Note : "Rank" is ordered by crude death rates.

Remark:※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Cancer Causes of Death by Gender(Cont.1)

-2010

Unit:Person

Stomach cancer	Oesophagus cancer	Prostate cancer	Non-Hodgkin's lymphoma	Pancreas cancer	Gallbladder and extrahepatic bile ducts cancer
65.3	65.4	71.8	51.3	63.0	59.5
65.1	65.1	72.1	53.9	63.1	61.2
65.3	65.8	71.4	53.8	64.3	63.3
66.1	64.9	72.5	54.2	63.7	65.0
65.8	64.1	74.2	56.3	64.6	65.0
66.8	64.9	74.0	58.2	64.8	65.1
67.6	64.6	73.8	57.2	64.4	65.7
67.7	64.7	74.6	58.4	65.5	66.1
67.7	64.6	74.1	57.7	65.5	66.5
67.9	64.5	75.2	58.7	65.5	67.1
68.6	64.2	75.8	58.7	67.5	68.5
68.9	63.7	75.9	60.3	66.9	66.6
69.6	63.9	76.1	61.4	67.2	66.7
69.2	63.7	77.0	61.4	67.3	67.5
70.0	62.0	76.4	62.8	67.5	67.6
70.7	62.8	76.8	63.5	68.9	67.3
70.6	61.8	77.7	64.3	67.5	68.0
70.4	61.6	78.1	64.9	67.7	68.0
70.9	61.8	78.4	64.7	68.4	68.8
71.1	60.6	78.2	66.0	67.7	68.2
71.5	60.4	78.0	66.9	68.2	68.8
71.4	60.5	78.3	67.6	68.0	68.1
Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
59.8	71.2	78.8	68.2	67.1	61.6
59.7	72.2	78.8	69.3	68.1	61.4
60.0	71.6	79.2	68.8	67.9	62.2



Table9 The Average Ages of
1986

Year	All cancer causes of death - Female	Trachea, bronchus, and lung cancer	Liver and intrahepatic bile ducts cancer	Colon and rectum cancer	Female breast cancer
1986	59.7	63.1	62.0	63.0	54.8
1987	59.7	63.9	61.6	63.5	53.7
1988	60.0	63.8	61.9	64.7	54.2
1989	60.2	64.6	62.9	63.4	53.7
1990	60.2	64.4	61.9	64.2	53.8
1991	60.4	63.8	62.5	64.1	54.2
1992	61.5	65.2	63.4	64.9	54.2
1993	61.3	65.6	63.4	64.5	54.1
1994	61.6	65.3	64.2	65.5	54.1
1995	62.8	66.2	65.3	66.8	54.1
1996	62.8	65.9	65.7	66.4	54.2
1997	63.5	66.8	66.1	67.4	54.7
1998	64.0	67.4	67.0	67.3	54.7
1999	64.3	67.9	67.0	67.4	55.5
2000	64.4	67.7	67.3	68.2	55.0
2001	65.0	67.7	68.6	68.1	55.4
2002	65.5	68.0	68.0	68.8	56.7
2003	66.1	68.3	69.0	69.2	56.9
2004	65.9	68.4	69.0	68.6	56.6
2005	66.4	69.1	69.8	69.7	57.4
2006	66.5	69.0	69.7	69.4	57.1
2007	67.3	69.1	71.1	70.5	58.3
Year	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
2008※	66.9	68.9	70.3	69.3	57.7
2009※	67.3	68.9	71.0	69.9	57.9
2010※	67.6	69.9	71.2	70.2	58.4

Note : "Rank" is ordered by crude death rates.

Remark: ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Cancer Causes of Death by Gender(Cont'd)

-2010

Unit:Person

Stomach cancer	Cervix uteri cancer	Pancreas cancer	Gallbladder and extrahepatic bile ducts cancer	Non-Hodgkin's lymphoma	Ovary and other uterine adnexa cancer
63.8	60.0	64.1	62.2	52.5	53.9
62.4	59.7	65.4	62.4	51.7	54.6
62.9	59.9	63.8	62.9	54.2	53.0
63.8	60.5	65.1	63.0	54.5	54.6
62.6	59.5	64.4	63.1	55.9	55.6
64.1	60.2	64.5	62.3	55.9	54.8
64.2	60.8	66.4	67.2	54.6	56.5
63.2	60.7	66.6	64.2	54.3	55.4
63.4	60.3	66.7	65.9	58.1	56.4
64.5	60.8	68.7	65.5	56.6	57.0
65.3	61.9	67.2	66.6	58.7	59.4
65.4	62.6	69.1	67.7	58.6	60.0
67.4	62.1	67.8	67.1	61.2	58.6
65.9	62.2	67.8	68.2	61.7	58.3
66.4	62.7	68.9	68.0	62.0	59.0
67.5	63.1	70.3	68.3	62.7	58.8
67.0	64.2	69.0	68.6	64.6	59.8
67.9	64.5	68.5	69.2	65.7	59.8
68.0	64.9	69.0	68.4	65.1	59.5
68.0	64.9	69.9	68.8	65.6	59.8
68.2	64.6	70.3	69.3	65.9	59.3
68.6	65.1	70.2	69.7	65.9	60.7
Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
69.2	64.4	71.0	60.1	59.2	68.3
69.2	65.1	70.2	60.4	59.5	68.2
69.9	64.4	71.0	60.2	61.1	69.4



Table 10 The Median Ages of
1986

Year	All cancer causes of death	Trachea, bronchus, and lung cancer	Liver and intrahepatic bile ducts cancer	Colon and rectum cancer	Female breast cancer
1986	62.0	65.0	59.0	66.0	53.0
1987	63.0	65.0	60.0	65.0	53.0
1988	63.0	66.0	60.0	66.0	54.0
1989	63.0	66.0	61.0	66.0	52.0
1990	63.0	66.0	61.0	66.0	54.0
1991	64.0	67.0	61.0	67.0	53.0
1992	65.0	67.5	62.0	67.0	53.0
1993	65.0	68.0	63.0	66.0	53.0
1994	65.0	68.0	63.0	68.0	53.0
1995	66.0	69.0	63.0	69.0	53.0
1996	66.0	69.0	64.0	69.0	54.0
1997	67.0	70.0	64.0	69.0	54.0
1998	67.0	70.0	64.0	70.0	54.0
1999	67.0	71.0	64.0	71.0	54.0
2000	68.0	71.0	65.0	71.0	53.0
2001	68.0	71.0	65.0	71.0	53.0
2002	68.0	71.0	65.0	72.0	55.0
2003	68.0	72.0	66.0	72.0	55.0
2004	69.0	72.0	66.0	72.0	54.0
2005	69.0	73.0	67.0	73.0	55.0
2006	69.0	73.0	67.0	72.0	55.0
2007	69.0	73.0	67.0	73.0	56.0
Year	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
2008※	69.0	73.0	68.0	73.0	56.0
2009※	69.0	73.0	68.0	72.0	56.0
2010※	69.0	73.0	68.0	73.0	57.0

Note : "Rank" is ordered by crude death rates.

Remark: ※ Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Cancer Causes of Death by Gender

-2010

Unit:Person

Stomach cancer	Oral cavity cancer	Prostate cancer	Cervix uteri cancer	Oesophagus cancer	Pancreas cancer
66.0	61.0	72.0	60.0	66.0	64.0
66.0	58.0	72.0	60.0	66.0	65.0
66.0	58.0	73.0	60.0	67.0	65.0
67.0	57.0	74.0	61.0	65.0	66.0
67.0	59.0	75.0	60.0	65.0	66.0
68.0	57.0	75.0	61.0	66.0	66.0
69.0	56.0	74.0	61.0	66.0	66.0
68.0	55.5	75.0	61.0	66.0	67.0
68.0	57.0	75.0	61.0	66.0	67.0
69.0	55.0	76.0	61.5	66.0	68.0
70.0	55.0	76.0	63.0	66.0	69.0
70.0	55.0	76.0	64.0	66.0	69.0
71.0	54.0	76.0	63.0	66.0	69.0
71.0	53.5	77.0	64.0	66.0	69.0
71.0	54.0	77.0	64.0	64.0	69.0
73.0	54.0	78.0	65.0	64.0	71.0
72.0	54.0	78.0	66.0	63.0	70.0
73.0	54.0	79.0	66.0	62.0	70.0
73.0	54.0	79.0	66.0	63.0	71.0
74.0	54.0	79.0	66.0	61.0	71.0
74.0	54.0	78.0	66.0	59.0	71.0
74.0	54.0	79.0	67.0	60.0	71.0
Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
55.0	74.0	80.0	58.0	71.0	65.0
55.0	75.0	80.0	58.0	71.0	66.0
57.0	74.0	80.0	59.0	71.5	65.0



Table10 The Median Ages of
1986

Year	All cancer causes of death-Male	Liver and intrahepatic bile ducts cancer	Trachea, bronchus, and lung cancer	Colon and rectum cancer	Oral cavity cancer
1986	63.0	59.0	65.0	66.0	59.0
1987	63.0	59.0	65.0	65.0	57.0
1988	63.0	59.0	67.0	65.0	57.5
1989	63.0	60.0	66.0	66.0	57.0
1990	64.0	60.0	67.0	66.0	58.0
1991	64.0	61.0	67.0	67.0	56.0
1992	65.0	61.0	68.0	67.0	54.0
1993	65.0	62.0	68.0	67.0	55.0
1994	65.0	62.0	68.0	67.0	55.0
1995	66.0	62.0	69.0	69.0	54.0
1996	67.0	63.0	70.0	69.0	55.0
1997	67.0	62.0	70.0	69.0	54.0
1998	67.0	62.0	70.0	70.0	53.0
1999	68.0	63.0	71.0	71.0	52.0
2000	68.0	63.0	72.0	71.0	52.0
2001	68.0	63.0	72.0	71.0	53.0
2002	68.0	64.0	72.0	71.0	53.0
2003	68.0	64.0	72.0	72.0	54.0
2004	69.0	64.0	73.0	73.0	53.0
2005	69.0	64.0	73.0	73.0	54.0
2006	69.0	65.0	73.0	72.0	54.0
2007	69.0	65.0	73.0	73.0	53.0
Year	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
2008※	69.0	65.0	73.0	73.0	54.0
2009※	69.0	65.0	74.0	72.0	55.0
2010※	69.0	65.0	74.0	73.0	56.0

Note : "Rank" is ordered by crude death rates.

Remark:※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Cancer Causes of Death by Gender(Cont.1)

-2010

Unit:Person

Stomach cancer	Oesophagus cancer	Prostate cancer	Non-Hodgkin's lymphoma	Pancreas cancer	Gallbladder and extrahepatic bile ducts cancer
66.0	66.0	72.0	57.0	63.0	61.0
66.0	66.0	72.0	59.0	65.0	61.0
66.0	66.0	73.0	59.0	65.0	64.5
67.0	65.0	74.0	60.0	66.0	67.0
67.0	64.0	75.0	61.0	66.0	66.0
68.0	66.0	75.0	63.0	66.0	65.0
69.0	66.0	74.0	63.0	65.0	68.0
69.0	66.0	75.0	62.0	67.0	68.0
69.0	65.0	75.0	63.0	67.0	68.0
69.0	66.0	76.0	64.0	67.5	69.0
70.0	65.0	76.0	65.0	69.0	70.0
70.0	65.0	76.0	65.0	68.0	68.0
71.0	65.0	76.0	67.0	69.0	68.0
72.0	64.0	77.0	66.0	69.0	69.0
72.0	63.0	77.0	68.0	69.0	70.0
73.0	64.0	78.0	68.5	71.0	70.0
73.0	62.0	78.0	69.0	69.0	70.0
74.0	61.0	79.0	68.0	71.0	71.0
74.0	61.0	79.0	69.0	71.0	71.0
75.0	60.0	79.0	70.0	70.0	71.0
75.0	59.0	78.0	71.0	70.0	70.0
75.0	59.0	79.0	70.0	71.0	70.0
Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
58.0	75.0	80.0	70.0	71.0	64.5
58.0	76.0	80.0	71.0	72.0	66.0
58.0	75.0	80.0	70.0	71.0	68.0



Table10 The Median Ages of
1986

Year	All cancer causes of death - Female	Trachea, bronchus, and lung cancer	Liver and intrahepatic bile ducts cancer	Colon and rectum cancer	Female breast cancer
1986	62.0	65.0	64.0	66.0	53.0
1987	62.0	65.0	63.0	65.0	53.0
1988	62.0	65.0	64.0	67.0	54.0
1989	63.0	67.0	65.0	66.0	52.0
1990	63.0	66.0	64.0	66.0	54.0
1991	63.0	65.0	65.0	66.5	53.0
1992	64.0	67.0	65.0	67.0	53.0
1993	64.0	67.0	66.0	66.0	53.0
1994	64.0	67.0	66.0	68.0	53.0
1995	65.0	68.0	67.0	70.0	53.0
1996	65.0	68.0	67.0	68.0	54.0
1997	66.0	68.0	68.0	70.0	54.0
1998	66.0	69.0	68.0	69.0	54.0
1999	67.0	70.0	68.5	70.0	54.0
2000	67.0	69.0	69.0	71.0	53.0
2001	68.0	70.0	70.0	71.0	53.0
2002	68.0	70.0	70.0	72.0	55.0
2003	68.0	70.0	70.0	72.0	55.0
2004	68.0	70.0	71.0	71.0	54.0
2005	69.0	71.0	71.0	72.0	55.0
2006	69.0	71.0	71.0	72.0	55.0
2007	69.0	71.0	72.0	73.0	56.0
Year	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
2008※	69.0	71.0	72.0	73.0	56.0
2009※	70.0	71.0	72.0	73.0	56.0
2010※	70.0	72.0	73.0	73.0	57.0

Note : "Rank" is ordered by crude death rates.

Remark:※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Leading Cancer Causes of Death by Gender(Cont'd)

-2010

Unit:Person

Stomach cancer	Cervix uteri cancer	Pancreas cancer	Gallbladder and extrahepatic bile ducts cancer	Non-Hodgkin's lymphoma	Ovary and other uterine adnexa cancer
67.0	60.0	65.0	63.0	56.0	55.0
65.0	60.0	68.0	63.0	56.0	57.0
65.0	60.0	65.0	63.0	59.0	55.0
67.0	61.0	67.0	64.0	58.0	55.0
66.0	60.0	66.0	64.0	60.0	55.5
67.0	61.0	66.0	64.0	60.0	56.0
68.0	61.0	68.0	69.0	61.0	58.5
66.0	61.0	68.0	67.0	57.0	54.5
66.0	61.0	68.0	67.0	64.0	58.0
67.0	61.5	70.0	67.0	63.0	57.0
69.0	63.0	68.0	67.0	64.0	61.0
68.0	64.0	71.0	69.0	66.0	60.0
70.0	63.0	69.0	68.0	65.0	61.0
69.0	64.0	69.0	69.0	66.0	61.0
70.0	64.0	70.0	69.0	66.0	60.0
71.0	65.0	72.0	69.0	67.0	59.0
70.0	66.0	71.0	70.0	68.0	60.5
71.0	66.0	70.0	70.5	69.0	59.5
71.0	66.0	70.0	70.0	68.0	58.0
72.0	66.0	72.0	70.0	69.0	59.0
71.0	66.0	71.0	71.0	69.0	58.0
72.0	67.0	72.5	71.0	68.0	59.0
Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
72.0	65.0	72.0	59.5	64.5	72.0
73.0	66.0	71.0	59.0	65.0	72.0
73.0	65.0	73.0	59.0	66.0	74.0



Table 11 No. of Deaths and Crude

1986

Year	Neonatal Death			
	Total	Male	Female	0/00 Death Rate
1986	642	355	287	2.1
1987	545	306	239	1.7
1988	611	338	273	1.8
1989	611	334	277	1.9
1990	605	319	286	1.8
1991	520	295	225	1.6
1992	589	355	234	1.8
1993	551	322	229	1.7
1994	693	395	298	2.1
1995	1,086	613	473	3.3
1996	1,129	621	508	3.5
1997	1,064	578	486	3.3
1998	918	546	372	3.4
1999	980	554	426	3.4
2000	1,038	575	463	3.4
2001	865	486	379	3.4
2002	745	415	330	3.0
2003	624	324	300	2.7
2004	624	359	265	2.9
2005	605	343	262	2.9
2006	554	307	247	2.7
2007	588	342	246	2.9
2008	538	291	247	2.7
2009	452	233	219	2.4
2010	429	246	183	2.6

Remark : 1. Maternal mortality rate : Death rate Per 100,000 live births.

2. * Includes Kinmen County and Lienkiang County since 1994.

Death Rates for Neonatal, Infant and Maternal

-2010

Unit : Person

Infant Death				Maternal Death	
Total	Male	Female	0/00 Death Rate	No.of Death	0/0000 Death Rate
1,938	1,050	888	6.3	29	9.4
1,590	895	695	5.1	28	8.9
1,820	997	823	5.3	31	9.0
1,797	959	838	5.7	40	12.7
1,765	965	800	5.2	41	12.2
1,621	880	741	5.1	26	8.1
1,664	972	692	5.2	22	6.8
1,560	877	683	4.8	30	9.2
1,636	940	696	5.1	26	8.0
2,120	1,192	928	6.5	25	7.7
2,169	1,183	986	6.7	25	7.7
2,071	1,123	948	6.4	30	9.2
1,784	1,015	769	6.6	24	8.9
1,721	977	744	6.1	24	8.4
1,789	992	797	5.8	24	7.8
1,559	864	695	6.0	18	7.0
1,325	721	604	5.4	19	7.7
1,105	574	531	4.9	15	6.6
1,147	646	501	5.3	12	5.5
1,026	563	463	5.0	15	7.3
943	524	419	4.6	15	7.3
959	547	412	4.7	14	6.9
897	496	401	4.6	13	6.6
778	417	361	4.0	16	8.3
705	403	302	4.2	7	4.2



Table 12 Number of Deaths and Crude

1986

Year	Accidents and							
			Transport accidents				Accidental poisoning	
					Motor vehicle traffic accidents			
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1986	12,187	63.0	6,510	33.6	6,270	32.4	828	4.3
1987	13,024	66.6	7,240	37.0	7,034	36.0	914	4.7
1988	13,730	69.4	7,733	39.1	7,524	38.0	907	4.6
1989	14,047	70.2	7,851	39.2	7,584	37.9	812	4.1
1990	13,927	68.8	7,569	37.4	7,333	36.2	919	4.5
1991	13,636	66.7	7,498	36.7	7,322	35.8	996	4.9
1992	13,152	63.7	7,377	35.7	7,216	34.9	829	4.0
1993	13,270	63.7	7,499	36.0	7,367	35.3	872	4.2
1994	13,219	62.7	7,420	35.2	7,250	34.4	694	3.3
1995	12,983	61.0	7,537	35.4	7,427	34.9	568	2.7
1996	12,422	57.9	7,160	33.4	7,077	33.0	517	2.4
1997	11,297	52.2	6,646	30.7	6,516	30.1	480	2.2
1998	10,973	50.3	6,203	28.4	5,903	27.0	382	1.7
1999	12,960	58.9	5,648	25.7	5,526	25.1	410	1.9
2000	10,515	47.4	5,534	24.9	5,420	24.4	448	2.0
2001	9,513	42.6	4,868	21.8	4,787	21.4	401	1.8
2002	8,489	37.8	4,627	20.6	4,322	19.2	333	1.5
2003	8,191	36.3	4,484	19.9	4,389	19.5	349	1.6
2004	8,453	37.3	4,850	21.4	4,735	20.9	324	1.4
2005	8,365	36.8	4,846	21.3	4,735	20.8	308	1.4
2006	8,011	35.1	4,748	20.8	4,637	20.3	301	1.3
2007	7,130	31.1	4,127	18.0	4,007	17.5	324	1.4
2008✳	7,077	30.8	3,871	16.8	3,646	15.9	323	1.4
2009✳	7,358	31.9	3,695	16.0	3,464	15.0	344	1.5
2010✳	6,669	28.8	3,773	16.3	3,515	15.2	274	1.2

Remark: ✳ Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates from Accidents by Mortality List

-2010

Unit: Person, 0/0000

adverse effects							
Accidental falls		Accidents caused by fire and flames		Accidental drowning and submersion		Other	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,032	5.3	289	1.5	1,531	7.9	1,997	10.3
1,135	5.8	268	1.4	1,569	8.0	1,898	9.7
1,194	6.0	327	1.7	1,517	7.7	2,052	10.4
1,260	6.3	395	2.0	1,518	7.6	2,211	11.1
1,118	5.5	407	2.0	1,665	8.2	2,249	11.1
1,156	5.7	344	1.7	1,437	7.0	2,205	10.8
1,056	5.1	401	1.9	1,245	6.0	2,244	10.9
985	4.7	489	2.3	1,236	5.9	2,189	10.5
1,265	6.0	441	2.1	1,154	5.5	2,245	10.6
1,260	5.9	363	1.7	1,112	5.2	2,143	10.1
1,326	6.2	354	1.7	1,115	5.2	1,950	9.1
1,260	5.8	260	1.2	917	4.2	1,734	8.0
1,276	5.8	289	1.3	934	4.3	1,889	8.7
1,466	6.7	217	1.0	829	3.8	4,390	19.9
1,590	7.2	234	1.1	836	3.8	1,873	8.4
1,336	6.0	188	0.8	853	3.8	1,867	8.4
1,169	5.2	155	0.7	629	2.8	1,576	7.0
1,180	5.2	159	0.7	616	2.7	1,403	6.2
1,187	5.2	137	0.6	570	2.5	1,385	6.1
1,252	5.5	122	0.5	626	2.8	1,211	5.3
1,166	5.1	126	0.6	550	2.4	1,120	4.9
1,137	5.0	95	0.4	507	2.2	940	4.1
1,157	5.0	116	0.5	492	2.1	1,118	4.9
1,047	4.5	101	0.4	465	2.0	1,706	7.4
1,178	5.1	74	0.3	381	1.6	989	4.3



Table 13 No. of Deaths and Crude Death Rates from

1986

Year	Suicide and self-inflicted injury									
			Suicide and self-inflicted poisoning by solid or liquid substances		Suicide and self-inflicted poisoning by gases in domestic use		Suicide and self-inflicted poisoning by other gases and vapors		Suicide and self-inflicted injury by hanging, strangulation and	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1986	2,260	11.7	1,328	6.9	9	0.0	-	-	758	3.9
1987	1,851	9.5	1,013	5.2	3	0.0	-	-	705	3.6
1988	1,790	9.0	997	5.0	4	0.0	1	0.0	668	3.4
1989	1,573	7.9	809	4.0	1	0.0	1	0.0	635	3.2
1990	1,359	6.7	635	3.1	7	0.0	-	-	606	3.0
1991	1,465	7.2	573	2.8	3	0.0	2	0.0	757	3.7
1992	1,381	6.7	464	2.2	7	0.0	1	0.0	748	3.6
1993	1,301	6.2	445	2.1	5	0.0	-	-	683	3.3
1994	1,451	6.9	524	2.5	10	0.0	6	0.0	689	3.3
1995	1,618	7.6	507	2.4	9	0.0	6	0.0	820	3.9
1996	1,847	8.6	608	2.8	4	0.0	7	0.0	924	4.3
1997	2,172	10.0	689	3.2	9	0.0	10	0.0	1,089	5.0
1998	2,177	10.0	671	3.1	12	0.1	25	0.1	987	4.5
1999	2,281	10.4	671	3.0	9	0.0	48	0.2	1,072	4.9
2000	2,471	11.1	680	3.1	23	0.1	72	0.3	1,193	5.4
2001	2,781	12.4	734	3.3	12	0.1	208	0.9	1,181	5.3
2002	3,053	13.6	704	3.1	5	0.0	627	2.8	1,109	4.9
2003	3,195	14.2	698	3.1	12	0.1	577	2.6	1,243	5.5
2004	3,468	15.3	661	2.9	5	0.0	780	3.4	1,281	5.7
2005	4,282	18.8	709	3.1	6	0.0	1,255	5.5	1,528	6.7
2006	4,406	19.3	658	2.9	11	0.0	1,478	6.5	1,498	6.6
2007	3,933	17.2	646	2.8	7	0.0	1,154	5.0	1,384	6.0
Year	Suicide and self-inflicted injury									
			Suicide and self-inflicted poisoning by solid or liquid substances		Suicide and self-inflicted poisoning by other gases and vapors		Suicide and self-inflicted injury by hanging, strangulation and			
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate		
2008	4,128	17.9	661	2.9	1,270	5.5	1,357	5.9		
2009	4,063	17.6	686	3.0	1,256	5.4	1,306	5.7		
2010	3,889	16.8	663	2.9	1,222	5.3	1,224	5.3		

Remark: ✖ Starting from 2008, R.O.C. adopt ICD-10 CODE.

Intentional Self-Harm (Suicide) by Mortality List

-2010

Unit: Person, 0/0000

Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms, air guns and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injuries by jumping from high place		Other	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
51	0.3	19	0.1	31	0.2	45	0.2	19	0.1
37	0.2	20	0.1	35	0.2	27	0.1	11	0.1
25	0.1	19	0.1	38	0.2	31	0.2	7	0.0
26	0.1	18	0.1	42	0.2	13	0.1	28	0.1
17	0.1	24	0.1	36	0.2	15	0.1	19	0.1
24	0.1	20	0.1	26	0.1	27	0.1	33	0.2
43	0.2	21	0.1	39	0.2	29	0.1	29	0.1
37	0.2	23	0.1	37	0.2	44	0.2	27	0.1
34	0.2	25	0.1	50	0.2	74	0.4	39	0.2
56	0.3	11	0.1	41	0.2	112	0.5	56	0.3
43	0.2	16	0.1	62	0.3	118	0.6	65	0.3
82	0.4	8	0.0	57	0.3	144	0.7	84	0.4
102	0.5	7	0.0	61	0.3	212	1.0	100	0.5
101	0.5	5	0.0	63	0.3	207	0.9	105	0.5
123	0.6	10	0.0	50	0.2	225	1.0	95	0.4
156	0.7	7	0.0	61	0.3	289	1.3	133	0.6
152	0.7	8	0.0	75	0.3	271	1.2	102	0.5
148	0.7	7	0.0	60	0.3	365	1.6	85	0.4
145	0.6	8	0.0	68	0.3	410	1.8	110	0.5
207	0.9	17	0.1	61	0.3	402	1.8	97	0.4
212	0.9	15	0.1	57	0.2	377	1.7	100	0.4
196	0.9	13	0.1	64	0.3	388	1.7	81	0.4

Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms, air guns and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injuries by jumping from high place		Other	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
209	0.9	14	0.1	74	0.3	413	1.8	130	0.6
206	0.9	17	0.1	71	0.3	422	1.8	99	0.4
221	1.0	16	0.1	73	0.3	374	1.6	96	0.4



Table 14 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	16,559	85.5	19,630	96.0	27,961	130.4
0	15	5.0	7	2.2	14	4.6
1 - 4	85	5.6	87	6.7	51	4.0
5 - 9	92	4.5	71	3.9	80	5.0
10 - 14	91	5.0	88	4.4	78	4.3
15 - 19	124	6.6	89	4.9	118	5.9
20 - 24	142	7.1	127	6.7	130	7.2
25 - 29	216	11.4	194	9.9	215	11.5
30 - 34	381	22.1	458	24.4	430	22.0
35 - 39	504	40.8	711	41.8	827	44.3
40 - 44	685	77.5	835	68.4	1,342	79.5
45 - 49	1,047	119.4	992	112.9	1,571	131.1
50 - 54	1,392	176.2	1,636	190.1	1,699	202.8
55 - 59	2,136	274.7	1,969	258.9	2,628	320.8
60 - 64	2,458	400.3	2,903	396.7	3,323	466.5
65 - 69	2,423	575.4	3,039	545.1	4,326	648.0
70 - 74	2,261	759.7	2,667	740.0	4,348	905.2
75 - 79	1,431	853.1	2,264	998.6	3,387	1,200.3
80 - 84	719	921.6	1,015	946.8	2,235	1,447.7
85+	357	1,008.7	478	942.0	1,159	1,507.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Malignant Neoplasms by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
29,011	134.1	29,260	134.0	29,784	135.3
11	3.6	12	4.3	9	3.4
66	5.1	59	4.6	56	4.4
69	4.3	46	2.8	45	2.8
92	5.3	65	3.9	68	4.2
127	6.3	108	5.4	94	4.8
117	6.4	128	6.8	125	6.5
223	12.1	194	10.6	176	9.7
423	21.8	403	21.1	422	22.2
853	45.0	867	44.9	847	43.5
1,422	82.7	1,393	79.4	1,360	75.7
1,724	129.2	1,770	122.8	1,927	126.0
1,791	213.8	1,707	195.8	1,804	193.0
2,548	305.6	2,549	301.5	2,565	301.3
3,264	457.2	3,273	451.7	3,182	430.5
4,493	668.4	4,295	640.7	4,173	627.0
4,523	900.5	4,658	881.3	4,781	862.2
3,594	1,182.8	3,839	1,185.2	4,027	1,170.7
2,280	1,439.7	2,409	1,469.0	2,485	1,448.8
1,391	1,633.6	1,485	1,573.8	1,638	1,601.8



Table 14 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	31,554	142.2	32,993	147.7	34,342	152.9
0	10	3.6	10	3.7	6	2.5
1 - 4	44	3.6	48	4.0	44	3.8
5 - 9	54	3.3	50	3.1	51	3.1
10 - 14	44	2.7	46	2.9	41	2.5
15 - 19	117	6.1	106	5.8	103	6.0
20 - 24	135	6.8	141	7.1	137	6.9
25 - 29	197	11.0	150	8.3	193	10.5
30 - 34	401	21.3	406	21.7	402	21.7
35 - 39	869	44.6	873	44.8	840	43.5
40 - 44	1,417	77.5	1,471	79.5	1,471	78.3
45 - 49	2,069	128.8	2,112	127.1	2,174	128.4
50 - 54	2,027	195.8	2,366	201.6	2,635	201.6
55 - 59	2,535	303.8	2,406	297.3	2,455	302.6
60 - 64	3,276	432.2	3,440	441.7	3,547	446.6
65 - 69	4,180	632.1	4,147	630.7	4,217	638.2
70 - 74	5,105	889.0	5,313	905.1	5,454	920.5
75 - 79	4,403	1,202.1	4,784	1,231.7	4,949	1,210.3
80 - 84	2,811	1,543.1	3,057	1,541.7	3,390	1,568.7
85+	1,860	1,699.7	2,067	1,780.0	2,233	1,800.3

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Malignant Neoplasms by Age Group (Cont.1)

-2010

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
35,201	156.0	36,357	160.5	37,222	163.8
13	5.7	8	3.8	2	1.0
31	2.8	45	4.2	36	3.6
58	3.6	43	2.8	40	2.6
55	3.4	62	3.8	47	2.9
76	4.6	80	4.9	68	4.3
116	5.8	131	6.7	119	6.3
185	9.8	214	11.1	215	10.9
375	20.4	409	22.6	378	21.1
808	42.5	805	42.7	802	42.8
1,463	76.7	1,497	77.9	1,436	74.6
2,174	126.0	2,269	128.6	2,334	129.9
2,818	199.8	2,928	195.9	2,990	190.4
2,521	298.7	2,638	291.5	2,910	290.0
3,585	445.1	3,518	433.7	3,356	421.8
4,277	637.1	4,355	635.0	4,262	604.7
5,333	901.1	5,292	898.4	5,327	907.1
5,214	1,208.3	5,507	1,212.1	5,798	1,226.6
3,567	1,538.7	3,927	1,586.3	4,247	1,598.7
2,532	1,903.6	2,629	1,846.8	2,855	1,863.4



Table 14 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	37,998	166.5	40,306	175.9	38,913	169.2
0	8	4.1	8	4.2	4	2.1
1 - 4	39	4.2	24	2.7	31	3.6
5 - 9	39	2.7	35	2.5	36	2.7
10 - 14	55	3.4	38	2.4	44	2.8
15 - 19	68	4.3	57	3.5	64	4.0
20 - 24	91	5.0	105	6.1	82	4.9
25 - 29	161	8.0	154	7.7	165	8.2
30 - 34	365	20.2	349	18.9	365	19.3
35 - 39	763	41.0	739	40.0	731	39.8
40 - 44	1,494	77.6	1,496	78.2	1,471	77.9
45 - 49	2,330	128.0	2,467	133.3	2,369	125.8
50 - 54	3,304	203.0	3,328	200.4	3,191	188.2
55 - 59	3,276	287.4	3,765	295.8	3,840	279.1
60 - 64	3,218	416.1	3,250	418.0	3,325	409.8
65 - 69	4,388	604.2	4,722	635.5	4,261	563.9
70 - 74	5,177	882.7	5,217	881.5	5,077	841.6
75 - 79	5,809	1,195.2	6,083	1,232.5	5,581	1,127.0
80 - 84	4,407	1,546.8	4,787	1,581.7	4,747	1,478.7
85+	3,006	1,786.8	3,682	2,001.0	3,529	1,787.4

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Malignant Neoplasms by Age Group (Cont'd)

-2010

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
39,918	173.0	41,046	177.4
9	4.9	3	1.8
26	3.1	29	3.6
45	3.5	40	3.3
46	3.0	38	2.5
69	4.3	68	4.2
74	4.6	72	4.5
160	8.1	164	8.5
352	18.1	343	17.1
699	38.5	665	37.0
1,412	75.4	1,391	74.6
2,317	121.9	2,399	125.9
3,304	190.3	3,249	183.8
4,026	275.7	4,190	272.9
3,369	386.2	3,751	387.1
4,284	561.2	4,219	562.2
5,114	826.8	4,951	775.8
5,681	1,146.6	5,668	1,141.3
5,025	1,476.8	5,441	1,525.1
3,906	1,839.1	4,365	1,891.8



Table 15 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	9,953	51.4	12,026	58.8	11,273	52.6
0	2	0.7	-	-	-	-
1 - 4	20	1.3	21	1.6	-	-
5 - 9	11	0.5	10	0.5	10	0.6
10 - 14	22	1.2	17	0.8	7	0.4
15 - 19	40	2.1	37	2.0	30	1.5
20 - 24	60	3.0	40	2.1	39	2.2
25 - 29	77	4.0	86	4.4	61	3.3
30 - 34	98	5.7	133	7.1	124	6.3
35 - 39	114	9.2	170	10.0	197	10.5
40 - 44	149	16.9	191	15.7	264	15.6
45 - 49	239	27.3	254	28.9	297	24.8
50 - 54	387	49.0	397	46.1	341	40.7
55 - 59	676	86.9	686	90.2	543	66.3
60 - 64	1,027	167.3	1,105	151.0	845	118.6
65 - 69	1,399	332.2	1,505	270.0	1,380	206.7
70 - 74	1,695	569.6	1,865	517.5	1,792	373.1
75 - 79	1,611	960.4	2,206	973.0	1,840	652.1
80 - 84	1,223	1,567.6	1,799	1,678.0	1,732	1,121.9
85+	1,103	3,116.6	1,504	2,964.0	1,771	2,303.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Heart Disease by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
10,754	49.7	11,030	50.5	11,299	51.3
-	-	-	-	-	-
-	-	1	0.1	7	0.6
5	0.3	12	0.7	9	0.6
10	0.6	5	0.3	8	0.5
28	1.4	20	1.0	23	1.2
33	1.8	34	1.8	30	1.6
56	3.0	53	2.9	50	2.8
123	6.3	87	4.5	82	4.3
158	8.3	174	9.0	161	8.3
247	14.4	274	15.6	251	14.0
317	23.8	333	23.1	348	22.8
337	40.2	334	38.3	357	38.2
521	62.5	517	61.1	527	61.9
795	111.4	776	107.1	750	101.5
1,288	191.6	1,321	197.1	1,212	182.1
1,643	327.1	1,745	330.2	1,838	331.5
1,761	579.6	1,813	559.7	1,861	541.0
1,665	1,051.4	1,646	1,003.7	1,695	988.2
1,767	2,075.2	1,885	1,997.7	2,090	2,043.7



Table 15 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	10,552	47.6	11,003	49.2	11,441	50.9
0	-	-	1	0.4	-	-
1 - 4	6	0.5	11	0.9	6	0.5
5 - 9	9	0.6	12	0.7	7	0.4
10 - 14	12	0.7	8	0.5	12	0.7
15 - 19	16	0.8	17	0.9	17	1.0
20 - 24	37	1.9	37	1.9	34	1.7
25 - 29	56	3.1	45	2.5	49	2.7
30 - 34	87	4.6	97	5.2	88	4.8
35 - 39	164	8.4	166	8.5	146	7.6
40 - 44	220	12.0	225	12.2	251	13.4
45 - 49	324	20.2	338	20.3	335	19.8
50 - 54	341	32.9	369	31.4	430	32.9
55 - 59	466	55.9	486	60.0	457	56.3
60 - 64	703	92.7	746	95.8	716	90.2
65 - 69	1,074	162.4	1,108	168.5	1,042	157.7
70 - 74	1,579	275.0	1,660	282.8	1,657	279.7
75 - 79	1,794	489.8	1,841	474.0	2,015	492.8
80 - 84	1,658	910.1	1,685	849.8	1,885	872.3
85+	2,006	1,833.1	2,151	1,852.3	2,294	1,849.4

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Heart Disease by Age Group (Cont.1)

-2010

Unit: Person, 0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
11,785	52.2	12,861	56.8	12,970	57.1
-	-	-	-	-	-
10	0.9	11	1.0	5	0.5
10	0.6	7	0.5	11	0.7
6	0.4	19	1.2	11	0.7
16	1.0	14	0.9	17	1.1
37	1.9	30	1.5	43	2.3
61	3.2	66	3.4	76	3.8
86	4.7	82	4.5	100	5.6
156	8.2	171	9.1	168	9.0
236	12.4	276	14.4	284	14.7
383	22.2	367	20.8	407	22.7
428	30.4	530	35.5	563	35.9
473	56.0	504	55.7	546	54.4
690	85.7	821	101.2	648	81.4
989	147.3	990	144.4	1,042	147.8
1,636	276.4	1,720	292.0	1,570	267.3
2,079	481.8	2,232	491.3	2,265	479.2
1,954	842.9	2,300	929.1	2,304	867.3
2,535	1,905.9	2,721	1,911.4	2,910	1,899.3



Table 15 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	12,283	53.8	13,003	56.7	15,726	68.4
0	-	-	1	0.5	18	9.5
1 - 4	8	0.9	12	1.4	12	1.4
5 - 9	6	0.4	2	0.1	7	0.5
10 - 14	8	0.5	10	0.6	8	0.5
15 - 19	13	0.8	14	0.9	21	1.3
20 - 24	33	1.8	35	2.0	35	2.1
25 - 29	57	2.8	67	3.3	73	3.6
30 - 34	97	5.4	123	6.6	128	6.8
35 - 39	188	10.1	179	9.7	176	9.6
40 - 44	281	14.6	266	13.9	333	17.6
45 - 49	407	22.4	431	23.3	524	27.8
50 - 54	556	34.2	602	36.2	697	41.1
55 - 59	610	53.5	626	49.2	824	59.9
60 - 64	635	82.1	669	86.0	783	96.5
65 - 69	990	136.3	1,035	139.3	1,187	157.1
70 - 74	1,516	258.5	1,482	250.4	1,714	284.1
75 - 79	2,121	436.4	2,166	438.9	2,560	516.9
80 - 84	2,095	735.3	2,287	755.6	2,854	889.0
85+	2,662	1,582.3	2,996	1,628.2	3,772	1,910.5

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Heart Disease by Age Group (Cont'd)

-2010

Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
15,094	65.4	15,675	67.7
12	6.5	17	10.0
13	1.6	6	0.7
9	0.7	5	0.4
12	0.8	15	1.0
13	0.8	21	1.3
17	1.1	21	1.3
61	3.1	71	3.7
108	5.5	113	5.6
187	10.3	174	9.7
338	18.0	328	17.6
470	24.7	507	26.6
667	38.4	694	39.3
839	57.5	856	55.8
836	95.8	817	84.3
1,090	142.8	1,069	142.4
1,577	255.0	1,609	252.1
2,337	471.7	2,281	459.3
2,775	815.6	2,999	840.6
3,733	1,757.6	4,072	1,764.8



Table 16 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	14,862	76.8	14,137	69.1	13,944	65.0
0	9	3.0	1	0.3	-	-
1 - 4	15	1.0	15	1.2	9	0.7
5 - 9	16	0.8	13	0.7	5	0.3
10 - 14	11	0.6	19	0.9	8	0.4
15 - 19	30	1.6	31	1.7	20	1.0
20 - 24	33	1.7	46	2.4	21	1.2
25 - 29	43	2.3	72	3.7	46	2.5
30 - 34	73	4.2	95	5.1	90	4.6
35 - 39	155	12.6	181	10.7	132	7.1
40 - 44	192	21.7	231	18.9	322	19.1
45 - 49	431	49.2	349	39.7	400	33.4
50 - 54	741	93.8	602	70.0	508	60.6
55 - 59	1,285	165.2	961	126.4	754	92.0
60 - 64	1,830	298.0	1,655	226.2	1,212	170.2
65 - 69	2,308	548.1	1,988	356.6	1,958	293.3
70 - 74	2,798	940.2	2,506	695.4	2,362	491.7
75 - 79	2,443	1,456.4	2,634	1,161.8	2,456	870.4
80 - 84	1,589	2,036.7	1,665	1,553.1	2,121	1,373.9
85+	860	2,430.0	1,073	2,114.6	1,520	1,977.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Cerebrovascular Disease by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
12,885	59.6	12,705	58.2	12,631	57.4
-	-	-	-	-	-
6	0.5	8	0.6	5	0.4
2	0.1	5	0.3	3	0.2
11	0.6	5	0.3	8	0.5
11	0.5	15	0.7	10	0.5
23	1.3	20	1.1	18	0.9
46	2.5	41	2.2	27	1.5
69	3.6	61	3.2	70	3.7
152	8.0	164	8.5	152	7.8
285	16.6	281	16.0	255	14.2
379	28.4	417	28.9	391	25.6
424	50.6	448	51.4	394	42.1
691	82.9	705	83.4	653	76.7
1,031	144.4	975	134.6	943	127.6
1,741	259.0	1,649	246.0	1,497	224.9
2,280	453.9	2,136	404.1	2,095	377.8
2,298	756.3	2,280	703.9	2,291	666.0
1,981	1,250.9	1,932	1,178.1	1,972	1,149.7
1,455	1,708.7	1,563	1,656.5	1,847	1,806.1



Table 16 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	13,332	60.1	13,141	58.8	12,009	53.5
0	-	-	-	-	-	-
1 - 4	6	0.5	7	0.6	5	0.4
5 - 9	3	0.2	3	0.2	4	0.2
10 - 14	5	0.3	5	0.3	5	0.3
15 - 19	10	0.5	5	0.3	15	0.9
20 - 24	21	1.1	24	1.2	18	0.9
25 - 29	31	1.7	34	1.9	37	2.0
30 - 34	62	3.3	84	4.5	64	3.5
35 - 39	157	8.1	143	7.3	109	5.6
40 - 44	275	15.0	243	13.1	272	14.5
45 - 49	444	27.6	413	24.9	416	24.6
50 - 54	466	45.0	478	40.7	491	37.6
55 - 59	664	79.6	606	74.9	539	66.4
60 - 64	988	130.3	921	118.3	815	102.6
65 - 69	1,462	221.1	1,429	217.3	1,216	184.0
70 - 74	2,200	383.1	2,134	363.6	1,860	313.9
75 - 79	2,496	681.4	2,459	633.1	2,270	555.1
80 - 84	1,987	1,090.7	2,103	1,060.6	1,993	922.2
85+	2,055	1,877.9	2,050	1,765.3	1,880	1,515.7

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Cerebrovascular Disease by Age Group (Cont.1)

-2010

Unit: Person, 0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
12,404	55.0	12,339	54.5	13,139	57.8
-	-	-	-	-	-
-	-	2	0.2	4	0.4
-	-	6	0.4	1	0.1
8	0.5	5	0.3	10	0.6
11	0.7	9	0.6	5	0.3
12	0.6	21	1.1	16	0.8
29	1.5	25	1.3	35	1.8
55	3.0	68	3.8	79	4.4
144	7.6	143	7.6	163	8.7
247	12.9	299	15.5	272	14.1
417	24.2	426	24.1	410	22.8
550	39.0	604	40.4	588	37.4
478	56.6	508	56.1	561	55.9
853	105.9	780	96.2	802	100.8
1,213	180.7	1,167	170.2	1,218	172.8
1,925	325.3	1,755	297.9	1,774	302.1
2,354	545.5	2,313	509.1	2,484	525.5
2,122	915.4	2,092	845.0	2,334	878.6
1,986	1,493.1	2,116	1,486.4	2,383	1,555.3



Table 16 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	12,596	55.2	12,875	56.2	10,663	46.4
0	-	-	-	-	4	2.1
1 - 4	2	0.2	4	0.5	3	0.4
5 - 9	3	0.2	4	0.3	4	0.3
10 - 14	6	0.4	7	0.4	4	0.3
15 - 19	9	0.6	8	0.5	6	0.4
20 - 24	16	0.9	14	0.8	8	0.5
25 - 29	37	1.8	26	1.3	30	1.5
30 - 34	40	2.2	68	3.7	44	2.3
35 - 39	132	7.1	113	6.1	121	6.6
40 - 44	268	13.9	257	13.4	241	12.8
45 - 49	435	23.9	403	21.8	339	18.0
50 - 54	555	34.1	550	33.1	516	30.4
55 - 59	617	54.1	643	50.5	538	39.1
60 - 64	701	90.7	661	85.0	551	67.9
65 - 69	1,062	146.2	1,062	142.9	877	116.1
70 - 74	1,611	274.7	1,577	266.5	1,273	211.0
75 - 79	2,370	487.6	2,388	483.9	1,865	376.6
80 - 84	2,316	812.9	2,412	796.9	2,001	623.3
85+	2,416	1,436.1	2,678	1,455.4	2,238	1,133.5

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Cerebrovascular Disease by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
10,383	45.0	10,134	43.8
10	5.4	4	2.4
1	0.1	3	0.4
5	0.4	4	0.3
4	0.3	4	0.3
3	0.2	5	0.3
7	0.4	9	0.6
27	1.4	14	0.7
51	2.6	39	1.9
96	5.3	90	5.0
215	11.5	187	10.0
329	17.3	307	16.1
477	27.5	451	25.5
590	40.4	591	38.5
537	61.6	584	60.3
833	109.1	666	88.7
1,238	200.2	1,174	184.0
1,733	349.8	1,655	333.3
1,966	577.8	2,001	560.9
2,261	1,064.5	2,346	1,016.8



Table 17 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,970	15.3	4,210	20.6	7,525	35.1
0	-	-	-	-	-	-
1 - 4	-	-	1	0.1	-	-
5 - 9	1	0.0	2	0.1	1	0.1
10 - 14	2	0.1	3	0.1	3	0.2
15 - 19	3	0.2	2	0.1	6	0.3
20 - 24	9	0.5	6	0.3	4	0.2
25 - 29	13	0.7	11	0.6	12	0.6
30 - 34	13	0.8	23	1.2	37	1.9
35 - 39	21	1.7	41	2.4	66	3.5
40 - 44	47	5.3	65	5.3	115	6.8
45 - 49	77	8.8	92	10.5	180	15.0
50 - 54	151	19.1	186	21.6	308	36.8
55 - 59	278	35.7	341	44.8	531	64.8
60 - 64	430	70.0	596	81.4	877	123.1
65 - 69	524	124.4	763	136.9	1,262	189.0
70 - 74	593	199.3	767	212.8	1,493	310.8
75 - 79	491	292.7	748	329.9	1,303	461.8
80 - 84	223	285.8	403	375.9	889	575.9
85+	94	265.6	160	315.3	438	569.7

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Diabetes Mellitus by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
7,500	34.7	7,532	34.5	9,023	41.0
-	-	-	-	-	-
2	0.2	-	-	-	-
-	-	1	0.1	1	0.1
-	-	1	0.1	1	0.1
2	0.1	3	0.1	5	0.3
4	0.2	7	0.4	5	0.3
11	0.6	12	0.7	12	0.7
40	2.1	33	1.7	27	1.4
57	3.0	71	3.7	69	3.5
123	7.2	117	6.7	137	7.6
206	15.4	209	14.5	234	15.3
290	34.6	243	27.9	336	35.9
517	62.0	503	59.5	531	62.4
813	113.9	783	108.1	916	123.9
1,268	188.6	1,219	181.8	1,424	213.9
1,431	284.9	1,456	275.5	1,786	322.1
1,258	414.0	1,332	411.2	1,636	475.6
933	589.1	1,008	614.7	1,117	651.2
545	640.0	534	565.9	786	768.6



Table 17 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	9,450	42.6	9,113	40.8	8,818	39.3
0	-	-	-	-	-	-
1 - 4	1	0.1	-	-	1	0.1
5 - 9	-	-	-	-	-	-
10 - 14	2	0.1	2	0.1	1	0.1
15 - 19	5	0.3	-	-	2	0.1
20 - 24	5	0.3	11	0.6	6	0.3
25 - 29	5	0.3	7	0.4	14	0.8
30 - 34	31	1.6	29	1.6	26	1.4
35 - 39	62	3.2	65	3.3	72	3.7
40 - 44	142	7.8	138	7.5	105	5.6
45 - 49	256	15.9	267	16.1	197	11.6
50 - 54	352	34.0	361	30.8	339	25.9
55 - 59	561	67.2	547	67.6	487	60.0
60 - 64	872	115.0	854	109.7	800	100.7
65 - 69	1,379	208.5	1,294	196.8	1,202	181.9
70 - 74	1,882	327.7	1,792	305.3	1,723	290.8
75 - 79	1,804	492.5	1,672	430.5	1,655	404.7
80 - 84	1,278	701.5	1,217	613.8	1,265	585.4
85+	813	742.9	857	738.0	923	744.1

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Diabetes Mellitus by Age Group (Cont.1)

-2010

Unit: Person, 0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
10,013	44.4	9,191	40.6	10,501	46.2
-	-	-	-	-	-
-	-	-	-	1	0.1
-	-	-	-	1	0.1
1	0.1	1	0.1	-	-
1	0.1	4	0.2	3	0.2
10	0.5	3	0.2	6	0.3
19	1.0	11	0.6	18	0.9
38	2.1	22	1.2	42	2.3
70	3.7	59	3.1	69	3.7
154	8.1	112	5.8	135	7.0
225	13.0	251	14.2	250	13.9
447	31.7	415	27.8	436	27.8
503	59.6	501	55.4	589	58.7
855	106.2	762	93.9	890	111.9
1,339	199.5	1,099	160.3	1,216	172.5
1,813	306.3	1,667	283.0	1,738	296.0
1,943	450.3	1,786	393.1	2,100	444.3
1,542	665.2	1,452	586.5	1,752	659.5
1,053	791.7	1,046	734.8	1,255	819.1



Table 17 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	9,690	42.5	10,231	44.6	8,036	34.9
0	-	-	-	-	-	-
1 - 4	-	-	1	0.1	-	-
5 - 9	-	-	1	0.1	1	0.1
10 - 14	1	0.1	3	0.2	-	-
15 - 19	4	0.3	2	0.1	1	0.1
20 - 24	7	0.4	10	0.6	2	0.1
25 - 29	16	0.8	14	0.7	11	0.5
30 - 34	30	1.7	34	1.8	23	1.2
35 - 39	65	3.5	61	3.3	56	3.1
40 - 44	141	7.3	142	7.4	125	6.6
45 - 49	253	13.9	237	12.8	206	10.9
50 - 54	405	24.9	455	27.4	340	20.1
55 - 59	597	52.4	636	50.0	495	36.0
60 - 64	701	90.7	764	98.3	589	72.6
65 - 69	1,157	159.3	1,161	156.3	859	113.7
70 - 74	1,509	257.3	1,541	260.4	1,253	207.7
75 - 79	1,939	398.9	1,949	394.9	1,552	313.4
80 - 84	1,603	562.6	1,705	563.3	1,351	420.8
85+	1,262	750.2	1,515	823.3	1,172	593.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Diabetes Mellitus by Age Group (Cont'd)

-2010

Unit: Person, 0/0000

2009※

No. of Deaths	Death Rate	No. of Deaths	Death Rate
8,230	35.7	8,211	35.5
-	-	-	-
1	0.1	-	-
1	0.1	-	-
-	-	1	0.1
1	0.1	1	0.1
5	0.3	1	0.1
8	0.4	7	0.4
23	1.2	19	0.9
43	2.4	41	2.3
87	4.6	91	4.9
197	10.4	188	9.9
327	18.8	338	19.1
507	34.7	551	35.9
650	74.5	557	57.5
888	116.3	779	103.8
1,236	199.8	1,152	180.5
1,509	304.6	1,494	300.8
1,492	438.5	1,515	424.7
1,255	590.9	1,476	639.7



Table 18 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	12,187	63.0	13,636	66.7	12,422	57.9
0	228	75.4	244	77.3	168	55.4
1 - 4	639	42.2	482	37.1	295	22.9
5 - 9	423	20.9	322	17.5	179	11.1
10 - 14	309	16.9	352	17.5	302	16.5
15 - 19	1,066	56.4	1,146	63.2	1,180	58.9
20 - 24	1,271	63.8	1,226	65.1	1,007	55.9
25 - 29	1,129	59.4	1,275	64.8	920	49.3
30 - 34	954	55.3	1,098	58.5	1,029	52.6
35 - 39	733	59.4	1,054	62.0	956	51.2
40 - 44	590	66.7	795	65.2	912	54.1
45 - 49	721	82.3	728	82.9	761	63.5
50 - 54	733	92.8	781	90.8	670	80.0
55 - 59	789	101.5	782	102.8	757	92.4
60 - 64	772	125.7	924	126.3	746	104.7
65 - 69	606	143.9	839	150.5	818	122.5
70 - 74	540	181.5	660	183.1	731	152.2
75 - 79	354	211.0	517	228.0	479	169.8
80 - 84	192	246.1	256	238.8	327	211.8
85+	138	389.9	155	305.5	185	240.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Accidents and Adverse Effects by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
11,297	52.2	10,973	50.3	12,960	58.9
144	47.1	129	45.9	133	50.7
272	21.1	269	20.8	348	27.5
150	9.3	172	10.6	273	16.9
203	11.7	240	14.4	292	17.9
1,040	51.8	980	49.0	954	48.6
859	46.7	911	48.6	866	44.9
908	49.2	734	40.1	796	44.0
892	46.0	766	40.0	840	44.3
913	48.1	877	45.4	903	46.4
828	48.2	864	49.2	951	53.0
742	55.6	770	53.4	925	60.5
573	68.4	559	64.1	637	68.1
616	73.9	679	80.3	743	87.3
702	98.3	640	88.3	808	109.3
768	114.3	717	107.0	900	135.2
698	139.0	640	121.1	956	172.4
477	157.0	500	154.4	709	206.1
317	200.2	298	181.7	525	306.1
195	229.0	228	241.6	401	392.1



Table 18 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	10,515	47.4	9,513	42.6	8,489	37.8
0	119	42.3	102	37.8	94	38.9
1 - 4	188	15.5	186	15.7	162	14.1
5 - 9	132	8.1	131	8.1	83	5.1
10 - 14	156	9.7	128	8.0	100	6.2
15 - 19	809	42.4	668	36.7	522	30.3
20 - 24	881	44.5	746	37.4	648	32.4
25 - 29	639	35.7	578	32.0	578	31.4
30 - 34	730	38.7	599	32.1	469	25.3
35 - 39	731	37.5	635	32.6	608	31.5
40 - 44	821	44.9	718	38.8	614	32.7
45 - 49	777	48.4	690	41.5	632	37.3
50 - 54	583	56.3	572	48.7	559	42.8
55 - 59	581	69.6	559	69.1	436	53.7
60 - 64	629	83.0	603	77.4	520	65.5
65 - 69	695	105.1	651	99.0	592	89.6
70 - 74	712	124.0	689	117.4	629	106.2
75 - 79	588	160.5	563	145.0	558	136.5
80 - 84	349	191.6	372	187.6	368	170.3
85+	395	361.0	323	278.1	317	255.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Accidents and Adverse Effects by Age Group (Cont.1)

-2010

Unit: Person, 0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
8,191	36.3	8,453	37.3	8,365	36.8
72	31.7	79	37.2	53	26.4
164	14.9	115	10.8	108	10.9
115	7.2	86	5.6	76	5.0
100	6.2	92	5.7	100	6.2
482	29.0	512	31.6	519	32.6
591	29.7	605	31.0	596	31.4
517	27.5	527	27.3	567	28.6
532	29.0	541	29.9	494	27.6
562	29.5	552	29.3	558	29.8
581	30.5	620	32.2	591	30.7
600	34.8	644	36.5	647	36.0
580	41.1	607	40.6	637	40.6
421	49.9	469	51.8	506	50.4
499	62.0	550	67.8	519	65.2
588	87.6	581	84.7	585	83.0
590	99.7	630	106.9	578	98.4
575	133.3	577	127.0	589	124.6
331	142.8	381	153.9	371	139.7
291	218.8	285	200.2	271	176.9



Table 18 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	8,011	35.1	7,130	31.1	7,077	30.8
0	52	26.8	45	23.4	52	27.4
1 - 4	98	10.6	78	8.9	72	8.5
5 - 9	72	4.9	62	4.4	50	3.7
10 - 14	89	5.5	65	4.0	59	3.7
15 - 19	450	28.1	361	22.4	339	21.0
20 - 24	550	30.3	436	25.4	402	24.2
25 - 29	524	26.2	460	22.9	373	18.6
30 - 34	483	26.7	434	23.4	434	22.9
35 - 39	533	28.7	444	24.0	409	22.3
40 - 44	630	32.7	573	30.0	491	26.0
45 - 49	611	33.6	552	29.8	535	28.4
50 - 54	620	38.1	553	33.3	503	29.7
55 - 59	552	48.4	507	39.8	500	36.3
60 - 64	415	53.7	419	53.9	411	50.7
65 - 69	538	74.1	495	66.6	515	68.1
70 - 74	556	94.8	513	86.7	528	87.5
75 - 79	560	115.2	503	101.9	549	110.9
80 - 84	397	139.3	358	118.3	434	135.2
85+	281	167.0	272	147.8	421	213.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Accidents and Adverse Effects by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
7,358	31.9	6,669	28.8
49	26.5	37	21.8
70	8.4	47	5.8
85	6.6	35	2.9
101	6.6	68	4.5
312	19.4	339	21.0
373	23.1	352	22.2
427	21.6	374	19.5
423	21.7	334	16.7
434	23.9	368	20.5
495	26.4	446	23.9
534	28.1	472	24.8
563	32.4	514	29.1
566	38.8	521	33.9
437	50.1	403	41.6
517	67.7	436	58.1
515	83.3	495	77.6
589	118.9	531	106.9
453	133.1	471	132.0
415	195.4	426	184.6



Table 19 No. of Deaths and Crude

Age Group	1986					
	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,378	12.3	2,644	12.9	3,200	14.9
0	182	60.2	65	20.6	17	5.6
1 - 4	91	6.0	25	1.9	20	1.6
5 - 9	33	1.6	10	0.5	2	0.1
10 - 14	15	0.8	10	0.5	5	0.3
15 - 19	20	1.1	15	0.8	10	0.5
20 - 24	26	1.3	17	0.9	4	0.2
25 - 29	23	1.2	21	1.1	20	1.1
30 - 34	26	1.5	21	1.1	19	1.0
35 - 39	15	1.2	33	1.9	35	1.9
40 - 44	23	2.6	29	2.4	43	2.5
45 - 49	42	4.8	50	5.7	43	3.6
50 - 54	53	6.7	68	7.9	52	6.2
55 - 59	104	13.4	97	12.8	84	10.3
60 - 64	149	24.3	162	22.1	151	21.2
65 - 69	224	53.2	278	49.9	269	40.3
70 - 74	335	112.6	374	103.8	452	94.1
75 - 79	383	228.3	484	213.5	566	200.6
80 - 84	342	438.4	449	418.8	670	434.0
85+	292	825.1	436	859.2	738	960.0

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Pneumonia by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
3,619	16.7	4,447	20.4	4,006	18.2
25	8.2	26	9.2	13	5.0
24	1.9	19	1.5	16	1.3
11	0.7	5	0.3	8	0.5
7	0.4	7	0.4	8	0.5
11	0.5	12	0.6	13	0.7
15	0.8	16	0.9	8	0.4
21	1.1	17	0.9	18	1.0
30	1.5	30	1.6	22	1.2
40	2.1	44	2.3	48	2.5
40	2.3	46	2.6	45	2.5
50	3.7	76	5.3	57	3.7
61	7.3	60	6.9	52	5.6
94	11.3	111	13.1	85	10.0
145	20.3	188	25.9	162	21.9
309	46.0	362	54.0	293	44.0
525	104.5	651	123.2	557	100.5
689	226.8	821	253.5	748	217.4
743	469.2	890	542.7	739	430.8
779	914.9	1,066	1,129.7	1,114	1,089.3



Table 19 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	3,302	14.9	3,746	16.8	4,530	20.2
0	17	6.0	5	1.9	14	5.8
1 - 4	15	1.2	17	1.4	16	1.4
5 - 9	8	0.5	3	0.2	6	0.4
10 - 14	4	0.2	5	0.3	3	0.2
15 - 19	9	0.5	8	0.4	3	0.2
20 - 24	12	0.6	8	0.4	10	0.5
25 - 29	9	0.5	12	0.7	9	0.5
30 - 34	16	0.8	7	0.4	22	1.2
35 - 39	27	1.4	30	1.5	31	1.6
40 - 44	47	2.6	58	3.1	41	2.2
45 - 49	56	3.5	56	3.4	72	4.3
50 - 54	44	4.2	62	5.3	81	6.2
55 - 59	66	7.9	77	9.5	72	8.9
60 - 64	127	16.8	122	15.7	160	20.1
65 - 69	224	33.9	253	38.5	285	43.1
70 - 74	460	80.1	493	84.0	620	104.6
75 - 79	642	175.3	676	174.0	851	208.1
80 - 84	597	327.7	792	399.4	896	414.6
85+	922	842.5	1,062	914.5	1,338	1,078.7

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Pneumonia by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
5,099	22.6	5,536	24.4	5,687	25.0
8	3.5	17	8.0	7	3.5
14	1.3	19	1.8	17	1.7
5	0.3	6	0.4	6	0.4
7	0.4	3	0.2	4	0.2
11	0.7	15	0.9	8	0.5
18	0.9	17	0.9	11	0.6
24	1.3	11	0.6	21	1.1
25	1.4	24	1.3	29	1.6
46	2.4	43	2.3	34	1.8
71	3.7	67	3.5	51	2.6
88	5.1	79	4.5	92	5.1
103	7.3	107	7.2	114	7.3
107	12.7	94	10.4	104	10.4
192	23.8	182	22.4	155	19.5
323	48.1	290	42.3	304	43.1
612	103.4	607	103.0	561	95.5
964	223.4	1,053	231.8	1,085	229.5
1,013	437.0	1,269	512.6	1,256	472.8
1,468	1,103.7	1,633	1,147.1	1,828	1,193.1



Table 19 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	5,396	23.6	5,895	25.7	8,661	37.7
0	6	3.1	5	2.6	21	11.1
1 - 4	11	1.2	8	0.9	12	1.4
5 - 9	3	0.2	6	0.4	3	0.2
10 - 14	7	0.4	2	0.1	3	0.2
15 - 19	7	0.4	6	0.4	6	0.4
20 - 24	11	0.6	3	0.2	8	0.5
25 - 29	18	0.9	16	0.8	13	0.6
30 - 34	19	1.1	17	0.9	27	1.4
35 - 39	44	2.4	31	1.7	54	2.9
40 - 44	63	3.3	37	1.9	66	3.5
45 - 49	81	4.4	72	3.9	114	6.1
50 - 54	98	6.0	101	6.1	155	9.1
55 - 59	125	11.0	132	10.4	207	15.0
60 - 64	151	19.5	158	20.3	233	28.7
65 - 69	263	36.2	322	43.3	424	56.1
70 - 74	502	85.6	553	93.4	797	132.1
75 - 79	949	195.3	981	198.8	1,475	297.8
80 - 84	1,240	435.2	1,352	446.7	1,966	612.4
85+	1,798	1,068.8	2,093	1,137.5	3,077	1,558.5

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Pneumonia by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
8,358	36.2	8,909	38.5
13	7.0	5	2.9
8	1.0	11	1.4
4	0.3	2	0.2
4	0.3	5	0.3
2	0.1	5	0.3
7	0.4	12	0.8
12	0.6	19	1.0
18	0.9	29	1.4
47	2.6	40	2.2
61	3.3	72	3.9
95	5.0	107	5.6
132	7.6	158	8.9
214	14.7	211	13.7
240	27.5	259	26.7
387	50.7	407	54.2
721	116.6	726	113.8
1,281	258.5	1,269	255.5
1,907	560.5	2,018	565.7
3,205	1,509.0	3,554	1,540.3



Table 20 No. of Deaths and Crude

Age Group	1986					
	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	3,218	16.6	3,601	17.6	4,610	21.5
0	11	3.6	-	-	-	-
1 - 4	5	0.3	6	0.5	5	0.4
5 - 9	5	0.2	3	0.2	2	0.1
10 - 14	1	0.1	4	0.2	1	0.1
15 - 19	4	0.2	4	0.2	2	0.1
20 - 24	7	0.4	6	0.3	11	0.6
25 - 29	38	2.0	54	2.7	72	3.9
30 - 34	108	6.3	150	8.0	191	9.8
35 - 39	175	14.2	263	15.5	364	19.5
40 - 44	215	24.3	288	23.6	467	27.7
45 - 49	304	34.7	319	36.3	434	36.2
50 - 54	373	47.2	387	45.0	443	52.9
55 - 59	434	55.8	387	50.9	507	61.9
60 - 64	433	70.5	477	65.2	487	68.4
65 - 69	375	89.1	440	78.9	528	79.1
70 - 74	330	110.9	345	95.7	446	92.9
75 - 79	231	137.7	276	121.7	317	112.3
80 - 84	106	135.9	129	120.3	216	139.9
85+	63	178.0	63	124.2	117	152.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Chronic Liver Disease and Cirrhosis by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
4,767	22.0	4,940	22.6	5,180	23.5
-	-	-	-	-	-
3	0.2	4	0.3	4	0.3
1	0.1	-	-	2	0.1
2	0.1	1	0.1	-	-
3	0.1	2	0.1	1	0.1
14	0.8	12	0.6	7	0.4
57	3.1	57	3.1	46	2.5
181	9.3	193	10.1	202	10.6
412	21.7	422	21.9	402	20.6
528	30.7	510	29.1	509	28.3
508	38.1	518	35.9	604	39.5
439	52.4	465	53.3	454	48.6
467	56.0	491	58.1	472	55.4
495	69.3	521	71.9	570	77.1
514	76.5	518	77.3	562	84.4
459	91.4	490	92.7	553	99.7
341	112.2	362	111.8	378	109.9
219	138.3	217	132.3	241	140.5
124	145.6	157	166.4	173	169.2



Table 20 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	5,174	23.3	5,239	23.5	4,795	21.3
0	-	-	-	-	-	-
1 - 4	2	0.2	5	0.4	4	0.3
5 - 9	1	0.1	2	0.1	3	0.2
10 - 14	-	-	-	-	-	-
15 - 19	1	0.1	3	0.2	2	0.1
20 - 24	16	0.8	17	0.9	9	0.5
25 - 29	36	2.0	43	2.4	40	2.2
30 - 34	186	9.9	173	9.3	138	7.5
35 - 39	403	20.7	374	19.2	279	14.5
40 - 44	580	31.7	526	28.4	433	23.1
45 - 49	622	38.7	622	37.4	523	30.9
50 - 54	450	43.5	538	45.9	512	39.2
55 - 59	454	54.4	445	55.0	388	47.8
60 - 64	488	64.4	520	66.8	510	64.2
65 - 69	544	82.3	581	88.4	487	73.7
70 - 74	552	96.1	554	94.4	542	91.5
75 - 79	455	124.2	415	106.8	484	118.4
80 - 84	218	119.7	256	129.1	282	130.5
85+	166	151.7	165	142.1	159	128.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Chronic Liver Disease and Cirrhosis by Age Group (Cont.1)

-2010

Unit: Person, 0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
5,185	23.0	5,351	23.6	5,621	24.7
-	-	-	-	-	-
1	0.1	5	0.5	3	0.3
2	0.1	1	0.1	2	0.1
1	0.1	-	-	-	-
1	0.1	-	-	-	-
4	0.2	10	0.5	5	0.3
36	1.9	51	2.6	51	2.6
160	8.7	129	7.1	174	9.7
315	16.6	332	17.6	339	18.1
480	25.2	564	29.3	547	28.4
575	33.3	609	34.5	631	35.1
601	42.6	612	41.0	650	41.4
427	50.6	417	46.1	475	47.3
511	63.4	493	60.8	535	67.2
550	81.9	480	70.0	528	74.9
533	90.1	580	98.5	482	82.1
465	107.8	517	113.8	591	125.0
311	134.2	312	126.0	374	140.8
212	159.4	239	167.9	234	152.7



Table 20 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	5,049	22.1	5,160	22.5	4,917	21.4
0	-	-	-	-	-	-
1 - 4	1	0.1	2	0.2	-	-
5 - 9	-	-	-	-	-	-
10 - 14	1	0.1	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	8	0.4	5	0.3	6	0.4
25 - 29	47	2.3	43	2.1	33	1.6
30 - 34	158	8.7	151	8.2	112	5.9
35 - 39	302	16.2	326	17.6	283	15.4
40 - 44	502	26.1	528	27.6	463	24.5
45 - 49	584	32.1	617	33.3	606	32.2
50 - 54	571	35.1	597	35.9	574	33.9
55 - 59	457	40.1	516	40.5	520	37.8
60 - 64	403	52.1	387	49.8	379	46.7
65 - 69	500	68.8	438	58.9	426	56.4
70 - 74	463	78.9	479	80.9	465	77.1
75 - 79	489	100.6	495	100.3	458	92.5
80 - 84	345	121.1	346	114.3	351	109.3
85+	218	129.6	230	125.0	241	122.1

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Chronic Liver Disease and Cirrhosis by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
4,918	21.3	4,912	21.2
-	-	1	0.6
-	-	-	-
-	-	1	0.1
-	-	-	-
1	0.1	-	-
3	0.2	1	0.1
33	1.7	31	1.6
125	6.4	123	6.1
270	14.9	249	13.8
473	25.2	421	22.6
548	28.8	581	30.5
567	32.7	590	33.4
566	38.8	573	37.3
370	42.4	399	41.2
440	57.6	407	54.2
461	74.5	458	71.8
454	91.6	452	91.0
353	103.7	358	100.3
254	119.6	267	115.7



Table 21 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,134	11.0	2,527	12.4	3,547	16.5
0	-	-	-	-	2	0.7
1 - 4	10	0.7	5	0.4	3	0.2
5 - 9	12	0.6	4	0.2	3	0.2
10 - 14	11	0.6	12	0.6	2	0.1
15 - 19	21	1.1	17	0.9	7	0.3
20 - 24	36	1.8	22	1.2	11	0.6
25 - 29	43	2.3	25	1.3	13	0.7
30 - 34	50	2.9	41	2.2	24	1.2
35 - 39	49	4.0	58	3.4	41	2.2
40 - 44	53	6.0	55	4.5	67	4.0
45 - 49	103	11.8	87	9.9	85	7.1
50 - 54	117	14.8	103	12.0	107	12.8
55 - 59	212	27.3	150	19.7	202	24.7
60 - 64	229	37.3	252	34.4	293	41.1
65 - 69	281	66.7	357	64.0	438	65.6
70 - 74	337	113.2	401	111.3	563	117.2
75 - 79	260	155.0	448	197.6	633	224.3
80 - 84	196	251.2	296	276.1	603	390.6
85+	114	322.1	194	382.3	450	585.3

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Nephritis, Nephritic Syndrome and Nephrosis by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
3,504	16.2	3,435	15.7	3,474	15.8
3	1.0	2	0.7	1	0.4
1	0.1	10	0.8	3	0.2
2	0.1	-	-	1	0.1
2	0.1	-	-	4	0.2
11	0.5	5	0.2	9	0.5
12	0.7	10	0.5	9	0.5
18	1.0	12	0.7	17	0.9
28	1.4	19	1.0	19	1.0
48	2.5	37	1.9	33	1.7
72	4.2	67	3.8	62	3.5
72	5.4	87	6.0	79	5.2
109	13.0	111	12.7	92	9.8
168	20.2	188	22.2	151	17.7
302	42.3	287	39.6	270	36.5
447	66.5	419	62.5	427	64.2
537	106.9	527	99.7	508	91.6
621	204.4	613	189.2	622	180.8
544	343.5	549	334.8	554	323.0
507	595.4	492	521.4	613	599.4



Table 21 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	3,872	17.5	4,056	18.2	4,168	18.6
0	-	-	-	-	-	-
1 - 4	2	0.2	4	0.3	1	0.1
5 - 9	2	0.1	1	0.1	1	0.1
10 - 14	-	-	4	0.2	3	0.2
15 - 19	5	0.3	6	0.3	1	0.1
20 - 24	10	0.5	10	0.5	8	0.4
25 - 29	12	0.7	15	0.8	9	0.5
30 - 34	20	1.1	20	1.1	15	0.8
35 - 39	39	2.0	34	1.7	35	1.8
40 - 44	54	3.0	71	3.8	51	2.7
45 - 49	88	5.5	99	6.0	105	6.2
50 - 54	117	11.3	124	10.6	111	8.5
55 - 59	174	20.9	176	21.7	189	23.3
60 - 64	277	36.5	322	41.3	282	35.5
65 - 69	444	67.1	458	69.7	473	71.6
70 - 74	609	106.0	661	112.6	669	112.9
75 - 79	683	186.5	713	183.6	748	182.9
80 - 84	636	349.1	686	346.0	715	330.9
85+	700	639.7	652	561.5	752	606.3

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.✳Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Nephritis, Nephritic Syndrome and Nephrosis by Age Group (Cont.1)

-2010

Unit: Person, 0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
4,306	19.1	4,680	20.7	4,822	21.2
-	-	-	-	-	-
1	0.1	2	0.2	3	0.3
1	0.1	3	0.2	3	0.2
2	0.1	3	0.2	2	0.1
2	0.1	4	0.2	1	0.1
2	0.1	6	0.3	4	0.2
16	0.9	13	0.7	9	0.5
20	1.1	16	0.9	18	1.0
26	1.4	30	1.6	24	1.3
57	3.0	65	3.4	60	3.1
99	5.7	105	6.0	91	5.1
143	10.1	143	9.6	158	10.1
188	22.3	174	19.2	184	18.3
288	35.8	277	34.1	298	37.5
462	68.8	474	69.1	433	61.4
670	113.2	716	121.5	640	109.0
815	188.9	896	197.2	961	203.3
741	319.6	858	346.6	931	350.5
773	581.2	895	628.7	1,002	654.0



Table 21 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	4,712	20.6	5,099	22.2	4,012	17.4
0	-	-	-	-	4	2.1
1 - 4	1	0.1	1	0.1	1	0.1
5 - 9	2	0.1	2	0.1	-	-
10 - 14	3	0.2	3	0.2	1	0.1
15 - 19	5	0.3	3	0.2	4	0.2
20 - 24	3	0.2	5	0.3	3	0.2
25 - 29	17	0.8	13	0.6	7	0.3
30 - 34	18	1.0	18	1.0	12	0.6
35 - 39	23	1.2	24	1.3	29	1.6
40 - 44	64	3.3	53	2.8	45	2.4
45 - 49	93	5.1	91	4.9	77	4.1
50 - 54	168	10.3	170	10.2	136	8.0
55 - 59	230	20.2	238	18.7	216	15.7
60 - 64	281	36.3	268	34.5	234	28.8
65 - 69	439	60.4	455	61.2	365	48.3
70 - 74	649	110.7	628	106.1	532	88.2
75 - 79	857	176.3	952	192.9	672	135.7
80 - 84	890	312.4	966	319.2	766	238.6
85+	969	576.0	1,209	657.0	908	459.9

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Nephritis, Nephritic Syndrome and Nephrosis by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
3,999	17.3	4,105	17.7
-	-	3	1.8
-	-	2	0.2
2	0.2	2	0.2
1	0.1	-	-
2	0.1	3	0.2
4	0.2	3	0.2
13	0.7	2	0.1
17	0.9	18	0.9
19	1.0	24	1.3
45	2.4	36	1.9
75	3.9	84	4.4
111	6.4	145	8.2
195	13.4	211	13.7
206	23.6	232	23.9
319	41.8	331	44.1
504	81.5	472	74.0
704	142.1	659	132.7
819	240.7	803	225.1
963	453.4	1,075	465.9



Table 22 No. of Deaths and Crude Death Rates for Intentional

Age Group	1986					
	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,260	11.7	1,465	7.2	1,847	8.6
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	1	0.1
10 - 14	12	0.7	8	0.4	6	0.3
15 - 19	132	7.0	50	2.8	51	2.5
20 - 24	258	12.9	168	8.9	109	6.0
25 - 29	238	12.5	169	8.6	171	9.2
30 - 34	220	12.7	137	7.3	205	10.5
35 - 39	141	11.4	146	8.6	166	8.9
40 - 44	128	14.5	86	7.0	177	10.5
45 - 49	150	17.1	76	8.7	122	10.2
50 - 54	137	17.3	83	9.6	88	10.5
55 - 59	172	22.1	80	10.5	138	16.8
60 - 64	191	31.1	104	14.2	109	15.3
65 - 69	159	37.8	124	22.2	136	20.4
70 - 74	175	58.8	108	30.0	159	33.1
75 - 79	94	56.0	82	36.2	98	34.7
80 - 84	36	46.1	28	26.1	73	47.3
85+	17	48.0	16	31.5	38	49.4

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Self-Harm (Suicide) and Self-Inflicted Injury by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
2,172	10.0	2,177	10.0	2,281	10.4
-	-	-	-	-	-
-	-	-	-	-	-
1	0.1	-	-	-	-
10	0.6	4	0.2	5	0.3
57	2.8	55	2.7	40	2.0
108	5.9	109	5.8	129	6.7
173	9.4	174	9.5	168	9.3
231	11.9	245	12.8	230	12.1
235	12.4	217	11.2	227	11.7
208	12.1	211	12.0	236	13.1
160	12.0	187	13.0	203	13.3
113	13.5	113	13.0	143	15.3
156	18.7	137	16.2	154	18.1
134	18.8	141	19.5	157	21.2
177	26.3	179	26.7	161	24.2
156	31.1	151	28.6	190	34.3
144	47.4	119	36.7	126	36.6
77	48.6	79	48.2	66	38.5
32	37.6	56	59.3	46	45.0



Table 22 No. of Deaths and Crude Death Rates for Intentional

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,471	11.1	2,781	12.4	3,053	13.6
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	8	0.5	8	0.5	4	0.2
15 - 19	38	2.0	52	2.9	55	3.2
20 - 24	118	6.0	128	6.4	163	8.2
25 - 29	187	10.5	201	11.1	232	12.6
30 - 34	225	11.9	238	12.7	301	16.3
35 - 39	244	12.5	289	14.8	302	15.6
40 - 44	250	13.7	275	14.9	339	18.1
45 - 49	222	13.8	255	15.3	321	19.0
50 - 54	157	15.2	209	17.8	252	19.3
55 - 59	155	18.6	180	22.2	198	24.4
60 - 64	195	25.7	213	27.4	208	26.2
65 - 69	159	24.0	180	27.4	179	27.1
70 - 74	197	34.3	216	36.8	187	31.6
75 - 79	161	44.0	176	45.3	158	38.6
80 - 84	94	51.6	100	50.4	103	47.7
85+	61	55.7	61	52.5	51	41.1

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Self-Harm (Suicide) and Self-Inflicted Injury by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
3,195	14.2	3,468	15.3	4,282	18.8
-	-	-	-	-	-
-	-	-	-	-	-
1	0.1	-	-	-	-
6	0.4	4	0.2	8	0.5
54	3.2	57	3.5	60	3.8
169	8.5	165	8.5	204	10.8
225	12.0	292	15.1	431	21.8
310	16.9	307	17.0	409	22.9
345	18.1	414	22.0	433	23.1
337	17.7	367	19.1	501	26.0
330	19.1	377	21.4	434	24.2
281	19.9	327	21.9	437	27.8
172	20.4	183	20.2	295	29.4
240	29.8	207	25.5	256	32.2
182	27.1	178	26.0	206	29.2
188	31.8	205	34.8	209	35.6
178	41.3	180	39.6	203	42.9
108	46.6	135	54.5	126	47.4
69	51.9	70	49.2	70	45.7



Table 22 No. of Deaths and Crude Death Rates for Intentional

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	4,406	19.3	3,933	17.2	4,128	17.9
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	1	0.1	-	-	1	0.1
10 - 14	8	0.5	5	0.3	8	0.5
15 - 19	46	2.9	53	3.3	45	2.8
20 - 24	191	10.5	185	10.8	156	9.4
25 - 29	386	19.3	338	16.8	354	17.6
30 - 34	465	25.7	361	19.5	392	20.7
35 - 39	485	26.1	380	20.6	413	22.5
40 - 44	530	27.5	442	23.1	485	25.7
45 - 49	429	23.6	405	21.9	441	23.4
50 - 54	425	26.1	365	22.0	375	22.1
55 - 59	316	27.7	319	25.1	331	24.1
60 - 64	240	31.0	239	30.7	259	31.9
65 - 69	243	33.5	219	29.5	244	32.3
70 - 74	230	39.2	202	34.1	214	35.5
75 - 79	190	39.1	199	40.3	193	39.0
80 - 84	138	48.4	144	47.6	141	43.9
85+	83	49.3	77	41.8	76	38.5

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Self-Harm (Suicide) and Self-Inflicted Injury by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
4,063	17.6	3,889	16.8
-	-	-	-
-	-	-	-
-	-	-	-
6	0.4	6	0.4
59	3.7	48	3.0
144	8.9	128	8.1
312	15.8	275	14.3
387	19.9	383	19.1
411	22.7	330	18.4
431	23.0	425	22.8
439	23.1	417	21.9
412	23.7	402	22.7
389	26.6	345	22.5
250	28.7	244	25.2
237	31.0	239	31.8
199	32.2	227	35.6
158	31.9	178	35.8
139	40.9	147	41.2
90	42.4	95	41.2



Table 23 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	3,349	17.3	2,492	12.2	2,656	12.4
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	1	0.1	-	-
20 - 24	-	-	2	0.1	1	0.1
25 - 29	7	0.4	5	0.3	3	0.2
30 - 34	7	0.4	6	0.3	5	0.3
35 - 39	20	1.6	13	0.8	13	0.7
40 - 44	18	2.0	11	0.9	31	1.8
45 - 49	50	5.7	47	5.4	47	3.9
50 - 54	98	12.4	63	7.3	66	7.9
55 - 59	202	26.0	122	16.0	106	12.9
60 - 64	378	61.6	234	32.0	182	25.6
65 - 69	503	119.5	378	67.8	323	48.4
70 - 74	673	226.1	421	116.8	438	91.2
75 - 79	615	366.6	517	228.0	490	173.7
80 - 84	484	620.4	414	386.2	514	332.9
85+	294	830.7	258	508.5	437	568.4

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Hypertensive Disease by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
2,611	12.1	2,273	10.4	1,856	8.4
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	0.0	1	0.0	-	-
1	0.1	1	0.1	1	0.1
4	0.2	-	-	2	0.1
6	0.3	10	0.5	7	0.4
18	0.9	18	0.9	14	0.7
37	2.2	27	1.5	17	0.9
43	3.2	36	2.5	27	1.8
62	7.4	60	6.9	50	5.3
111	13.3	96	11.4	57	6.7
190	26.6	155	21.4	123	16.6
308	45.8	288	43.0	175	26.3
456	90.8	365	69.1	321	57.9
484	159.3	407	125.6	352	102.3
477	301.2	403	245.7	342	199.4
413	485.0	406	430.3	368	359.9



Table 23 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,602	7.2	1,766	7.9	1,947	8.7
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	1	0.1	-	-	-	-
20 - 24	1	0.1	-	-	-	-
25 - 29	-	-	1	0.1	-	-
30 - 34	5	0.3	2	0.1	3	0.2
35 - 39	8	0.4	8	0.4	6	0.3
40 - 44	17	0.9	11	0.6	17	0.9
45 - 49	19	1.2	33	2.0	42	2.5
50 - 54	36	3.5	54	4.6	56	4.3
55 - 59	55	6.6	55	6.8	51	6.3
60 - 64	102	13.5	104	13.4	107	13.5
65 - 69	157	23.7	178	27.1	196	29.7
70 - 74	229	39.9	270	46.0	322	54.3
75 - 79	293	80.0	302	77.8	355	86.8
80 - 84	297	163.0	329	165.9	372	172.1
85+	382	349.1	419	360.8	420	338.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✕Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Hypertensive Disease by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,844	8.2	1,806	8.0	1,891	8.3
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	2	0.1
2	0.1	1	0.1	-	-
1	0.1	4	0.2	3	0.2
9	0.5	6	0.3	5	0.3
18	0.9	20	1.0	21	1.1
37	2.1	35	2.0	30	1.7
60	4.3	32	2.1	64	4.1
53	6.3	50	5.5	47	4.7
95	11.8	92	11.3	85	10.7
160	23.8	139	20.3	140	19.9
292	49.3	237	40.2	259	44.1
338	78.3	380	83.6	324	68.5
371	160.0	347	140.2	384	144.6
408	306.7	463	325.2	527	344.0



Table 23 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,816	8.0	1,977	8.6	3,507	15.2
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	1	0.1
20 - 24	-	-	-	-	3	0.2
25 - 29	1	0.0	1	0.0	-	-
30 - 34	6	0.3	4	0.2	7	0.4
35 - 39	12	0.6	9	0.5	18	1.0
40 - 44	21	1.1	18	0.9	37	2.0
45 - 49	34	1.9	35	1.9	78	4.1
50 - 54	57	3.5	70	4.2	122	7.2
55 - 59	70	6.1	61	4.8	156	11.3
60 - 64	79	10.2	65	8.4	131	16.1
65 - 69	125	17.2	132	17.8	240	31.8
70 - 74	208	35.5	206	34.8	351	58.2
75 - 79	362	74.5	333	67.5	621	125.4
80 - 84	356	125.0	428	141.4	752	234.3
85+	485	288.3	615	334.2	990	501.4

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Hypertensive Disease by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
3,721	16.1	4,174	18.0
-	-	-	-
-	-	-	-
-	-	1	0.1
-	-	-	-
-	-	-	-
3	0.2	-	-
3	0.2	3	0.2
10	0.5	11	0.5
21	1.2	24	1.3
37	2.0	29	1.6
65	3.4	88	4.6
121	7.0	133	7.5
167	11.4	193	12.6
164	18.8	179	18.5
257	33.7	266	35.4
375	60.6	381	59.7
597	120.5	646	130.1
795	233.7	903	253.1
1,106	520.7	1,317	570.8



Table 24 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,908	15.0	3,759	18.4	5,439	25.4
0	-	-	-	-	-	-
1 - 4	-	-	1	0.1	-	-
5 - 9	-	-	1	0.1	-	-
10 - 14	-	-	1	0.0	-	-
15 - 19	1	0.1	3	0.2	2	0.1
20 - 24	6	0.3	9	0.5	8	0.4
25 - 29	17	0.9	14	0.7	12	0.6
30 - 34	23	1.3	37	2.0	33	1.7
35 - 39	42	3.4	60	3.5	62	3.3
40 - 44	73	8.3	90	7.4	140	8.3
45 - 49	118	13.5	110	12.5	197	16.4
50 - 54	202	25.6	214	24.9	259	30.9
55 - 59	389	50.0	344	45.2	425	51.9
60 - 64	534	87.0	698	95.4	652	91.5
65 - 69	558	132.5	716	128.4	994	148.9
70 - 74	514	172.7	662	183.7	1,112	231.5
75 - 79	261	155.6	497	219.2	830	294.1
80 - 84	121	155.1	212	197.7	493	319.3
85+	49	138.5	90	177.4	220	286.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Trachea, Bronchus, and Lung Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
5,857	27.1	5,749	26.3	5,959	27.1
-	-	-	-	-	-
-	-	-	-	-	-
-	-	1	0.1	-	-
-	-	3	0.2	2	0.1
4	0.2	3	0.1	2	0.1
4	0.2	3	0.2	4	0.2
12	0.6	9	0.5	10	0.6
22	1.1	32	1.7	34	1.8
65	3.4	57	3.0	76	3.9
140	8.1	138	7.9	116	6.5
209	15.7	182	12.6	212	13.9
249	29.7	242	27.8	239	25.6
429	51.5	416	49.2	432	50.7
661	92.6	613	84.6	578	78.2
1,098	163.3	999	149.0	1,005	151.0
1,194	237.7	1,234	233.5	1,252	225.8
914	300.8	947	292.4	1,060	308.2
595	375.7	561	342.1	578	337.0
261	306.5	309	327.5	359	351.1



Table 24 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	6,261	28.2	6,555	29.3	6,846	30.5
0	1	0.4	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	1	0.1	1	0.1
15 - 19	2	0.1	-	-	-	-
20 - 24	4	0.2	8	0.4	7	0.4
25 - 29	8	0.4	11	0.6	6	0.3
30 - 34	20	1.1	36	1.9	28	1.5
35 - 39	79	4.1	82	4.2	77	4.0
40 - 44	120	6.6	146	7.9	159	8.5
45 - 49	235	14.6	235	14.1	262	15.5
50 - 54	272	26.3	315	26.8	364	27.8
55 - 59	410	49.1	396	48.9	397	48.9
60 - 64	609	80.3	653	83.8	648	81.6
65 - 69	960	145.2	957	145.5	931	140.9
70 - 74	1,339	233.2	1,318	224.5	1,443	243.5
75 - 79	1,125	307.1	1,221	314.4	1,284	314.0
80 - 84	688	377.7	740	373.2	787	364.2
85+	389	355.5	436	375.5	452	364.4

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Trachea, Bronchus, and Lung Cancer by Age Group (Cont.1)

-2010

Unit: Person, 0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
6,911	30.6	7,153	31.6	7,302	32.1
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
2	0.1	-	-	1	0.1
2	0.1	-	-	-	-
5	0.3	4	0.2	2	0.1
7	0.4	14	0.7	6	0.3
26	1.4	24	1.3	30	1.7
67	3.5	54	2.9	59	3.1
144	7.5	164	8.5	118	6.1
234	13.6	252	14.3	265	14.8
401	28.4	378	25.3	398	25.3
401	47.5	401	44.3	461	45.9
665	82.6	661	81.5	591	74.3
921	137.2	949	138.4	969	137.5
1,350	228.1	1,292	219.3	1,289	219.5
1,356	314.2	1,438	316.5	1,513	320.1
811	349.8	971	392.2	1,039	391.1
519	390.2	551	387.1	561	366.1



Table 24 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	7,479	32.8	7,993	34.9	7,777	33.8
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	1	0.1	-	-	-	-
10 - 14	1	0.1	-	-	-	-
15 - 19	-	-	-	-	1	0.1
20 - 24	4	0.2	1	0.1	2	0.1
25 - 29	10	0.5	4	0.2	4	0.2
30 - 34	24	1.3	23	1.2	25	1.3
35 - 39	67	3.6	55	3.0	64	3.5
40 - 44	153	7.9	166	8.7	150	7.9
45 - 49	269	14.8	305	16.5	297	15.8
50 - 54	450	27.7	415	25.0	457	27.0
55 - 59	524	46.0	648	50.9	623	45.3
60 - 64	603	78.0	590	75.9	608	74.9
65 - 69	867	119.4	990	133.2	911	120.6
70 - 74	1,239	211.2	1,259	212.7	1,209	200.4
75 - 79	1,510	310.7	1,593	322.8	1,480	298.9
80 - 84	1,099	385.7	1,185	391.5	1,176	366.3
85+	658	391.1	759	412.5	770	390.0

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Trachea, Bronchus, and Lung Cancer by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
7,951	34.5	8,194	35.4
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	1	0.1
6	0.3	7	0.4
30	1.5	34	1.7
90	5.0	44	2.4
149	8.0	146	7.8
286	15.0	289	15.2
447	25.8	438	24.8
646	44.2	686	44.7
627	71.9	704	72.7
885	115.9	900	119.9
1,202	194.3	1,164	182.4
1,421	286.8	1,426	287.1
1,307	384.1	1,339	375.3
855	402.6	1,016	440.3



Table 25 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	3,278	16.9	3,870	18.9	5,794	27.0
0	1	0.3	-	-	-	-
1 - 4	4	0.3	6	0.5	2	0.2
5 - 9	14	0.7	4	0.2	5	0.3
10 - 14	10	0.5	10	0.5	8	0.4
15 - 19	15	0.8	6	0.3	10	0.5
20 - 24	23	1.2	22	1.2	15	0.8
25 - 29	40	2.1	48	2.4	50	2.7
30 - 34	72	4.2	109	5.8	104	5.3
35 - 39	145	11.7	159	9.4	179	9.6
40 - 44	176	19.9	205	16.8	299	17.7
45 - 49	278	31.7	261	29.7	396	33.1
50 - 54	343	43.4	377	43.8	417	49.8
55 - 59	525	67.5	498	65.5	706	86.2
60 - 64	473	77.0	654	89.4	845	118.6
65 - 69	448	106.4	552	99.0	921	138.0
70 - 74	353	118.6	453	125.7	801	166.8
75 - 79	216	128.8	339	149.5	551	195.3
80 - 84	98	125.6	111	103.5	336	217.6
85+	44	124.3	56	110.4	149	193.8

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Liver and Intrahepatic Bile Ducts Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
5,842	27.0	5,865	26.9	5,762	26.2
1	0.3	-	-	-	-
3	0.2	3	0.2	-	-
5	0.3	1	0.1	3	0.2
7	0.4	5	0.3	5	0.3
16	0.8	14	0.7	10	0.5
13	0.7	14	0.7	25	1.3
50	2.7	42	2.3	28	1.5
119	6.1	95	5.0	104	5.5
202	10.7	189	9.8	196	10.1
290	16.9	323	18.4	296	16.5
382	28.6	400	27.8	424	27.7
453	54.1	432	49.5	416	44.5
640	76.8	675	79.8	608	71.4
806	112.9	787	108.6	768	103.9
940	139.8	922	137.5	876	131.6
863	171.8	839	158.7	851	153.5
583	191.9	622	192.0	638	185.5
293	185.0	326	198.8	345	201.1
176	206.7	176	186.5	169	165.3



Table 25 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	6,001	27.1	6,415	28.7	6,943	30.9
0	3	1.1	-	-	2	0.8
1 - 4	3	0.2	1	0.1	3	0.3
5 - 9	2	0.1	2	0.1	3	0.2
10 - 14	5	0.3	1	0.1	6	0.4
15 - 19	11	0.6	6	0.3	13	0.8
20 - 24	16	0.8	18	0.9	19	1.0
25 - 29	43	2.4	23	1.3	35	1.9
30 - 34	89	4.7	91	4.9	81	4.4
35 - 39	182	9.3	190	9.8	199	10.3
40 - 44	296	16.2	313	16.9	296	15.8
45 - 49	416	25.9	442	26.6	486	28.7
50 - 54	454	43.8	557	47.5	585	44.8
55 - 59	616	73.8	569	70.3	638	78.6
60 - 64	785	103.6	874	112.2	940	118.4
65 - 69	899	136.0	909	138.2	987	149.4
70 - 74	933	162.5	976	166.3	1,078	181.9
75 - 79	681	185.9	756	194.6	839	205.2
80 - 84	385	211.3	416	209.8	471	217.9
85+	182	166.3	271	233.4	262	211.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Liver and Intrahepatic Bile Ducts Cancer by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
7,010	31.1	7,059	31.2	7,108	31.3
1	0.4	1	0.5	-	-
2	0.2	4	0.4	1	0.1
3	0.2	5	0.3	1	0.1
2	0.1	5	0.3	5	0.3
5	0.3	2	0.1	4	0.3
16	0.8	15	0.8	11	0.6
33	1.8	37	1.9	34	1.7
84	4.6	75	4.1	79	4.4
193	10.1	186	9.9	173	9.2
333	17.5	299	15.5	291	15.1
448	26.0	457	25.9	487	27.1
608	43.1	625	41.8	618	39.4
629	74.5	653	72.2	682	68.0
890	110.5	859	105.9	780	98.0
1,014	151.0	1,016	148.1	970	137.6
1,094	184.9	1,051	178.4	1,095	186.5
826	191.4	917	201.8	927	196.1
511	220.4	550	222.2	614	231.1
318	239.1	302	212.1	336	219.3



Table 25 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	7,415	32.5	7,809	34.1	7,651	33.3
0	1	0.5	-	-	2	1.1
1 - 4	2	0.2	2	0.2	-	-
5 - 9	-	-	1	0.1	1	0.1
10 - 14	4	0.2	-	-	2	0.1
15 - 19	1	0.1	3	0.2	5	0.3
20 - 24	10	0.6	3	0.2	11	0.7
25 - 29	25	1.2	27	1.3	32	1.6
30 - 34	86	4.8	58	3.1	65	3.4
35 - 39	161	8.7	136	7.4	148	8.1
40 - 44	258	13.4	255	13.3	254	13.5
45 - 49	452	24.8	456	24.6	440	23.4
50 - 54	708	43.5	712	42.9	644	38.0
55 - 59	738	64.7	849	66.7	828	60.2
60 - 64	797	103.1	781	100.5	795	98.0
65 - 69	1,080	148.7	1,127	151.7	1,045	138.3
70 - 74	1,086	185.2	1,137	192.1	1,161	192.4
75 - 79	991	203.9	1,083	219.4	1,037	209.4
80 - 84	672	235.9	710	234.6	731	227.7
85+	343	203.9	469	254.9	450	227.9

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

for Liver and Intrahepatic Bile Ducts Cancer by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
7,759	33.6	7,744	33.5
-	-	-	-
1	0.1	1	0.1
3	0.2	1	0.1
-	-	1	0.1
5	0.3	-	-
8	0.5	4	0.3
28	1.4	19	1.0
62	3.2	65	3.2
130	7.2	129	7.2
266	14.2	214	11.5
427	22.5	430	22.6
643	37.0	631	35.7
869	59.5	865	56.3
766	87.8	852	87.9
1,029	134.8	940	125.3
1,178	190.5	1,139	178.5
1,077	217.4	1,064	214.2
758	222.8	859	240.8
509	239.7	530	229.7



Table 26 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,376	7.1	1,674	8.2	2,642	12.3
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	1	0.1	-	-	-	-
15 - 19	4	0.2	3	0.2	6	0.3
20 - 24	8	0.4	8	0.4	12	0.7
25 - 29	30	1.6	20	1.0	23	1.2
30 - 34	34	2.0	38	2.0	42	2.1
35 - 39	32	2.6	56	3.3	62	3.3
40 - 44	49	5.5	49	4.0	89	5.3
45 - 49	62	7.1	66	7.5	88	7.3
50 - 54	92	11.6	126	14.6	111	13.3
55 - 59	151	19.4	142	18.7	196	23.9
60 - 64	156	25.4	239	32.7	296	41.6
65 - 69	212	50.3	246	44.1	429	64.3
70 - 74	225	75.6	252	69.9	443	92.2
75 - 79	169	100.7	243	107.2	380	134.7
80 - 84	105	134.6	119	111.0	267	173.0
85+	46	130.0	67	132.0	198	257.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Colon and Rectum Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
2,855	13.2	2,987	13.7	3,128	14.2
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
6	0.3	5	0.2	6	0.3
7	0.4	18	1.0	8	0.4
20	1.1	22	1.2	18	1.0
42	2.2	35	1.8	42	2.2
64	3.4	49	2.5	56	2.9
96	5.6	87	5.0	95	5.3
118	8.8	124	8.6	144	9.4
108	12.9	135	15.5	152	16.3
224	26.9	226	26.7	211	24.8
318	44.5	336	46.4	296	40.1
462	68.7	440	65.6	432	64.9
469	93.4	526	99.5	520	93.8
432	142.2	450	138.9	544	158.1
283	178.7	313	190.9	338	197.1
206	241.9	221	234.2	266	260.1



Table 26 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	3,376	15.2	3,457	15.5	3,649	16.2
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	5	0.3	5	0.3	3	0.2
20 - 24	12	0.6	11	0.6	11	0.6
25 - 29	19	1.1	16	0.9	24	1.3
30 - 34	57	3.0	39	2.1	35	1.9
35 - 39	59	3.0	67	3.4	71	3.7
40 - 44	108	5.9	112	6.1	116	6.2
45 - 49	140	8.7	165	9.9	153	9.0
50 - 54	159	15.4	180	15.3	211	16.1
55 - 59	234	28.0	199	24.6	211	26.0
60 - 64	305	40.2	332	42.6	349	43.9
65 - 69	433	65.5	419	63.7	434	65.7
70 - 74	581	101.2	630	107.3	577	97.4
75 - 79	564	154.0	585	150.6	631	154.3
80 - 84	386	211.9	389	196.2	468	216.6
85+	314	286.9	308	265.2	355	286.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Colon and Rectum Cancer by Age Group (Cont.1)

-2010

Unit: Person, 0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
3,711	16.4	3,898	17.2	4,111	18.1
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	0.1	-	-	-	-
3	0.2	1	0.1	3	0.2
9	0.5	4	0.2	9	0.5
18	1.0	27	1.4	27	1.4
33	1.8	50	2.8	38	2.1
61	3.2	51	2.7	72	3.8
94	4.9	101	5.3	94	4.9
155	9.0	191	10.8	175	9.7
216	15.3	216	14.5	233	14.8
207	24.5	230	25.4	239	23.8
300	37.2	368	45.4	352	44.2
448	66.7	429	62.6	447	63.4
614	103.7	610	103.6	588	100.1
637	147.6	674	148.3	739	156.3
488	210.5	500	202.0	586	220.6
427	321.0	446	313.3	509	332.2



Table 26 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	4,284	18.8	4,470	19.5	4,266	18.5
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	2	0.1	-	-	-	-
20 - 24	4	0.2	2	0.1	4	0.2
25 - 29	21	1.0	22	1.1	21	1.0
30 - 34	43	2.4	38	2.1	45	2.4
35 - 39	62	3.3	61	3.3	73	4.0
40 - 44	109	5.7	97	5.1	128	6.8
45 - 49	180	9.9	191	10.3	173	9.2
50 - 54	327	20.1	277	16.7	257	15.2
55 - 59	280	24.6	341	26.8	361	26.2
60 - 64	301	38.9	305	39.2	319	39.3
65 - 69	481	66.2	497	66.9	410	54.3
70 - 74	633	107.9	599	101.2	564	93.5
75 - 79	733	150.8	730	147.9	698	140.9
80 - 84	641	225.0	683	225.7	659	205.3
85+	467	277.6	627	340.8	554	280.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Colon and Rectum Cancer by Age Group (Cont'd)

-2010		Unit:Person,0/0000	
2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
4,531	19.6	4,676	20.2
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
2	0.1	1	0.1
4	0.2	4	0.3
17	0.9	17	0.9
48	2.5	47	2.3
55	3.0	65	3.6
102	5.4	109	5.8
182	9.6	185	9.7
290	16.7	280	15.8
412	28.2	419	27.3
342	39.2	386	39.8
481	63.0	455	60.6
596	96.4	544	85.2
730	147.3	711	143.2
676	198.7	771	216.1
594	279.7	682	295.6



Table 27 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	466	5.0	664	6.7	987	9.5
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	1	0.1	-	-	-	-
20 - 24	3	0.3	1	0.1	3	0.3
25 - 29	4	0.4	12	1.3	14	1.5
30 - 34	25	3.0	27	2.9	35	3.7
35 - 39	41	6.8	65	7.8	95	10.4
40 - 44	50	11.6	73	12.2	141	17.0
45 - 49	65	15.0	70	16.2	104	17.6
50 - 54	58	15.5	128	29.9	129	31.0
55 - 59	52	16.1	83	22.7	141	34.0
60 - 64	50	19.6	51	16.5	104	29.9
65 - 69	34	18.3	52	21.9	67	23.3
70 - 74	31	22.3	38	23.1	63	30.1
75 - 79	25	28.0	27	24.4	41	30.9
80 - 84	12	27.0	28	47.0	37	47.1
85+	15	66.2	9	29.2	13	28.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Female Breast Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,073	10.2	995	9.4	1,082	10.1
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
3	0.3	1	0.1	2	0.2
16	1.8	6	0.7	11	1.2
34	3.6	30	3.2	35	3.8
90	9.7	97	10.2	78	8.2
142	16.8	122	14.1	117	13.2
156	23.7	142	19.9	171	22.6
117	28.1	117	27.0	137	29.5
141	33.4	136	31.8	140	32.6
107	30.0	117	31.8	121	32.0
83	28.0	82	27.0	87	27.9
71	32.7	57	25.0	68	28.4
57	40.1	46	30.6	40	25.2
33	41.1	24	28.9	38	44.1
23	46.4	18	33.5	37	64.3



Table 27 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,149	10.6	1,241	11.4	1,203	10.9
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	1	0.1	-	-	2	0.2
25 - 29	12	1.4	7	0.8	12	1.3
30 - 34	38	4.1	46	5.0	34	3.7
35 - 39	67	7.0	83	8.7	82	8.6
40 - 44	133	14.7	161	17.6	100	10.8
45 - 49	210	26.4	189	22.9	159	18.9
50 - 54	153	29.7	175	30.0	207	31.8
55 - 59	147	34.9	140	34.3	135	33.0
60 - 64	123	31.5	135	33.7	127	31.1
65 - 69	78	24.3	94	28.6	115	34.0
70 - 74	75	29.9	72	27.6	82	30.5
75 - 79	52	31.0	70	39.7	62	33.6
80 - 84	37	40.7	33	33.6	45	42.2
85+	23	37.7	36	56.0	41	60.1

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Female Breast Cancer by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,381	12.5	1,339	12.0	1,439	12.9
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	1	0.1	2	0.2
8	0.9	9	0.9	9	0.9
31	3.4	22	2.5	34	3.8
85	9.1	79	8.5	75	8.1
137	14.5	143	15.1	124	13.0
207	24.2	185	21.1	193	21.6
219	31.1	246	32.9	248	31.6
152	35.7	154	33.8	203	40.1
140	33.8	131	31.5	121	29.7
139	39.9	104	29.0	119	32.1
89	32.2	104	36.5	118	40.2
66	34.0	69	33.7	87	40.5
60	52.8	58	48.1	61	47.6
48	66.0	34	44.1	45	54.7



Table 27 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,439	12.8	1,552	13.7	1,541	13.5
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	1	0.1	2	0.2	-	-
25 - 29	4	0.4	6	0.6	7	0.7
30 - 34	23	2.6	28	3.0	28	3.0
35 - 39	65	7.1	62	6.8	55	6.0
40 - 44	145	15.2	117	12.3	126	13.4
45 - 49	196	21.6	223	24.2	219	23.3
50 - 54	263	32.3	239	28.7	250	29.3
55 - 59	197	34.2	241	37.5	260	37.3
60 - 64	142	35.8	156	39.1	173	41.6
65 - 69	137	35.9	157	40.2	139	35.1
70 - 74	89	29.5	107	34.4	106	33.0
75 - 79	77	34.3	81	34.7	71	29.4
80 - 84	61	44.8	68	47.2	54	35.4
85+	39	43.5	65	66.4	53	50.5

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Female Breast Cancer by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,589	13.9	1,706	14.8
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
8	0.8	6	0.6
23	2.4	25	2.5
66	7.3	55	6.1
146	15.7	126	13.5
174	18.4	237	24.9
268	30.7	270	30.3
289	39.0	308	39.5
158	35.3	176	35.4
146	36.5	154	39.2
120	36.1	130	37.8
74	29.7	77	29.8
56	34.6	66	38.6
61	54.2	76	62.7



Table 28 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,942	10.0	2,044	10.0	2,519	11.7
0	-	-	-	-	-	-
1 - 4	1	0.1	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	5	0.3	4	0.2	-	-
20 - 24	8	0.4	6	0.3	2	0.1
25 - 29	8	0.4	16	0.8	14	0.8
30 - 34	33	1.9	33	1.8	28	1.4
35 - 39	32	2.6	52	3.1	67	3.6
40 - 44	39	4.4	52	4.3	74	4.4
45 - 49	75	8.6	61	6.9	106	8.8
50 - 54	107	13.5	105	12.2	91	10.9
55 - 59	239	30.7	137	18.0	166	20.3
60 - 64	320	52.1	293	40.0	246	34.5
65 - 69	331	78.6	388	69.6	441	66.1
70 - 74	345	115.9	352	97.7	510	106.2
75 - 79	232	138.3	324	142.9	369	130.8
80 - 84	116	148.7	159	148.3	272	176.2
85+	51	144.1	62	122.2	133	173.0

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Stomach Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
2,348	10.9	2,443	11.2	2,360	10.7
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	1	0.1	-	-
2	0.1	-	-	-	-
5	0.3	1	0.1	8	0.4
15	0.8	12	0.7	7	0.4
17	0.9	23	1.2	25	1.3
46	2.4	48	2.5	65	3.3
103	6.0	83	4.7	75	4.2
90	6.7	94	6.5	102	6.7
100	11.9	82	9.4	104	11.1
150	18.0	154	18.2	156	18.3
230	32.2	219	30.2	213	28.8
392	58.3	360	53.7	294	44.2
418	83.2	455	86.1	480	86.6
368	121.1	417	128.7	375	109.0
248	156.6	296	180.5	280	163.2
164	192.6	198	209.8	176	172.1



Table 28 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,374	10.7	2,446	10.9	2,433	10.8
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	1	0.1	1	0.1	1	0.1
20 - 24	4	0.2	2	0.1	6	0.3
25 - 29	13	0.7	7	0.4	11	0.6
30 - 34	27	1.4	30	1.6	25	1.4
35 - 39	59	3.0	44	2.3	41	2.1
40 - 44	77	4.2	75	4.1	86	4.6
45 - 49	118	7.3	113	6.8	110	6.5
50 - 54	88	8.5	113	9.6	122	9.3
55 - 59	132	15.8	121	15.0	125	15.4
60 - 64	194	25.6	177	22.7	181	22.8
65 - 69	301	45.5	264	40.2	251	38.0
70 - 74	412	71.7	445	75.8	446	75.3
75 - 79	423	115.5	467	120.2	444	108.6
80 - 84	289	158.6	347	175.0	324	149.9
85+	236	215.7	240	206.7	260	209.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Stomach Cancer by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
2,349	10.4	2,500	11.0	2,490	11.0
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	1	0.1	-	-
-	-	-	-	-	-
1	0.1	3	0.2	2	0.1
12	0.6	9	0.5	7	0.4
19	1.0	21	1.2	25	1.4
34	1.8	41	2.2	44	2.3
80	4.2	77	4.0	78	4.1
111	6.4	92	5.2	129	7.2
128	9.1	144	9.6	155	9.9
135	16.0	156	17.2	132	13.2
187	23.2	191	23.5	163	20.5
229	34.1	258	37.6	224	31.8
380	64.2	366	62.1	334	56.9
467	108.2	496	109.2	491	103.9
336	144.9	384	155.1	389	146.4
230	172.9	261	183.3	317	206.9



Table 28 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,398	10.5	2,474	10.8	2,292	10.0
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	2	0.1	1	0.1	4	0.2
25 - 29	8	0.4	5	0.2	3	0.1
30 - 34	17	0.9	17	0.9	15	0.8
35 - 39	46	2.5	29	1.6	27	1.5
40 - 44	61	3.2	70	3.7	69	3.7
45 - 49	121	6.6	119	6.4	103	5.5
50 - 54	136	8.4	153	9.2	144	8.5
55 - 59	152	13.3	165	13.0	182	13.2
60 - 64	148	19.1	167	21.5	155	19.1
65 - 69	242	33.3	240	32.3	197	26.1
70 - 74	308	52.5	327	55.3	288	47.7
75 - 79	455	93.6	454	92.0	396	80.0
80 - 84	379	133.0	411	135.8	393	122.4
85+	323	192.0	316	171.7	316	160.1

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2.※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Stomach Cancer by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
2,282	9.9	2,261	9.8
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
2	0.1	3	0.2
5	0.3	1	0.1
12	0.6	9	0.4
36	2.0	26	1.4
61	3.3	64	3.4
94	4.9	104	5.5
165	9.5	156	8.8
157	10.8	173	11.3
152	17.4	179	18.5
192	25.2	200	26.7
250	40.4	220	34.5
380	76.7	341	68.7
408	119.9	411	115.2
368	173.3	374	162.1



Table 29 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	423	2.2	549	2.7	1,042	4.9
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	1	0.0	-	-	-	-
10 - 14	1	0.1	1	0.0	-	-
15 - 19	1	0.1	-	-	-	-
20 - 24	1	0.1	-	-	1	0.1
25 - 29	2	0.1	5	0.3	9	0.5
30 - 34	6	0.3	17	0.9	22	1.1
35 - 39	8	0.6	34	2.0	61	3.3
40 - 44	34	3.8	50	4.1	120	7.1
45 - 49	40	4.6	54	6.1	153	12.8
50 - 54	53	6.7	74	8.6	122	14.6
55 - 59	52	6.7	83	10.9	142	17.3
60 - 64	57	9.3	66	9.0	127	17.8
65 - 69	67	15.9	63	11.3	98	14.7
70 - 74	50	16.8	43	11.9	78	16.2
75 - 79	34	20.3	39	17.2	60	21.3
80 - 84	11	14.1	14	13.1	33	21.4
85+	5	14.1	6	11.8	16	20.8

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Oral Cavity Cancer by Age Group

-2010

Unit: Person,0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,163	5.4	1,167	5.3	1,298	5.9
-	-	-	-	-	-
1	0.1	-	-	-	-
-	-	-	-	-	-
-	-	1	0.1	1	0.1
-	-	-	-	-	-
1	0.1	4	0.2	-	-
8	0.4	4	0.2	6	0.3
31	1.6	35	1.8	32	1.7
82	4.3	93	4.8	89	4.6
147	8.6	142	8.1	176	9.8
148	11.1	187	13.0	213	13.9
155	18.5	140	16.1	173	18.5
146	17.5	138	16.3	157	18.4
131	18.3	120	16.6	143	19.3
102	15.2	95	14.2	105	15.8
95	18.9	83	15.7	99	17.9
60	19.7	79	24.4	55	16.0
29	18.3	30	18.3	30	17.5
27	31.7	16	17.0	19	18.6



Table 29 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,494	6.7	1,560	7.0	1,613	7.2
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	1	0.1	-	-	-	-
20 - 24	-	-	2	0.1	1	0.1
25 - 29	7	0.4	4	0.2	5	0.3
30 - 34	33	1.8	35	1.9	38	2.1
35 - 39	108	5.5	113	5.8	89	4.6
40 - 44	179	9.8	171	9.2	200	10.7
45 - 49	241	15.0	240	14.4	254	15.0
50 - 54	209	20.2	239	20.4	265	20.3
55 - 59	154	18.5	178	22.0	194	23.9
60 - 64	163	21.5	151	19.4	173	21.8
65 - 69	129	19.5	149	22.7	141	21.3
70 - 74	112	19.5	122	20.8	117	19.7
75 - 79	79	21.6	80	20.6	63	15.4
80 - 84	53	29.1	49	24.7	52	24.1
85+	26	23.8	27	23.3	21	16.9

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Oral Cavity Cancer by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,860	8.2	1,993	8.8	2,041	9.0
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	2	0.1	1	0.1
1	0.1	2	0.1	-	-
13	0.7	11	0.6	8	0.4
40	2.2	55	3.0	36	2.0
92	4.8	107	5.7	105	5.6
187	9.8	224	11.6	216	11.2
306	17.7	303	17.2	318	17.7
295	20.9	344	23.0	339	21.6
195	23.1	211	23.3	239	23.8
220	27.3	199	24.5	212	26.6
151	22.5	194	28.3	191	27.1
126	21.3	128	21.7	142	24.2
110	25.5	101	22.2	127	26.9
76	32.8	71	28.7	75	28.2
48	36.1	41	28.8	32	20.9



Table 29 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	2,202	9.6	2,312	10.1	2,218	9.6
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	2	0.1	-	-	-	-
20 - 24	-	-	2	0.1	-	-
25 - 29	7	0.3	2	0.1	6	0.3
30 - 34	41	2.3	49	2.6	38	2.0
35 - 39	109	5.9	124	6.7	109	5.9
40 - 44	248	12.9	252	13.2	239	12.7
45 - 49	332	18.2	359	19.4	313	16.6
50 - 54	388	23.8	401	24.1	391	23.1
55 - 59	293	25.7	312	24.5	334	24.3
60 - 64	213	27.5	203	26.1	222	27.4
65 - 69	179	24.6	193	26.0	191	25.3
70 - 74	158	26.9	152	25.7	127	21.1
75 - 79	120	24.7	131	26.5	104	21.0
80 - 84	69	24.2	71	23.5	85	26.5
85+	43	25.6	61	33.2	59	29.9

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.



Rates for Oral Cavity Cancer by Age Group (Cont'd)

-2010		Unit: Person, 0/0000	
2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
2,249	9.7	2,370	10.2
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
11	0.6	3	0.2
32	1.6	20	1.0
94	5.2	91	5.1
205	10.9	211	11.3
351	18.5	310	16.3
395	22.8	387	21.9
345	23.6	370	24.1
200	22.9	289	29.8
202	26.5	209	27.8
163	26.4	172	27.0
117	23.6	131	26.4
70	20.6	106	29.7
64	30.1	71	30.8

Table 30 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	127	1.3	233	2.2	463	4.2
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	-	-	-	-	-	-
25 - 29	-	-	1	0.1	-	-
30 - 34	-	-	-	-	-	-
35 - 39	-	-	-	-	-	-
40 - 44	1	0.2	-	-	-	-
45 - 49	1	0.2	-	-	1	0.2
50 - 54	3	0.7	2	0.5	1	0.2
55 - 59	6	1.3	6	1.5	9	2.2
60 - 64	8	2.2	24	5.7	23	6.3
65 - 69	31	13.2	37	11.6	63	16.6
70 - 74	27	17.0	43	21.9	100	36.9
75 - 79	27	34.4	55	47.3	105	70.3
80 - 84	14	41.7	44	92.4	106	139.9
85+	9	70.6	21	105.6	55	175.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Prostate Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
531	4.8	540	4.8	561	5.0
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	0.1	-	-	-	-
-	-	-	-	2	0.2
2	0.3	2	0.3	4	0.5
4	1.0	1	0.2	4	0.9
17	4.1	12	2.9	7	1.7
24	6.7	31	8.7	12	3.3
62	16.5	55	15.0	59	16.7
104	36.5	118	39.3	108	34.3
126	77.9	137	79.0	151	81.6
114	146.0	99	122.2	115	134.8
77	216.5	85	209.3	99	221.2



Table 30 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	635	5.6	693	6.1	750	6.5
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	-	-	-	-	-	-
25 - 29	-	-	-	-	-	-
30 - 34	1	0.1	-	-	-	-
35 - 39	-	-	-	-	-	-
40 - 44	-	-	-	-	2	0.2
45 - 49	4	0.5	4	0.5	-	-
50 - 54	7	1.3	5	0.8	4	0.6
55 - 59	12	2.9	17	4.2	7	1.7
60 - 64	38	10.3	34	9.0	31	8.0
65 - 69	52	15.3	51	15.5	71	22.0
70 - 74	122	37.7	133	40.7	130	40.2
75 - 79	157	79.1	188	88.7	182	81.2
80 - 84	150	164.3	144	144.0	168	153.3
85+	92	190.0	117	225.7	155	277.7

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Prostate Cancer by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
742	6.5	821	7.1	909	7.9
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	2	0.2	-	-
-	-	-	-	-	-
-	-	-	-	-	-
3	0.3	1	0.1	1	0.1
-	-	2	0.2	1	0.1
4	0.6	3	0.4	4	0.5
8	1.9	6	1.3	20	4.0
33	8.4	28	7.1	30	7.7
65	20.1	56	17.1	67	20.0
109	34.6	142	46.6	147	50.0
181	76.2	201	80.5	229	88.9
172	145.4	195	153.6	201	146.3
167	276.9	185	283.6	209	294.6



Table 30 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	957	8.3	1,003	8.6	892	7.7
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	1	0.1	-	-
20 - 24	-	-	-	-	-	-
25 - 29	1	0.1	-	-	-	-
30 - 34	-	-	1	0.1	-	-
35 - 39	1	0.1	-	-	-	-
40 - 44	1	0.1	2	0.2	-	-
45 - 49	-	-	2	0.2	3	0.3
50 - 54	7	0.9	9	1.1	7	0.8
55 - 59	19	3.4	24	3.8	19	2.8
60 - 64	33	8.8	37	9.8	21	5.3
65 - 69	60	17.4	74	21.0	67	18.7
70 - 74	144	50.6	111	39.5	120	42.6
75 - 79	269	102.9	248	95.4	185	72.8
80 - 84	224	150.7	257	162.2	250	148.4
85+	198	252.3	237	275.5	220	238.1

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Prostate Cancer by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
936	8.0	1,021	8.8
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	1	0.1
1	0.1	-	-
-	-	-	-
-	-	3	0.3
2	0.2	2	0.2
6	0.7	3	0.3
23	3.2	23	3.0
34	8.0	24	5.1
60	16.5	83	23.2
121	42.3	113	38.4
215	87.3	207	86.8
234	131.2	290	156.2
240	240.2	272	248.2



Table 31 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	848	9.1	870	8.8	979	9.4
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	1	0.1
10 - 14	-	-	1	0.1	1	0.1
15 - 19	1	0.1	-	-	1	0.1
20 - 24	2	0.2	2	0.2	1	0.1
25 - 29	6	0.6	9	0.9	4	0.4
30 - 34	17	2.0	21	2.3	9	0.9
35 - 39	29	4.8	47	5.7	41	4.5
40 - 44	49	11.3	41	6.9	68	8.2
45 - 49	94	21.7	63	14.6	85	14.4
50 - 54	116	31.0	105	24.5	86	20.6
55 - 59	96	29.8	116	31.8	109	26.3
60 - 64	111	43.6	113	36.5	134	38.5
65 - 69	95	51.2	123	51.7	130	45.2
70 - 74	104	74.8	82	49.9	102	48.8
75 - 79	70	78.5	89	80.6	107	80.6
80 - 84	35	78.7	43	72.2	64	81.4
85+	23	101.6	15	48.6	36	79.2

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Cervix Uteri Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,027	9.8	1,017	9.6	965	9.0
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	1	0.1	1	0.1
3	0.3	2	0.2	6	0.7
14	1.5	12	1.3	13	1.4
43	4.6	53	5.6	48	5.0
72	8.5	83	9.6	69	7.8
99	15.0	101	14.2	96	12.7
80	19.2	74	17.1	77	16.6
98	23.2	95	22.2	101	23.5
118	33.0	129	35.1	95	25.1
130	43.9	131	43.1	116	37.2
134	61.7	106	46.5	113	47.1
109	76.7	92	61.1	107	67.3
79	98.4	82	98.8	73	84.7
48	96.8	56	104.2	50	86.9



Table 31 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	971	9.0	939	8.6	941	8.6
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	1	0.1	1	0.1	1	0.1
25 - 29	7	0.8	3	0.3	5	0.6
30 - 34	10	1.1	8	0.9	13	1.4
35 - 39	30	3.1	47	4.9	22	2.3
40 - 44	85	9.4	65	7.1	58	6.3
45 - 49	99	12.4	95	11.5	85	10.1
50 - 54	73	14.2	80	13.7	96	14.7
55 - 59	104	24.7	71	17.4	74	18.1
60 - 64	94	24.1	96	23.9	94	23.0
65 - 69	103	32.1	112	34.0	107	31.7
70 - 74	118	47.1	111	42.6	127	47.2
75 - 79	111	66.1	108	61.2	96	52.0
80 - 84	78	85.9	86	87.5	91	85.4
85+	58	95.0	56	87.1	72	105.5

Remark: 1. Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Cervix Uteri Cancer by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
932	8.4	926	8.3	874	7.8
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
2	0.2	-	-	-	-
4	0.4	4	0.4	3	0.3
10	1.1	12	1.3	7	0.8
35	3.7	22	2.4	22	2.4
48	5.1	52	5.5	45	4.7
89	10.4	101	11.5	86	9.6
94	13.4	95	12.7	93	11.8
58	13.6	60	13.2	76	15.0
87	21.0	93	22.3	76	18.6
117	33.6	81	22.6	84	22.7
99	35.8	101	35.5	106	36.1
110	56.7	111	54.2	105	48.8
95	83.7	117	97.0	99	77.2
84	115.5	77	99.9	72	87.5



Table 31 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	792	7.0	833	7.4	710	6.2
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	1	0.1	1	0.1	1	0.1
25 - 29	4	0.4	1	0.1	2	0.2
30 - 34	8	0.9	15	1.6	4	0.4
35 - 39	25	2.7	19	2.1	20	2.2
40 - 44	50	5.2	47	5.0	45	4.8
45 - 49	59	6.5	73	7.9	65	6.9
50 - 54	90	11.0	90	10.8	92	10.8
55 - 59	77	13.4	83	12.9	76	10.9
60 - 64	46	11.6	56	14.1	40	9.6
65 - 69	93	24.4	89	22.8	56	14.1
70 - 74	91	30.1	83	26.7	92	28.6
75 - 79	94	41.8	107	45.8	73	30.3
80 - 84	83	60.9	85	59.0	78	51.1
85+	71	79.1	84	85.7	66	62.8

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.



Rates for Cervix Uteri Cancer by Age Group (Cont'd)

-2010		Unit:Person,0/0000	
2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
657	5.7	704	6.1
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
1	0.1	-	-
1	0.1	3	0.3
6	0.6	14	1.4
17	1.9	16	1.8
31	3.3	40	4.3
58	6.1	62	6.5
71	8.1	83	9.3
77	10.4	78	10.0
56	12.5	54	10.9
52	13.0	59	15.0
69	20.8	74	21.5
83	33.3	75	29.1
69	42.6	75	43.8
66	58.7	71	58.6

Table 32 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	542	2.8	660	3.2	770	3.6
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	-	-	-	-	-	-
25 - 29	2	0.1	-	-	-	-
30 - 34	4	0.2	2	0.1	2	0.1
35 - 39	3	0.2	9	0.5	19	1.0
40 - 44	8	0.9	22	1.8	25	1.5
45 - 49	20	2.3	20	2.3	62	5.2
50 - 54	23	2.9	67	7.8	50	6.0
55 - 59	78	10.0	69	9.1	92	11.2
60 - 64	103	16.8	111	15.2	99	13.9
65 - 69	97	23.0	114	20.4	114	17.1
70 - 74	91	30.6	109	30.2	115	23.9
75 - 79	72	42.9	88	38.8	103	36.5
80 - 84	28	35.9	30	28.0	59	38.2
85+	13	36.7	19	37.4	30	39.0

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Oesophagus Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
857	4.0	854	3.9	864	3.9
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	0.1	-	-	-	-
-	-	-	-	1	0.1
1	0.1	2	0.1	3	0.2
18	0.9	18	0.9	15	0.8
43	2.5	55	3.1	48	2.7
75	5.6	51	3.5	61	4.0
67	8.0	56	6.4	65	7.0
91	10.9	96	11.4	100	11.7
106	14.8	108	14.9	119	16.1
118	17.6	135	20.1	129	19.4
148	29.5	126	23.8	134	24.2
92	30.3	91	28.1	90	26.2
60	37.9	80	48.8	51	29.7
37	43.5	36	38.2	48	46.9



Table 32 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	890	4.0	999	4.5	1,090	4.9
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	1	0.1	-	-	-	-
25 - 29	2	0.1	-	-	-	-
30 - 34	1	0.1	3	0.2	4	0.2
35 - 39	27	1.4	10	0.5	22	1.1
40 - 44	60	3.3	51	2.8	70	3.7
45 - 49	68	4.2	113	6.8	121	7.1
50 - 54	92	8.9	102	8.7	142	10.9
55 - 59	100	12.0	105	13.0	107	13.2
60 - 64	118	15.6	120	15.4	130	16.4
65 - 69	113	17.1	140	21.3	131	19.8
70 - 74	131	22.8	130	22.1	132	22.3
75 - 79	99	27.0	112	28.8	110	26.9
80 - 84	40	22.0	73	36.8	73	33.8
85+	38	34.7	40	34.4	48	38.7

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Oesophagus Cancer by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,086	4.8	1,198	5.3	1,261	5.5
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
2	0.1	-	-	-	-
5	0.3	4	0.2	6	0.3
23	1.2	18	1.0	33	1.8
85	4.5	83	4.3	81	4.2
103	6.0	146	8.3	155	8.6
138	9.8	130	8.7	179	11.4
109	12.9	130	14.4	142	14.2
127	15.8	140	17.3	148	18.6
131	19.5	135	19.7	137	19.4
126	21.3	148	25.1	130	22.1
111	25.7	130	28.6	120	25.4
84	36.2	77	31.1	78	29.4
42	31.6	57	40.0	52	33.9



Table 32 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,304	5.7	1,438	6.3	1,433	6.2
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	1	0.1
20 - 24	-	-	-	-	-	-
25 - 29	-	-	-	-	-	-
30 - 34	5	0.3	-	-	5	0.3
35 - 39	30	1.6	45	2.4	27	1.5
40 - 44	106	5.5	96	5.0	101	5.4
45 - 49	154	8.5	176	9.5	186	9.9
50 - 54	196	12.0	203	12.2	212	12.5
55 - 59	176	15.4	196	15.4	229	16.6
60 - 64	138	17.8	160	20.6	151	18.6
65 - 69	125	17.2	143	19.2	141	18.7
70 - 74	137	23.4	139	23.5	118	19.6
75 - 79	119	24.5	126	25.5	119	24.0
80 - 84	61	21.4	86	28.4	85	26.5
85+	57	33.9	68	37.0	58	29.4

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Rates for Oesophagus Cancer by Age Group (Cont'd)

-2010		Unit: Person, 0/0000	
2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,489	6.5	1,563	6.8
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	1	0.1
1	0.1	3	0.1
26	1.4	34	1.9
109	5.8	106	5.7
175	9.2	206	10.8
242	13.9	225	12.7
246	16.8	261	17.0
152	17.4	156	16.1
156	20.4	152	20.3
141	22.8	124	19.4
90	18.2	115	23.2
91	26.7	98	27.5
60	28.2	82	35.5



Table 33 No. of Deaths and Crude

1986

Age Group	1986		1991		1996	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	349	1.8	502	2.5	785	3.7
0	-	-	-	-	-	-
1 - 4	-	-	1	0.1	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	-	-	-	-	-	-
25 - 29	1	0.1	1	0.1	2	0.1
30 - 34	5	0.3	3	0.2	3	0.2
35 - 39	7	0.6	11	0.6	7	0.4
40 - 44	6	0.7	14	1.1	21	1.2
45 - 49	17	1.9	24	2.7	24	2.0
50 - 54	27	3.4	41	4.8	41	4.9
55 - 59	56	7.2	53	7.0	66	8.1
60 - 64	72	11.7	79	10.8	96	13.5
65 - 69	53	12.6	93	16.7	166	24.9
70 - 74	55	18.5	75	20.8	151	31.4
75 - 79	25	14.9	71	31.3	105	37.2
80 - 84	17	21.8	27	25.2	76	49.2
85+	8	22.6	9	17.7	27	35.1

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Pancreas Cancer by Age Group

-2010

Unit: Person, 0/0000

1997		1998		1999	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
829	3.8	888	4.1	873	4.0
-	-	-	-	-	-
-	-	-	-	-	-
1	0.1	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	1	0.1
-	-	4	0.2	-	-
4	0.2	5	0.3	8	0.4
9	0.5	13	0.7	12	0.6
25	1.5	26	1.5	23	1.3
31	2.3	35	2.4	40	2.6
36	4.3	41	4.7	43	4.6
78	9.4	77	9.1	72	8.5
96	13.4	99	13.7	103	13.9
149	22.2	159	23.7	147	22.1
156	31.1	153	28.9	159	28.7
120	39.5	150	46.3	139	40.4
76	48.0	78	47.6	76	44.3
48	56.4	48	50.9	50	48.9



Table 33 No. of Deaths and Crude

1986

Age Group	2000		2001		2002	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	974	4.4	992	4.4	1,069	4.8
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	1	0.1	-	-
20 - 24	-	-	1	0.1	-	-
25 - 29	-	-	-	-	-	-
30 - 34	6	0.3	3	0.2	6	0.3
35 - 39	14	0.7	6	0.3	17	0.9
40 - 44	16	0.9	25	1.4	25	1.3
45 - 49	50	3.1	29	1.7	59	3.5
50 - 54	60	5.8	63	5.4	65	5.0
55 - 59	73	8.7	64	7.9	71	8.8
60 - 64	110	14.5	103	13.2	118	14.9
65 - 69	161	24.3	127	19.3	154	23.3
70 - 74	172	30.0	200	34.1	182	30.7
75 - 79	144	39.3	191	49.2	177	43.3
80 - 84	108	59.3	115	58.0	131	60.6
85+	60	54.8	64	55.1	64	51.6

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.

2. ✖Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Pancreas Cancer by Age Group (Cont.1)

-2010

Unit:Person,0/0000

2003		2004		2005	
No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,114	4.9	1,151	5.1	1,174	5.2
-	-	-	-	-	-
1	0.1	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
2	0.1	1	0.1	1	0.1
1	0.1	-	-	1	0.1
5	0.3	5	0.3	3	0.2
18	0.9	10	0.5	18	1.0
34	1.8	34	1.8	36	1.9
51	3.0	50	2.8	53	3.0
70	5.0	64	4.3	61	3.9
82	9.7	90	9.9	112	11.2
131	16.3	119	14.7	108	13.6
136	20.3	156	22.7	136	19.3
192	32.4	213	36.2	204	34.7
197	45.7	210	46.2	222	47.0
116	50.0	122	49.3	119	44.8
78	58.6	77	54.1	100	65.3



Table 33 No. of Deaths and Crude

1986

Age Group	2006		2007		2008※	
	No. of Deaths	Death Rate	No. of Deaths	Death Rate	No. of Deaths	Death Rate
Total	1,247	5.5	1,354	5.9	1,364	5.9
0	-	-	-	-	-	-
1 - 4	-	-	-	-	-	-
5 - 9	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-
15 - 19	-	-	-	-	-	-
20 - 24	-	-	3	0.2	-	-
25 - 29	1	0.0	2	0.1	5	0.2
30 - 34	6	0.3	6	0.3	4	0.2
35 - 39	12	0.6	15	0.8	9	0.5
40 - 44	36	1.9	33	1.7	34	1.8
45 - 49	46	2.5	56	3.0	50	2.7
50 - 54	81	5.0	105	6.3	75	4.4
55 - 59	113	9.9	120	9.4	140	10.2
60 - 64	110	14.2	110	14.1	130	16.0
65 - 69	171	23.5	163	21.9	183	24.2
70 - 74	188	32.1	193	32.6	203	33.6
75 - 79	220	45.3	241	48.8	199	40.2
80 - 84	158	55.5	190	62.8	190	59.2
85+	105	62.4	117	63.6	142	71.9

Remark: 1.Beginning 1994, includes Kinmen County and Lienkiang County.


2. ※Starting from 2008, R.O.C. adopt ICD-10 CODE.

Death Rates for Pancreas Cancer by Age Group (Cont'd)

-2010 Unit: Person, 0/0000

2009※		2010※	
No. of Deaths	Death Rate	No. of Deaths	Death Rate
1,480	6.4	1,470	6.4
-	-	-	-
1	0.1	-	-
-	-	-	-
-	-	-	-
1	0.1	-	-
1	0.1	-	-
-	-	4	0.2
5	0.3	5	0.2
12	0.7	12	0.7
27	1.4	30	1.6
50	2.6	57	3.0
84	4.8	88	5.0
148	10.1	138	9.0
147	16.9	136	14.0
179	23.5	186	24.8
218	35.2	208	32.6
250	50.5	238	47.9
201	59.1	199	55.8
156	73.4	169	73.2





(II) The Statistics of Causes of Death by the Current Year



Table34 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	144,709	41,046	15,675	10,134	8,909
0	705	3	17	4	5
1-4	203	29	6	3	11
5-9	157	40	5	4	2
10-14	214	38	15	4	5
15-19	602	68	21	5	5
20-24	734	72	21	9	12
25-29	1,275	164	71	14	19
30-34	1,905	343	113	39	29
35-39	2,588	665	174	90	40
40-44	4,277	1,391	328	187	72
45-49	6,256	2,399	507	307	107
50-54	7,950	3,249	694	451	158
55-59	9,894	4,190	856	591	211
60-64	8,885	3,751	817	584	259
65-69	10,727	4,219	1,069	666	407
70-74	14,776	4,951	1,609	1,174	726
75-79	19,733	5,668	2,281	1,655	1,269
80-84	23,785	5,441	2,999	2,001	2,018
85-89	18,133	3,060	2,409	1,535	1,948
90+	11,910	1,305	1,663	811	1,606

Leading Causes of Death by Age Group and Gender

10

Unit:Person

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
8,211	6,669	5,197	4,912	4,174	4,105
-	37	1	1	-	3
-	47	2	-	-	2
-	35	-	1	1	2
1	68	2	-	-	-
1	339	1	-	-	3
1	352	2	1	-	3
7	374	5	31	3	2
19	334	5	123	11	18
41	368	11	249	24	24
91	446	22	421	29	36
188	472	36	581	88	84
338	514	47	590	133	145
551	521	116	573	193	211
557	403	128	399	179	232
779	436	221	407	266	331
1,152	495	487	458	381	472
1,494	531	845	452	646	659
1,515	471	1,368	358	903	803
992	293	1,180	188	721	653
484	133	718	79	596	422



Table34 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	88,374	26,022	9,389	5,963	5,565
0	403	1	10	1	3
1-4	109	11	2	2	4
5-9	97	25	2	2	1
10-14	126	22	7	3	4
15-19	431	47	17	3	3
20-24	534	43	18	5	7
25-29	890	91	50	10	14
30-34	1,355	197	87	27	19
35-39	1,926	423	138	73	35
40-44	3,165	904	271	144	54
45-49	4,558	1,531	414	224	80
50-54	5,678	2,095	570	341	126
55-59	6,846	2,716	650	422	167
60-64	5,917	2,426	608	410	189
65-69	6,910	2,742	712	440	290
70-74	8,759	3,011	994	692	483
75-79	11,679	3,631	1,334	952	831
80-84	14,167	3,542	1,661	1,154	1,303
85-89	9,656	1,878	1,179	736	1,187
90+	5,168	686	665	322	765

Leading Causes of Death by Age Group and Gender(Cont. 1)

10

Unit:Person

Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
4,835	4,062	3,823	3,508	2,639	2,128
23	-	-	1	-	-
26	-	2	-	-	-
32	-	-	-	-	-
47	-	1	-	4	-
257	-	1	-	29	-
275	1	2	1	94	-
296	6	2	28	183	3
275	12	1	111	265	8
291	36	9	228	212	19
367	71	18	376	288	18
396	135	29	532	281	69
399	240	32	515	282	96
372	362	85	464	255	134
276	349	92	283	170	131
299	401	168	246	168	177
314	538	378	238	126	196
330	660	676	218	114	316
322	705	1,047	166	101	450
173	395	826	75	47	308
65	151	454	26	20	203



Table34 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death -Female	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
Total	56,335	15,024	6,286	4,171	4,149
0	302	2	7	3	-
1-4	94	18	4	1	-
5-9	60	15	3	2	-
10-14	88	16	8	1	1
15-19	171	21	4	2	1
20-24	200	29	3	4	-
25-29	385	73	21	4	1
30-34	550	146	26	12	7
35-39	662	242	36	17	5
40-44	1,112	487	57	43	20
45-49	1,698	868	93	83	53
50-54	2,272	1,154	124	110	98
55-59	3,048	1,474	206	169	189
60-64	2,968	1,325	209	174	208
65-69	3,817	1,477	357	226	378
70-74	6,017	1,940	615	482	614
75-79	8,054	2,037	947	703	834
80-84	9,618	1,899	1,338	847	810
85-89	8,477	1,182	1,230	799	597
90+	6,742	619	998	489	333

Leading Causes of Death by Age Group and Gender(Cont. 2)

10

Unit:Person

Pneumonia	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
3,344	2,046	2,017	1,834	1,749	1,404
2	-	1	14	3	-
7	-	-	21	4	-
1	1	1	3	2	1
1	-	-	21	2	-
2	-	-	82	-	-
5	-	2	77	3	-
5	-	-	78	3	3
10	3	12	59	5	12
5	5	6	77	7	21
18	11	11	79	15	45
27	19	35	76	34	49
32	37	53	115	41	75
44	59	80	149	58	109
70	48	109	127	78	116
117	89	134	137	107	161
243	185	237	181	174	220
438	330	332	201	279	234
715	453	404	149	346	192
761	413	350	120	337	113
841	393	250	68	251	53



Table34 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	625.3	177.4	67.7	43.8	38.5
0	414.8	1.8	10.0	2.4	2.9
1-4	25.0	3.6	0.7	0.4	1.4
5-9	13.0	3.3	0.4	0.3	0.2
10-14	14.2	2.5	1.0	0.3	0.3
15-19	37.3	4.2	1.3	0.3	0.3
20-24	46.2	4.5	1.3	0.6	0.8
25-29	66.4	8.5	3.7	0.7	1.0
30-34	95.0	17.1	5.6	1.9	1.4
35-39	143.9	37.0	9.7	5.0	2.2
40-44	229.3	74.6	17.6	10.0	3.9
45-49	328.4	125.9	26.6	16.1	5.6
50-54	449.6	183.8	39.3	25.5	8.9
55-59	644.5	272.9	55.8	38.5	13.7
60-64	916.9	387.1	84.3	60.3	26.7
65-69	1,429.4	562.2	142.4	88.7	54.2
70-74	2,315.3	775.8	252.1	184.0	113.8
75-79	3,973.5	1,141.3	459.3	333.3	255.5
80-84	6,667.0	1,525.1	840.6	560.9	565.7
85-89	10,913.6	1,841.7	1,449.9	923.9	1,172.4
90+	18,442.2	2,020.7	2,575.1	1,255.8	2,486.8

Leading Causes of Death by Age Group and Gender(Cont. 3)

10

Unit:0/0000

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
35.5	28.8	22.5	21.2	18.0	17.7
-	21.8	0.6	0.6	-	1.8
-	5.8	0.2	-	-	0.2
-	2.9	-	0.1	0.1	0.2
0.1	4.5	0.1	-	-	-
0.1	21.0	0.1	-	-	0.2
0.1	22.2	0.1	0.1	-	0.2
0.4	19.5	0.3	1.6	0.2	0.1
0.9	16.7	0.2	6.1	0.5	0.9
2.3	20.5	0.6	13.8	1.3	1.3
4.9	23.9	1.2	22.6	1.6	1.9
9.9	24.8	1.9	30.5	4.6	4.4
19.1	29.1	2.7	33.4	7.5	8.2
35.9	33.9	7.6	37.3	12.6	13.7
57.5	41.6	13.2	41.2	18.5	23.9
103.8	58.1	29.4	54.2	35.4	44.1
180.5	77.6	76.3	71.8	59.7	74.0
300.8	106.9	170.2	91.0	130.1	132.7
424.7	132.0	383.5	100.3	253.1	225.1
597.0	176.3	710.2	113.2	433.9	393.0
749.5	205.9	1,111.8	122.3	922.9	653.5



Table34 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	759.5	223.6	80.7	51.2	47.8
0	455.1	1.1	11.3	1.1	3.4
1-4	25.7	2.6	0.5	0.5	0.9
5-9	15.4	4.0	0.3	0.3	0.2
10-14	16.0	2.8	0.9	0.4	0.5
15-19	51.3	5.6	2.0	0.4	0.4
20-24	65.1	5.2	2.2	0.6	0.9
25-29	91.8	9.4	5.2	1.0	1.4
30-34	135.3	19.7	8.7	2.7	1.9
35-39	215.4	47.3	15.4	8.2	3.9
40-44	338.6	96.7	29.0	15.4	5.8
45-49	478.0	160.6	43.4	23.5	8.4
50-54	646.8	238.6	64.9	38.8	14.4
55-59	906.0	359.4	86.0	55.8	22.1
60-64	1,252.8	513.6	128.7	86.8	40.0
65-69	1,930.1	765.9	198.9	122.9	81.0
70-74	2,979.0	1,024.1	338.1	235.4	164.3
75-79	4,895.1	1,521.9	559.1	399.0	348.3
80-84	7,632.2	1,908.2	894.8	621.7	702.0
85-89	11,924.5	2,319.2	1,456.0	908.9	1,465.9
90+	18,066.8	2,398.2	2,324.8	1,125.7	2,674.4

Leading Causes of Death by Age Group and Gender(Cont. 4)

10 Unit:Person

Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
41.6	34.9	32.9	30.1	22.7	18.3
26.0	-	-	1.1	-	-
6.1	-	0.5	-	-	-
5.1	-	-	-	-	-
6.0	-	0.1	-	0.5	-
30.6	-	0.1	-	3.5	-
33.5	0.1	0.2	0.1	11.5	-
30.5	0.6	0.2	2.9	18.9	0.3
27.5	1.2	0.1	11.1	26.5	0.8
32.5	4.0	1.0	25.5	23.7	2.1
39.3	7.6	1.9	40.2	30.8	1.9
41.5	14.2	3.0	55.8	29.5	7.2
45.5	27.3	3.6	58.7	32.1	10.9
49.2	47.9	11.2	61.4	33.7	17.7
58.4	73.9	19.5	59.9	36.0	27.7
83.5	112.0	46.9	68.7	46.9	49.4
106.8	183.0	128.6	80.9	42.9	66.7
138.3	276.6	283.3	91.4	47.8	132.4
173.5	379.8	564.1	89.4	54.4	242.4
213.6	487.8	1,020.1	92.6	58.0	380.4
227.2	527.9	1,587.1	90.9	69.9	709.7



Table34 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death -Female	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
Total	489.7	130.6	54.6	36.3	36.1
0	371.1	2.5	8.6	3.7	-
1-4	24.2	4.6	1.0	0.3	-
5-9	10.4	2.6	0.5	0.3	-
10-14	12.2	2.2	1.1	0.1	0.1
15-19	22.1	2.7	0.5	0.3	0.1
20-24	26.0	3.8	0.4	0.5	-
25-29	40.5	7.7	2.2	0.4	0.1
30-34	54.8	14.5	2.6	1.2	0.7
35-39	73.2	26.8	4.0	1.9	0.6
40-44	119.5	52.3	6.1	4.6	2.1
45-49	178.4	91.2	9.8	8.7	5.6
50-54	255.2	129.6	13.9	12.4	11.0
55-59	391.0	189.1	26.4	21.7	24.2
60-64	597.5	266.8	42.1	35.0	41.9
65-69	972.6	376.3	91.0	57.6	96.3
70-74	1,748.2	563.7	178.7	140.0	178.4
75-79	3,121.3	789.4	367.0	272.4	323.2
80-84	5,620.1	1,109.6	781.8	494.9	473.3
85-89	9,952.5	1,387.7	1,444.1	938.1	700.9
90+	18,740.8	1,720.6	2,774.1	1,359.3	925.6

Leading Causes of Death by Age Group and Gender(Cont'd)

10

Unit:0/0000

Pneumonia	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
29.1	17.8	17.5	15.9	15.2	12.2
2.5	-	1.2	17.2	3.7	-
1.8	-	-	5.4	1.0	-
0.2	0.2	0.2	0.5	0.3	0.2
0.1	-	-	2.9	0.3	-
0.3	-	-	10.6	-	-
0.7	-	0.3	10.0	0.4	-
0.5	-	-	8.2	0.3	0.3
1.0	0.3	1.2	5.9	0.5	1.2
0.6	0.6	0.7	8.5	0.8	2.3
1.9	1.2	1.2	8.5	1.6	4.8
2.8	2.0	3.7	8.0	3.6	5.1
3.6	4.2	6.0	12.9	4.6	8.4
5.6	7.6	10.3	19.1	7.4	14.0
14.1	9.7	21.9	25.6	15.7	23.4
29.8	22.7	34.1	34.9	27.3	41.0
70.6	53.8	68.9	52.6	50.6	63.9
169.7	127.9	128.7	77.9	108.1	90.7
417.8	264.7	236.1	87.1	202.2	112.2
893.5	484.9	410.9	140.9	395.7	132.7
2,337.7	1,092.4	694.9	189.0	697.7	147.3



Table 35 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	144,709	41,046	15,675	10,134	8,909
Infant 0 years-old	705	3	17	4	5
Early Youth 1-14 years-old	574	107	26	11	18
Youth 15-24 years-old	1,336	140	42	14	17
Prime Age 25-44 years-old	10,045	2,563	686	330	160
Middle Age 45-64 years-old	32,985	13,589	2,874	1,933	735
Old Age 65+	99,064	24,644	12,030	7,842	7,974
Young Old 65-74 years-old	25,503	9,170	2,678	1,840	1,133
Middle Old 75-84 years-old	43,518	11,109	5,280	3,656	3,287
Old Old 85-94 years-old	26,838	4,121	3,616	2,169	3,067
Oldest Old 95+	3,205	244	456	177	487

Leading Causes of Death by Age-Specific Group and Gender

10 Unit: Person

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
8,211	6,669	5,197	4,912	4,174	4,105
-	37	1	1	-	3
1	150	4	1	1	4
2	691	3	1	-	6
158	1,522	43	824	67	80
1,634	1,910	327	2,143	593	672
6,416	2,359	4,819	1,942	3,513	3,340
1,931	931	708	865	647	803
3,009	1,002	2,213	810	1,549	1,462
1,384	391	1,712	251	1,147	959
92	35	186	16	170	116



Table 35 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	88,374	26,022	9,389	5,963	5,565
Infant 0 years-old	403	1	10	1	3
Early Youth 1-14 years-old	332	58	11	7	9
Youth 15-24 years-old	965	90	35	8	10
Prime Age 25-44 years-old	7,336	1,615	546	254	122
Middle Age 45-64 years-old	22,999	8,768	2,242	1,397	562
Old Age 65+	56,339	15,490	6,545	4,296	4,859
Young Old 65-74 years-old	15,669	5,753	1,706	1,132	773
Middle Old 75-84 years-old	25,846	7,173	2,995	2,106	2,134
Old Old 85-94 years-old	13,621	2,454	1,690	989	1,742
Oldest Old 95+	1,203	110	154	69	210

Leading Causes of Death by Age-Specific Group and Gender(Cont.1)

10 Unit:Person

Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
4,835	4,062	3,823	3,508	2,639	2,128
23	-	-	1	-	-
105	-	3	-	4	-
532	1	3	1	123	-
1,229	125	30	743	948	48
1,443	1,086	238	1,794	988	430
1,503	2,850	3,549	969	576	1,650
613	939	546	484	294	373
652	1,365	1,723	384	215	766
227	518	1,181	95	63	462
11	28	99	6	4	49



Table 35 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death - Female	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
Total	56,335	15,024	6,286	4,171	4,149
Infant 0 years-old	302	2	7	3	-
Early Youth 1-14 years-old	242	49	15	4	1
Youth 15-24 years-old	371	50	7	6	1
Prime Age 25-44 years-old	2,709	948	140	76	33
Middle Age 45-64 years-old	9,986	4,821	632	536	548
Old Age 65+	42,725	9,154	5,485	3,546	3,566
Young Old 65-74 years-old	9,834	3,417	972	708	992
Middle Old 75-84 years-old	17,672	3,936	2,285	1,550	1,644
Old Old 85-94 years-old	13,217	1,667	1,926	1,180	866
Oldest Old 95+	2,002	134	302	108	64

Leading Causes of Death by Age-Specific Group and Gender(Cont. 2)

10 Unit: Person

Pneumonia	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
3,344	2,046	2,017	1,834	1,749	1,404
2	-	1	14	3	-
9	1	1	45	8	1
7	-	2	159	3	-
38	19	29	293	30	81
173	163	277	467	211	349
3,115	1,863	1,707	856	1,494	973
360	274	371	318	281	381
1,153	783	736	350	625	426
1,325	685	527	164	515	156
277	121	73	24	73	10



Table 35 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	625.3	177.4	67.7	43.8	38.5
Infant 0 years-old	414.9	1.8	10.0	2.4	2.9
Early Youth 1-14 years-old	16.3	3.0	0.7	0.3	0.5
Youth 15-24 years-old	41.7	4.4	1.3	0.4	0.5
Prime Age 25-44 years-old	132.4	33.8	9.0	4.3	2.1
Middle Age 45-64 years-old	534.0	220.0	46.5	31.3	11.9
Old Age 65+	4,006.2	996.6	486.5	317.1	322.5
Young Old 65-74 years-old	1,836.5	660.3	192.8	132.5	81.6
Middle Old 75-84 years-old	5,099.5	1,301.8	618.7	428.4	385.2
Old Old 85-94 years-old	12,366.0	1,898.8	1,666.1	999.4	1,413.2
Oldest Old 95+	23,395.0	1,781.1	3,328.6	1,292.0	3,554.9

Leading Causes of Death by Age-Specific Group and Gender(Cont. 3)

10

Unit:0/0000

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
35.5	28.8	22.5	21.2	18.0	17.7
-	21.8	0.6	0.6	-	1.8
-	4.2	0.1	-	-	0.1
0.1	21.6	0.1	-	-	0.2
2.1	20.1	0.6	10.9	0.9	1.1
26.5	30.9	5.3	34.7	9.6	10.9
259.5	95.4	194.9	78.5	142.1	135.1
139.1	67.0	51.0	62.3	46.6	57.8
352.6	117.4	259.3	94.9	181.5	171.3
637.7	180.2	788.8	115.7	528.5	441.9
671.6	255.5	1,357.7	116.8	1,240.9	846.7



Table 35 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	759.5	223.6	80.7	51.2	47.8
Infant 0 years-old	455.1	1.1	11.3	1.1	3.4
Early Youth 1-14 years-old	18.0	3.1	0.6	0.4	0.5
Youth 15-24 years-old	58.1	5.4	2.1	0.5	0.6
Prime Age 25-44 years-old	193.1	42.5	14.4	6.7	3.2
Middle Age 45-64 years-old	751.8	286.6	73.3	45.7	18.4
Old Age 65+	4,751.1	1,306.3	551.9	362.3	409.8
Young Old 65-74 years-old	2,403.1	882.3	261.6	173.6	118.6
Middle Old 75-84 years-old	6,092.8	1,690.9	706.0	496.5	503.1
Old Old 85-94 years-old	13,152.6	2,369.6	1,631.9	955.0	1,682.1
Oldest Old 95+	19,985.0	1,827.4	2,558.4	1,146.3	3,488.7

Leading Causes of Death by Age-Specific Group and Gender(Cont. 4)

10

Unit:Person

Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
41.6	34.9	32.9	30.1	22.7	18.3
26.0	-	-	1.1	-	-
5.7	-	0.2	-	0.2	-
32.0	0.1	0.2	0.1	7.4	-
32.3	3.3	0.8	19.6	24.9	1.3
47.2	35.5	7.8	58.6	32.3	14.1
126.7	240.3	299.3	81.7	48.6	139.1
94.0	144.0	83.7	74.2	45.1	57.2
153.7	321.8	406.2	90.5	50.7	180.6
219.2	500.2	1,140.4	91.7	60.8	446.1
182.7	465.2	1,644.7	99.7	66.5	814.0



Table 35 No. of Deaths and Crude Death Rates from

20

Age Group	All causes of death - Female	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
Total	489.7	130.6	54.6	36.3	36.1
Infant 0 years-old	371.1	2.5	8.6	3.7	-
Early Youth 1-14 years-old	14.3	2.9	0.9	0.2	0.1
Youth 15-24 years-old	24.1	3.2	0.5	0.4	0.1
Prime Age 25-44 years-old	71.5	25.0	3.7	2.0	0.9
Middle Age 45-64 years-old	320.3	154.6	20.3	17.2	17.6
Old Age 65+	3,319.9	711.3	426.2	275.5	277.1
Young Old 65-74 years-old	1,335.0	463.9	132.0	96.1	134.7
Middle Old 75-84 years-old	4,117.7	917.1	532.4	361.2	383.1
Old Old 85-94 years-old	11,648.1	1,469.1	1,697.4	1,039.9	763.2
Oldest Old 95+	26,067.7	1,744.8	3,932.3	1,406.2	833.3

Leading Causes of Death by Age-Specific Group and Gender(Cont'd)

10

Unit:0/0000

Pneumonia	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
29.1	17.8	17.5	15.9	15.2	12.2
2.5	-	1.2	17.2	3.7	-
0.5	0.1	0.1	2.7	0.5	0.1
0.5	-	0.1	10.3	0.2	-
1.0	0.5	0.8	7.7	0.8	2.1
5.5	5.2	8.9	15.0	6.8	11.2
242.0	144.8	132.6	66.5	116.1	75.6
48.9	37.2	50.4	43.2	38.1	51.7
268.7	182.4	171.5	81.6	145.6	99.3
1,167.7	603.7	464.4	144.5	453.9	137.5
3,606.8	1,575.5	950.5	312.5	950.5	130.2



Table 36 No. of Deaths from Leading

20

	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	144,709	41,046	15,675	10,134	8,909
New Taipei City	18,311	5,476	1,787	1,286	998
Taipei City	15,047	4,632	1,723	1,047	899
Taichung City	14,220	4,089	1,387	983	688
Tainan City	13,164	3,741	1,232	975	947
Kaohsiung City	17,883	5,118	1,679	1,083	1,326
Ilan County	3,328	973	456	263	195
Taoyuan County	10,135	2,643	1,209	857	486
Hsinchu County	3,385	752	426	287	160
Miaoli County	4,270	1,069	453	396	190
Changhua County	8,866	2,610	1,089	521	574
Nantou County	4,247	1,060	515	335	218
Yunlin County	6,228	1,872	721	401	446
Chiayi County	4,959	1,444	546	301	323
Pingtung County	7,374	1,891	791	490	627
Taitung County	2,268	566	296	132	162
Hualien County	3,101	750	350	227	203
Penghu County	848	249	84	46	60
Keelung City	2,639	734	327	190	174
Hsinchu City	2,167	648	319	160	99
Chiayi City	1,746	559	199	120	99
Kinmen County	475	154	75	33	34
Lienkiang County	48	16	11	1	1

Causes of Death by Locale and Gender

10

Unit:Person

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
8,211	6,669	5,197	4,912	4,174	4,105
1,152	699	559	566	562	497
769	359	465	318	422	474
863	727	557	510	395	462
800	617	480	390	376	384
979	777	577	617	451	503
164	202	119	97	68	101
543	504	402	335	403	267
217	196	126	118	113	74
305	256	183	162	134	107
454	438	341	303	271	225
252	214	178	177	181	137
352	329	226	269	140	169
272	260	189	197	134	144
414	385	351	355	174	225
104	175	85	121	58	44
184	212	117	137	130	59
56	34	27	13	22	17
139	98	73	83	54	85
83	77	52	63	31	57
92	81	75	63	45	65
15	26	14	18	9	9
2	3	1	-	1	-



Table 36 No. of Deaths from Leading

20

	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	88,374	26,022	9,389	5,963	5,565
New Taipei City	11,465	3,439	1,164	790	647
Taipei City	8,882	2,771	1,039	602	548
Taichung City	8,703	2,574	789	597	459
Tainan City	7,788	2,306	724	562	583
Kaohsiung City	11,072	3,196	1,043	661	851
Ilan County	2,029	644	259	155	112
Taoyuan County	6,565	1,767	818	514	337
Hsinchu County	2,072	455	271	175	105
Miaoli County	2,553	680	251	233	104
Changhua County	5,340	1,705	591	303	327
Nantou County	2,571	713	282	189	124
Yunlin County	3,735	1,265	389	215	248
Chiayi County	2,978	964	313	166	187
Pingtung County	4,481	1,198	461	274	401
Taitung County	1,423	372	174	74	111
Hualien County	1,977	514	216	141	135
Penghu County	512	165	48	26	38
Keelung City	1,595	464	204	110	102
Hsinchu City	1,314	387	206	90	62
Chiayi City	1,012	335	103	67	65
Kinmen County	279	97	40	18	18
Lienkiang County	28	11	4	1	1

of Death by Locale and Gender(Cont.1)

10

Unit:Person

Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
4,835	4,062	3,823	3,508	2,639	2,128
516	601	437	419	441	307
258	384	335	198	212	231
520	397	439	363	255	207
426	416	336	240	224	187
566	517	407	449	341	234
135	93	80	72	63	34
364	277	311	238	194	233
142	97	98	91	67	62
180	143	135	119	82	72
329	222	249	220	135	120
159	111	142	133	70	83
257	157	159	195	85	51
191	123	138	142	102	51
288	203	242	279	135	83
125	47	66	95	35	20
151	98	87	100	50	68
23	28	16	10	9	12
73	54	48	61	69	28
53	46	39	34	39	17
58	40	48	34	24	26
18	7	11	16	7	2
3	1	-	-	-	-



Table 36 No. of Deaths from Leading

20

	All causes of death - Female	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
Total	56,335	15,024	6,286	4,171	4,149
New Taipei City	6,846	2,037	623	496	551
Taipei City	6,165	1,861	684	445	385
Taichung City	5,517	1,515	598	386	466
Tainan City	5,376	1,435	508	413	384
Kaohsiung City	6,811	1,922	636	422	462
Ilan County	1,299	329	197	108	71
Taoyuan County	3,570	876	391	343	266
Hsinchu County	1,313	297	155	112	120
Miaoli County	1,717	389	202	163	162
Changhua County	3,526	905	498	218	232
Nantou County	1,676	347	233	146	141
Yunlin County	2,493	607	332	186	195
Chiayi County	1,981	480	233	135	149
Pingtung County	2,893	693	330	216	211
Taitung County	845	194	122	58	57
Hualien County	1,124	236	134	86	86
Penghu County	336	84	36	20	28
Keelung City	1,044	270	123	80	85
Hsinchu City	853	261	113	70	37
Chiayi City	734	224	96	53	52
Kinmen County	196	57	35	15	8
Lienkiang County	20	5	7	-	1

Causes of Death by Locale and Gender(Cont'd)

10

Unit:Person

Pneumonia	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
3,344	2,046	2,017	1,834	1,749	1,404
351	255	240	183	210	147
351	191	240	101	219	120
229	188	230	207	164	147
364	189	192	191	156	150
475	217	248	211	191	168
83	34	56	67	30	25
149	170	123	140	90	97
55	51	30	54	35	27
86	62	57	76	66	43
247	151	116	109	126	83
94	98	67	55	58	44
198	89	83	72	69	74
136	83	75	69	86	55
226	91	102	97	95	76
51	38	21	50	23	26
68	62	23	61	40	37
22	10	4	11	9	3
72	26	50	25	28	22
37	14	29	24	21	29
34	19	28	23	27	29
16	7	3	8	6	2
-	1	-	-	-	-



Table 37 Crude Death Rates from Leading

20

	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	625.3	177.4	67.7	43.8	38.5
New Taipei City	471.3	140.9	46.0	33.1	25.7
Taipei City	575.8	177.3	65.9	40.1	34.4
Taichung City	538.2	154.8	52.5	37.2	26.0
Tainan City	702.2	199.6	65.7	52.0	50.5
Kaohsiung City	645.1	184.6	60.6	39.1	47.8
Ilan County	721.8	211.0	98.9	57.0	42.3
Taoyuan County	509.2	132.8	60.7	43.1	24.4
Hsinchu County	661.2	146.9	83.2	56.1	31.3
Miaoli County	760.7	190.4	80.7	70.5	33.8
Changhua County	676.9	199.3	83.1	39.8	43.8
Nantou County	803.4	200.5	97.4	63.4	41.2
Yunlin County	864.7	259.9	100.1	55.7	61.9
Chiayi County	909.1	264.7	100.1	55.2	59.2
Pingtung County	839.8	215.4	90.1	55.8	71.4
Taitung County	979.3	244.4	127.8	57.0	70.0
Hualien County	912.4	220.7	103.0	66.8	59.7
Penghu County	878.2	257.9	87.0	47.6	62.1
Keelung City	683.3	190.0	84.7	49.2	45.1
Hsinchu City	524.1	156.7	77.2	38.7	23.9
Chiayi City	639.3	204.7	72.9	43.9	36.2
Kinmen County	496.9	161.1	78.5	34.5	35.6
Lienkiang County	483.3	161.1	110.8	10.1	10.1

Causes of Death by Locale and Gender

10

Unit:0/0000

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
35.5	28.8	22.5	21.2	18.0	17.7
29.6	18.0	14.4	14.6	14.5	12.8
29.4	13.7	17.8	12.2	16.1	18.1
32.7	27.5	21.1	19.3	15.0	17.5
42.7	32.9	25.6	20.8	20.1	20.5
35.3	28.0	20.8	22.3	16.3	18.1
35.6	43.8	25.8	21.0	14.7	21.9
27.3	25.3	20.2	16.8	20.2	13.4
42.4	38.3	24.6	23.0	22.1	14.5
54.3	45.6	32.6	28.9	23.9	19.1
34.7	33.4	26.0	23.1	20.7	17.2
47.7	40.5	33.7	33.5	34.2	25.9
48.9	45.7	31.4	37.3	19.4	23.5
49.9	47.7	34.6	36.1	24.6	26.4
47.1	43.8	40.0	40.4	19.8	25.6
44.9	75.6	36.7	52.2	25.0	19.0
54.1	62.4	34.4	40.3	38.2	17.4
58.0	35.2	28.0	13.5	22.8	17.6
36.0	25.4	18.9	21.5	14.0	22.0
20.1	18.6	12.6	15.2	7.5	13.8
33.7	29.7	27.5	23.1	16.5	23.8
15.7	27.2	14.6	18.8	9.4	9.4
20.1	30.2	10.1	-	10.1	-



Table 37 Crude Death Rates from Leading

20

	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	759.5	223.6	80.7	51.2	47.8
New Taipei City	593.5	178.0	60.3	40.9	33.5
Taipei City	704.1	219.7	82.4	47.7	43.4
Taichung City	660.7	195.4	59.9	45.3	34.8
Tainan City	824.1	244.0	76.6	59.5	61.7
Kaohsiung City	795.4	229.6	74.9	47.5	61.1
Ilan County	862.7	273.8	110.1	65.9	47.6
Taoyuan County	653.8	176.0	81.5	51.2	33.6
Hsinchu County	785.8	172.6	102.8	66.4	39.8
Miaoli County	875.2	233.1	86.0	79.9	35.7
Changhua County	793.8	253.5	87.9	45.0	48.6
Nantou County	944.1	261.8	103.6	69.4	45.5
Yunlin County	992.5	336.1	103.4	57.1	65.9
Chiayi County	1,046.2	338.7	110.0	58.3	65.7
Pingtung County	991.7	265.1	102.0	60.6	88.7
Taitung County	1,172.9	306.6	143.4	61.0	91.5
Hualien County	1,127.3	293.1	123.2	80.4	77.0
Penghu County	1,031.6	332.4	96.7	52.4	76.6
Keelung City	819.0	238.3	104.7	56.5	52.4
Hsinchu City	639.6	188.4	100.3	43.8	30.2
Chiayi City	752.4	249.1	76.6	49.8	48.3
Kinmen County	567.4	197.3	81.3	36.6	36.6
Lienkiang County	487.3	191.4	69.6	17.4	17.4

Causes of Death by Locale and Gender(Cont.1)

10

Unit:0/0000

Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
41.6	34.9	32.9	30.1	22.7	18.3
26.7	31.1	22.6	21.7	22.8	15.9
20.5	30.4	26.6	15.7	16.8	18.3
39.5	30.1	33.3	27.6	19.4	15.7
45.1	44.0	35.6	25.4	23.7	19.8
40.7	37.1	29.2	32.3	24.5	16.8
57.4	39.5	34.0	30.6	26.8	14.5
36.2	27.6	31.0	23.7	19.3	23.2
53.9	36.8	37.2	34.5	25.4	23.5
61.7	49.0	46.3	40.8	28.1	24.7
48.9	33.0	37.0	32.7	20.1	17.8
58.4	40.8	52.1	48.8	25.7	30.5
68.3	41.7	42.3	51.8	22.6	13.6
67.1	43.2	48.5	49.9	35.8	17.9
63.7	44.9	53.6	61.7	29.9	18.4
103.0	38.7	54.4	78.3	28.8	16.5
86.1	55.9	49.6	57.0	28.5	38.8
46.3	56.4	32.2	20.1	18.1	24.2
37.5	27.7	24.6	31.3	35.4	14.4
25.8	22.4	19.0	16.5	19.0	8.3
43.1	29.7	35.7	25.3	17.8	19.3
36.6	14.2	22.4	32.5	14.2	4.1
52.2	17.4	-	-	-	-



Table 37 Crude Death Rates from Leading

20

	All causes of death - Female	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
Total	489.7	130.6	54.6	36.3	36.1
New Taipei City	350.4	104.3	31.9	25.4	28.2
Taipei City	456.1	137.7	50.6	32.9	28.5
Taichung City	416.4	114.3	45.1	29.1	35.2
Tainan City	578.4	154.4	54.7	44.4	41.3
Kaohsiung City	493.5	139.3	46.1	30.6	33.5
Ilan County	575.1	145.7	87.2	47.8	31.4
Taoyuan County	362.0	88.8	39.6	34.8	27.0
Hsinchu County	528.9	119.6	62.4	45.1	48.3
Miaoli County	636.7	144.3	74.9	60.4	60.1
Changhua County	553.4	142.0	78.2	34.2	36.4
Nantou County	653.8	135.4	90.9	57.0	55.0
Yunlin County	724.9	176.5	96.5	54.1	56.7
Chiayi County	759.5	184.0	89.3	51.8	57.1
Pingtung County	678.7	162.6	77.4	50.7	49.5
Taitung County	766.4	175.9	110.6	52.6	51.7
Hualien County	683.2	143.5	81.5	52.3	52.3
Penghu County	716.0	179.0	76.7	42.6	59.7
Keelung City	545.2	141.0	64.2	41.8	44.4
Hsinchu City	410.0	125.5	54.3	33.6	17.8
Chiayi City	529.5	161.6	69.3	38.2	37.5
Kinmen County	422.3	122.8	75.4	32.3	17.2
Lienkiang County	477.9	119.5	167.3	-	23.9

Causes of Death by Locale and Gender(Cont'd)

10

Unit:0/0000

Pneumonia	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
29.1	17.8	17.5	15.9	15.2	12.2
18.0	13.1	12.3	9.4	10.7	7.5
26.0	14.1	17.8	7.5	16.2	8.9
17.3	14.2	17.4	15.6	12.4	11.1
39.2	20.3	20.7	20.5	16.8	16.1
34.4	15.7	18.0	15.3	13.8	12.2
36.7	15.1	24.8	29.7	13.3	11.1
15.1	17.2	12.5	14.2	9.1	9.8
22.2	20.5	12.1	21.8	14.1	10.9
31.9	23.0	21.1	28.2	24.5	15.9
38.8	23.7	18.2	17.1	19.8	13.0
36.7	38.2	26.1	21.5	22.6	17.2
57.6	25.9	24.1	20.9	20.1	21.5
52.1	31.8	28.8	26.5	33.0	21.1
53.0	21.4	23.9	22.8	22.3	17.8
46.3	34.5	19.0	45.3	20.9	23.6
41.3	37.7	14.0	37.1	24.3	22.5
46.9	21.3	8.5	23.4	19.2	6.4
37.6	13.6	26.1	13.1	14.6	11.5
17.8	6.7	13.9	11.5	10.1	13.9
24.5	13.7	20.2	16.6	19.5	20.9
34.5	15.1	6.5	17.2	12.9	4.3
-	23.9	-	-	-	-



Table 38 Standardize Death Rates from

20

	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	455.6	131.6	47.4	30.6	25.6
New Taipei City	413.3	122.3	39.8	28.8	22.3
Taipei City	338.8	110.1	36.7	21.9	16.9
Taichung City	466.4	134.3	44.4	31.9	21.8
Tainan City	484.3	140.8	43.7	34.5	31.5
Kaohsiung City	496.2	140.7	45.5	29.3	35.4
Ilan County	467.8	138.3	60.1	34.0	24.1
Taoyuan County	440.0	116.3	51.5	36.4	19.8
Hsinchu County	488.3	112.1	59.3	39.0	20.1
Miaoli County	479.8	123.5	46.9	41.4	17.6
Changhua County	463.7	141.4	54.3	25.9	27.1
Nantou County	508.1	130.4	57.5	36.9	23.9
Yunlin County	516.7	161.2	56.2	31.1	32.1
Chiayi County	511.1	154.2	53.8	27.9	27.8
Pingtung County	571.5	146.4	58.5	36.3	44.3
Taitung County	647.3	164.0	77.5	34.3	39.4
Hualien County	601.8	148.6	63.2	41.8	34.6
Penghu County	485.9	155.6	44.8	23.8	29.7
Keelung City	484.1	137.8	57.5	32.9	28.5
Hsinchu City	406.1	127.5	59.9	28.8	16.6
Chiayi City	468.6	154.0	51.3	31.3	23.9
Kinmen County	316.3	107.0	47.2	20.1	19.8
Lienkiang County	317.6	122.2	56.8	7.7	4.2

Leading Causes of Death by Locale and Gender

10

Unit:0/0000

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
25.3	24.4	14.8	16.1	12.2	12.4
26.7	16.0	12.6	12.1	12.6	11.3
16.8	10.7	8.9	7.9	8.5	10.1
28.1	25.1	17.7	16.5	12.5	15.0
29.0	26.8	15.8	14.8	13.0	13.7
26.5	23.9	15.4	17.0	12.0	13.7
21.1	34.1	14.2	15.4	8.5	13.9
23.9	23.6	16.4	14.7	16.7	11.3
29.2	35.1	15.1	18.8	14.6	10.1
32.6	37.6	16.8	21.3	13.5	10.4
22.7	28.3	15.5	17.5	12.9	11.1
28.5	31.9	18.4	24.9	19.2	15.6
26.9	36.4	15.8	25.3	9.9	12.7
26.9	36.5	16.4	23.0	11.9	13.2
31.1	36.4	24.4	29.7	12.5	16.2
28.5	61.2	19.9	39.1	15.0	12.1
35.1	48.9	18.8	31.3	22.2	10.5
28.8	29.5	12.9	10.3	10.9	10.0
24.0	20.6	12.0	15.6	9.9	15.1
15.7	17.1	8.3	12.8	5.1	9.6
23.6	23.7	17.9	17.4	11.7	16.3
9.8	21.1	7.7	13.4	4.8	5.4
16.1	27.5	4.2	-	4.2	-



Table 38 Standardize Death Rates from

20

	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	576.2	171.3	59.6	37.6	33.3
New Taipei City	524.4	158.1	52.3	35.9	28.8
Taipei City	421.3	137.3	47.6	27.0	21.0
Taichung City	582.5	172.8	51.6	39.6	29.5
Tainan City	610.2	181.1	55.7	42.8	42.7
Kaohsiung City	620.3	178.7	57.1	36.1	45.4
Ilan County	601.2	189.2	74.1	42.3	30.5
Taoyuan County	545.7	151.5	67.1	41.0	25.2
Hsinchu County	609.4	133.7	77.7	49.7	27.5
Miaoli County	605.2	160.7	56.1	52.2	21.3
Changhua County	615.0	194.9	66.8	34.0	36.7
Nantou County	650.6	179.7	68.5	44.9	29.0
Yunlin County	687.5	227.4	70.6	38.0	43.5
Chiayi County	670.9	213.6	69.2	34.9	38.0
Pingtung County	714.0	187.2	71.5	42.0	59.3
Taitung County	806.9	213.5	90.2	39.1	53.7
Hualien County	762.1	203.4	78.2	52.9	44.3
Penghu County	629.5	213.2	54.6	30.5	41.8
Keelung City	605.4	178.7	74.6	39.8	35.3
Hsinchu City	505.6	158.0	81.2	33.2	20.6
Chiayi City	587.2	196.6	58.2	38.1	33.8
Kinmen County	400.6	136.4	56.2	25.0	25.4
Lienkiang County	391.9	155.1	54.7	17.4	10.7

Causes of Death by Locale and Gender(Cont.1)

10

Unit:0/0000

Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
35.8	26.1	22.5	23.7	18.8	13.1
23.8	28.2	19.7	17.9	19.5	13.8
16.2	17.7	12.9	10.9	13.0	9.7
36.5	26.5	28.5	23.8	17.0	13.4
37.2	31.9	24.3	19.1	19.1	14.3
35.2	28.5	21.5	25.0	20.1	12.6
46.2	25.7	20.6	23.8	21.8	9.2
33.6	23.4	23.2	20.7	17.5	17.4
51.4	27.3	24.2	29.2	22.3	16.8
51.7	32.9	27.0	31.7	23.8	16.1
42.5	24.9	26.8	26.0	16.6	13.3
47.5	27.5	31.8	37.8	19.1	19.2
57.0	27.6	27.7	37.5	17.4	8.9
52.2	27.5	27.8	34.3	27.5	10.4
53.7	31.9	35.4	46.3	24.3	12.5
84.6	26.8	30.8	59.2	23.8	11.4
67.4	37.0	25.9	45.1	22.4	23.6
40.9	29.4	16.5	15.4	14.0	14.8
31.4	20.3	15.9	23.7	28.5	11.4
24.5	18.2	12.2	14.0	16.3	6.1
35.3	22.1	24.4	20.4	15.3	14.7
30.6	9.8	15.3	22.8	12.6	2.6
46.6	14.1	-	-	-	-



Table 38 Standardize Death Rates from

20

	All causes of death - Female	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
Total	339.9	93.9	35.9	24.0	24.4
New Taipei City	308.4	88.5	28.1	22.3	25.6
Taipei City	265.6	85.6	27.2	17.6	16.1
Taichung City	356.2	97.8	37.8	24.5	29.9
Tainan City	365.4	103.4	32.4	26.5	25.9
Kaohsiung City	376.4	104.4	34.3	22.8	24.8
Ilan County	337.8	89.8	46.2	25.9	16.6
Taoyuan County	332.7	79.9	36.0	31.9	25.2
Hsinchu County	361.8	90.3	40.0	27.7	30.6
Miaoli County	349.2	86.0	37.3	29.8	31.7
Changhua County	320.6	91.2	40.9	18.5	20.1
Nantou County	362.9	82.2	45.6	29.2	28.7
Yunlin County	349.5	98.7	40.9	23.9	25.7
Chiayi County	352.2	96.9	37.7	21.5	25.3
Pingtung County	425.6	105.3	44.9	30.3	29.7
Taitung County	480.8	114.1	64.5	29.4	30.1
Hualien County	441.0	94.1	48.6	31.3	32.7
Penghu County	347.5	99.0	36.2	17.2	28.2
Keelung City	370.1	99.5	41.4	26.6	27.8
Hsinchu City	314.0	100.0	40.7	24.9	13.6
Chiayi City	360.0	116.0	44.8	25.2	24.7
Kinmen County	229.8	78.6	37.0	14.6	9.3
Lienkiang County	241.1	101.3	49.4	-	13.8

Leading Causes of Death by Locale and Gender

10

Unit:0/0000

Pneumonia	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
18.4	11.4	11.7	13.1	10.1	8.7
15.9	11.6	10.9	8.3	9.5	6.7
13.0	7.4	9.8	5.7	9.0	5.4
14.3	11.7	14.6	14.0	10.3	9.6
21.8	11.6	12.8	16.6	9.7	10.5
25.4	11.5	13.4	12.8	10.4	9.2
18.6	7.8	14.5	22.0	6.8	6.5
13.5	15.7	11.4	13.5	8.5	9.0
12.6	12.3	7.9	17.5	9.8	7.8
14.2	10.4	10.5	22.4	11.8	9.6
19.3	11.7	9.8	13.8	10.5	8.2
19.1	18.5	13.1	15.4	11.7	10.9
22.6	9.9	11.0	14.2	8.9	10.8
19.2	12.7	11.8	19.9	13.9	9.7
30.3	12.2	13.5	18.2	14.1	11.8
24.4	19.2	11.5	35.3	13.3	17.1
24.1	21.8	8.1	30.4	15.7	16.5
19.4	6.6	3.8	17.3	7.6	4.6
22.4	8.6	17.1	9.7	9.5	7.8
12.9	4.4	10.0	10.0	7.6	11.5
15.1	9.0	12.7	12.8	12.7	14.6
15.3	5.5	3.0	10.1	6.4	2.1
-	7.1	-	-	-	-



Table 39 No. of Deaths from Leading

20

	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	144,709	41,046	15,675	10,134	8,909
Jan.	13,301	3,438	1,540	1,027	784
Feb.	11,767	3,116	1,308	943	712
Mar.	12,186	3,367	1,354	879	730
Apr.	11,634	3,304	1,269	798	693
May.	11,676	3,396	1,241	846	690
Jun.	11,433	3,346	1,226	722	679
July	12,464	3,648	1,321	812	796
Aug.	11,941	3,554	1,221	759	813
Sep.	11,678	3,452	1,223	766	765
Oct.	11,959	3,506	1,232	809	810
Nov.	11,575	3,374	1,267	815	669
Dec.	13,095	3,545	1,473	958	768



Causes of Death by Month and Gender

10

Unit: Person

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
8,211	6,669	5,197	4,912	4,174	4,105
796	609	483	454	388	404
724	544	414	426	344	321
701	555	433	418	368	355
725	520	424	377	335	342
627	481	425	369	335	321
662	528	402	395	330	339
635	636	451	406	349	336
643	573	424	397	313	309
577	572	443	375	299	332
655	576	417	433	325	301
683	492	407	403	354	337
783	583	474	459	434	408

Table 39 No. of Deaths from Leading

20

	All causes of death -Male	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	88,374	26,022	9,389	5,963	5,565
Jan.	8,162	2,162	917	609	500
Feb.	7,240	1,990	802	562	450
Mar.	7,375	2,114	837	528	451
Apr.	7,115	2,113	742	482	429
May.	7,170	2,179	722	512	438
Jun.	6,984	2,104	733	442	413
July	7,543	2,296	764	456	489
Aug.	7,244	2,240	741	413	489
Sep.	7,135	2,210	704	462	480
Oct.	7,340	2,207	738	466	509
Nov.	7,044	2,134	779	477	422
Dec.	8,022	2,273	910	554	495

Causes of Death by Month and Gender(Cont. 1)

10

Unit:Person

Accidents and adverse effects	Diabetes mellitus	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Suicide	Hypertensive disease
4,835	4,062	3,823	3,508	2,639	2,128
439	405	369	324	223	198
398	364	293	298	193	185
398	334	315	289	251	176
384	368	316	255	227	185
352	307	303	272	263	172
376	339	292	279	236	169
463	306	328	301	254	180
429	300	304	292	219	154
425	269	344	274	216	159
417	332	319	318	184	175
352	340	296	284	164	164
402	398	344	322	209	211



Table 39 No. of Deaths from Leading

20

	All causes of death -Female	Malignant neoplasms	Heart disease	Cerebrovascular disease	Diabetes mellitus
Total	56,335	15,024	6,286	4,171	4,149
Jan.	5,139	1,276	623	418	391
Feb.	4,527	1,126	506	381	360
Mar.	4,811	1,253	517	351	367
Apr.	4,519	1,191	527	316	357
May.	4,506	1,217	519	334	320
Jun.	4,449	1,242	493	280	323
July	4,921	1,352	557	356	329
Aug.	4,697	1,314	480	346	343
Sep.	4,543	1,242	519	304	308
Oct.	4,619	1,299	494	343	323
Nov.	4,531	1,240	488	338	343
Dec.	5,073	1,272	563	404	385



Causes of Death by Month and Gender(Cont'd)

10

Unit:Person

Pneumonia	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis	Accidents and adverse effects	Septicemia	Chronic liver disease and cirrhosis
3,344	2,046	2,017	1,834	1,749	1,404
284	190	206	170	158	130
262	159	139	146	154	128
279	192	177	157	173	129
264	150	159	136	115	122
252	163	155	129	134	97
266	161	172	152	148	116
307	169	170	173	146	105
324	159	148	144	156	105
285	140	169	147	150	101
301	150	154	159	143	115
247	190	171	140	140	119
273	223	197	181	132	137

Table 40 No. of Deaths from

20

	All causes of death	Malignant neoplasms	Heart disease	Cerebrovascular disease	Pneumonia
Total	144,709	41,046	15,675	10,134	8,909
Single	14,815	2,873	1,271	619	842
Married	76,082	26,556	7,852	5,399	3,945
Divorced	8,840	2,415	874	473	338
Widowed	43,616	8,907	5,514	3,538	3,654
Unknown	1,356	295	164	105	130
Male	88,374	26,022	9,389	5,963	5,565
Single	11,566	2,014	1,043	516	731
Married	55,079	18,906	5,870	3,911	3,077
Divorced	6,711	1,709	711	369	279
Widowed	14,185	3,219	1,660	1,106	1,397
Unknown	833	174	105	61	81
Female	56,335	15,024	6,286	4,171	3,344
Single	3,249	859	228	103	111
Married	21,003	7,650	1,982	1,488	868
Divorced	2,129	706	163	104	59
Widowed	29,431	5,688	3,854	2,432	2,257
Unknown	523	121	59	44	49

Leading Causes of Death

10

Unit: Person

Diabetes mellitus	Accidents and adverse effects	Chronic lower respiratory diseases	Chronic liver disease and cirrhosis	Hypertensive disease	Nephritis, nephrotic syndrome and nephrosis
8,211	6,669	5,197	4,912	4,174	4,105
382	1,918	400	642	220	233
4,313	3,112	2,626	2,722	1,854	2,081
377	642	146	640	192	174
3,066	961	1,955	858	1,883	1,575
73	36	70	50	25	42
4,062	4,835	3,823	3,508	2,128	2,088
305	1,566	355	583	177	174
2,742	2,405	2,264	2,086	1,334	1,339
275	487	121	556	148	125
708	348	1,039	245	456	429
32	29	44	38	13	21
4,149	1,834	1,374	1,404	2,046	2,017
77	352	45	59	43	59
1,571	707	362	636	520	742
102	155	25	84	44	49
2,358	613	916	613	1,427	1,146
41	7	26	12	12	21



Table 41 No. of Deaths and Crude Death Rates from

20

Age Group	Malignant neoplasms	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	41,046	8,194	7,744	4,676	1,706
0	3	-	-	-	-
1-4	29	-	1	-	-
5-9	40	-	1	-	-
10-14	38	-	1	-	-
15-19	68	-	-	1	-
20-24	72	1	4	4	-
25-29	164	7	19	17	6
30-34	343	34	65	47	25
35-39	665	44	129	65	55
40-44	1,391	146	214	109	126
45-49	2,399	289	430	185	237
50-54	3,249	438	631	280	270
55-59	4,190	686	865	419	308
60-64	3,751	704	852	386	176
65-69	4,219	900	940	455	154
70-74	4,951	1,164	1,139	544	130
75-79	5,668	1,426	1,064	711	77
80-84	5,441	1,339	859	771	66
85-89	3,060	723	398	468	45
90+	1,305	293	132	214	31

Leading Cancer Causes of Death by Age Group and Gender

10 Unit: Person

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
2,370	2,261	1,021	1,563	1,470	704
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	3	-	-	-	-
3	1	1	1	4	3
20	9	-	3	5	14
91	26	-	34	12	16
211	64	3	106	30	40
310	104	2	206	57	62
387	156	3	225	88	83
370	173	23	261	138	78
289	179	24	156	136	54
209	200	83	152	186	59
172	220	113	124	208	74
131	341	207	115	238	75
106	411	290	98	199	75
52	259	185	53	122	44
19	115	87	29	47	27



Table 41 No. of Deaths and Crude Death Rates from

20

Age Group	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
Total	26,022	5,454	5,412	2,719	2,198
0	1	-	-	-	-
1-4	11	-	-	-	-
5-9	25	1	-	-	-
10-14	22	-	-	-	-
15-19	47	-	-	1	-
20-24	43	4	1	3	-
25-29	91	14	4	7	2
30-34	197	55	19	24	20
35-39	423	109	25	32	87
40-44	904	192	82	60	206
45-49	1,531	384	152	92	297
50-54	2,095	549	248	158	368
55-59	2,716	681	428	253	357
60-64	2,426	633	465	230	272
65-69	2,742	661	611	289	191
70-74	3,011	707	770	317	154
75-79	3,631	661	1,003	432	110
80-84	3,542	509	971	472	87
85-89	1,878	233	480	254	34
90+	686	61	153	95	13

Leading Cancer Causes of Death by Age Group and Gender(Cont.1)

10

Unit:Person

Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
1,457	1,446	1,021	855	628	582
-	-	-	-	-	1
-	-	-	-	3	3
-	-	-	-	-	9
-	-	-	-	2	7
-	-	-	-	8	15
-	1	-	-	2	7
1	1	1	2	6	15
3	4	-	4	6	12
34	12	-	6	16	15
103	30	3	22	15	22
203	56	2	38	28	39
213	91	3	59	40	28
253	115	23	86	59	48
147	120	24	83	47	46
148	138	83	112	59	48
112	139	113	107	62	58
97	230	207	129	80	84
79	281	290	124	103	72
40	165	185	62	65	40
24	63	87	21	27	13



Table 41 No. of Deaths and Crude Death Rates from

20

Age Group	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	15,024	2,782	2,290	1,957	1,706
0	2	-	-	-	-
1-4	18	-	1	-	-
5-9	15	-	-	-	-
10-14	16	-	1	-	-
15-19	21	-	-	-	-
20-24	29	-	-	1	-
25-29	73	3	5	10	6
30-34	146	15	10	23	25
35-39	242	19	20	33	55
40-44	487	64	22	49	126
45-49	868	137	46	93	237
50-54	1,154	190	82	122	270
55-59	1,474	258	184	166	308
60-64	1,325	239	219	156	176
65-69	1,477	289	279	166	154
70-74	1,940	394	432	227	130
75-79	2,037	423	403	279	77
80-84	1,899	368	350	299	66
85-89	1,182	243	165	214	45
90+	619	140	71	119	31

Leading Cancer Causes of Death by Age Group and Gender(Cont.2)

10 Unit:Person

Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
815	704	615	434	386	363
-	-	-	-	1	-
-	-	-	1	6	-
-	-	-	-	4	-
-	-	-	-	3	1
-	-	-	-	5	1
2	-	-	1	8	2
-	3	2	6	9	4
5	14	1	7	12	5
14	16	6	15	13	2
34	40	8	30	22	5
48	62	19	40	24	17
65	83	29	54	18	29
58	78	52	69	30	24
59	54	53	46	32	23
62	59	74	47	32	28
81	74	101	39	41	53
111	75	109	34	48	65
130	75	75	28	40	64
94	44	60	11	24	32
52	27	26	6	14	8



Table 41 No. of Deaths and Crude Death Rates from

20

Age Group	Malignant neoplasms	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	177.4	35.4	33.5	20.2	14.8
0	1.8	-	-	-	-
1-4	3.6	-	0.1	-	-
5-9	3.3	-	0.1	-	-
10-14	2.5	-	0.1	-	-
15-19	4.2	-	-	0.1	-
20-24	4.5	0.1	0.3	0.3	-
25-29	8.5	0.4	1.0	0.9	0.6
30-34	17.1	1.7	3.2	2.3	2.5
35-39	37.0	2.4	7.2	3.6	6.1
40-44	74.6	7.8	11.5	5.8	13.5
45-49	125.9	15.2	22.6	9.7	24.9
50-54	183.8	24.8	35.7	15.8	30.3
55-59	272.9	44.7	56.3	27.3	39.5
60-64	387.1	72.7	87.9	39.8	35.4
65-69	562.2	119.9	125.3	60.6	39.2
70-74	775.8	182.4	178.5	85.2	37.8
75-79	1,141.3	287.1	214.2	143.2	29.8
80-84	1,525.1	375.3	240.8	216.1	38.6
85-89	1,841.7	435.1	239.5	281.7	52.8
90+	2,020.7	453.7	204.4	331.4	86.2

Leading Cancer Causes of Death by Age Group and Gender(Cont.3)

10 Unit:0/0000

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
10.2	9.8	8.8	6.8	6.4	6.1
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	0.2	-	-	-	-
0.2	0.1	0.1	0.1	0.2	0.3
1.0	0.4	-	0.1	0.2	1.4
5.1	1.4	-	1.9	0.7	1.8
11.3	3.4	0.3	5.7	1.6	4.3
16.3	5.5	0.2	10.8	3.0	6.5
21.9	8.8	0.3	12.7	5.0	9.3
24.1	11.3	3.0	17.0	9.0	10.0
29.8	18.5	5.1	16.1	14.0	10.9
27.8	26.7	23.2	20.3	24.8	15.0
27.0	34.5	38.4	19.4	32.6	21.5
26.4	68.7	86.8	23.2	47.9	29.1
29.7	115.2	156.2	27.5	55.8	43.8
31.3	155.9	228.5	31.9	73.4	51.7
29.4	178.1	304.1	44.9	72.8	75.1



Table 41 No. of Deaths and Crude Death Rates from

20

Age Group	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
Total	223.6	46.9	46.5	23.4	18.9
0	1.1	-	-	-	-
1-4	2.6	-	-	-	-
5-9	4.0	0.2	-	-	-
10-14	2.8	-	-	-	-
15-19	5.6	-	-	0.1	-
20-24	5.2	0.5	0.1	0.4	-
25-29	9.4	1.4	0.4	0.7	0.2
30-34	19.7	5.5	1.9	2.4	2.0
35-39	47.3	12.2	2.8	3.6	9.7
40-44	96.7	20.5	8.8	6.4	22.0
45-49	160.6	40.3	15.9	9.6	31.1
50-54	238.6	62.5	28.3	18.0	41.9
55-59	359.4	90.1	56.6	33.5	47.2
60-64	513.6	134.0	98.5	48.7	57.6
65-69	765.9	184.6	170.7	80.7	53.4
70-74	1,024.1	240.5	261.9	107.8	52.4
75-79	1,521.9	277.1	420.4	181.1	46.1
80-84	1,908.2	274.2	523.1	254.3	46.9
85-89	2,319.2	287.7	592.8	313.7	42.0
90+	2,398.2	213.2	534.9	332.1	45.4

Leading Cancer Causes of Death by Age Group and Gender(Cont.4)

10 Unit:Person

Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
12.5	12.4	8.8	7.3	5.4	5.0
-	-	-	-	-	1.1
-	-	-	-	0.7	0.7
-	-	-	-	-	1.4
-	-	-	-	0.3	0.9
-	-	-	-	1.0	1.8
-	0.1	-	-	0.2	0.9
0.1	0.1	0.1	0.2	0.6	1.5
0.3	0.4	-	0.4	0.6	1.2
3.8	1.3	-	0.7	1.8	1.7
11.0	3.2	0.3	2.4	1.6	2.4
21.3	5.9	0.2	4.0	2.9	4.1
24.3	10.4	0.3	6.7	4.6	3.2
33.5	15.2	3.0	11.4	7.8	6.4
31.1	25.4	5.1	17.6	10.0	9.7
41.3	38.5	23.2	31.3	16.5	13.4
38.1	47.3	38.4	36.4	21.1	19.7
40.7	96.4	86.8	54.1	33.5	35.2
42.6	151.4	156.2	66.8	55.5	38.8
49.4	203.8	228.5	76.6	80.3	49.4
83.9	220.2	304.1	73.4	94.4	45.4



Table 41 No. of Deaths and Crude Death Rates from

20

Age Group	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	130.6	24.2	19.9	17.0	14.8
0	2.5	-	-	-	-
1-4	4.6	-	0.3	-	-
5-9	2.6	-	-	-	-
10-14	2.2	-	0.1	-	-
15-19	2.7	-	-	-	-
20-24	3.8	-	-	0.1	-
25-29	7.7	0.3	0.5	1.1	0.6
30-34	14.5	1.5	1.0	2.3	2.5
35-39	26.8	2.1	2.2	3.7	6.1
40-44	52.3	6.9	2.4	5.3	13.5
45-49	91.2	14.4	4.8	9.8	24.9
50-54	129.6	21.3	9.2	13.7	30.3
55-59	189.1	33.1	23.6	21.3	39.5
60-64	266.8	48.1	44.1	31.4	35.4
65-69	376.3	73.6	71.1	42.3	39.2
70-74	563.7	114.5	125.5	66.0	37.8
75-79	789.4	163.9	156.2	108.1	29.8
80-84	1,109.6	215.0	204.5	174.7	38.6
85-89	1,387.7	285.3	193.7	251.2	52.8
90+	1,720.6	389.2	197.4	330.8	86.2

Leading Cancer Causes of Death by Age Group and Gender(Cont'd)

10 Unit:0/0000

Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
7.1	6.1	5.3	3.8	3.4	3.2
-	-	-	-	1.2	-
-	-	-	0.3	1.5	-
-	-	-	-	0.7	-
-	-	-	-	0.4	0.1
-	-	-	-	0.6	0.1
0.3	-	-	0.1	1.0	0.3
-	0.3	0.2	0.6	0.9	0.4
0.5	1.4	0.1	0.7	1.2	0.5
1.5	1.8	0.7	1.7	1.4	0.2
3.7	4.3	0.9	3.2	2.4	0.5
5.0	6.5	2.0	4.2	2.5	1.8
7.3	9.3	3.3	6.1	2.0	3.3
7.4	10.0	6.7	8.9	3.8	3.1
11.9	10.9	10.7	9.3	6.4	4.6
15.8	15.0	18.9	12.0	8.2	7.1
23.5	21.5	29.3	11.3	11.9	15.4
43.0	29.1	42.2	13.2	18.6	25.2
76.0	43.8	43.8	16.4	23.4	37.4
110.4	51.7	70.4	12.9	28.2	37.6
144.5	75.1	72.3	16.7	38.9	22.2



Table 42 No. of Deaths and Crude Death Rates from Leading

20

	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	41,046	8,194	7,744	4,676	1,706
Infant 0 years-old	3	-	-	-	-
Early Youth 1-14 years-old	107	-	3	-	-
Youth 15-24 years-old	140	1	4	5	-
Prime Age 25-44 years-old	2,563	231	427	238	212
Middle Age 45-64 years-old	13,589	2,117	2,778	1,270	991
Old Age 65+	24,644	5,845	4,532	3,163	503
Young Old 65-74 years-old	9,170	2,064	2,079	999	284
Middle Old 75-84 years-old	11,109	2,765	1,923	1,482	143
Old Old 85-94 years-old	4,121	969	509	641	66
Oldest Old 95+	244	47	21	41	10

Cancer Causes of Death by Age-Specific Group and Gender

10

Unit: Person

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
2,370	2,261	1,021	1,563	1,470	704
-	-	-	-	-	-
-	-	-	-	-	-
-	3	-	-	-	-
325	100	4	144	51	73
1,356	612	52	848	419	277
689	1,546	965	571	1,000	354
381	420	196	276	394	133
237	752	497	213	437	150
68	348	258	78	156	63
3	26	14	4	13	8



Table 42 No. of Deaths and Crude Death Rates from Leading

20

	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
Total	26,022	5,454	5,412	2,719	2,198
Infant 0 years-old	1	-	-	-	-
Early Youth 1-14 years-old	58	1	-	-	-
Youth 15-24 years-old	90	4	1	4	-
Prime Age 25-44 years-old	1,615	370	130	123	315
Middle Age 45-64 years-old	8,768	2,247	1,293	733	1,294
Old Age 65+	15,490	2,832	3,988	1,859	589
Young Old 65-74 years-old	5,753	1,368	1,381	606	345
Middle Old 75-84 years-old	7,173	1,170	1,974	904	197
Old Old 85-94 years-old	2,454	288	613	331	45
Oldest Old 95+	110	6	20	18	2

Cancer Causes of Death by Age-Specific Group and Gender(Cont. 1)

10

Unit:Person

Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
1,457	1,446	1,021	855	628	582
-	-	-	-	-	1
-	-	-	-	5	19
-	1	-	-	10	22
141	47	4	34	43	64
816	382	52	266	174	161
500	1,016	965	555	396	315
260	277	196	219	121	106
176	511	497	253	183	156
61	215	258	78	85	51
3	13	14	5	7	2



Table 42 No. of Deaths and Crude Death Rates from Leading

20

	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	15,024	2,782	2,290	1,957	1,706
Infant 0 years-old	2	-	-	-	-
Early Youth 1-14 years-old	49	-	2	-	-
Youth 15-24 years-old	50	-	-	1	-
Prime Age 25-44 years-old	948	101	57	115	212
Middle Age 45-64 years-old	4,821	824	531	537	991
Old Age 65+	9,154	1,857	1,700	1,304	503
Young Old 65-74 years-old	3,417	683	711	393	284
Middle Old 75-84 years-old	3,936	791	753	578	143
Old Old 85-94 years-old	1,667	356	221	310	66
Oldest Old 95+	134	27	15	23	10

Cancer Causes of Death by Age-Specific Group and Gender(Cont. 2)

10

Unit:Person

Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
815	704	615	434	386	363
-	-	-	-	1	-
-	-	-	1	13	1
2	-	-	1	13	3
53	73	17	58	56	16
230	277	153	209	104	93
530	354	445	165	199	250
143	133	175	86	73	81
241	150	184	62	88	129
133	63	78	15	37	38
13	8	8	2	1	2



Table 42 No. of Deaths and Crude Death Rates from Leading

20

	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	177.4	35.4	33.5	20.2	14.8
Infant 0 years-old	1.8	-	-	-	-
Early Youth 1-14 years-old	3.0	-	0.1	-	-
Youth 15-24 years-old	4.4	0.0	0.1	0.2	-
Prime Age 25-44 years-old	33.8	3.0	5.6	3.1	5.6
Middle Age 45-64 years-old	220.0	34.3	45.0	20.6	31.8
Old Age 65+	996.6	236.4	183.3	127.9	39.1
Young Old 65-74 years-old	660.3	148.6	149.7	71.9	38.6
Middle Old 75-84 years-old	1,301.8	324.0	225.3	173.7	33.3
Old Old 85-94 years-old	1,898.8	446.5	234.5	295.3	58.2
Oldest Old 95+	1,781.0	343.1	153.3	299.3	130.2

Cancer Causes of Death by Age-Specific Group and Gender(Cont. 3)

10

Unit:0/0000

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
10.2	9.8	8.8	6.8	6.4	6.1
-	-	-	-	-	-
-	-	-	-	-	-
-	0.1	-	-	-	-
4.3	1.3	0.1	1.9	0.7	1.9
22.0	9.9	1.7	13.7	6.8	8.9
27.9	62.5	81.4	23.1	40.4	27.5
27.4	30.2	30.1	19.9	28.4	18.1
27.8	88.1	117.2	25.0	51.2	35.0
31.3	160.3	249.1	35.9	71.9	55.5
21.9	189.8	232.6	29.2	94.9	104.2



Table 42 No. of Deaths and Crude Death Rates from Leading

		All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
Total		223.6	46.9	46.5	23.4	18.9
Infant	0 years-old	1.1	-	-	-	-
Early Youth	1-14 years-old	3.1	0.1	-	-	-
Youth	15-24 years-old	5.4	0.2	0.1	0.2	-
Prime Age	25-44 years-old	42.5	9.7	3.4	3.2	8.3
Middle Age	45-64 years-old	286.6	73.4	42.3	24.0	42.3
Old Age	65+	1,306.3	238.8	336.3	156.8	49.7
Young Old	65-74 years-old	882.3	209.8	211.8	92.9	52.9
Middle Old	75-84 years-old	1,690.9	275.8	465.3	213.1	46.4
Old Old	85-94 years-old	2,369.6	278.1	591.9	319.6	43.5
Oldest Old	95+	1,827.2	99.7	332.2	299.0	33.2

Cancer Causes of Death by Age-Specific Group and Gender(Cont.4)

10

Unit:Person

Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
12.5	12.4	8.8	7.3	5.4	5.0
-	-	-	-	-	1.1
-	-	-	-	0.3	1.0
-	0.1	-	-	0.6	1.3
3.7	1.2	0.1	0.9	1.1	1.7
26.7	12.5	1.7	8.7	5.7	5.3
42.2	85.7	81.4	46.8	33.4	26.6
39.9	42.5	30.1	33.6	18.6	16.3
41.5	120.5	117.2	59.6	43.1	36.8
58.9	207.6	249.1	75.3	82.1	49.2
49.8	215.9	232.6	83.1	116.3	33.2



Table 42 No. of Deaths and Crude Death Rates from Leading

20

		All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total		130.6	24.2	19.9	17.0	14.8
Infant	0 years-old	2.5	-	-	-	-
Early Youth	1-14 years-old	2.9	-	0.1	-	-
Youth	15-24 years-old	3.2	-	-	0.1	-
Prime Age	25-44 years-old	25.0	2.7	1.5	3.0	5.6
Middle Age	45-64 years-old	154.6	26.4	17.0	17.2	31.8
Old Age	65+	711.3	144.3	132.1	101.3	39.1
Young Old	65-74 years-old	463.9	92.7	96.5	53.4	38.6
Middle Old	75-84 years-old	917.1	184.3	175.5	134.7	33.3
Old Old	85-94 years-old	1,469.1	313.7	194.8	273.2	58.2
Oldest Old	95+	1,744.8	351.6	195.3	299.5	130.2

Cancer Causes of Death by Age-Specific Group and Gender(Cont'd)

10

Unit:0/0000

Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
7.1	6.1	5.3	3.8	3.4	3.2
-	-	-	-	1.2	-
-	-	-	0.1	0.8	0.1
0.1	-	-	0.1	0.8	0.2
1.4	1.9	0.4	1.5	1.5	0.4
7.4	8.9	4.9	6.7	3.3	3.0
41.2	27.5	34.6	12.8	15.5	19.4
19.4	18.1	23.8	11.7	9.9	11.0
56.2	35.0	42.9	14.4	20.5	30.1
117.2	55.5	68.7	13.2	32.6	33.5
169.3	104.2	104.2	26.0	13.0	26.0



Table 43 No. of Deaths from Leading

20

	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	41,046	8,194	7,744	4,676	1,706
New Taipei City	5,476	1,142	874	634	296
Taipei City	4,632	990	644	570	266
Taichung City	4,089	756	787	472	207
Tainan City	3,741	758	793	443	159
Kaohsiung City	5,118	883	1,089	601	188
Ilan County	973	246	163	100	25
Taoyuan County	2,643	585	411	318	98
Hsinchu County	752	168	123	95	31
Miaoli County	1,069	179	238	116	40
Changhua County	2,610	564	471	297	94
Nantou County	1,060	214	195	109	26
Yunlin County	1,872	365	508	197	51
Chiayi County	1,444	316	350	138	29
Pingtung County	1,891	357	368	195	63
Taitung County	566	103	77	59	17
Hualien County	750	130	126	65	26
Penghu County	249	40	85	28	6
Keelung City	734	151	124	83	32
Hsinchu City	648	109	145	89	20
Chiayi City	559	99	150	45	27
Kinmen County	154	33	21	20	4
Lienkiang County	16	6	2	2	1

Cancer Causes of Death by Locale and Gender

10 Unit: Person

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
2,370	2,261	1,021	1,563	1,470	704
310	344	124	200	212	94
151	307	144	137	211	71
243	207	93	186	136	71
176	176	90	128	116	56
309	247	107	210	189	89
28	80	10	40	26	16
117	159	85	101	91	49
26	36	25	19	27	18
46	67	30	39	53	22
217	129	63	102	74	40
86	36	36	54	45	18
138	67	38	56	50	23
95	54	34	48	48	20
169	111	49	78	59	41
65	28	15	37	19	14
73	63	17	38	31	15
7	20	4	6	12	1
33	51	24	28	28	13
36	39	16	18	20	23
42	26	11	19	18	6
3	12	6	19	4	3
-	2	-	-	1	1



Table 43 No. of Deaths from Leading

20

	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
Total	26,022	5,454	5,412	2,719	2,198
New Taipei City	3,439	647	734	375	289
Taipei City	2,771	443	617	331	139
Taichung City	2,574	555	481	272	226
Tainan City	2,306	549	483	238	166
Kaohsiung City	3,196	740	555	350	296
Ilan County	644	115	178	52	23
Taoyuan County	1,767	308	431	183	109
Hsinchu County	455	77	112	57	24
Miaoli County	680	178	124	67	42
Changhua County	1,705	338	388	182	211
Nantou County	713	138	158	72	83
Yunlin County	1,265	355	277	116	128
Chiayi County	964	246	214	84	89
Pingtung County	1,198	276	215	113	138
Taitung County	372	55	71	31	53
Hualien County	514	90	101	38	66
Penghu County	165	62	23	18	7
Keelung City	464	83	103	49	32
Hsinchu City	387	88	68	52	34
Chiayi City	335	93	55	26	41
Kinmen County	97	16	20	12	2
Lienkiang County	11	2	4	1	-

Causes of Death by Locale and Gender (Cont.1)

10 Unit: Person

Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
1,457	1,446	1,021	855	628	582
185	232	124	126	100	87
115	197	144	126	102	65
174	128	93	79	49	72
120	108	90	60	48	57
206	164	107	114	79	51
36	54	10	16	11	18
96	112	85	57	57	40
19	20	25	13	12	21
38	45	30	29	15	16
99	75	63	41	30	31
51	20	36	28	11	14
54	40	38	29	25	19
45	33	34	27	14	16
72	68	49	38	17	23
31	16	15	11	5	8
37	40	17	17	11	17
6	12	4	2	9	2
24	34	24	17	11	11
15	24	16	9	14	5
18	16	11	12	6	8
16	6	6	3	2	1
-	2	-	1	-	-



Table 43 No. of Deaths from Leading

20

	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	15,024	2,782	2,290	1,957	1,706
New Taipei City	2,037	408	227	259	296
Taipei City	1,861	373	201	239	266
Taichung City	1,515	275	232	200	207
Tainan City	1,435	275	244	205	159
Kaohsiung City	1,922	328	349	251	188
Ilan County	329	68	48	48	25
Taoyuan County	876	154	103	135	98
Hsinchu County	297	56	46	38	31
Miaoli County	389	55	60	49	40
Changhua County	905	176	133	115	94
Nantou County	347	56	57	37	26
Yunlin County	607	88	153	81	51
Chiayi County	480	102	104	54	29
Pingtung County	693	142	92	82	63
Taitung County	194	32	22	28	17
Hualien County	236	29	36	27	26
Penghu County	84	17	23	10	6
Keelung City	270	48	41	34	32
Hsinchu City	261	41	57	37	20
Chiayi City	224	44	57	19	27
Kinmen County	57	13	5	8	4
Lienkiang County	5	2	-	1	1

Causes of Death by Locale and Gender (Cont'd)

10 Unit: Person

Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
815	704	615	434	386	363
112	94	86	77	59	54
110	71	85	66	42	50
79	71	57	35	42	38
68	56	56	38	27	19
83	89	75	52	45	51
26	16	10	9	11	5
47	49	34	30	25	21
16	18	14	5	13	9
22	22	24	8	14	11
54	40	33	18	19	29
16	18	17	10	19	12
27	23	21	18	13	17
21	20	21	12	10	7
43	41	21	19	22	13
12	14	8	5	3	3
23	15	14	8	6	6
8	1	10	1	-	1
17	13	11	8	6	5
15	23	11	6	5	5
10	6	6	8	3	4
6	3	1	1	2	3
-	1	-	-	-	-



Table 44 Crude Death Rates from Leading

20

	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	177.4	35.4	33.5	20.2	14.8
New Taipei City	140.9	29.4	22.5	16.3	15.1
Taipei City	177.3	37.9	24.6	21.8	19.7
Taichung City	154.8	28.6	29.8	17.9	15.6
Tainan City	199.6	40.4	42.3	23.6	17.1
Kaohsiung City	184.6	31.9	39.3	21.7	13.6
Ilan County	211.0	53.4	35.4	21.7	11.1
Taoyuan County	132.8	29.4	20.6	16.0	9.9
Hsinchu County	146.9	32.8	24.0	18.6	12.5
Miaoli County	190.4	31.9	42.4	20.7	14.8
Changhua County	199.3	43.1	36.0	22.7	14.8
Nantou County	200.5	40.5	36.9	20.6	10.1
Yunlin County	259.9	50.7	70.5	27.4	14.8
Chiayi County	264.7	57.9	64.2	25.3	11.1
Pingtung County	215.4	40.7	41.9	22.2	14.8
Taitung County	244.4	44.5	33.2	25.5	15.4
Hualien County	220.7	38.2	37.1	19.1	15.8
Penghu County	257.9	41.4	88.0	29.0	12.8
Keelung City	190.0	39.1	32.1	21.5	16.7
Hsinchu City	156.7	26.4	35.1	21.5	9.6
Chiayi City	204.7	36.2	54.9	16.5	19.5
Kinmen County	161.1	34.5	22.0	20.9	8.6
Lienkiang County	161.1	60.4	20.1	20.1	23.9

Cancer Causes of Death by Locale and Gender

10 Unit:0/0000

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
10.2	9.8	8.8	6.8	6.4	6.1
8.0	8.9	6.4	5.1	5.5	4.8
5.8	11.7	11.4	5.2	8.1	5.3
9.2	7.8	7.1	7.0	5.1	5.4
9.4	9.4	9.5	6.8	6.2	6.0
11.1	8.9	7.7	7.6	6.8	6.4
6.1	17.4	4.3	8.7	5.6	7.1
5.9	8.0	8.5	5.1	4.6	5.0
5.1	7.0	9.5	3.7	5.3	7.3
8.2	11.9	10.3	6.9	9.4	8.2
16.6	9.8	9.4	7.8	5.6	6.3
16.3	6.8	13.2	10.2	8.5	7.0
19.2	9.3	10.1	7.8	6.9	6.7
17.4	9.9	11.9	8.8	8.8	7.7
19.2	12.6	10.8	8.9	6.7	9.6
28.1	12.1	12.4	16.0	8.2	12.7
21.5	18.5	9.7	11.2	9.1	9.1
7.2	20.7	8.1	6.2	12.4	2.1
8.5	13.2	12.3	7.3	7.3	6.8
8.7	9.4	7.8	4.4	4.8	11.1
15.4	9.5	8.2	7.0	6.6	4.3
3.1	12.6	12.2	19.9	4.2	6.5
-	20.1	-	-	10.1	23.9



Table 44 Crude Death Rates from Leading

20

	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
Total	223.6	46.9	46.5	23.4	18.9
New Taipei City	178.0	33.5	38.0	19.4	15.0
Taipei City	219.7	35.1	48.9	26.2	11.0
Taichung City	195.4	42.1	36.5	20.7	17.2
Tainan City	244.0	58.1	51.1	25.2	17.6
Kaohsiung City	229.6	53.2	39.9	25.1	21.3
Ilan County	273.8	48.9	75.7	22.1	9.8
Taoyuan County	176.0	30.7	42.9	18.2	10.9
Hsinchu County	172.6	29.2	42.5	21.6	9.1
Miaoli County	233.1	61.0	42.5	23.0	14.4
Changhua County	253.5	50.2	57.7	27.1	31.4
Nantou County	261.8	50.7	58.0	26.4	30.5
Yunlin County	336.1	94.3	73.6	30.8	34.0
Chiayi County	338.7	86.4	75.2	29.5	31.3
Pingtung County	265.1	61.1	47.6	25.0	30.5
Taitung County	306.6	45.3	58.5	25.6	43.7
Hualien County	293.1	51.3	57.6	21.7	37.6
Penghu County	332.4	124.9	46.3	36.3	14.1
Keelung City	238.3	42.6	52.9	25.2	16.4
Hsinchu City	188.4	42.8	33.1	25.3	16.6
Chiayi City	249.1	69.1	40.9	19.3	30.5
Kinmen County	197.3	32.5	40.7	24.4	4.1
Lienkiang County	191.4	34.8	69.6	17.4	-

Cancer Causes of Death by Locale and Gender (Cont. 1)

10 Unit:0/0000

Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
12.5	12.4	8.8	7.3	5.4	5.0
9.6	12.0	6.4	6.5	5.2	4.5
9.1	15.6	11.4	10.0	8.1	5.2
13.2	9.7	7.1	6.0	3.7	5.5
12.7	11.4	9.5	6.3	5.1	6.0
14.8	11.8	7.7	8.2	5.7	3.7
15.3	23.0	4.3	6.8	4.7	7.7
9.6	11.2	8.5	5.7	5.7	4.0
7.2	7.6	9.5	4.9	4.6	8.0
13.0	15.4	10.3	9.9	5.1	5.5
14.7	11.1	9.4	6.1	4.5	4.6
18.7	7.3	13.2	10.3	4.0	5.1
14.3	10.6	10.1	7.7	6.6	5.0
15.8	11.6	11.9	9.5	4.9	5.6
15.9	15.0	10.8	8.4	3.8	5.1
25.6	13.2	12.4	9.1	4.1	6.6
21.1	22.8	9.7	9.7	6.3	9.7
12.1	24.2	8.1	4.0	18.1	4.0
12.3	17.5	12.3	8.7	5.6	5.6
7.3	11.7	7.8	4.4	6.8	2.4
13.4	11.9	8.2	8.9	4.5	5.9
32.5	12.2	12.2	6.1	4.1	2.0
-	34.8	-	17.4	-	-



Table 44 Crude Death Rates from Leading

20

	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	130.6	24.2	19.9	17.0	14.8
New Taipei City	104.3	20.9	11.6	13.3	15.1
Taipei City	137.7	27.6	14.9	17.7	19.7
Taichung City	114.4	20.8	17.5	15.1	15.6
Tainan City	154.4	29.6	26.3	22.1	17.1
Kaohsiung City	139.3	23.8	25.3	18.2	13.6
Ilan County	145.7	30.1	21.3	21.3	11.1
Taoyuan County	88.8	15.6	10.4	13.7	9.9
Hsinchu County	119.6	22.6	18.5	15.3	12.5
Miaoli County	144.3	20.4	22.3	18.2	14.8
Changhua County	142.0	27.6	20.9	18.0	14.8
Nantou County	135.4	21.8	22.2	14.4	10.1
Yunlin County	176.5	25.6	44.5	23.6	14.8
Chiayi County	184.0	39.1	39.9	20.7	11.1
Pingtung County	162.6	33.3	21.6	19.2	14.8
Taitung County	176.0	29.0	20.0	25.4	15.4
Hualien County	143.5	17.6	21.9	16.4	15.8
Penghu County	179.0	36.2	49.0	21.3	12.8
Keelung City	141.0	25.1	21.4	17.8	16.7
Hsinchu City	125.5	19.7	27.4	17.8	9.6
Chiayi City	161.6	31.7	41.1	13.7	19.5
Kinmen County	122.8	28.0	10.8	17.2	8.6
Lienkiang County	119.5	47.8	-	23.9	23.9

Cancer Causes of Death by Locale and Gender (Cont'd)

10 Unit:0/0000

Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
7.1	6.1	5.3	3.8	3.4	3.2
5.7	4.8	4.4	3.9	3.0	2.8
8.1	5.3	6.3	4.9	3.1	3.7
6.0	5.4	4.3	2.6	3.2	2.9
7.3	6.0	6.0	4.1	2.9	2.0
6.0	6.4	5.4	3.8	3.3	3.7
11.5	7.1	4.4	4.0	4.9	2.2
4.8	5.0	3.4	3.0	2.5	2.1
6.4	7.3	5.6	2.0	5.2	3.6
8.2	8.2	8.9	3.0	5.2	4.1
8.5	6.3	5.2	2.8	3.0	4.6
6.2	7.0	6.6	3.9	7.4	4.7
7.9	6.7	6.1	5.2	3.8	4.9
8.1	7.7	8.1	4.6	3.8	2.7
10.1	9.6	4.9	4.5	5.2	3.1
10.9	12.7	7.3	4.5	2.7	2.7
14.0	9.1	8.5	4.9	3.6	3.6
17.0	2.1	21.3	2.1	-	2.1
8.9	6.8	5.7	4.2	3.1	2.6
7.2	11.1	5.3	2.9	2.4	2.4
7.2	4.3	4.3	5.8	2.2	2.9
12.9	6.5	2.2	2.2	4.3	6.5
-	23.9	-	-	-	-



Table 45 Standardize Death Rates from

20

	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	131.6	25.8	25.2	14.6	11.0
New Taipei City	122.3	26.1	19.8	14.1	11.6
Taipei City	110.1	22.6	15.8	13.1	12.9
Taichung City	134.3	24.7	26.4	15.6	12.7
Tainan City	140.8	28.0	30.4	16.0	12.3
Kaohsiung City	140.7	24.1	30.1	16.5	10.0
Ilan County	138.3	33.3	23.6	13.6	7.9
Taoyuan County	116.3	25.7	18.5	13.7	8.5
Hsinchu County	112.1	24.1	19.4	13.6	10.3
Miaoli County	123.5	19.6	28.1	12.6	10.5
Changhua County	141.4	29.5	25.7	15.4	11.2
Nantou County	130.4	25.2	23.2	13.0	7.1
Yunlin County	161.2	29.0	44.6	15.7	10.4
Chiayi County	154.2	31.3	38.7	13.5	7.3
Pingtung County	146.4	26.7	28.6	14.9	10.6
Taitung County	164.0	29.5	22.2	15.8	11.1
Hualien County	148.6	24.3	25.3	12.0	11.0
Penghu County	155.6	23.4	55.4	16.2	9.4
Keelung City	137.8	26.9	23.8	15.7	12.1
Hsinchu City	127.5	21.8	29.6	17.1	8.3
Chiayi City	154.0	26.8	41.5	11.9	14.6
Kinmen County	107.0	21.9	15.8	14.6	5.9
Lienkiang County	122.2	45.6	16.3	15.5	15.4

Leading Cancer Causes of Death by Locale and Gender

10 Unit:0/0000

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
7.8	7.0	6.1	5.1	4.7	4.4
6.5	7.6	5.7	4.3	4.8	3.9
3.9	6.7	5.9	3.4	5.1	3.4
7.7	6.7	6.2	5.9	4.5	4.4
7.0	6.4	6.4	4.9	4.4	4.0
8.4	6.7	5.7	5.6	5.2	4.8
4.6	10.8	2.6	6.0	3.7	4.8
5.0	7.0	6.1	4.4	4.1	4.2
4.1	5.2	6.6	3.1	3.7	5.4
6.1	7.2	6.1	4.9	5.7	5.4
12.8	6.8	6.7	6.0	3.9	4.3
11.6	4.0	8.4	7.7	5.4	4.9
13.5	5.5	6.7	5.4	4.1	4.5
12.2	5.6	6.7	5.6	5.1	4.5
14.0	8.3	6.9	6.4	4.5	6.4
20.2	7.1	8.1	11.3	5.6	8.6
16.2	11.5	5.8	8.4	6.1	6.6
5.4	10.6	3.7	4.3	7.9	1.8
6.7	8.9	8.6	5.4	5.3	4.6
7.2	6.8	5.5	3.8	3.8	8.7
11.8	7.0	5.5	5.4	4.6	3.1
2.4	8.1	8.6	12.8	2.7	4.9
-	12.0	-	-	6.4	34.1



Table 45 Standardize Death Rates from

20

	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
Total	171.3	36.8	35.1	17.6	14.9
New Taipei City	158.1	30.0	34.5	17.1	12.6
Taipei City	137.3	23.3	29.6	16.0	7.7
Taichung City	172.8	38.1	31.9	18.6	14.7
Tainan City	181.1	43.9	37.5	18.2	13.3
Kaohsiung City	178.7	41.7	30.8	19.5	16.5
Ilan County	189.2	34.1	50.1	15.3	7.7
Taoyuan County	151.5	27.6	36.4	15.5	9.5
Hsinchu County	133.7	24.5	32.1	16.3	7.3
Miaoli County	160.7	43.6	28.0	15.4	10.8
Changhua County	194.9	39.0	43.4	20.1	24.9
Nantou County	179.7	34.0	38.0	17.5	22.3
Yunlin County	227.4	65.2	47.2	20.2	24.8
Chiayi County	213.6	56.1	44.9	17.7	22.2
Pingtung County	187.2	43.8	32.5	17.5	22.8
Taitung County	213.5	32.4	40.6	16.3	32.6
Hualien County	203.4	36.0	38.2	13.7	29.2
Penghu County	213.2	85.4	27.4	22.4	10.3
Keelung City	178.7	32.8	37.8	18.6	13.2
Hsinchu City	158.0	37.8	29.9	21.0	13.8
Chiayi City	196.6	55.8	31.2	15.0	24.3
Kinmen County	136.4	24.1	26.6	17.3	2.9
Lienkiang County	155.1	28.1	57.1	17.4	-

Cancer Causes of Death by Locale and Gender (Cont.1)

10 Unit:0/0000

Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
9.7	9.2	6.1	5.6	4.1	4.1
8.2	10.6	5.7	5.7	4.7	4.1
6.2	8.9	5.9	6.4	4.6	3.4
11.4	8.3	6.2	5.2	3.3	5.0
9.4	8.4	6.4	4.6	3.8	4.6
11.3	8.9	5.7	6.5	4.4	3.2
11.0	15.2	2.6	5.0	3.4	6.5
8.5	9.5	6.1	4.9	4.7	3.8
5.9	5.5	6.6	3.6	3.7	6.4
9.3	10.1	6.1	6.7	3.6	3.8
11.6	8.5	6.7	4.8	3.5	3.9
14.3	4.9	8.4	7.1	2.6	4.0
10.1	7.0	6.7	5.2	4.5	3.4
10.4	7.1	6.7	6.2	3.2	3.8
11.7	10.4	6.9	5.9	2.6	3.4
18.5	7.4	8.1	7.0	3.2	4.4
16.2	14.5	5.8	7.0	4.1	6.8
8.5	13.3	3.7	2.1	12.0	2.8
9.9	12.1	8.6	6.8	4.2	5.2
6.5	7.6	5.5	3.8	5.5	2.0
10.8	8.9	5.5	6.7	3.7	4.8
21.4	9.6	8.6	4.2	2.5	1.2
-	28.2	-	10.2	-	-



Table 45 Standardize Death Rates from

20

	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	93.9	17.1	14.2	11.9	11.0
New Taipei City	88.5	18.0	10.4	11.3	11.6
Taipei City	85.6	16.4	9.3	10.6	12.9
Taichung City	97.8	17.7	15.4	12.8	12.7
Tainan City	103.4	19.4	17.4	14.1	12.3
Kaohsiung City	104.4	17.6	19.0	13.6	10.0
Ilan County	89.8	17.8	13.2	11.9	7.9
Taoyuan County	79.9	14.1	9.8	12.1	8.5
Hsinchu County	90.3	16.2	13.9	10.9	10.3
Miaoli County	86.0	11.3	11.9	9.8	10.5
Changhua County	91.2	17.0	12.9	11.2	11.2
Nantou County	82.2	13.3	12.5	8.7	7.1
Yunlin County	98.7	13.7	22.8	11.9	10.4
Chiayi County	96.9	19.4	20.5	9.8	7.3
Pingtung County	105.3	21.3	13.2	12.1	10.6
Taitung County	114.1	18.4	12.0	15.4	11.1
Hualien County	94.1	10.6	14.3	10.6	11.0
Penghu County	99.0	19.9	25.0	10.2	9.4
Keelung City	99.5	17.0	15.4	12.8	12.1
Hsinchu City	100.0	15.3	22.1	13.8	8.3
Chiayi City	116.0	22.7	28.9	9.1	14.6
Kinmen County	78.6	17.3	6.3	11.9	5.9
Lienkiang County	101.3	38.0	-	13.8	15.4

Cancer Causes of Death by Locale and Gender (Cont'd)

10 Unit:0/0000

Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
4.9	4.4	3.8	2.8	2.7	2.2
4.7	3.9	3.9	3.1	2.7	2.4
4.6	3.4	3.9	3.2	2.2	2.3
5.1	4.4	3.7	2.1	3.1	2.4
4.6	4.0	4.1	3.0	2.1	1.2
4.6	4.8	4.1	2.8	2.6	2.8
6.9	4.8	2.4	2.3	3.8	1.2
4.3	4.2	3.2	2.6	2.4	2.0
4.8	5.4	4.0	1.9	3.8	2.7
4.4	5.4	4.7	2.1	3.7	2.9
5.3	4.3	3.1	2.1	2.0	2.6
3.1	4.9	3.8	2.8	4.6	2.5
4.3	4.5	3.1	3.6	2.4	2.5
4.3	4.5	3.8	3.9	2.5	1.5
6.2	6.4	3.2	3.2	4.1	1.9
6.9	8.6	4.4	2.5	2.7	1.3
8.6	6.6	5.4	3.6	2.7	2.2
7.6	1.8	13.7	1.6	-	0.8
5.8	4.6	4.0	3.0	2.3	1.9
5.7	8.7	4.0	2.4	1.9	2.0
5.3	3.1	2.8	4.5	1.5	1.9
7.2	4.9	0.7	1.9	2.5	4.6
-	34.1	-	-	-	-



Table 46 No. of Deaths from Leading

20

	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	41,046	8,194	7,744	4,676	1,706
Jan.	3,438	688	652	426	151
Feb.	3,116	615	587	368	133
Mar.	3,367	692	626	384	147
Apr.	3,304	680	608	360	147
May.	3,396	654	654	356	149
Jun.	3,346	695	616	395	134
July.	3,648	741	667	417	144
Aug.	3,554	711	704	404	140
Sep.	3,452	689	634	404	142
Oct.	3,506	690	651	388	134
Nov.	3,374	684	620	354	146
Dec.	3,545	655	725	420	139

Cancer Causes of Death by Month and Gender

10

Unit:Person

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
2,370	2,261	1,021	1,563	1,470	704
168	193	97	138	118	68
172	181	66	147	108	48
188	169	78	134	138	50
179	195	95	116	105	60
217	198	83	102	121	63
179	183	76	135	136	66
214	188	93	129	134	55
218	195	77	116	132	59
180	201	79	135	122	54
199	217	102	136	127	65
212	179	95	134	115	62
244	162	80	141	114	54



Table 46 No. of Deaths from Leading

20

	All cancer causes of death-Male	Cancers of liver and intrahepatic bile ducts	Cancers of trachea, bronchus and lung	Cancers of colon, rectum and anus	Cancer of oral cavity
Total	26,022	5,454	5,412	2,719	2,198
Jan.	2,162	446	455	250	158
Feb.	1,990	424	412	210	163
Mar.	2,114	450	461	212	172
Apr.	2,113	439	456	212	159
May.	2,179	473	443	209	203
Jun.	2,104	438	450	231	162
July.	2,296	448	496	232	200
Aug.	2,240	485	446	252	204
Sep.	2,210	457	464	239	168
Oct.	2,207	444	443	232	186
Nov.	2,134	435	462	203	192
Dec.	2,273	515	424	237	231

Cancer Causes of Death by Month and Gender(Cont. 1)

10

Unit:Person

Cancer of oesophagus	Cancer of stomach	Cancer of prostate	Cancer of pancreas	Non-Hodgkin's lymphoma	Leukaemia
1,457	1,446	1,021	855	628	582
130	117	97	66	39	58
132	118	66	66	47	45
120	103	78	78	62	41
113	123	95	70	54	43
93	130	83	73	48	49
128	117	76	77	43	43
125	129	93	71	55	59
108	125	77	79	62	54
124	124	79	65	62	51
123	131	102	72	52	53
126	112	95	69	44	41
135	117	80	69	60	45



Table 46 No. of Deaths from Leading

20

	All cancer causes of death - Female	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	15,024	2,782	2,290	1,957	1,706
Jan.	1,276	233	206	176	151
Feb.	1,126	203	163	158	133
Mar.	1,253	231	176	172	147
Apr.	1,191	224	169	148	147
May.	1,217	211	181	147	149
Jun.	1,242	245	178	164	134
July.	1,352	245	219	185	144
Aug.	1,314	265	219	152	140
Sep.	1,242	225	177	165	142
Oct.	1,299	247	207	156	134
Nov.	1,240	222	185	151	146
Dec.	1,272	231	210	183	139

Cancer Causes of Death by Month and Gender(Cont'd)

10 Unit:Person

Cancer of stomach	Cancers of cervix uteri and uterus, part unspecified	Cancer of pancreas	Cancer of ovary	Leukaemia	Non-Hodgkin's lymphoma
815	704	615	434	386	363
76	68	52	34	23	35
63	48	42	36	29	20
66	50	60	36	34	27
72	60	35	39	28	28
68	63	48	40	36	27
66	66	59	33	37	31
59	55	63	32	47	41
70	59	53	33	27	32
77	54	57	39	35	25
86	65	55	36	26	28
67	62	46	34	37	36
45	54	45	42	27	33



Table 47 No. of Deaths from Leading

20

	All Cancer Cause of Death	Cancers of trachea, bronchus and lung	Cancers of liver and intrahepatic bile ducts	Cancers of colon, rectum and anus	Cancer of breast
Total	41,046	8,194	7,744	4,676	1,706
Single	2,873	373	473	252	149
Married	26,556	5,409	5,243	2,960	1,053
Divorced	2,415	403	434	229	130
Widowed	8,907	1,966	1,542	1,204	366
Unknown	295	43	52	31	8
Male	26,022	5,412	5,454	2,719	-
Single	2,014	272	396	175	-
Married	18,906	4,019	4,077	2,007	-
Divorced	1,709	272	363	152	-
Widowed	3,219	818	584	369	-
Unknown	174	31	34	16	-
Female	15,024	2,782	2,290	1,957	1,706
Single	859	101	77	77	149
Married	7,650	1,390	1,166	953	1,053
Divorced	706	131	71	77	130
Widowed	5,688	1,148	958	835	366
Unknown	121	12	18	15	8

Cancer Causes of Death by Marital Status and Gender

10

Unit: Person

Cancer of oral cavity	Cancer of stomach	Cancer of prostate	Cancer of oesophagus	Cancer of pancreas	Cancers of cervix uteri and uterus, part unspecified
2,370	2,261	1,021	1,563	1,470	704
270	132	31	168	60	37
1,576	1,472	729	1,061	963	338
290	89	25	169	74	55
216	551	224	151	360	269
18	17	12	14	13	5
2,198	1,446	1,021	1,457	855	-
261	98	31	161	37	-
1,499	1,075	729	1,017	653	-
280	67	25	162	52	-
142	195	224	105	105	-
16	11	12	12	8	-
172	815	-	106	615	704
9	34	-	7	23	37
77	397	-	44	310	338
10	22	-	7	22	55
74	356	-	46	255	269
2	6	-	2	5	5



Table 48 No. of Deaths for

20

County	Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County	Hsinchu County	Miaoli County	Changhua County
Age Group											
Total	7	2	1	1	-	-	1	1	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-
30-34	4	1	1	1	-	-	-	1	-	-	-
35-39	2	1	-	-	-	-	1	-	-	-	-
40-44	1	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-

Maternal by Age Group and Locale

10

Unit : Person

Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-



Table 49 No. of Deaths and Crude Death

20

	Neonatal Death			
	Total	Male	Female	Death Rate
Total	429	246	183	2.6
New Taipei City	61	34	27	2.2
Taipei City	52	30	22	2.8
Taichung City	49	30	19	2.5
Tainan City	36	22	14	3.1
Kaohsiung City	53	28	25	2.9
Ilan County	12	4	8	3.5
Taoyuan County	33	17	16	2.1
Hsinchu County	23	13	10	4.7
Miaoli County	12	9	3	2.9
Changhua County	15	11	4	1.4
Nantou County	5	2	3	1.5
Yunlin County	9	5	4	1.8
Chiayi County	4	3	1	1.2
Pingtung County	21	12	9	4.0
Taitung County	10	6	4	5.9
Hualien County	10	5	5	4.3
Penghu County	2	1	1	3.0
Keelung City	9	4	5	4.2
Hsinchu City	7	5	2	1.5
Chiayi City	4	4		2.3
Kinmen County	2	1	1	1.9
Lienkiang County	-	-	-	-

Rates for Neonatal, Infant and Maternal by Locale

10

Unit : Persons , 0/00 , 0/0000

Infant Death				Maternal Death	
Total	Male	Female	Death Rate	No.of Death	Death Rate
705	403	302	4.2	7	4.2
100	62	38	3.6	2	7.3
71	41	30	3.8	1	5.4
78	47	31	4.0	1	5.1
52	28	24	4.5	-	-
82	43	39	4.4	-	-
20	11	9	5.8	1	29.0
68	41	27	4.3	1	6.3
37	21	16	7.6	-	-
27	15	12	6.4	-	-
31	17	14	2.9	-	-
13	5	8	3.8	-	-
18	10	8	3.5	-	-
9	6	3	2.6	-	-
35	18	17	6.7	-	-
14	10	4	8.2	-	-
15	8	7	6.4	-	-
2	1	1	3.0	-	-
13	5	8	6.1	-	-
12	7	5	2.5	-	-
6	6		3.4	-	-
2	1	1	1.9	1	96.0
-	-	-	-	-	-



Table 50 No. of Deaths for Neonatal

20

	Neonatal Death		
	Total	Male	Female
Total	429	246	183
Jan.	41	30	11
Feb.	36	23	13
Mar.	35	19	16
Apr.	38	16	22
May.	31	21	10
Jun.	43	28	15
July	26	14	12
Aug.	43	17	26
Sep.	24	12	12
Oct.	48	28	20
Nov.	31	17	14
Dec.	33	21	12

, Infant and Maternal by Month

10

Unit : Persons

Infant Death			Maternal Death
Total	Male	Female	No.of Death
705	403	302	7
67	46	21	-
62	38	24	1
60	31	29	-
68	32	36	1
51	27	24	-
59	40	19	1
54	30	24	1
58	29	29	1
43	23	20	-
68	43	25	-
53	32	21	1
62	32	30	1



Table 51 Deaths under 4 Weeks

Month		Total	New Taipei City	Taipei City	T.C. City	Tainan City	K.S. City	Yilan County	T.Y. County	H.C. County	Miaoli County	C.H.A. County
Total	T.	429	61	52	49	36	53	12	33	23	12	15
	M.	246	34	30	30	22	28	4	17	13	9	11
	F.	183	27	22	19	14	25	8	16	10	3	4
Jan	T.	41	10	1	3	3	8	1	3	2	-	-
	M.	30	7	1	3	2	5	1	3	2	-	-
	F.	11	3	-	-	1	3	-	-	-	-	-
Feb	T.	36	5	2	5	3	7	-	4	2	1	2
	M.	23	4	2	3	1	3	-	2	2	1	1
	F.	13	1	-	2	2	4	-	2	-	-	1
Mar	T.	35	8	1	6	4	1	2	2	2	2	1
	M.	19	4	1	4	4	1	1	-	1	-	1
	F.	16	4	-	2	-	-	1	2	1	2	-
Apr	T.	38	4	5	2	1	5	2	5	1	-	2
	M.	16	1	2	-	-	4	-	2	1	-	2
	F.	22	3	3	2	1	1	2	3	-	-	-
May	T.	31	3	5	5	3	6	-	1	2	2	2
	M.	21	2	4	3	2	3	-	1	1	2	1
	F.	10	1	1	2	1	3	-	-	1	-	1
Jun	T.	43	9	8	4	5	6	2	1	4	-	-
	M.	28	5	5	3	4	4	1	1	2	-	-
	F.	15	4	3	1	1	2	1	-	2	-	-
Jul	T.	26	2	4	2	4	2	-	2	-	1	1
	M.	14	1	2	1	2	1	-	-	-	1	-
	F.	12	1	2	1	2	1	-	2	-	-	1
Aug	T.	43	6	7	9	1	6	-	5	2	-	-
	M.	17	3	4	5	-	-	-	3	-	-	-
	F.	26	3	3	4	1	6	-	2	2	-	-
Sep	T.	24	1	3	2	1	3	1	3	3	1	3
	M.	12	1	1	2	1	1	-	-	1	1	3
	F.	12	-	2	-	-	2	1	3	2	-	-
Oct	T.	48	6	5	1	4	3	3	3	4	2	4
	M.	28	2	3	-	3	2	1	3	2	1	3
	F.	20	4	2	1	1	1	2	-	2	1	1
Nov	T.	31	2	3	4	4	5	-	4	1	2	-
	M.	17	-	1	2	1	3	-	2	1	2	-
	F.	14	2	2	2	3	2	-	2	-	-	-
Dec	T.	33	5	8	6	3	1	1	-	-	1	-
	M.	21	4	4	4	2	1	-	-	-	1	-
	F.	12	1	4	2	1	-	1	-	-	-	-

by Month and Locale, 2010

Unit : Person

Nantou County	Yunlin County	Chiayi County	P.T. County	T.T. County	H.L. County	Penghu County	K.L. City	H.C. City	Chiayi City	Kinmen County	L.C. County
5	9	4	21	10	10	2	9	7	4	2	-
2	5	3	12	6	5	1	4	5	4	1	-
3	4	1	9	4	5	1	5	2	-	1	-
-	2	1	1	4	-	-	1	1	-	-	-
-	2	1	1	2	-	-	-	-	-	-	-
-	-	-	-	2	-	-	1	1	-	-	-
-	2	-	-	-	1	-	-	1	-	1	-
-	2	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-
1	1	-	3	-	-	-	1	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-
1	1	-	1	-	-	-	1	-	-	-	-
-	-	-	3	1	3	-	2	-	1	1	-
-	-	-	1	1	1	-	-	-	1	-	-
-	-	-	2	-	2	-	2	-	-	1	-
-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	1	-	-	1	-	-	-	-
-	-	-	1	1	-	-	1	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-
1	-	-	3	-	1	-	1	1	1	-	-
1	-	-	1	-	1	-	1	1	1	-	-
-	-	-	2	-	-	-	-	-	-	-	-
-	1	1	3	-	1	-	1	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-
-	1	-	2	-	1	-	1	-	-	-	-
-	-	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-
1	1	1	3	1	-	1	1	3	1	-	-
1	1	-	2	-	-	-	1	2	1	-	-
-	-	1	1	1	-	1	-	1	-	-	-
-	-	1	-	-	2	1	-	1	1	-	-
-	-	1	-	-	1	1	-	1	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-
2	1	-	1	2	2	-	-	-	-	-	-
-	-	-	1	2	2	-	-	-	-	-	-
2	1	-	-	-	-	-	-	-	-	-	-



Table 52 Deaths under 1 Year

Month		Total	New Taipei City	Taipei City	T.C. City	Tainan City	K.S. City	Yilan County	T.Y. County	H.C. County	Miaoli County	C.H.A. County
Total	T.	705	100	71	78	52	82	20	68	37	27	31
	M.	403	62	41	47	28	43	11	41	21	15	17
	F.	302	38	30	31	24	39	9	27	16	12	14
Jan	T.	67	13	7	4	3	9	3	9	3	-	-
	M.	46	9	4	4	2	5	3	8	3	-	-
	F.	21	4	3	-	1	4	-	1	-	-	-
Feb	T.	62	10	4	8	5	11	-	7	4	3	2
	M.	38	8	3	5	3	5	-	4	3	2	1
	F.	24	2	1	3	2	6	-	3	1	1	1
Mar	T.	60	13	3	10	5	2	3	6	2	3	3
	M.	31	8	2	7	4	1	2	2	1	-	1
	F.	29	5	1	3	1	1	1	4	1	3	2
Apr	T.	68	7	8	2	4	10	3	7	3	1	4
	M.	32	2	4	-	1	6	1	4	2	-	3
	F.	36	5	4	2	3	4	2	3	1	1	1
May	T.	51	6	5	9	5	7	-	1	3	4	2
	M.	27	2	4	5	2	3	-	1	2	3	1
	F.	24	4	1	4	3	4	-	-	1	1	1
Jun	T.	59	10	8	6	6	8	3	5	4	-	-
	M.	40	6	5	4	5	6	2	4	2	-	-
	F.	19	4	3	2	1	2	1	1	2	-	-
Jul	T.	54	8	6	4	7	6	1	8	1	2	2
	M.	30	4	4	1	4	4	-	5	-	1	-
	F.	24	4	2	3	3	2	1	3	1	1	2
Aug	T.	58	9	9	10	1	8	1	6	4	-	1
	M.	29	6	5	6	-	1	1	3	2	-	1
	F.	29	3	4	4	1	7	-	3	2	-	-
Sep	T.	43	3	4	3	2	5	1	3	4	4	5
	M.	23	3	2	3	1	2	-	-	1	3	3
	F.	20	-	2	-	1	3	1	3	3	1	2
Oct	T.	68	9	6	3	4	4	4	6	5	4	7
	M.	43	5	3	1	3	3	2	5	3	2	5
	F.	25	4	3	2	1	1	2	1	2	2	2
Nov	T.	53	4	3	10	6	9	-	6	1	4	-
	M.	32	2	1	6	1	5	-	4	1	3	-
	F.	21	2	2	4	5	4	-	2	-	1	-
Dec	T.	62	8	8	9	4	3	1	4	3	2	5
	M.	32	7	4	5	2	2	-	1	1	1	2
	F.	30	1	4	4	2	1	1	3	2	1	3

by Month and Locale, 2010

Unit : Person

Nantou County	Yunlin County	Chiayi County	P.T. County	T.T. County	H.L. County	Penghu County	K.L. City	H.C. City	Chiayi City	Kinmen County	L.C. County
13	18	9	35	14	15	2	13	12	6	2	-
5	10	6	18	10	8	1	5	7	6	1	-
8	8	3	17	4	7	1	8	5	-	1	-
-	4	2	2	4	-	-	2	2	-	-	-
-	3	1	1	2	-	-	-	1	-	-	-
-	1	1	1	2	-	-	2	1	-	-	-
-	2	-	1	-	1	-	-	3	-	1	-
-	2	-	-	-	-	-	-	1	-	1	-
-	-	-	1	-	1	-	-	2	-	-	-
3	1	-	4	-	-	-	1	1	-	-	-
1	-	-	2	-	-	-	-	-	-	-	-
2	1	-	2	-	-	-	1	1	-	-	-
-	2	1	5	2	4	-	3	-	1	1	-
-	1	-	2	2	2	-	1	-	1	-	-
-	1	1	3	-	2	-	2	-	-	1	-
1	-	-	5	-	2	-	1	-	-	-	-
-	-	-	4	-	-	-	-	-	-	-	-
1	-	-	1	-	2	-	1	-	-	-	-
1	2	-	3	1	1	-	1	-	-	-	-
-	1	-	2	1	1	-	1	-	-	-	-
1	1	-	1	-	-	-	-	-	-	-	-
1	-	-	3	-	1	-	1	2	1	-	-
1	-	-	1	-	1	-	1	2	1	-	-
-	-	-	2	-	-	-	-	-	-	-	-
-	2	1	3	-	1	-	1	-	1	-	-
-	1	1	1	-	-	-	-	-	1	-	-
-	1	-	2	-	1	-	1	-	-	-	-
2	-	2	1	2	1	-	1	-	-	-	-
-	-	2	-	1	1	-	1	-	-	-	-
2	-	-	1	1	-	-	-	-	-	-	-
1	1	1	4	2	-	1	1	3	2	-	-
1	1	-	3	1	-	-	1	2	2	-	-
-	-	1	1	1	-	1	-	1	-	-	-
2	1	1	-	1	2	1	-	1	1	-	-
2	1	1	-	1	1	1	-	1	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-
2	3	1	4	2	2	-	1	-	-	-	-
-	-	1	2	2	2	-	-	-	-	-	-
2	3	-	2	-	-	-	1	-	-	-	-



Table 53 Neonatal and Infant Deaths

Month		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days	7-13 Days	14-20 Days	21-27 Days
Total	T.	705	219	42	26	16	14	14	54	26	18
	M.	403	119	29	12	12	8	10	30	16	10
	F.	302	100	13	14	4	6	4	24	10	8
Jan	T.	67	20	3	2	2	1	2	8	2	1
	M.	46	14	3	1	2	1	-	6	2	1
	F.	21	6	-	1	-	-	2	2	-	-
Feb	T.	62	21	3	1	1	3	3	3	1	-
	M.	38	12	2	-	1	3	3	2	-	-
	F.	24	9	1	1	-	-	-	1	1	-
Mar	T.	60	19	1	-	1	1	-	8	4	1
	M.	31	9	1	-	1	1	-	3	3	1
	F.	29	10	-	-	-	-	-	5	1	-
Apr	T.	68	17	3	3	1	2	-	6	5	1
	M.	32	6	1	1	-	2	-	3	2	1
	F.	36	11	2	2	1	-	-	3	3	-
May	T.	51	13	1	3	2	1	4	4	1	2
	M.	27	7	1	3	2	-	3	3	1	1
	F.	24	6	-	-	-	1	1	1	-	1
Jun	T.	59	24	4	4	1	-	1	6	2	1
	M.	40	14	4	1	-	-	1	5	2	1
	F.	19	10	-	3	1	-	-	1	-	-
Jul	T.	54	14	3	1	-	-	1	4	1	2
	M.	30	6	1	-	-	-	1	3	1	2
	F.	24	8	2	1	-	-	-	1	-	-
Aug	T.	58	25	2	2	1	1	-	6	4	2
	M.	29	9	1	1	1	-	-	2	3	-
	F.	29	16	1	1	-	1	-	4	1	2
Sep	T.	43	12	2	2	2	1	-	1	3	1
	M.	23	7	2	1	1	-	-	-	1	-
	F.	20	5	-	1	1	1	-	1	2	1
Oct	T.	68	20	11	3	3	2	2	2	3	2
	M.	43	12	7	1	3	-	2	1	1	1
	F.	25	8	4	2	-	2	-	1	2	1
Nov	T.	53	17	5	1	2	-	-	4	-	2
	M.	32	10	4	1	1	-	-	-	-	1
	F.	21	7	1	-	1	-	-	4	-	1
Dec	T.	62	17	4	4	-	2	1	2	-	3
	M.	32	13	2	2	-	1	-	2	-	1
	F.	30	4	2	2	-	1	1	-	-	2

by Age, Gender and Month, 2010

Unit : Person

28-29 Days	1 Month	2 Months	3 Months	4 Months	5 Months	6 Months	7 Months	8 Months	9 Months	10 Months	11 Months
3	59	44	33	29	29	17	18	13	11	12	8
1	32	26	20	18	15	6	13	8	7	4	7
2	27	18	13	11	14	11	5	5	4	8	1
-	6	4	6	3	3	-	2	1	1	-	-
-	3	3	4	2	2	-	1	1	-	-	-
-	3	1	2	1	1	-	1	-	1	-	-
1	4	4	-	4	3	3	3	2	1	1	-
1	2	4	-	2	-	-	2	2	1	1	-
-	2	-	-	2	3	3	1	-	-	-	-
-	7	2	5	3	2	3	2	1	-	-	-
-	4	1	1	1	1	1	2	1	-	-	-
-	3	1	4	2	1	2	-	-	-	-	-
-	6	5	4	2	3	-	5	-	1	2	2
-	2	2	3	1	1	-	4	-	1	-	2
-	4	3	1	1	2	-	1	-	-	2	-
-	2	5	-	3	2	3	-	2	2	1	-
-	1	1	-	1	-	1	-	-	2	-	-
-	1	4	-	2	2	2	-	2	-	1	-
-	1	4	1	3	3	-	-	3	1	-	-
-	1	3	1	3	2	-	-	1	1	-	-
-	-	1	-	-	1	-	-	2	-	-	-
-	8	5	3	3	3	1	1	2	1	1	-
-	5	2	2	2	2	1	1	1	-	-	-
-	3	3	1	1	1	-	-	1	1	1	-
1	3	2	1	-	4	-	-	-	-	2	2
-	2	2	1	-	3	-	-	-	-	2	2
1	1	-	-	-	1	-	-	-	-	-	-
-	4	4	-	2	1	1	3	1	2	1	-
-	2	2	-	1	1	-	1	1	2	1	-
-	2	2	-	1	-	1	2	-	-	-	-
-	6	5	3	1	3	1	-	-	-	-	1
-	3	4	3	1	2	1	-	-	-	-	1
-	3	1	-	-	1	-	-	-	-	-	-
-	5	3	5	-	1	3	-	1	-	2	2
-	4	2	4	-	1	2	-	1	-	-	1
-	1	1	1	-	-	1	-	-	-	2	1
1	7	1	5	5	1	2	2	-	2	2	1
-	3	-	1	4	-	-	2	-	-	-	1
1	4	1	4	1	1	2	-	-	2	2	-



Table 54 No. of Deaths and Crude Death Rates from

20

Age Group	Accidents and					
	Total		Transport accidents			
			Motor vehicle traffic accidents			
No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	
Total	6,669	28.8	3,773	16.3	3,515	15.2
0	37	21.8	7	4.1	6	3.5
1-4	47	5.8	22	2.7	20	2.5
5-9	35	2.9	9	0.7	9	0.7
10-14	68	4.5	39	2.6	38	2.5
15-19	339	21.0	297	18.4	286	17.7
20-24	352	22.2	302	19.0	280	17.6
25-29	374	19.5	272	14.2	258	13.4
30-34	334	16.7	203	10.1	191	9.5
35-39	368	20.5	199	11.1	183	10.2
40-44	446	23.9	235	12.6	219	11.7
45-49	472	24.8	246	12.9	228	12.0
50-54	514	29.1	284	16.1	264	14.9
55-59	521	33.9	308	20.1	287	18.7
60-64	403	41.6	235	24.3	209	21.6
65-69	436	58.1	259	34.5	240	32.0
70-74	495	77.6	271	42.5	249	39.0
75-79	531	106.9	279	56.2	261	52.6
80-84	471	132.0	202	56.6	189	53.0
85+	426	184.6	104	45.1	98	42.5

Accidents and adverse effects by Age Group and Mortality List

10

Unit: Person / 0/0000

adverse effects									
Accidental poisoning		Accidental falls		Accidents caused by fire and flames		Accidental drowning and submersion		Other	
No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate
274	1.2	1,178	5.1	74	0.3	381	1.6	989	4.3
-	-	2	1.2	1	0.6	-	-	27	15.9
1	0.1	2	0.2	3	0.4	15	1.8	4	0.5
3	0.2	3	0.2	2	0.2	13	1.1	5	0.4
2	0.1	4	0.3	2	0.1	17	1.1	4	0.3
8	0.5	5	0.3	4	0.2	15	0.9	10	0.6
7	0.4	11	0.7	1	0.1	8	0.5	23	1.4
29	1.5	21	1.1	3	0.2	12	0.6	37	1.9
37	1.8	31	1.5	4	0.2	23	1.1	36	1.8
49	2.7	55	3.1	1	0.1	21	1.2	43	2.4
46	2.5	75	4.0	3	0.2	42	2.3	45	2.4
40	2.1	90	4.7	7	0.4	30	1.6	59	3.1
22	1.2	105	5.9	5	0.3	34	1.9	64	3.6
10	0.7	89	5.8	6	0.4	29	1.9	79	5.1
5	0.5	87	9.0	2	0.2	27	2.8	47	4.9
4	0.5	82	10.9	6	0.8	23	3.1	62	8.3
3	0.5	125	19.6	9	1.4	25	3.9	62	9.7
2	0.4	135	27.2	5	1.0	22	4.4	88	17.7
3	0.8	135	37.8	4	1.1	17	4.8	110	30.8
3	1.3	121	52.4	6	2.6	8	3.5	184	79.7



Table 54 No. of Deaths and Crude Death Rates from

20

Age Group	Accidents and					
	Total (male)		Transport accidents			
			Motor vehicle traffic accidents			
No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	
Total	4,835	41.6	2,721	23.4	2,524	21.7
0	23	26.0	3	3.4	2	2.3
1-4	26	6.1	10	2.4	9	2.1
5-9	32	5.1	8	1.3	8	1.3
10-14	47	6.0	25	3.2	24	3.1
15-19	257	30.6	228	27.1	218	25.9
20-24	275	33.5	235	28.7	219	26.7
25-29	296	30.5	217	22.4	206	21.3
30-34	275	27.5	170	17.0	162	16.2
35-39	291	32.5	146	16.3	135	15.1
40-44	367	39.3	191	20.4	176	18.8
45-49	396	41.5	191	20.0	177	18.6
50-54	399	45.5	205	23.4	192	21.9
55-59	372	49.2	200	26.5	182	24.1
60-64	276	58.4	141	29.9	123	26.0
65-69	299	83.5	167	46.6	151	42.2
70-74	314	106.8	177	60.2	163	55.4
75-79	330	138.3	189	79.2	177	74.2
80-84	322	173.5	148	79.7	136	73.3
85+	238	217.2	70	63.9	64	58.4

Accidents and adverse effects by Age Group and Mortality List (Cont. 1)

10

Unit: Person / 0/0000

adverse effects									
Accidental poisoning		Accidental falls		Accidents caused by fire and flames		Accidental drowning and submersion		Other	
No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate
205	1.8	884	7.6	51	0.4	310	2.7	664	5.7
-	-	2	2.3	-	-	-	-	18	20.3
-	-	-	-	3	0.7	11	2.6	2	0.5
3	0.5	2	0.3	2	0.3	13	2.1	4	0.6
1	0.1	1	0.1	1	0.1	15	1.9	4	0.5
6	0.7	3	0.4	2	0.2	13	1.5	5	0.6
5	0.6	10	1.2	-	-	6	0.7	19	2.3
19	2.0	16	1.7	1	0.1	9	0.9	34	3.5
26	2.6	26	2.6	1	0.1	22	2.2	30	3.0
40	4.5	51	5.7	1	0.1	17	1.9	36	4.0
34	3.6	66	7.1	2	0.2	36	3.9	38	4.1
37	3.9	82	8.6	6	0.6	28	2.9	52	5.5
17	1.9	92	10.5	3	0.3	29	3.3	53	6.0
5	0.7	72	9.5	6	0.8	24	3.2	65	8.6
5	1.1	70	14.8	2	0.4	22	4.7	36	7.6
1	0.3	68	19.0	4	1.1	15	4.2	44	12.3
1	0.3	74	25.2	6	2.0	19	6.5	37	12.6
1	0.4	80	33.5	4	1.7	12	5.0	44	18.4
3	1.6	97	52.3	3	1.6	15	8.1	56	30.2
1	0.9	72	65.7	4	3.7	4	3.7	87	79.4



Table 54 No. of Deaths and Crude Death Rates from

20

Age Group	Accidents and					
	Total (female)		Transport accidents			
			Motor vehicle traffic accidents			
No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	
Total	1,834	15.9	1,052	9.1	991	8.6
0	14	17.2	4	4.9	4	4.9
1-4	21	5.4	12	3.1	11	2.8
5-9	3	0.5	1	0.2	1	0.2
10-14	21	2.9	14	1.9	14	1.9
15-19	82	10.6	69	8.9	68	8.8
20-24	77	10.0	67	8.7	61	7.9
25-29	78	8.2	55	5.8	52	5.5
30-34	59	5.9	33	3.3	29	2.9
35-39	77	8.5	53	5.9	48	5.3
40-44	79	8.5	44	4.7	43	4.6
45-49	76	8.0	55	5.8	51	5.4
50-54	115	12.9	79	8.9	72	8.1
55-59	149	19.1	108	13.9	105	13.5
60-64	127	25.6	94	18.9	86	17.3
65-69	137	34.9	92	23.4	89	22.7
70-74	181	52.6	94	27.3	86	25.0
75-79	201	77.9	90	34.9	84	32.6
80-84	149	87.1	54	31.6	53	31.0
85+	188	155.2	34	28.1	34	28.1

Accidents and adverse effects by Age Group and Mortality List (Cont'd)

10

Unit: Person / 0/0000

adverse effects									
Accidental poisoning		Accidental falls		Accidents caused by fire and flames		Accidental drowning and submersion		Other	
No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate
69	0.6	294	2.6	23	0.2	71	0.6	325	2.8
-	-	-	-	1	1.2	-	-	9	11.1
1	0.3	2	0.5	-	-	4	1.0	2	0.5
-	-	1	0.2	-	-	-	-	1	0.2
1	0.1	3	0.4	1	0.1	2	0.3	-	-
2	0.3	2	0.3	2	0.3	2	0.3	5	0.6
2	0.3	1	0.1	1	0.1	2	0.3	4	0.5
10	1.1	5	0.5	2	0.2	3	0.3	3	0.3
11	1.1	5	0.5	3	0.3	1	0.1	6	0.6
9	1.0	4	0.4	-	-	4	0.4	7	0.8
12	1.3	9	1.0	1	0.1	6	0.6	7	0.8
3	0.3	8	0.8	1	0.1	2	0.2	7	0.7
5	0.6	13	1.5	2	0.2	5	0.6	11	1.2
5	0.6	17	2.2	-	-	5	0.6	14	1.8
-	-	17	3.4	-	-	5	1.0	11	2.2
3	0.8	14	3.6	2	0.5	8	2.0	18	4.6
2	0.6	51	14.8	3	0.9	6	1.7	25	7.3
1	0.4	55	21.3	1	0.4	10	3.9	44	17.1
-	-	38	22.2	1	0.6	2	1.2	54	31.6
2	1.7	49	40.4	2	1.7	4	3.3	97	80.1



Table 55 No. of Deaths and Crude Death Rates from

20

	Accidents and					
	Total		Transport accidents			
			Motor vehicle traffic accidents			
No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	
Total	6,669	28.8	3,773	16.3	3,515	15.2
New Taipei City	699	18.0	363	9.3	351	9.0
Taipei City	359	13.7	154	5.9	142	5.4
Taichung City	727	27.5	389	14.7	376	14.2
Tainan City	617	32.9	384	20.5	369	19.7
Koahsiung City	777	28.0	454	16.4	356	12.8
Ilan County	202	43.8	125	27.1	115	24.9
Taoyuan County	504	25.3	281	14.1	266	13.4
Hsinchu County	196	38.3	105	20.5	102	19.9
Miaoli County	256	45.6	146	26.0	137	24.4
Changhua County	438	33.4	275	21.0	262	20.0
Nantou County	214	40.5	112	21.2	108	20.4
Yunlin County	329	45.7	208	28.9	204	28.3
Chaiyi City	260	47.7	161	29.5	152	27.9
Pingtung County	385	43.8	280	31.9	271	30.9
Taitung County	175	75.6	93	40.2	87	37.6
Hwalien County	212	62.4	101	29.7	90	26.5
Penghu County	34	35.2	9	9.3	7	7.2
Keelung City	98	25.4	39	10.1	33	8.5
Hsinchu City	77	18.6	37	8.9	33	8.0
Chiayi City	81	29.7	47	17.2	46	16.8
Kinmen County	26	27.2	10	10.5	8	8.4
Lienjiang County	3	30.2	-	-	-	-

Accidents and adverse effects by Local and Mortality List

10

Unit: Person · 0/0000

adverse effects

Accidental poisoning		Accidental falls		Accidents caused by fire and flames		Accidental drowning and submersion		Other	
No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate	No. of Death	Death Rate
274	1.2	1,178	5.1	74	0.3	381	1.6	989	4.3
50	1.3	128	3.3	10	0.3	37	1.0	111	2.9
20	0.8	83	3.2	6	0.2	16	0.6	80	3.1
59	2.2	138	5.2	8	0.3	25	0.9	108	4.1
16	0.9	108	5.8	7	0.4	37	2.0	65	3.5
23	0.8	136	4.9	5	0.2	47	1.7	112	4.0
1	0.2	31	6.7	1	0.2	13	2.8	31	6.7
16	0.8	101	5.1	5	0.3	32	1.6	69	3.5
11	2.1	24	4.7	2	0.4	20	3.9	34	6.6
8	1.4	45	8.0	3	0.5	8	1.4	46	8.2
8	0.6	60	4.6	6	0.5	22	1.7	67	5.1
5	0.9	50	9.5	-	-	11	2.1	36	6.8
5	0.7	41	5.7	6	0.8	18	2.5	51	7.1
8	1.5	38	7.0	5	0.9	13	2.4	35	6.4
10	1.1	53	6.0	-	-	12	1.4	30	3.4
4	1.7	35	15.1	4	1.7	16	6.9	23	9.9
6	1.8	38	11.2	-	-	19	5.6	48	14.1
1	1.0	4	4.1	-	-	9	9.3	11	11.4
5	1.3	31	8.0	4	1.0	9	2.3	10	2.6
13	3.1	10	2.4	1	0.2	7	1.7	9	2.2
4	1.5	17	6.2	-	-	2	0.7	11	4.0
-	-	6	6.3	1	1.0	7	7.3	2	2.1
1	10.1	1	10.1	-	-	1	10.1	-	-



Table 56 No. of Deaths from Accidents and adverse

20

	Accidents and		
	Total	Transport accidents	
			Motor vehicle traffic accidents
Total	6,669	3,773	3,515
Jan.	609	356	331
Feb.	544	307	289
Mar.	555	321	301
Apr.	520	308	284
May.	481	282	260
Jun.	528	292	266
July	636	327	299
Aug.	573	301	285
Sep.	572	325	304
Oct.	576	313	293
Nov.	492	286	270
Dec.	583	355	333



effects by Month and Mortality List

10

Unit:Person

adverse effects

Accidental poisoning	Accidental falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
274	1,178	74	381	989
24	101	11	27	90
30	97	11	20	79
23	94	5	19	93
17	93	9	29	64
19	79	5	36	60
19	104	2	35	76
36	109	12	51	101
28	108	6	40	90
20	92	2	49	84
25	100	4	36	98
16	97	3	20	70
17	104	4	19	84

Table 57 No. of Deaths from Accidents and adverse

20

	Accidents and		
	Total	Transport accidents	
			Motor vehicle traffic accidents
Total	6,669	3,773	3,515
Single	1,918	1,264	1,191
Married	3,112	1,715	1,579
Divorced	642	336	311
Widowed	961	442	421
Unknown	36	16	13
Male	4,835	2,721	2,524
Single	1,566	1,019	958
Married	2,405	1,265	1,160
Divorced	487	241	222
Widowed	348	183	174
Unknown	29	13	10
Female	1,834	1,052	991
Single	352	245	233
Married	707	450	419
Divorced	155	95	89
Widowed	613	259	247
Unknown	7	3	3

effects by Marital Status, Gender and Mortality List

10

Unit:Person

adverse effects

Accidental poisoning	Accidental falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
274	1,178	74	381	989
127	167	27	130	203
69	663	27	169	469
63	109	10	46	78
13	233	10	34	229
2	6	-	2	10
205	884	51	310	664
104	149	17	110	167
53	555	21	146	365
41	93	9	41	62
5	83	4	11	62
2	4	-	2	8
69	294	23	71	325
23	18	10	20	36
16	108	6	23	104
22	16	1	5	16
8	150	6	23	167
-	2	-	-	2



Table 58 No. of Deaths and Crude Death Rates from Intentional

20

	Suicide and							
	Total		Suicide and self-inflicted poisoning by solid or liquid substances		Suicide and self-inflicted poisoning by other gases and vapors		Suicide and self-inflicted injury by hanging, strangulation and suffocation	
	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)
Total	3,889	16.8	663	2.9	1,222	5.3	1,224	5.3
5-9	-	-	-	-	-	-	-	-
10-14	6	0.4	-	-	2	0.1	1	0.1
15-19	48	3.0	2	0.1	18	1.1	10	0.6
20-24	128	8.1	5	0.3	66	4.2	34	2.1
25-29	275	14.3	18	0.9	131	6.8	64	3.3
30-34	383	19.1	30	1.5	191	9.5	92	4.6
35-39	330	18.4	42	2.3	165	9.2	69	3.8
40-44	425	22.8	54	2.9	187	10.0	107	5.7
45-49	417	21.9	68	3.6	145	7.6	129	6.8
50-54	402	22.7	63	3.6	133	7.5	131	7.4
55-59	345	22.5	65	4.2	85	5.5	128	8.3
60-64	244	25.2	61	6.3	47	4.9	80	8.3
65-69	239	31.8	63	8.4	23	3.1	102	13.6
70-74	227	35.6	70	11.0	15	2.4	83	13.0
75-79	178	35.8	53	10.7	9	1.8	75	15.1
80-84	147	41.2	46	12.9	5	1.4	72	20.2
85+	95	41.2	23	10.0	-	-	47	20.4



Self-Harm (Suicide) by Age Group and Mortality

10

Unit: Person, 0/0000

self-inflicted injury									
Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms, air guns and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injuries by jumping from high place		Other	
Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)
221	1.0	16	0.1	73	0.3	374	1.6	96	0.4
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	0.2	-	-
-	-	-	-	1	0.1	16	1.0	1	0.1
3	0.2	-	-	1	0.1	17	1.1	2	0.1
12	0.6	5	0.3	3	0.2	36	1.9	6	0.3
15	0.7	4	0.2	5	0.2	37	1.8	9	0.4
15	0.8	-	-	4	0.2	26	1.4	9	0.5
11	0.6	1	0.1	5	0.3	51	2.7	9	0.5
21	1.1	2	0.1	4	0.2	37	1.9	11	0.6
27	1.5	2	0.1	6	0.3	30	1.7	10	0.6
19	1.2	1	0.1	7	0.5	24	1.6	16	1.0
26	2.7	1	0.1	9	0.9	11	1.1	9	0.9
19	2.5	-	-	6	0.8	19	2.5	7	0.9
21	3.3	-	-	9	1.4	27	4.2	2	0.3
19	3.8	-	-	7	1.4	12	2.4	3	0.6
7	2.0	-	-	3	0.8	12	3.4	2	0.6
6	2.6	-	-	3	1.3	16	6.9	-	-

Table 58 No. of Deaths and Crude Death Rates from Intentional

20

	Suicide and							
	Total(male)		Suicide and self-inflicted poisoning by solid or liquid substances		Suicide and self-inflicted poisoning by other gases and vapors		Suicide and self-inflicted injury by hanging, strangulation and suffocation	
	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)
Total	2,639	22.7	421	3.6	888	7.6	899	7.7
5-9	-	-	-	-	-	-	-	-
10-14	4	0.5	-	-	2	0.3	1	0.1
15-19	29	3.5	1	0.1	8	1.0	8	1.0
20-24	94	11.5	4	0.5	48	5.9	27	3.3
25-29	183	18.9	12	1.2	89	9.2	52	5.4
30-34	265	26.5	21	2.1	139	13.9	64	6.4
35-39	212	23.7	28	3.1	116	13.0	50	5.6
40-44	288	30.8	31	3.3	135	14.4	83	8.9
45-49	281	29.5	45	4.7	110	11.5	94	9.9
50-54	282	32.1	44	5.0	94	10.7	97	11.0
55-59	255	33.7	45	6.0	68	9.0	97	12.8
60-64	170	36.0	40	8.5	43	9.1	58	12.3
65-69	168	46.9	44	12.3	17	4.7	75	20.9
70-74	126	42.9	38	12.9	9	3.1	49	16.7
75-79	114	47.8	30	12.6	8	3.4	51	21.4
80-84	101	54.4	25	13.5	2	1.1	56	30.2
85+	67	61.1	13	11.9	-	-	37	33.8



Self-Harm (Suicide) by Age Group and Mortality List (Cont. 1)

10

Unit: Person · 0/0000

self-inflicted injury									
Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms, air guns and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injuries by jumping from high place		Other	
Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)
105	0.9	14	0.1	53	0.5	186	1.6	73	0.6
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	0.1	-	-
-	-	-	-	-	-	11	1.3	1	0.1
1	0.1	-	-	1	0.1	11	1.3	2	0.2
4	0.4	3	0.3	1	0.1	17	1.8	5	0.5
12	1.2	4	0.4	3	0.3	17	1.7	5	0.5
4	0.4	-	-	2	0.2	8	0.9	4	0.4
5	0.5	1	0.1	4	0.4	23	2.5	6	0.6
8	0.8	2	0.2	2	0.2	12	1.3	8	0.8
14	1.6	2	0.2	5	0.6	19	2.2	7	0.8
9	1.2	1	0.1	6	0.8	14	1.9	15	2.0
11	2.3	1	0.2	7	1.5	2	0.4	8	1.7
13	3.6	-	-	4	1.1	9	2.5	6	1.7
6	2.0	-	-	6	2.0	16	5.4	2	0.7
9	3.8	-	-	7	2.9	7	2.9	2	0.8
5	2.7	-	-	3	1.6	8	4.3	2	1.1
4	3.7	-	-	2	1.8	11	10.0	-	-

Table 58 No. of Deaths and Crude Death Rates from Intentional

20

	Total(female)		Suicide and					
	Number of deaths	Death rate (0/0000)	Suicide and self-inflicted poisoning by solid or liquid substances		Suicide and self-inflicted poisoning by other gases and vapors		Suicide and self-inflicted injury by hanging, strangulation and suffocation	
	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)
Total	1,250	10.9	242	2.1	334	2.9	325	2.8
5-9	-	-	-	-	-	-	-	-
10-14	2	0.3	-	-	-	-	-	-
15-19	19	2.5	1	0.1	10	1.3	2	0.3
20-24	34	4.4	1	0.1	18	2.3	7	0.9
25-29	92	9.7	6	0.6	42	4.4	12	1.3
30-34	118	11.8	9	0.9	52	5.2	28	2.8
35-39	118	13.1	14	1.5	49	5.4	19	2.1
40-44	137	14.7	23	2.5	52	5.6	24	2.6
45-49	136	14.3	23	2.4	35	3.7	35	3.7
50-54	120	13.5	19	2.1	39	4.4	34	3.8
55-59	90	11.5	20	2.6	17	2.2	31	4.0
60-64	74	14.9	21	4.2	4	0.8	22	4.4
65-69	71	18.1	19	4.8	6	1.5	27	6.9
70-74	101	29.3	32	9.3	6	1.7	34	9.9
75-79	64	24.8	23	8.9	1	0.4	24	9.3
80-84	46	26.9	21	12.3	3	1.8	16	9.3
85+	28	23.1	10	8.3	-	-	10	8.3

Self-Harm (Suicide) by Age Group and Mortality List (Cont'd)

10

Unit: Person · 0/0000

self-inflicted injury									
Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms, air guns and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injuries by jumping from high place		Other	
Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)
116	1.0	2	0.0	20	0.2	188	1.6	23	0.2
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	0.3	-	-
-	-	-	-	1	0.1	5	0.6	-	-
2	0.3	-	-	-	-	6	0.8	-	-
8	0.8	2	0.2	2	0.2	19	2.0	1	0.1
3	0.3	-	-	2	0.2	20	2.0	4	0.4
11	1.2	-	-	2	0.2	18	2.0	5	0.6
6	0.6	-	-	1	0.1	28	3.0	3	0.3
13	1.4	-	-	2	0.2	25	2.6	3	0.3
13	1.5	-	-	1	0.1	11	1.2	3	0.3
10	1.3	-	-	1	0.1	10	1.3	1	0.1
15	3.0	-	-	2	0.4	9	1.8	1	0.2
6	1.5	-	-	2	0.5	10	2.5	1	0.3
15	4.4	-	-	3	0.9	11	3.2	-	-
10	3.9	-	-	-	-	5	1.9	1	0.4
2	1.2	-	-	-	-	4	2.3	-	-
2	1.7	-	-	1	0.8	5	4.1	-	-



Table 59 No. of Deaths and Crude Death Rates from Intentional

20

	Suicide and							
	Total		Suicide and self-inflicted poisoning by solid or liquid substances		Suicide and self-inflicted poisoning by other gases and vapors		Suicide and self-inflicted injury by hanging, strangulation and suffocation	
	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)
Total	3,889	16.8	663	2.9	1,222	5.3	1,224	5.3
New Taipei City	668	17.2	53	1.4	273	7.0	193	5.0
Taipei City	329	12.6	16	0.6	101	3.9	113	4.3
Taichung City	379	14.3	69	2.6	135	5.1	110	4.2
Tainan City	321	17.1	67	3.6	83	4.4	104	5.5
Koahsiung City	508	18.3	66	2.4	158	5.7	165	6.0
Ilan County	93	20.2	19	4.1	24	5.2	34	7.4
Taoyuan County	292	14.7	36	1.8	117	5.9	87	4.4
Hsinchu County	97	18.9	20	3.9	27	5.3	31	6.1
Miaoli County	114	20.3	35	6.2	26	4.6	36	6.4
Changhua County	194	14.8	58	4.4	38	2.9	68	5.2
Nantou County	96	18.2	28	5.3	19	3.6	32	6.1
Yunlin County	122	16.9	40	5.6	34	4.7	38	5.3
Chaiyi City	134	24.6	32	5.9	42	7.7	42	7.7
Pingtung County	193	22.0	61	6.9	50	5.7	54	6.1
Taitung County	55	23.7	24	10.4	9	3.9	14	6.0
Hwalien County	79	23.2	23	6.8	20	5.9	25	7.4
Penghu County	13	13.5	2	2.1	1	1.0	5	5.2
Keelung City	92	23.8	7	1.8	28	7.2	29	7.5
Hsinchu City	61	14.8	5	1.2	18	4.4	24	5.8
Chiayi City	39	14.3	2	0.7	13	4.8	16	5.9
Kinmen County	9	9.4	-	-	5	5.2	4	4.2
Lienjiang County	1	10.1	-	-	1	10.1	-	-

Self-Harm (Suicide) by Local and Mortality List

10.

Unit: Person, 0/0000

self-inflicted injury									
Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms, air guns and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injuries by jumping from high place		Other	
Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)	Number of deaths	Death rate (0/0000)
221	1.0	16	0.1	73	0.3	374	1.6	96	0.4
34	0.9	4	0.1	12	0.3	85	2.2	14	0.4
24	0.9	1	0.0	10	0.4	55	2.1	9	0.3
8	0.3	3	0.1	7	0.3	38	1.4	9	0.3
26	1.4	1	0.1	9	0.5	24	1.3	7	0.4
31	1.1	2	0.1	3	0.1	68	2.5	15	0.5
9	2.0	-	-	2	0.4	4	0.9	1	0.2
15	0.8	1	0.1	1	0.1	26	1.3	9	0.5
9	1.8	1	0.2	1	0.2	7	1.4	1	0.2
5	0.9	-	-	4	0.7	7	1.2	1	0.2
11	0.8	-	-	4	0.3	10	0.8	5	0.4
6	1.1	-	-	3	0.6	6	1.1	2	0.4
4	0.6	1	0.1	2	0.3	2	0.3	1	0.1
8	1.5	-	-	2	0.4	5	0.9	3	0.5
6	0.7	-	-	3	0.3	12	1.4	7	0.8
1	0.4	-	-	1	0.4	2	0.9	4	1.7
4	1.2	1	0.3	1	0.3	3	0.9	2	0.6
2	2.1	-	-	-	-	2	2.1	1	1.0
6	1.6	-	-	5	1.3	14	3.6	3	0.8
7	1.7	-	-	2	0.5	3	0.7	2	0.5
5	1.8	1	0.4	1	0.4	1	0.4	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-



Table 60 No. of Deaths from Intentional Self-Harm (Suicide) by Month and Mortality List

2010

Unit:Person

	Suicide and self-inflicted injury								
	Total	Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other
Total	3,889	663	1,222	1,224	221	16	73	374	96
Jan.	329	49	115	116	12	3	4	23	7
Feb.	281	38	102	77	20	2	6	25	11
Mar.	343	62	119	98	17	1	7	31	8
Apr.	337	64	109	104	14	1	6	31	8
May.	376	66	130	101	22	3	7	39	8
Jun.	336	55	113	98	17	2	7	35	9
July	385	62	104	133	30	-	7	39	10
Aug.	353	57	108	112	27	3	4	36	6
Sep.	335	50	97	101	28	-	8	39	12
Oct.	259	42	59	105	12	1	6	27	7
Nov.	262	57	72	90	14	-	7	18	4
Dec.	293	61	94	89	8	-	4	31	6



Table 61 No. of Deaths from Intentional Self-Harm

20

	Total	Suicide and		
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation
Total	3,889	663	1,222	1,224
Single	1,098	102	477	298
Married	1,561	327	358	548
Divorced	832	122	349	213
Widowed	385	110	34	162
Unknown	13	2	4	3
Male	2,639	421	888	899
Single	825	79	366	254
Married	1,074	215	259	401
Divorced	563	80	241	163
Widowed	166	45	18	78
Unknown	11	2	4	3
Female	1,250	242	334	325
Single	273	23	111	44
Married	487	112	99	147
Divorced	269	42	108	50
Widowed	219	65	16	84
Unknown	2	-	-	-

(Suicide) by Marital Status, Gender and Mortality List

10 Unit: Person

self-inflicted injury				
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other
221	16	73	374	96
46	9	15	131	20
102	5	36	145	40
40	2	14	61	31
32	-	8	35	4
1	-	-	2	1
105	14	53	186	73
28	7	9	67	15
54	5	30	79	31
16	2	10	28	23
7	-	4	11	3
-	-	-	1	1
116	2	20	188	23
18	2	6	64	5
48	-	6	66	9
24	-	4	33	8
25	-	4	24	1
1	-	-	1	-



Table 62 The Main Death of Potential

		2010					
Rank	Cause of Death	Total		Male		Female	
		(PYLL)	(AYLL)	(PYLL)	(AYLL)	(PYLL)	(AYLL)
		Total	998,555	17.7	700,269	18.0	298,286
1	Malignant neoplasms	303,883	14.7	193,563	14.6	110,320	15.0
2	Heart disease	71,678	15.2	55,643	15.6	16,035	13.8
3	Cerebrovascular disease	41,186	13.9	30,025	14.3	11,161	13.1
4	Pneumonia	18,774	14.0	13,805	13.9	4,969	14.4
5	Diabetes mellitus	29,002	11.3	19,765	12.3	9,237	9.6
6	Accidents and adverse effects	131,343	27.7	102,007	28.1	29,336	26.3
7	Chronic lower respiratory diseases	6,599	11.0	4,763	10.8	1,836	11.7
8	Chronic liver disease and cirrhosis	61,867	18.3	54,042	19.4	7,825	13.2
9	Hypertensive diseases	11,275	12.2	8,182	12.5	3,093	11.4
10	Nephritis, nephrotic syndrome and nephrosis	13,340	12.2	8,157	12.5	5,183	11.7

Data Source : The average life expectancy after eliminating specified causes of death is extracted from the "Ministry of Interior's Year 2009 Taiwan-Fuchien Area Abridged Life Table."

Note : 1. Potential Years of Life Lost(PYLL): The sum product of the expected years of life at a given age (70 – age at time of death) and the number of people that died at that age.

2. Average Years of Life Lost (AYLL): Potential Years of Life Lost/Number of Deaths for that Cause of Death

3. The causes of death have been taken from the ten leading causes of death in the Taiwan area in the year 2010.

Years Life of Loss Under Age 70

v.s. 2009

Unit: person year, year

2009						Life Expectancy of Deleted Special Causes of Death in 2009		
Total		Male		Female		Total	Male	Female
(PYLL)	(AYLL)	(PYLL)	(AYLL)	(PYLL)	(AYLL)			
1,035,100	18.1	721,287	18.4	313,813	17.5	79.01	76.03	82.34
300,989	14.9	192,246	14.8	108,743	15.0	83.02	80.57	85.65
70,245	15.0	54,288	15.6	15,957	13.4	80.49	77.52	83.81
44,298	13.9	31,783	14.3	12,515	13.0	79.97	77.00	83.29
17,137	13.8	12,497	13.9	4,640	13.6	79.83	76.87	83.10
29,972	10.9	19,743	11.9	10,229	9.4	79.75	76.66	83.23
151,055	28.0	115,151	28.1	35,904	27.7	79.85	77.14	82.86
6,951.00	10.98	5,169.00	10.53	1,782.00	12.55	79.46	76.58	82.62
62,724	18.5	54,401	19.9	8,323	12.6	79.46	76.62	82.63
10,130	11.9	7,616	13.1	2,514	9.5
12,306	12.2	8,359	13.5	3,947	10.1	79.37	76.35	82.74



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10
										9	14
A00-Y98	Number of deaths	T.	144,709	429	276	70	56	48	29	157	214
		M.	88,374	246	157	38	28	29	14	97	126
		F.	56,335	183	119	32	28	19	15	60	88
A00-B99	Certain infectious and parasitic diseases	T.	5,233	-	7	3	2	-	5	5	9
		M.	3,074	-	4	3	-	-	2	2	5
		F.	2,159	-	3	-	2	-	3	3	4
A00-A09	Intestinal infectious diseases	T.	52	-	-	-	-	-	-	-	1
		M.	27	-	-	-	-	-	-	-	1
		F.	25	-	-	-	-	-	-	-	-
A15-A19	Tuberculosis	T.	654	-	-	-	-	-	-	-	-
		M.	476	-	-	-	-	-	-	-	-
		F.	178	-	-	-	-	-	-	-	-
A15-A16	Respiratory tuberculosis	T.	616	-	-	-	-	-	-	-	-
		M.	458	-	-	-	-	-	-	-	-
		F.	158	-	-	-	-	-	-	-	-
A17-A19	Other tuberculosis	T.	38	-	-	-	-	-	-	-	-
		M.	18	-	-	-	-	-	-	-	-
		F.	20	-	-	-	-	-	-	-	-
A40-A41	Septicaemia	T.	3,784	-	6	1	2	-	3	3	3
		M.	2,035	-	3	1	-	-	1	1	1
		F.	1,749	-	3	-	2	-	2	2	2
A91	Dengue haemorrhagic fever	T.	2	-	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-	-
B15-B19	Viral hepatitis	T.	258	-	-	-	-	-	-	-	2
		M.	182	-	-	-	-	-	-	-	1
		F.	76	-	-	-	-	-	-	-	1
B15	Viral hepatitis A	T.	1	-	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-
B16-B17.0, B18.0- B18.1	Viral hepatitis B	T.	165	-	-	-	-	-	-	-	-
		M.	125	-	-	-	-	-	-	-	-
		F.	40	-	-	-	-	-	-	-	-
B17.1, B18.2	Viral hepatitis C	T.	54	-	-	-	-	-	-	-	-
		M.	30	-	-	-	-	-	-	-	-
		F.	24	-	-	-	-	-	-	-	-
B17.2, B17.8, B18.8, Other viral hepatitis B18.9, B19	Other viral hepatitis	T.	38	-	-	-	-	-	-	-	2
		M.	26	-	-	-	-	-	-	-	1
		F.	12	-	-	-	-	-	-	-	1
B20-B24	Human immunodeficiency virus [HIV] disease	T.	115	-	-	-	-	-	-	-	-
		M.	109	-	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-	-
A00-B99 excludes above-mentioned code (A20-A28, A30-A39, A42-A90, A92-A99, B00-B09, B25-B83, B85-B97, B99)	Remainder of certain infectious and parasitic diseases	T.	368	-	1	2	-	-	2	2	3
		M.	244	-	1	2	-	-	1	1	2
		F.	124	-	-	-	-	-	1	1	1
C00-D48	Neoplasms	T.	42,014	-	5	6	8	11	5	42	41
		M.	26,591	-	2	2	2	4	3	27	24
		F.	15,423	-	3	4	6	7	2	15	17
C00-C97	Malignant neoplasms	T.	41,046	-	3	6	8	10	5	40	38
		M.	26,022	-	1	2	2	4	3	25	22
		F.	15,024	-	2	4	6	6	2	15	16
C00-C06, C09-C10, C12-C14	Malignant neoplasm of oral cavity	T.	2,370	-	-	-	-	-	-	-	-
		M.	2,198	-	-	-	-	-	-	-	-
		F.	172	-	-	-	-	-	-	-	-
C07-C08	Malignant neoplasm of major salivary glands	T.	62	-	-	-	-	-	-	-	-
		M.	40	-	-	-	-	-	-	-	-
		F.	22	-	-	-	-	-	-	-	-

to the General mortality Selected list
, 2010

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
602	734	1,275	1,905	2,588	4,277	6,256	7,950	9,894	8,885	10,727	14,776	19,733	23,785	18,133	8,705	2,758	447
431	534	890	1,355	1,926	3,165	4,558	5,678	6,846	5,917	6,910	8,759	11,679	14,167	9,656	3,965	1,069	134
171	200	385	550	662	1,112	1,698	2,272	3,048	2,968	3,817	6,017	8,054	9,618	8,477	4,740	1,689	313
1	9	29	64	61	97	153	199	278	249	359	527	781	1,020	835	386	131	23
-	5	26	49	47	70	108	141	190	158	226	305	459	591	437	173	64	9
1	4	3	15	14	27	45	58	88	91	133	222	322	429	398	213	67	14
-	-	-	1	-	1	1	2	2	2	5	11	6	8	6	4	1	1
-	-	-	-	-	-	1	1	2	2	4	4	2	5	2	2	1	-
-	-	-	1	-	1	-	1	-	-	1	7	4	3	4	2	-	1
1	1	2	7	3	6	15	23	34	16	44	58	106	153	122	48	13	2
-	-	2	4	2	5	12	19	28	14	35	48	85	110	77	25	9	1
1	1	-	3	1	1	3	4	6	2	9	10	21	43	45	23	4	1
1	1	2	3	2	4	15	21	30	15	43	52	105	144	118	46	13	1
-	-	2	2	1	3	12	18	25	14	34	46	85	107	75	24	9	1
1	1	-	1	1	1	3	3	5	1	9	6	20	37	43	22	4	-
-	-	-	4	1	2	-	2	4	1	1	6	1	9	4	2	-	1
-	-	-	2	1	2	-	1	3	-	1	2	-	3	2	1	-	-
-	-	-	2	-	-	-	1	1	1	-	4	1	6	2	1	-	1
-	3	8	18	26	52	95	114	172	175	246	395	591	766	664	312	112	17
-	-	5	13	19	37	61	73	114	97	139	221	312	420	327	134	51	5
-	3	3	5	7	15	34	41	58	78	107	174	279	346	337	178	61	12
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	3	6	8	16	12	29	27	29	33	28	28	22	9	5	-	-
-	1	3	4	6	12	10	21	16	23	27	12	23	14	6	3	-	-
-	-	-	2	2	4	2	8	11	6	6	16	5	8	3	2	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	3	6	9	9	19	19	20	25	15	21	12	4	1	-	-
-	-	2	2	4	8	8	15	11	17	22	8	18	6	3	1	-	-
-	-	-	1	2	1	1	4	8	3	3	7	3	6	1	-	-	-
-	-	-	-	-	4	2	6	4	5	4	12	5	6	5	1	-	-
-	-	-	-	-	3	1	3	3	2	3	4	3	5	3	-	-	-
-	-	-	-	-	1	1	3	1	3	1	8	2	1	2	1	-	-
-	1	1	2	2	3	1	4	4	4	4	1	2	4	-	3	-	-
-	1	1	1	2	1	1	3	2	4	2	-	2	3	-	2	-	-
-	-	-	1	-	2	-	1	2	-	2	1	-	1	-	1	-	-
-	3	12	21	16	11	16	12	13	2	3	1	2	2	1	-	-	-
-	3	12	20	16	9	15	11	12	2	3	1	2	2	1	-	-	-
-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-
-	1	4	11	8	11	14	19	30	25	27	34	47	69	33	17	5	3
-	1	4	8	4	7	9	16	18	20	17	19	35	40	24	9	3	3
-	-	-	3	4	4	5	3	12	5	10	15	12	29	9	8	2	-
71	75	171	347	678	1,418	2,423	3,277	4,240	3,783	4,282	5,059	5,842	5,641	3,206	1,124	229	30
49	45	97	200	432	920	1,549	2,110	2,758	2,449	2,775	3,074	3,725	3,666	1,958	605	103	12
22	30	74	147	246	498	874	1,167	1,482	1,334	1,507	1,985	2,117	1,975	1,248	519	126	18
68	72	164	343	665	1,391	2,399	3,249	4,190	3,751	4,219	4,951	5,668	5,441	3,060	1,061	216	28
47	43	91	197	423	904	1,531	2,095	2,716	2,426	2,742	3,011	3,631	3,542	1,878	576	100	10
21	29	73	146	242	487	868	1,154	1,474	1,325	1,477	1,940	2,037	1,899	1,182	485	116	18
-	-	3	20	91	211	310	387	370	289	209	172	131	106	52	16	3	-
-	-	2	20	87	206	297	368	357	272	191	154	110	87	34	11	2	-
-	-	1	-	4	5	13	19	13	17	18	18	21	19	18	5	1	-
-	-	1	2	-	4	5	5	10	8	6	4	4	8	4	1	-	-
-	-	1	1	-	3	3	4	6	5	5	4	2	3	2	1	-	-
-	-	-	1	-	1	2	1	4	3	1	-	2	5	2	-	-	-



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10
						9	14				
C11	Malignant neoplasm of nasopharynx	T.	658	-	-	-	-	-	-	-	-
		M.	505	-	-	-	-	-	-	-	-
		F.	153	-	-	-	-	-	-	-	-
C15	Malignant neoplasm of oesophagus	T.	1,563	-	-	-	-	-	-	-	-
		M.	1,457	-	-	-	-	-	-	-	-
		F.	106	-	-	-	-	-	-	-	-
C16	Malignant neoplasm of stomach	T.	2,261	-	-	-	-	-	-	-	-
		M.	1,446	-	-	-	-	-	-	-	-
		F.	815	-	-	-	-	-	-	-	-
C17	Malignant neoplasm of small intestine	T.	135	-	-	-	-	-	-	-	-
		M.	91	-	-	-	-	-	-	-	-
		F.	44	-	-	-	-	-	-	-	-
C18-C21	Malignant neoplasms of colon, rectum and anus	T.	4,676	-	-	-	-	-	-	-	-
		M.	2,719	-	-	-	-	-	-	-	-
		F.	1,957	-	-	-	-	-	-	-	-
C22	Malignant neoplasms of liver and intrahepatic bile ducts	T.	7,744	-	-	-	1	-	-	1	1
		M.	5,454	-	-	-	-	-	-	1	-
		F.	2,290	-	-	-	1	-	-	-	1
C22.0	Liver cell carcinoma	T.	267	-	-	-	1	-	-	-	-
		M.	202	-	-	-	-	-	-	-	-
		F.	65	-	-	-	1	-	-	-	-
C22.1	Intrahepatic bile duct carcinoma	T.	748	-	-	-	-	-	-	-	-
		M.	391	-	-	-	-	-	-	-	-
		F.	357	-	-	-	-	-	-	-	-
C22 excludes above-mentioned code (C22.2-C22.4, C22.7, C22.9)	Other malignant neoplasms of liver and intrahepatic bile ducts	T.	6,729	-	-	-	-	-	-	1	1
		M.	4,861	-	-	-	-	-	-	1	-
		F.	1,868	-	-	-	-	-	-	-	1
C23-C24	Malignant neoplasms of gallbladder and other parts of biliary tract	T.	529	-	-	-	-	-	-	-	-
		M.	283	-	-	-	-	-	-	-	-
		F.	246	-	-	-	-	-	-	-	-
C25	Malignant neoplasm of pancreas	T.	1,470	-	-	-	-	-	-	-	-
		M.	855	-	-	-	-	-	-	-	-
		F.	615	-	-	-	-	-	-	-	-
C30-C31	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	T.	36	-	-	-	-	-	-	-	-
		M.	22	-	-	-	-	-	-	-	-
		F.	14	-	-	-	-	-	-	-	-
C32	Malignant neoplasm of larynx	T.	186	-	-	-	-	-	-	-	-
		M.	178	-	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-	-
C33-C34	Malignant neoplasms of trachea, bronchus and lung	T.	8,194	-	-	-	-	-	-	-	-
		M.	5,412	-	-	-	-	-	-	-	-
		F.	2,782	-	-	-	-	-	-	-	-
C37	Malignant neoplasm of thymus	T.	91	-	-	-	-	-	-	-	-
		M.	57	-	-	-	-	-	-	-	-
		F.	34	-	-	-	-	-	-	-	-
C38	Malignant neoplasms of heart, mediastinum and pleura	T.	65	-	-	-	-	-	-	1	1
		M.	40	-	-	-	-	-	-	1	1
		F.	25	-	-	-	-	-	-	-	-
C40-C41	Malignant neoplasms of bone and articular cartilage	T.	108	-	-	-	-	-	-	1	4
		M.	58	-	-	-	-	-	-	-	1
		F.	50	-	-	-	-	-	-	1	3
C43-C44	Melanoma and other malignant neoplasms of skin	T.	206	-	-	-	-	-	-	-	-
		M.	113	-	-	-	-	-	-	-	-
		F.	93	-	-	-	-	-	-	-	-
C45-C49	Malignant neoplasms of mesothelial and soft tissue	T.	280	-	-	-	-	-	-	1	2
		M.	161	-	-	-	-	-	-	-	1
		F.	119	-	-	-	-	-	-	1	1

to the General mortality Selected list
, 2010 (Cont.1)

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
1	2	3	15	29	51	76	85	102	81	69	57	41	26	15	4	-	1
1	1	2	10	21	42	59	67	82	67	50	47	27	17	9	3	-	-
-	1	1	5	8	9	17	18	20	14	19	10	14	9	6	1	-	1
-	-	1	3	34	106	206	225	261	156	152	124	115	98	53	25	3	1
-	-	1	3	34	103	203	213	253	147	148	112	97	79	40	21	3	-
-	-	-	-	-	3	3	12	8	9	4	12	18	19	13	4	-	1
-	3	1	9	26	64	104	156	173	179	200	220	341	411	259	89	25	1
-	1	1	4	12	30	56	91	115	120	138	139	230	281	165	50	12	1
-	2	-	5	14	34	48	65	58	59	62	81	111	130	94	39	13	-
-	-	-	3	4	3	5	5	14	14	10	23	23	16	9	5	1	-
-	-	-	2	3	2	5	5	9	9	7	17	16	9	5	2	-	-
-	-	-	1	1	1	-	-	5	5	3	6	7	7	4	3	1	-
1	4	17	47	65	109	185	280	419	386	455	544	711	771	468	173	37	4
1	3	7	24	32	60	92	158	253	230	289	317	432	472	254	77	17	1
-	1	10	23	33	49	93	122	166	156	166	227	279	299	214	96	20	3
-	4	19	65	129	214	430	631	865	852	940	1,139	1,064	859	398	111	17	4
-	4	14	55	109	192	384	549	681	633	661	707	661	509	233	55	5	1
-	-	5	10	20	22	46	82	184	219	279	432	403	350	165	56	12	3
-	1	2	5	10	4	21	21	31	33	33	39	31	24	9	2	-	-
-	1	2	4	9	4	17	16	28	30	28	25	18	13	6	1	-	-
-	-	-	1	1	-	4	5	3	3	5	14	13	11	3	1	-	-
-	-	-	2	8	9	23	49	82	74	89	111	119	108	49	22	1	2
-	-	-	-	5	6	16	35	45	36	44	47	63	52	31	10	1	-
-	-	-	2	3	3	7	14	37	38	45	64	56	56	18	12	-	2
-	3	17	58	111	201	386	561	752	745	818	989	914	727	340	87	16	2
-	3	12	51	95	182	351	498	608	567	589	635	580	444	196	44	4	1
-	-	5	7	16	19	35	63	144	178	229	354	334	283	144	43	12	1
-	-	1	2	5	10	15	34	38	49	60	82	97	76	39	17	2	2
-	-	-	-	3	5	12	22	19	22	33	42	53	43	21	7	1	-
-	-	1	2	2	5	3	12	19	27	27	40	44	33	18	10	1	2
-	-	4	5	12	30	57	88	138	136	186	208	238	199	122	34	12	1
-	-	2	4	6	22	38	59	86	83	112	107	129	124	62	16	5	-
-	-	2	1	6	8	19	29	52	53	74	101	109	75	60	18	7	1
-	-	-	-	1	4	2	4	4	4	6	5	1	3	1	-	1	-
-	-	-	-	-	3	1	2	2	3	4	3	-	3	1	-	-	-
-	-	-	-	1	1	1	2	2	1	2	2	1	-	-	-	1	-
-	-	1	-	1	7	11	20	24	15	17	15	35	23	13	2	1	1
-	-	1	-	1	7	10	19	22	12	17	15	35	22	13	2	1	1
-	-	-	-	-	-	1	1	2	3	-	-	-	1	-	-	-	-
-	1	7	34	44	146	289	438	686	704	900	1,164	1,426	1,339	723	246	42	5
-	1	4	19	25	82	152	248	428	465	611	770	1,003	971	480	133	17	3
-	-	3	15	19	64	137	190	258	239	289	394	423	368	243	113	25	2
-	2	-	2	-	9	8	12	10	13	8	12	5	4	5	1	-	-
-	2	-	-	-	3	6	9	6	7	4	7	4	4	5	-	-	-
-	-	-	2	-	6	2	3	4	6	4	5	1	-	-	1	-	-
1	-	1	1	3	2	4	8	1	4	6	10	8	7	6	1	-	-
1	-	1	1	2	1	4	4	1	3	4	5	4	3	3	1	-	-
-	-	-	-	1	1	-	4	-	1	2	5	4	4	3	-	-	-
9	10	7	1	5	1	9	4	8	6	11	12	7	3	7	3	-	-
5	6	2	-	3	1	5	3	3	3	6	7	5	3	4	1	-	-
4	4	5	1	2	-	4	1	5	3	5	5	2	-	3	2	-	-
-	-	4	3	2	12	12	14	18	15	13	29	22	23	22	6	8	3
-	-	2	2	2	8	11	7	10	9	8	17	10	12	10	1	3	1
-	-	2	1	-	4	1	7	8	6	5	12	12	11	12	5	5	2
6	8	9	9	16	9	13	24	25	23	29	28	27	29	19	2	1	-
4	6	7	5	13	6	9	14	15	10	14	16	13	12	14	2	-	-
2	2	2	4	3	3	4	10	10	13	15	12	14	17	5	-	1	-



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10
						9	14				
C50	Malignant neoplasm of breast	T.	1,718	-	-	-	-	-	-	-	-
		M.	12	-	-	-	-	-	-	-	-
		F.	1,706	-	-	-	-	-	-	-	-
C53-C55	Malignant neoplasms of uterus	T.	893	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-	-
		F.	893	-	-	-	-	-	-	-	-
C53, C55	Malignant neoplasms of cervix uteri and uterus, part unspecified	T.	704	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-	-
		F.	704	-	-	-	-	-	-	-	-
C54	Malignant neoplasm of corpus uteri	T.	189	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-	-
		F.	189	-	-	-	-	-	-	-	-
C56, C57.0-C57.4	Malignant neoplasm of ovary	T.	434	-	-	-	-	1	-	-	-
		M.	-	-	-	-	-	-	-	-	-
		F.	434	-	-	-	-	1	-	-	-
C61	Malignant neoplasm of prostate	T.	1,021	-	-	-	-	-	-	-	-
		M.	1,021	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-
C60, C62, C63	Malignant neoplasms of male genital organs, except prostate	T.	34	-	-	-	-	-	-	-	2
		M.	34	-	-	-	-	-	-	-	2
		F.	-	-	-	-	-	-	-	-	-
C64	Malignant neoplasm of kidney	T.	490	-	-	-	-	-	-	1	1
		M.	289	-	-	-	-	-	-	-	-
		F.	201	-	-	-	-	-	-	1	1
C67	Malignant neoplasm of bladder	T.	735	-	-	-	-	-	-	-	-
		M.	504	-	-	-	-	-	-	-	-
		F.	231	-	-	-	-	-	-	-	-
C71	Malignant neoplasm of brain	T.	501	-	1	3	2	-	2	14	11
		M.	286	-	-	-	-	-	1	10	6
		F.	215	-	1	3	2	-	1	4	5
C70, C72	Malignant neoplasms of meninges and other parts of central nervous system, except brain	T.	24	-	-	-	-	-	-	2	1
		M.	11	-	-	-	-	-	-	2	-
		F.	13	-	-	-	-	-	-	-	1
C73	Malignant neoplasm of thyroid gland	T.	135	-	-	-	-	-	-	-	-
		M.	56	-	-	-	-	-	-	-	-
		F.	79	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	T.	18	-	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-	-
C82-C85	Non-Hodgkin's lymphoma	T.	991	-	-	1	1	1	-	-	3
		M.	628	-	-	1	1	1	-	-	2
		F.	363	-	-	-	-	-	-	-	1
C91-C95	Leukaemia	T.	968	-	2	1	4	3	1	13	10
		M.	582	-	1	-	1	1	1	9	7
		F.	386	-	1	1	3	2	-	4	3
C88, C90	Malignant immunoproliferative diseases, multiple myeloma and malignant plasma cell neoplasms	T.	301	-	-	-	-	-	-	-	-
		M.	193	-	-	-	-	-	-	-	-
		F.	108	-	-	-	-	-	-	-	-
C96	Other malignant neoplasms of lymphoid, haematopoietic and related tissue	T.	4	-	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-	-
C00-C97 excludes above-mentioned code (C26, C39, C51, C52, C57.5-C57.9, C58, C65-C66, C68, C69, C74-C80, C97)	Other malignant neoplasms	T.	2,145	-	-	1	-	5	2	6	2
		M.	1,304	-	-	1	-	2	1	2	2
		F.	841	-	-	-	-	3	1	4	-
D00-D48	Remainder of neoplasms	T.	968	-	2	-	-	1	-	2	3
		M.	569	-	1	-	-	-	-	2	2
		F.	399	-	1	-	-	1	-	-	1

to the General mortality Selected list
, 2010 (Cont.2)

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	6	25	55	126	237	270	309	178	154	132	80	69	45	22	8	2
-	-	-	-	-	-	-	-	1	2	-	2	3	3	-	1	-	-
-	-	6	25	55	126	237	270	308	176	154	130	77	66	45	21	8	2
-	-	3	15	26	47	88	110	111	82	75	88	87	86	47	19	9	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	15	26	47	88	110	111	82	75	88	87	86	47	19	9	-
-	-	3	14	16	40	62	83	78	54	59	74	75	75	44	19	8	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	14	16	40	62	83	78	54	59	74	75	75	44	19	8	-
-	-	-	1	10	7	26	27	33	28	16	14	12	11	3	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	10	7	26	27	33	28	16	14	12	11	3	-	1	-
-	1	6	7	15	30	40	54	69	46	47	39	34	28	11	4	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	6	7	15	30	40	54	69	46	47	39	34	28	11	4	2	-
-	-	1	-	-	3	2	3	23	24	83	113	207	290	185	73	13	1
-	-	1	-	-	3	2	3	23	24	83	113	207	290	185	73	13	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	3	4	6	-	1	2	-	4	1	-	-	2	3	2	2	-	-
2	3	4	6	-	1	2	-	4	1	-	-	2	3	2	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	2	1	3	14	17	20	41	43	45	52	84	93	44	25	2	-
2	-	1	1	3	12	9	14	30	22	25	31	51	50	27	9	2	-
-	-	1	-	-	2	8	6	11	21	20	21	33	43	17	16	-	-
1	-	-	-	2	4	11	19	30	40	63	98	144	162	102	51	7	1
1	-	-	-	1	4	5	8	25	29	38	62	108	105	73	37	7	1
-	-	-	-	1	-	6	11	5	11	25	36	36	57	29	14	-	-
13	8	18	14	25	34	46	43	53	36	43	31	49	37	13	4	1	-
6	6	12	11	15	20	25	29	27	16	22	17	24	31	6	1	1	-
7	2	6	3	10	14	21	14	26	20	21	14	25	6	7	3	-	-
-	-	2	2	1	-	-	2	5	2	3	2	1	1	-	-	-	-
-	-	2	1	1	-	-	-	1	-	1	2	1	-	-	-	-	-
-	-	-	1	-	-	-	2	4	2	2	-	-	1	-	-	-	-
-	-	1	1	2	2	2	9	13	10	13	29	18	22	9	3	1	-
-	-	-	-	1	2	2	4	9	4	4	11	6	8	3	2	-	-
-	-	1	1	1	-	-	5	4	6	9	18	12	14	6	1	1	-
-	2	2	2	-	-	2	-	5	2	-	2	1	-	-	-	-	-
-	-	1	1	-	-	2	-	3	-	-	2	1	-	-	-	-	-
-	2	1	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-
9	4	10	11	18	20	45	69	83	70	87	115	145	167	97	26	9	-
8	2	6	6	16	15	28	40	59	47	59	62	80	103	65	20	7	-
1	2	4	5	2	5	17	29	24	23	28	53	65	64	32	6	2	-
20	15	24	24	28	44	63	46	78	78	80	99	132	112	64	24	3	-
15	7	15	12	15	22	39	28	48	46	48	58	84	72	40	11	2	-
5	8	9	12	13	22	24	18	30	32	32	41	48	40	24	13	1	-
-	-	-	1	2	4	7	20	20	27	37	49	58	52	17	6	1	-
-	-	-	1	2	-	5	13	13	16	26	25	38	38	11	4	1	-
-	-	-	-	-	4	2	7	7	11	11	24	20	14	6	2	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	5	6	13	21	70	96	163	180	178	212	253	328	318	209	66	7	1
1	1	2	8	16	49	65	113	125	119	134	139	194	185	111	33	1	-
2	4	4	5	5	21	31	50	55	59	78	114	134	133	98	33	6	1
3	3	7	4	13	27	24	28	50	32	63	108	174	200	146	63	13	2
2	2	6	3	9	16	18	15	42	23	33	63	94	124	80	29	3	2
1	1	1	1	4	11	6	13	8	9	30	45	80	76	66	34	10	-



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10	
									9	14	
D50-D89	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	T.	496	2	5	3	1	2	1	7	1
		M.	259	1	3	1	1	1	1	4	-
		F.	237	1	2	2	-	1	-	3	1
D50-D64	Anaemias	T.	282	2	2	-	-	-	-	4	1
		M.	140	1	1	-	-	-	-	2	-
		F.	142	1	1	-	-	-	-	2	1
D50-D89 excludes above-mentioned code (D65-D76, D80-D89)	Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	T.	214	-	3	3	1	2	1	3	-
		M.	119	-	2	1	1	1	1	2	-
		F.	95	-	1	2	-	1	-	1	-
E00-E90	Endocrine, nutritional and metabolic diseases	T.	9,048	1	14	1	-	-	1	2	5
		M.	4,520	1	6	-	-	-	1	2	1
		F.	4,528	-	8	1	-	-	-	-	4
E10-E14	Diabetes mellitus	T.	8,211	-	-	-	-	-	-	-	1
		M.	4,062	-	-	-	-	-	-	-	-
		F.	4,149	-	-	-	-	-	-	-	1
E40-E64	Malnutrition and other nutritional deficiencies	T.	144	-	1	-	-	-	-	-	1
		M.	79	-	1	-	-	-	-	-	-
		F.	65	-	-	-	-	-	-	-	1
E00-E90 excludes above-mentioned code (E00-E07, E15-E16, E20-E34, E65-E68, E70-E89)	Remainder of endocrine, nutritional and metabolic diseases	T.	693	1	13	1	-	-	1	2	3
		M.	379	1	5	-	-	-	1	2	1
		F.	314	-	8	1	-	-	-	-	2
F00-F99	Mental and behavioural disorders	T.	960	-	-	-	-	-	-	1	-
		M.	569	-	-	-	-	-	-	1	-
		F.	391	-	-	-	-	-	-	-	-
F01, F03	Vascular and unspecified dementia	T.	590	-	-	-	-	-	-	-	-
		M.	273	-	-	-	-	-	-	-	-
		F.	317	-	-	-	-	-	-	-	-
F00-F99 excludes above-mentioned code (F04-F48, F50-F99)	Remainder of mental and behavioural disorders	T.	370	-	-	-	-	-	-	1	-
		M.	296	-	-	-	-	-	-	1	-
		F.	74	-	-	-	-	-	-	-	-
G00-G99	Diseases of the nervous system	T.	1,902	1	15	9	2	4	3	11	24
		M.	1,125	1	9	6	-	3	-	5	13
		F.	777	-	6	3	2	1	3	6	11
G00, G03	Meningitis	T.	86	1	2	-	-	1	-	-	-
		M.	58	1	1	-	-	1	-	-	-
		F.	28	-	1	-	-	-	-	-	-
G12	Spinal muscular atrophy and related syndromes	T.	93	-	-	-	1	-	-	-	1
		M.	54	-	-	-	-	-	-	-	1
		F.	39	-	-	-	1	-	-	-	-
G20-G21	Parkinson's disease	T.	623	-	-	-	-	-	-	-	-
		M.	363	-	-	-	-	-	-	-	-
		F.	260	-	-	-	-	-	-	-	-
G30	Alzheimer's disease	T.	52	-	-	-	-	-	-	-	-
		M.	20	-	-	-	-	-	-	-	-
		F.	32	-	-	-	-	-	-	-	-
G00-G99 excludes above-mentioned code (G04, G06, G08, G11, G23-G25, G31, G35-G37, G40-G45, G47, G50-G52, G54, G56-G58, G60-G62, G64, G70-G72, G80-G83, G90-G93, G95-G98)	Remainder of diseases of the nervous system	T.	1,048	-	13	9	1	3	3	11	23
		M.	630	-	8	6	-	2	-	5	12
		F.	418	-	5	3	1	1	3	6	11
H00-H59	Diseases of the eye and adnexa	T.	3	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-	-
H60-H95	Diseases of the ear and mastoid process	T.	5	-	-	-	-	-	-	1	-
		M.	4	-	-	-	-	-	-	1	-
		F.	1	-	-	-	-	-	-	-	-
I00-I99	Diseases of the circulatory system	T.	31,196	-	23	3	4	2	1	10	19
		M.	18,243	-	12	3	2	-	-	4	10
		F.	12,953	-	11	-	2	2	1	6	9

to the General mortality Selected list
, 2010 (Cont.3)

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
3	1	6	6	10	9	20	16	28	25	26	49	55	93	74	38	14	1
2	1	2	4	3	7	13	11	18	15	14	29	31	46	33	13	5	-
1	-	4	2	7	2	7	5	10	10	12	20	24	47	41	25	9	1
1	-	5	3	7	6	8	8	17	12	13	24	28	52	52	25	11	1
1	-	2	2	1	4	7	5	12	7	7	11	15	27	22	8	5	-
-	-	3	1	6	2	1	3	5	5	6	13	13	25	30	17	6	1
2	1	1	3	3	3	12	8	11	13	13	25	27	41	22	13	3	-
1	1	-	2	2	3	6	6	6	8	7	18	16	19	11	5	-	-
1	-	1	1	1	-	6	2	5	5	6	7	11	22	11	8	3	-
6	4	18	38	64	121	221	392	607	597	838	1,221	1,600	1,625	1,101	452	105	14
4	4	11	26	55	92	159	280	404	375	439	573	720	753	436	144	32	2
2	-	7	12	9	29	62	112	203	222	399	648	880	872	665	308	73	12
1	1	7	19	41	91	188	338	551	557	779	1,152	1,494	1,515	992	392	82	10
-	1	6	12	36	71	135	240	362	349	401	538	660	705	395	123	26	2
1	-	1	7	5	20	53	98	189	208	378	614	834	810	597	269	56	8
-	-	1	-	7	5	7	10	12	3	7	8	22	16	23	14	6	1
-	-	1	-	6	4	7	7	9	3	4	6	10	6	10	2	3	-
-	-	-	-	1	1	-	3	3	-	3	2	12	10	13	12	3	1
5	3	10	19	16	25	26	44	44	37	52	61	84	94	86	46	17	3
4	3	4	14	13	17	17	33	33	23	34	29	50	42	31	19	3	-
1	-	6	5	3	8	9	11	11	14	18	32	34	52	55	27	14	3
1	4	9	20	36	48	68	58	42	36	33	40	80	160	168	115	35	6
1	4	3	17	32	41	62	49	35	22	22	20	47	80	66	58	9	-
-	-	6	3	4	7	6	9	7	14	11	20	33	80	102	57	26	6
-	-	-	-	-	-	3	1	3	5	17	24	71	148	164	113	35	6
-	-	-	-	-	-	2	1	1	1	12	13	41	73	63	57	9	-
-	-	-	-	-	-	1	-	2	4	5	11	30	75	101	56	26	6
1	4	9	20	36	48	65	57	39	31	16	16	9	12	4	2	-	-
1	4	3	17	32	41	60	48	34	21	10	7	6	7	3	1	-	-
-	-	6	3	4	7	5	9	5	10	6	9	3	5	1	1	-	-
30	24	33	33	47	46	66	90	105	109	122	191	253	339	229	95	18	3
19	15	20	24	37	30	49	57	64	63	73	115	134	194	129	54	9	2
11	9	13	9	10	16	17	33	41	46	49	76	119	145	100	41	9	1
-	1	3	1	5	4	6	9	5	5	9	7	13	9	2	2	1	-
-	1	2	1	3	2	6	8	3	5	6	4	5	6	1	2	-	-
-	-	1	-	2	2	-	1	2	-	3	3	8	3	1	-	1	-
1	1	1	-	3	2	3	11	18	13	15	8	10	3	1	1	-	-
1	1	-	-	2	-	1	6	10	9	10	5	4	3	1	-	-	-
-	-	1	-	1	2	2	5	8	4	5	3	6	-	-	1	-	-
-	-	1	1	-	-	4	1	8	19	29	72	111	199	128	43	7	-
-	-	1	1	-	-	1	1	5	9	17	40	59	119	76	30	4	-
-	-	-	-	-	-	3	-	3	10	12	32	52	80	52	13	3	-
-	-	-	-	-	-	-	-	-	1	1	4	9	16	14	5	1	1
-	-	-	-	-	-	-	-	-	-	1	-	4	6	5	2	1	1
-	-	-	-	-	-	-	-	-	1	-	4	5	10	9	3	-	-
29	22	28	31	39	40	53	69	74	71	68	100	110	112	84	44	9	2
18	13	17	22	32	28	41	42	46	40	39	66	62	60	46	20	4	1
11	9	11	9	7	12	12	27	28	31	29	34	48	52	38	24	5	1
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	31	92	183	311	571	934	1,324	1,727	1,645	2,082	3,321	4,768	6,108	4,840	2,340	718	111
22	24	65	137	250	458	731	1,046	1,271	1,193	1,387	1,973	2,709	3,391	2,318	958	246	33
6	7	27	46	61	113	203	278	456	452	695	1,348	2,059	2,717	2,522	1,382	472	78



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10	
										9	14	
I10-I15	Hypertensive diseases	T.	4,174	-	-	-	-	-	-	-	1	-
		M.	2,128	-	-	-	-	-	-	-	-	-
		F.	2,046	-	-	-	-	-	-	-	1	-
I11, I13	Hypertensive heart disease and hypertensive heart and renal disease	T.	1,969	-	-	-	-	-	-	-	1	-
		M.	994	-	-	-	-	-	-	-	-	-
		F.	975	-	-	-	-	-	-	-	1	-
I10-I15 excludes above-mentioned code (I10, I12, I15)	Other hypertensive diseases	T.	2,205	-	-	-	-	-	-	-	-	-
		M.	1,134	-	-	-	-	-	-	-	-	-
		F.	1,071	-	-	-	-	-	-	-	-	-
I01-I02.0, I05-I09, I20-I25, I27, I30, I31, I33-I38, I40, I42, I44-I51	Diseases of heart (except hypertensive diseases)	T.	15,675	-	17	1	3	2	-	-	5	15
		M.	9,389	-	10	1	1	-	-	-	2	7
		F.	6,286	-	7	-	2	2	-	-	3	8
I05-I09	Chronic rheumatic heart disease	T.	124	-	-	-	-	-	-	-	1	-
		M.	47	-	-	-	-	-	-	-	1	-
		F.	77	-	-	-	-	-	-	-	-	-
I20-I25	Ischaemic heart diseases	T.	7,829	-	-	-	-	-	-	-	-	2
		M.	4,959	-	-	-	-	-	-	-	-	1
		F.	2,870	-	-	-	-	-	-	-	-	1
I21-I22	Acute and subsequent myocardial infarctions	T.	4,937	-	-	-	-	-	-	-	-	1
		M.	3,210	-	-	-	-	-	-	-	-	-
		F.	1,727	-	-	-	-	-	-	-	-	1
I24	Other acute ischaemic heart diseases	T.	42	-	-	-	-	-	-	-	-	1
		M.	26	-	-	-	-	-	-	-	-	1
		F.	16	-	-	-	-	-	-	-	-	-
I25.0	Atherosclerotic cardiovascular disease, so described	T.	-	-	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-
I25.1	Atherosclerotic heart disease	T.	1,822	-	-	-	-	-	-	-	-	-
		M.	1,143	-	-	-	-	-	-	-	-	-
		F.	679	-	-	-	-	-	-	-	-	-
I20-I25 excludes above-mentioned code (I20, I23, I25.2-I25.9)	Other ischaemic heart diseases	T.	1,028	-	-	-	-	-	-	-	-	-
		M.	580	-	-	-	-	-	-	-	-	-
		F.	448	-	-	-	-	-	-	-	-	-
I27	Other pulmonary heart diseases	T.	163	-	1	-	-	1	-	-	-	-
		M.	89	-	1	-	-	-	-	-	-	-
		F.	74	-	-	-	-	1	-	-	-	-
I30-I31	Diseases of pericardium	T.	42	-	1	-	-	-	-	-	-	-
		M.	23	-	1	-	-	-	-	-	-	-
		F.	19	-	-	-	-	-	-	-	-	-
I33	Acute and subacute endocarditis	T.	88	-	-	-	-	-	-	-	-	-
		M.	53	-	-	-	-	-	-	-	-	-
		F.	35	-	-	-	-	-	-	-	-	-
I34-I38	Chronic nonrheumatic endocarditis	T.	691	-	2	-	-	-	-	-	-	-
		M.	291	-	2	-	-	-	-	-	-	-
		F.	400	-	-	-	-	-	-	-	-	-
I40	Acute myocarditis	T.	12	-	1	-	1	-	-	-	-	-
		M.	7	-	1	-	-	-	-	-	-	-
		F.	5	-	-	-	1	-	-	-	-	-
I42	Cardiomyopathy	T.	307	-	4	-	1	-	-	-	-	4
		M.	215	-	2	-	-	-	-	-	-	2
		F.	92	-	2	-	1	-	-	-	-	2
I44-I49	Conduction disorders and cardiac arrhythmias	T.	1,444	-	-	-	-	-	-	-	-	4
		M.	847	-	-	-	-	-	-	-	-	2
		F.	597	-	-	-	-	-	-	-	-	2
I50	Heart failure	T.	3,166	-	-	-	-	-	-	2	3	
		M.	1,585	-	-	-	-	-	-	1	2	
		F.	1,581	-	-	-	-	-	-	1	1	

to the General mortality Selected list
, 2010 (Cont.4)

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	3	11	24	29	88	133	193	179	266	381	646	903	721	426	142	28
-	-	3	8	19	18	69	96	134	131	177	196	316	450	308	154	40	9
-	-	-	3	5	11	19	37	59	48	89	185	330	453	413	272	102	19
-	-	2	3	7	18	35	57	80	68	130	169	290	448	348	222	77	14
-	-	2	2	5	12	24	41	56	49	89	97	149	229	137	79	20	3
-	-	-	1	2	6	11	16	24	19	41	72	141	219	211	143	57	11
-	-	1	8	17	11	53	76	113	111	136	212	356	455	373	204	65	14
-	-	1	6	14	6	45	55	78	82	88	99	167	221	171	75	20	6
-	-	-	2	3	5	8	21	35	29	48	113	189	234	202	129	45	8
21	21	71	113	174	328	507	694	856	817	1,069	1,609	2,281	2,999	2,409	1,207	388	68
17	18	50	87	138	271	414	570	650	608	712	994	1,334	1,661	1,179	511	136	18
4	3	21	26	36	57	93	124	206	209	357	615	947	1,338	1,230	696	252	50
-	-	-	-	3	6	3	7	13	9	13	16	15	19	16	2	1	-
-	-	-	-	2	3	1	5	6	4	4	7	3	5	6	-	-	-
-	-	-	-	1	3	2	2	7	5	9	9	12	14	10	2	1	-
2	2	12	29	56	110	202	331	441	459	597	920	1,279	1,584	1,147	490	138	28
2	2	8	26	50	98	175	279	348	366	410	581	809	915	612	215	55	7
-	-	4	3	6	12	27	52	93	93	187	339	470	669	535	275	83	21
1	2	11	24	35	90	150	250	327	310	415	600	818	904	658	259	69	13
1	2	7	22	33	80	130	217	263	254	280	396	511	522	346	115	27	4
-	-	4	2	2	10	20	33	64	56	135	204	307	382	312	144	42	9
-	-	1	-	2	1	3	6	-	3	4	3	4	7	5	2	-	-
-	-	1	-	2	1	2	5	-	2	2	-	1	4	4	1	-	-
-	-	-	-	-	-	1	1	-	1	2	3	3	3	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	4	12	13	23	43	79	99	118	222	303	446	288	125	36	11
-	-	-	3	9	11	22	31	58	73	86	132	204	262	172	62	15	3
-	-	-	1	3	2	1	12	21	26	32	90	99	184	116	63	21	8
1	-	-	1	7	6	26	32	35	47	60	95	154	227	196	104	33	4
1	-	-	1	6	6	21	26	27	37	42	53	93	127	90	37	13	-
-	-	-	-	1	-	5	6	8	10	18	42	61	100	106	67	20	4
-	-	3	1	5	5	8	10	5	7	8	14	28	29	21	12	5	-
-	-	1	1	1	1	4	6	3	4	1	11	15	18	12	8	2	-
-	-	2	-	4	4	4	4	2	3	7	3	13	11	9	4	3	-
-	-	2	-	-	1	5	1	1	2	3	2	6	7	9	2	-	-
-	-	2	-	-	-	3	-	1	1	2	1	4	3	5	-	-	-
-	-	-	-	-	1	2	1	-	1	1	1	2	4	4	2	-	-
-	-	1	5	1	4	5	7	9	3	8	9	11	12	8	5	-	-
-	-	-	2	1	2	4	6	6	2	5	3	5	7	7	3	-	-
-	-	1	3	-	2	1	1	3	1	3	6	6	5	1	2	-	-
-	1	2	9	5	12	12	20	27	22	43	62	94	155	134	71	20	-
-	1	1	6	4	7	9	11	13	11	17	36	47	61	43	17	5	-
-	-	1	3	1	5	3	9	14	11	26	26	47	94	91	54	15	-
-	-	2	-	-	-	2	1	2	1	2	-	-	-	-	-	-	-
-	-	1	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
4	3	12	9	23	13	29	27	34	15	23	22	31	24	19	7	3	-
2	2	11	8	15	12	21	20	32	12	17	15	14	13	13	3	1	-
2	1	1	1	8	1	8	7	2	3	6	7	17	11	6	4	2	-
3	4	4	12	18	46	49	74	79	63	81	139	205	259	242	127	29	6
3	3	4	8	15	37	40	68	53	37	51	80	112	143	119	59	12	1
-	1	-	4	3	9	9	6	26	26	30	59	93	116	123	68	17	5
5	3	11	15	18	37	51	64	108	102	166	260	411	663	637	415	166	29
5	2	5	12	13	32	38	46	72	65	108	147	210	331	273	166	50	7
-	1	6	3	5	5	13	18	36	37	58	113	201	332	364	249	116	22



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10
										9	14
I01-I02.0, I05-I09, I20-I25, I27, I30-I52 excludes above-mentioned code (I01-I02.0, I51)	Other diseases of heart	T.	1,809	-	8	1	1	1	-	2	2
		M.	1,273	-	3	1	1	-	-	-	-
		F.	536	-	5	-	-	1	-	2	2
I60-I67, I69	Cerebrovascular diseases	T.	10,134	-	4	1	1	-	1	4	4
		M.	5,963	-	1	1	1	-	-	2	3
		F.	4,171	-	3	-	-	-	1	2	1
I60, I69.0	Subarachnoid haemorrhage	T.	561	-	1	-	-	-	-	1	2
		M.	241	-	-	-	-	-	-	1	1
		F.	320	-	1	-	-	-	-	-	1
I61, I69.1	Intracerebral haemorrhage	T.	2,018	-	1	-	-	-	-	3	2
		M.	1,295	-	-	-	-	-	-	1	2
		F.	723	-	1	-	-	-	-	2	-
I63, I69.3	Cerebral infarction	T.	946	-	-	-	-	-	-	-	-
		M.	506	-	-	-	-	-	-	-	-
		F.	440	-	-	-	-	-	-	-	-
I60-I69 excludes above-mentioned code (I62, I64-I67, I69.2, I69.4, I69.8)	Other cerebrovascular diseases	T.	6,609	-	2	1	1	-	1	-	-
		M.	3,921	-	1	1	1	-	-	-	-
		F.	2,688	-	1	-	-	-	1	-	-
I70	Atherosclerosis	T.	48	-	-	1	-	-	-	-	-
		M.	27	-	-	1	-	-	-	-	-
		F.	21	-	-	-	-	-	-	-	-
I71	Aortic aneurysm and dissection	T.	682	-	-	-	-	-	-	-	-
		M.	481	-	-	-	-	-	-	-	-
		F.	201	-	-	-	-	-	-	-	-
I00-I99 excludes above-mentioned code (I00, I02.9, I26, I28, I72-I78, I80-I89, I95-I97, I99)	Remainder of diseases of the circulatory system	T.	483	-	2	-	-	-	-	-	-
		M.	255	-	1	-	-	-	-	-	-
		F.	228	-	1	-	-	-	-	-	-
J00-J99	Diseases of the respiratory system	T.	17,120	-	26	6	4	5	3	5	8
		M.	11,280	-	13	1	2	4	2	1	6
		F.	5,840	-	13	5	2	1	1	4	2
J10-J11	Influenza	T.	58	-	-	1	-	-	1	1	-
		M.	36	-	-	1	-	-	1	-	-
		F.	22	-	-	-	-	-	-	1	-
J12-J16, J18	Pneumonia	T.	8,909	-	5	4	3	2	2	2	5
		M.	5,565	-	3	-	1	2	1	1	4
		F.	3,344	-	2	4	2	-	1	1	1
J20-J22	Other acute lower respiratory infections	T.	10	-	1	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-	-
		F.	6	-	1	-	-	-	-	-	-
J20-I21	Acute bronchitis and bronchiolitis	T.	7	-	1	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-	-
		F.	5	-	1	-	-	-	-	-	-
J20-J22 excludes above-mentioned code (J22)	Unspecified acute lower respiratory infection	T.	3	-	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-	-
J41-J44	Chronic obstructive pulmonary diseases	T.	4,426	-	1	-	-	-	-	-	-
		M.	3,438	-	-	-	-	-	-	-	-
		F.	988	-	1	-	-	-	-	-	-
J45-J46	Asthma	T.	572	-	-	-	1	1	-	-	2
		M.	287	-	-	-	1	1	-	-	1
		F.	285	-	-	-	-	-	-	-	1
J47	Bronchiectasis	T.	182	-	-	-	-	-	-	-	-
		M.	88	-	-	-	-	-	-	-	-
		F.	94	-	-	-	-	-	-	-	-
J60-J65	Pneumoconiosis	T.	204	-	-	-	-	-	-	-	-
		M.	195	-	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-	-

to the General mortality Selected list
, 2010 (Cont.5)

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
7	8	22	33	45	94	141	152	137	134	125	165	201	247	176	76	26	5
5	8	17	24	37	79	118	128	115	106	95	113	115	165	89	40	11	3
2	-	5	9	8	15	23	24	22	28	30	52	86	82	87	36	15	2
5	9	14	39	90	187	307	451	591	584	666	1,174	1,655	2,001	1,535	634	165	12
3	5	10	27	73	144	224	341	422	410	440	692	952	1,154	736	253	64	5
2	4	4	12	17	43	83	110	169	174	226	482	703	847	799	381	101	7
1	2	5	6	12	34	52	52	73	48	44	68	58	52	36	12	2	-
1	1	4	4	10	18	28	26	34	28	11	21	22	17	10	3	1	-
-	1	1	2	2	16	24	26	39	20	33	47	36	35	26	9	1	-
1	5	7	16	50	81	146	211	221	157	149	226	258	240	179	48	15	2
-	3	6	12	40	71	118	168	162	108	93	119	142	129	93	22	5	1
1	2	1	4	10	10	28	43	59	49	56	107	116	111	86	26	10	1
1	-	-	2	3	5	19	28	52	51	73	103	165	203	160	67	14	-
1	-	-	1	3	4	10	21	31	35	49	53	86	118	70	18	6	-
-	-	-	1	-	1	9	7	21	16	24	50	79	85	90	49	8	-
2	2	2	15	25	67	90	160	245	328	400	777	1,174	1,506	1,160	507	134	10
1	1	-	10	20	51	68	126	195	239	287	499	702	890	563	210	52	4
1	1	2	5	5	16	22	34	50	89	113	278	472	616	597	297	82	6
-	-	-	-	-	-	-	-	1	1	1	3	5	12	14	7	2	1
-	-	-	-	-	-	-	-	1	-	1	2	2	7	7	5	1	-
-	-	-	-	-	-	-	-	-	1	-	1	3	5	7	2	1	1
-	-	2	12	15	15	19	33	60	46	54	99	109	107	79	28	4	-
-	-	1	10	14	15	15	27	44	34	41	62	77	66	52	21	2	-
-	-	1	2	1	-	4	6	16	12	13	37	32	41	27	7	2	-
2	1	2	8	8	12	13	13	26	18	26	55	72	86	82	38	17	2
2	1	1	5	6	10	9	12	20	10	16	27	28	53	36	14	3	1
-	-	1	3	2	2	4	1	6	8	10	28	44	33	46	24	14	1
12	20	33	51	69	137	213	298	443	507	785	1,476	2,546	4,072	3,665	1,943	686	107
8	11	22	31	58	104	161	222	335	368	571	1,040	1,797	2,797	2,320	1,054	319	33
4	9	11	20	11	33	52	76	108	139	214	436	749	1,275	1,345	889	367	74
1	3	-	1	-	3	6	2	5	4	2	7	2	11	6	1	1	-
1	1	-	-	-	3	6	2	4	2	2	5	2	3	3	-	-	-
-	2	-	1	-	-	-	-	1	2	-	2	-	8	3	1	1	-
5	12	19	29	40	72	107	158	211	259	407	726	1,269	2,018	1,948	1,119	416	71
3	7	14	19	35	54	80	126	167	189	290	483	831	1,303	1,187	555	190	20
2	5	5	10	5	18	27	32	44	70	117	243	438	715	761	564	226	51
-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	3	4	10	20	25	78	94	167	397	736	1,198	1,045	481	149	17
-	1	-	-	3	9	18	21	67	73	138	328	612	962	775	337	86	8
-	-	-	3	1	1	2	4	11	21	29	69	124	236	270	144	63	9
-	1	5	2	6	12	13	14	25	21	36	67	87	129	96	36	14	4
-	1	2	1	5	9	8	5	12	12	20	39	51	67	36	11	4	1
-	-	3	1	1	3	5	9	13	9	16	28	36	62	60	25	10	3
1	-	-	-	1	-	3	8	12	13	17	20	20	38	36	12	1	-
1	-	-	-	1	-	3	6	6	7	9	8	11	17	13	6	-	-
-	-	-	-	-	-	-	2	6	6	8	12	9	21	23	6	1	-
-	-	-	-	-	-	1	5	3	11	18	43	47	47	21	8	-	-
-	-	-	-	-	-	1	4	3	10	18	42	47	43	20	7	-	-
-	-	-	-	-	-	-	1	-	1	-	1	-	4	1	1	-	-



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10
										9	14
J66, J68-J69	Lung diseases due to external agents (except pneumoconiosis and pneumonia)	T.	550	-	1	1	-	1	-	-	1
		M.	333	-	1	-	-	1	-	-	1
		F.	217	-	-	1	-	-	-	-	-
J00-J99 excludes above-mentioned code (J00-J06, J30-J40, J67, J70, J80-J86, J90, J92-J98)	Remainder of diseases of the respiratory system	T.	2,209	-	18	-	-	1	-	2	-
		M.	1,334	-	9	-	-	-	-	-	-
		F.	875	-	9	-	-	1	-	2	-
K00-K93	Diseases of the digestive system	T.	9,340	-	7	-	-	1	1	10	2
		M.	6,171	-	4	-	-	1	1	4	1
		F.	3,169	-	3	-	-	-	-	6	1
K25-K28	Peptic ulcer	T.	557	-	-	-	-	-	-	-	-
		M.	365	-	-	-	-	-	-	-	-
		F.	192	-	-	-	-	-	-	-	-
K35-K38	Diseases of appendix	T.	22	-	-	-	-	-	-	-	-
		M.	12	-	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-	-
K40-K46, K56	Hernia and intestinal obstruction	T.	302	-	-	-	-	-	-	-	-
		M.	185	-	-	-	-	-	-	-	-
		F.	117	-	-	-	-	-	-	-	-
K70-K76	Diseases of liver	T.	5,503	-	1	-	-	1	-	3	1
		M.	3,915	-	1	-	-	1	-	-	1
		F.	1,588	-	-	-	-	-	-	3	-
K70, K73-K74	Chronic liver disease and cirrhosis	T.	4,912	-	1	-	-	-	-	1	-
		M.	3,508	-	1	-	-	-	-	-	-
		F.	1,404	-	-	-	-	-	-	1	-
K70-K76 excludes above-mentioned code (K71-K72, K75-K76)	Other diseases of liver	T.	591	-	-	-	-	1	-	2	1
		M.	407	-	-	-	-	1	-	-	1
		F.	184	-	-	-	-	-	-	2	-
K80-K82	Cholelithiasis and other disorders of gallbladder	T.	384	-	-	-	-	-	-	-	-
		M.	200	-	-	-	-	-	-	-	-
		F.	184	-	-	-	-	-	-	-	-
K83-K86	Diseases of biliary tract and pancreas	T.	422	-	-	-	-	-	-	2	-
		M.	273	-	-	-	-	-	-	2	-
		F.	149	-	-	-	-	-	-	-	-
K70-K93 excludes above-mentioned code (K00-K14, K20-K22, K29-K31, K50-K52, K55, K57-K63, K65, K66, K90-K92)	Remainder of diseases of the digestive system	T.	2,150	-	6	-	-	-	1	5	1
		M.	1,221	-	3	-	-	-	1	2	-
		F.	929	-	3	-	-	-	-	3	1
L00-L99	Diseases of the skin and subcutaneous tissue	T.	506	-	-	-	-	-	-	-	-
		M.	257	-	-	-	-	-	-	-	-
		F.	249	-	-	-	-	-	-	-	-
M00-M99	Diseases of the musculoskeletal system and connective tissue	T.	1,534	-	-	1	-	1	-	1	5
		M.	717	-	-	1	-	1	-	-	3
		F.	817	-	-	-	-	-	-	1	2
N00-N99	Diseases of the genitourinary system	T.	6,348	-	3	-	1	-	1	2	2
		M.	3,022	-	2	-	1	-	1	1	1
		F.	3,326	-	1	-	-	-	-	1	1
N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	T.	4,105	-	3	-	1	-	1	2	-
		M.	2,088	-	2	-	1	-	1	1	-
		F.	2,017	-	1	-	-	-	-	1	-
N17	Acute renal failure	T.	799	-	2	-	-	-	-	-	-
		M.	461	-	1	-	-	-	-	-	-
		F.	338	-	1	-	-	-	-	-	-
N18	Chronic renal failure	T.	1,554	-	-	-	1	-	1	-	-
		M.	758	-	-	-	1	-	1	-	-
		F.	796	-	-	-	-	-	-	-	-
N19	Unspecified renal failure	T.	1,593	-	-	-	-	-	-	1	-
		M.	784	-	-	-	-	-	-	-	-
		F.	809	-	-	-	-	-	-	1	-

to the General mortality Selected list
, 2010 (Cont.6)

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	1	1	2	4	3	6	10	11	18	19	33	73	138	126	68	30	3
-	1	-	1	3	3	5	6	6	12	12	21	51	96	70	32	9	2
-	-	1	1	1	-	1	4	5	6	7	12	22	42	56	36	21	1
5	2	8	14	14	37	57	76	97	87	119	182	311	490	385	217	75	12
3	-	6	10	11	26	40	52	70	63	82	114	191	304	216	105	30	2
2	2	2	4	3	11	17	24	27	24	37	68	120	186	169	112	45	10
6	6	61	173	319	546	744	770	807	613	693	928	1,117	1,184	856	381	100	15
3	5	53	155	291	480	665	643	633	419	432	517	590	644	434	163	30	3
3	1	8	18	28	66	79	127	174	194	261	411	527	540	422	218	70	12
-	-	-	2	3	5	16	13	35	34	35	75	82	117	80	40	18	2
-	-	-	2	2	5	15	10	30	24	23	49	52	76	47	22	7	1
-	-	-	-	1	-	1	3	5	10	12	26	30	41	33	18	11	1
-	-	-	-	-	-	-	-	1	-	-	5	5	9	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	3	3	4	1	1	-	-
-	-	-	-	-	-	-	-	1	-	-	2	2	5	-	-	-	-
1	-	1	-	2	3	6	10	12	6	9	24	51	72	65	29	10	1
1	-	1	-	1	1	5	4	9	4	8	14	35	44	40	14	3	1
-	-	-	-	1	2	1	6	3	2	1	10	16	28	25	15	7	-
2	2	44	141	281	472	633	645	637	437	452	511	508	411	221	81	16	3
1	1	37	127	259	419	575	554	506	313	282	259	247	198	95	32	7	-
1	1	7	14	22	53	58	91	131	124	170	252	261	213	126	49	9	3
-	1	31	123	249	421	581	590	573	399	407	458	452	358	188	63	13	3
-	1	28	111	228	376	532	515	464	283	246	238	218	166	75	20	6	-
-	-	3	12	21	45	49	75	109	116	161	220	234	192	113	43	7	3
2	1	13	18	32	51	52	55	64	38	45	53	56	53	33	18	3	-
1	-	9	16	31	43	43	39	42	30	36	21	29	32	20	12	1	-
1	1	4	2	1	8	9	16	22	8	9	32	27	21	13	6	2	-
-	-	-	2	2	2	8	9	6	13	29	38	55	81	97	32	10	-
-	-	-	2	2	2	5	7	4	9	17	25	22	46	46	12	1	-
-	-	-	-	-	-	3	2	2	4	12	13	33	35	51	20	9	-
1	3	10	17	14	14	27	22	21	22	28	46	60	62	46	21	5	1
-	3	10	14	13	11	23	16	17	14	18	28	32	38	26	7	1	-
1	-	-	3	1	3	4	6	4	8	10	18	28	24	20	14	4	1
2	1	6	11	17	50	54	71	95	101	140	229	356	432	346	177	41	8
1	1	5	10	14	42	42	52	67	55	84	139	199	238	179	75	11	1
1	-	1	1	3	8	12	19	28	46	56	90	157	194	167	102	30	7
1	-	2	1	8	5	8	20	17	23	28	43	86	93	94	55	17	5
1	-	1	-	6	4	7	12	12	14	17	26	44	47	44	14	5	3
-	-	1	1	2	1	1	8	5	9	11	17	42	46	50	41	12	2
7	13	18	26	26	33	44	54	72	81	72	90	168	219	256	231	91	25
3	3	8	7	13	20	23	31	37	46	37	49	86	98	117	98	31	5
4	10	10	19	13	13	21	23	35	35	35	41	82	121	139	133	60	20
3	5	3	23	34	51	101	175	272	303	424	659	997	1,330	1,183	556	201	19
3	2	3	7	25	36	61	111	157	163	248	321	468	630	499	207	68	7
-	3	-	16	9	15	40	64	115	140	176	338	529	700	684	349	133	12
3	3	2	18	24	36	84	145	211	232	331	472	659	803	653	306	109	7
3	1	2	6	18	25	49	92	131	123	197	235	327	399	303	129	39	4
-	2	-	12	6	11	35	53	80	109	134	237	332	404	350	177	70	3
2	-	1	5	9	2	23	18	31	27	50	65	131	156	152	92	33	-
2	-	1	3	8	2	16	14	23	17	34	35	79	92	82	42	10	-
-	-	-	2	1	-	7	4	8	10	16	30	52	64	70	50	23	-
-	1	-	8	6	17	32	60	85	100	138	193	250	303	223	98	37	1
-	-	-	2	2	10	16	36	51	46	90	92	117	138	107	36	13	-
-	1	-	6	4	7	16	24	34	54	48	101	133	165	116	62	24	1
-	2	-	5	6	17	27	61	85	100	137	196	255	309	256	102	29	5
-	1	-	1	6	13	16	37	52	57	70	101	119	151	103	42	11	4
-	1	-	4	-	4	11	24	33	43	67	95	136	158	153	60	18	1



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10
N00-N07, N17-N19, N25-N27 excludes above-mentioned code (N00-N07, N25-N27)	Other nephritis, nephrotic syndrome and nephrosis	T.	159	-	1	-	-	-	-	1	-
		M.	85	-	1	-	-	-	-	1	-
		F.	74	-	-	-	-	-	-	-	-
N10-N15	Renal tubulo-interstitial diseases	T.	53	-	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-	-
		F.	36	-	-	-	-	-	-	-	-
N28	Other disorders of kidney and ureter, not elsewhere classified	T.	28	-	-	-	-	-	-	-	1
		M.	19	-	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-	-
N00-N99 excludes above-mentioned code (N20, N21, N23, N30-N32, N34-N36, N38-N50, N60-N64, N70-N73, N75, N76, N80-N98, N99)	Remainder of diseases of the genitourinary system	T.	2,162	-	-	-	-	-	-	-	1
		M.	898	-	-	-	-	-	-	-	1
		F.	1,264	-	-	-	-	-	-	-	-
O00-O99	Pregnancy, childbirth and the puerperium	T.	7	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-	-
P00-P96	Certain conditions originating in the perinatal period	T.	324	311	12	1	-	-	-	-	-
		M.	178	172	5	1	-	-	-	-	-
		F.	146	139	7	-	-	-	-	-	-
P05-P08	Disorders related to length of gestation and fetal growth	T.	34	25	8	1	-	-	-	-	-
		M.	19	14	4	1	-	-	-	-	-
		F.	15	11	4	-	-	-	-	-	-
P10-P15	Birth trauma	T.	2	1	1	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-	-
		F.	1	-	1	-	-	-	-	-	-
P20-P29	Respiratory and cardiovascular disorders specific to the perinatal period	T.	172	171	1	-	-	-	-	-	-
		M.	94	94	-	-	-	-	-	-	-
		F.	78	77	1	-	-	-	-	-	-
P35-P39	Infections specific to the perinatal period	T.	39	38	1	-	-	-	-	-	-
		M.	23	22	1	-	-	-	-	-	-
		F.	16	16	-	-	-	-	-	-	-
P50-P61	Haemorrhagic and haematological disorders of fetus and newborn	T.	21	20	1	-	-	-	-	-	-
		M.	11	11	-	-	-	-	-	-	-
		F.	10	9	1	-	-	-	-	-	-
P00-P96 excludes above-mentioned code (P00-P04, P70-P74, P76-P78, P80-P83, P90-P96)	Remainder of certain conditions originating in the perinatal period	T.	56	56	-	-	-	-	-	-	-
		M.	30	30	-	-	-	-	-	-	-
		F.	26	26	-	-	-	-	-	-	-
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	280	98	63	13	7	4	2	8	9
		M.	155	59	37	8	3	3	-	4	4
		F.	125	39	26	5	4	1	2	4	5
Q00-Q07	Congenital malformations of the nervous system	T.	21	8	3	3	1	1	-	1	2
		M.	10	5	2	1	-	-	-	1	1
		F.	11	3	1	2	1	1	-	-	1
Q20-Q28	Congenital malformations of the circulatory system	T.	141	43	41	5	5	3	2	5	5
		M.	82	31	25	4	3	3	-	2	1
		F.	59	12	16	1	2	-	2	3	4
Q20-Q24	Congenital malformations of heart	T.	107	21	34	5	4	3	2	5	5
		M.	60	16	20	4	2	3	-	2	1
		F.	47	5	14	1	2	-	2	3	4
Q20-Q28 excludes above-mentioned code (Q25-Q28)	Other congenital malformations of the circulatory system	T.	34	22	7	-	1	-	-	-	-
		M.	22	15	5	-	1	-	-	-	-
		F.	12	7	2	-	-	-	-	-	-
Q35-Q45	Congenital malformations of the digestive system	T.	10	-	3	2	1	-	-	-	-
		M.	6	-	3	-	-	-	-	-	-
		F.	4	-	-	2	1	-	-	-	-
Q00-Q89 excludes above-mentioned code (Q10-Q18, Q30-Q34, Q50-Q56,)	Other congenital malformations	T.	76	34	12	1	-	-	-	1	1
		M.	37	16	6	1	-	-	-	-	1
		F.	39	18	6	-	-	-	-	1	-

Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	10	
									9	14	
Q90-Q99	Chromosomal abnormalities, not elsewhere classified	T.	32	13	4	2	-	-	-	1	1
		M.	20	7	1	2	-	-	-	1	1
		F.	12	6	3	-	-	-	-	-	-
R00-R99	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	T.	6,990	12	55	4	7	5	2	6	8
		M.	4,189	9	34	2	5	4	1	4	4
		F.	2,801	3	21	2	2	1	1	2	4
R54	Senility	T.	1,518	-	-	-	-	-	-	-	-
		M.	700	-	-	-	-	-	-	-	-
		F.	818	-	-	-	-	-	-	-	-
R95	Sudden infant death syndrome	T.	26	2	24	-	-	-	-	-	-
		M.	18	1	17	-	-	-	-	-	-
		F.	8	1	7	-	-	-	-	-	-
R00-R99 excludes above-mentioned code (R00-R23, R25-R53, R55-R94, R96-R99)	Remainder of symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	T.	5,446	10	31	4	7	5	2	6	8
		M.	3,471	8	17	2	5	4	1	4	4
		F.	1,975	2	14	2	2	1	1	2	4
V01-Y89	External causes of morbidity and mortality	T.	11,403	4	41	20	20	13	4	46	81
		M.	8,020	3	26	10	12	8	2	37	54
		F.	3,383	1	15	10	8	5	2	9	27
V01-X59, Y85-Y86	Accidents and adverse effects	T.	6,669	1	36	16	17	11	3	35	68
		M.	4,835	1	22	8	11	6	1	32	47
		F.	1,834	-	14	8	6	5	2	3	21
V01-V99, Y85	Transport accidents	T.	3,773	-	7	8	8	5	1	9	39
		M.	2,721	-	3	2	5	3	-	8	25
		F.	1,052	-	4	6	3	2	1	1	14
V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2	Motor vehicle accidents	T.	3,515	-	6	8	7	4	1	9	38
		M.	2,524	-	2	2	4	3	-	8	24
		F.	991	-	4	6	3	1	1	1	14
V01-V99 excludes above-mentioned code (V01, V05-V06, V09.1, V09.3, V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	Other land transport accidents	T.	233	-	1	-	1	1	-	-	1
		M.	175	-	1	-	1	-	-	-	1
		F.	58	-	-	-	-	1	-	-	-
V01-V99, Y85 excludes above-mentioned code (V90-V99, Y85)	Water, air and space, and other and unspecified transport accidents and their sequelae	T.	25	-	-	-	-	-	-	-	-
		M.	22	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-	-
W00-W19	Falls	T.	1,178	-	2	1	-	1	-	3	4
		M.	884	-	2	-	-	-	-	2	1
		F.	294	-	-	1	-	1	-	1	3
W65-W74	Accidental drowning and submersion	T.	381	-	-	4	7	3	1	13	17
		M.	310	-	-	4	5	2	-	13	15
		F.	71	-	-	-	2	1	1	-	2
W75-W84	Other accidental threats to breathing	T.	282	-	24	1	1	1	1	3	1
		M.	188	-	15	1	-	-	1	3	1
		F.	94	-	9	-	1	1	-	-	-
X00-X09	Exposure to smoke, fire and flames	T.	74	-	1	1	1	1	-	2	2
		M.	51	-	-	1	1	1	-	2	1
		F.	23	-	1	-	-	-	-	-	1
X30-X39	Exposure to forces of nature	T.	38	-	-	-	-	-	-	-	-
		M.	27	-	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-	-
X40-X49	Accidental poisoning by and exposure to noxious substances	T.	274	-	-	1	-	-	-	3	2
		M.	205	-	-	-	-	-	-	3	1
		F.	69	-	-	1	-	-	-	-	1
V01-X59, Y85-Y86 excludes above-mentioned code (W20-W64, W85-W99, X10-X29, X50-X59, Y86)	Other and unspecified nontransport accidents and their sequelae	T.	669	1	2	-	-	-	-	2	3
		M.	449	1	2	-	-	-	-	1	3
		F.	220	-	-	-	-	-	-	1	-
X60-X84, Y87.0	Intentional self-harm (suicide)	T.	3,889	-	-	-	-	-	-	-	6
		M.	2,639	-	-	-	-	-	-	-	4
		F.	1,250	-	-	-	-	-	-	-	2

to the General mortality Selected list
, 2010 (Cont.8)

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
3	-	-	2	-	-	-	4	1	-	1	-	-	-	-	-	-	-
2	-	-	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-
1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
23	33	90	132	150	220	285	280	325	228	263	415	682	1,226	1,220	865	372	82
14	24	57	99	123	175	234	227	262	170	184	260	400	770	622	351	129	25
9	9	33	33	27	45	51	53	63	58	79	155	282	456	598	514	243	57
-	-	-	-	-	-	-	1	6	8	28	80	172	322	413	309	148	31
-	-	-	-	-	-	-	-	5	4	16	45	91	176	198	113	42	10
-	-	-	-	-	-	-	1	1	4	12	35	81	146	215	196	106	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	33	90	132	150	220	285	279	319	220	235	335	510	904	807	556	224	51
14	24	57	99	123	175	234	227	257	166	168	215	309	594	424	238	87	15
9	9	33	33	27	45	51	52	62	54	67	120	201	310	383	318	137	36
399	503	701	796	771	970	970	988	926	681	716	757	753	672	401	123	41	6
293	386	518	594	554	726	735	734	667	462	483	457	467	459	241	73	19	-
106	117	183	202	217	244	235	254	259	219	233	300	286	213	160	50	22	6
339	352	374	334	368	446	472	514	521	403	436	495	531	471	293	98	29	6
257	275	296	275	291	367	396	399	372	276	299	314	330	322	173	54	11	-
82	77	78	59	77	79	76	115	149	127	137	181	201	149	120	44	18	6
297	302	272	203	199	235	246	284	308	235	259	271	279	202	82	17	5	-
228	235	217	170	146	191	191	205	200	141	167	177	189	148	55	13	2	-
69	67	55	33	53	44	55	79	108	94	92	94	90	54	27	4	3	-
286	280	258	191	183	219	228	264	287	209	240	249	261	189	77	16	5	-
218	219	206	162	135	176	177	192	182	123	151	163	177	136	50	12	2	-
68	61	52	29	48	43	51	72	105	86	89	86	84	53	27	4	3	-
11	21	11	11	13	16	16	19	21	26	17	16	14	11	5	1	-	-
10	15	8	7	9	15	13	12	18	18	14	8	9	10	5	1	-	-
1	6	3	4	4	1	3	7	3	8	3	8	5	1	-	-	-	-
-	1	3	1	3	-	2	1	-	-	2	6	4	2	-	-	-	-
-	1	3	1	2	-	1	1	-	-	2	6	3	2	-	-	-	-
-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
5	11	21	31	55	75	90	105	89	87	82	125	135	135	81	33	5	2
3	10	16	26	51	66	82	92	72	70	68	74	80	97	51	17	4	-
2	1	5	5	4	9	8	13	17	17	14	51	55	38	30	16	1	2
15	8	12	23	21	42	30	34	29	27	23	25	22	17	8	-	-	-
13	6	9	22	17	36	28	29	24	22	15	19	12	15	4	-	-	-
2	2	3	1	4	6	2	5	5	8	6	10	2	4	-	-	-	-
3	2	7	10	7	12	10	14	20	23	21	24	29	29	29	9	1	-
2	1	5	8	4	10	9	10	12	19	16	16	17	15	19	4	-	-
1	1	2	2	3	2	1	4	8	4	5	8	12	14	10	5	1	-
4	1	3	4	1	3	7	5	6	2	6	9	5	4	4	2	-	-
2	-	1	1	1	2	6	3	6	2	4	6	4	3	2	2	-	-
2	1	2	3	-	1	1	2	-	-	2	3	1	1	2	-	-	-
-	-	2	1	1	2	2	5	4	2	7	3	2	4	1	2	-	-
-	-	2	1	1	2	4	2	-	5	2	1	3	1	2	-	-	-
-	-	-	-	-	1	-	1	2	2	2	1	1	1	-	-	-	-
8	7	29	37	49	46	40	22	10	5	4	3	2	3	2	1	-	-
6	5	19	26	40	34	37	17	5	5	1	1	1	3	1	-	-	-
2	2	10	11	9	12	3	5	5	-	3	2	1	-	1	1	-	-
7	21	28	25	35	31	47	45	55	22	34	35	57	77	86	34	18	4
3	18	27	21	31	27	41	39	51	17	23	19	26	38	40	16	5	-
4	3	1	4	4	4	6	6	4	5	11	16	31	39	46	18	13	4
48	128	275	383	330	425	417	402	345	244	239	227	178	147	71	19	5	-
29	94	183	265	212	288	281	282	255	170	168	126	114	101	47	16	4	-
19	34	92	118	118	137	136	120	90	74	71	101	64	46	24	3	1	-



Table 63 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5 9	10 14
X85-Y09, Y87.1	Assault (homicide)	T.	179	2	3	1	2	1	-	7	2
		M.	127	1	3	-	1	1	-	3	1
		F.	52	1	-	1	1	-	-	4	1
Y35, Y89.0	Legal intervention	T.	-	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-
Y40-Y84, Y88	Complications of medical and surgical care	T.	113	-	1	1	-	-	1	1	-
		M.	63	-	-	1	-	-	1	-	-
		F.	50	-	1	-	-	-	-	1	-
V01-Y89 excludes above-mentioned code (Y10-Y34, Y36, Y87.2, Y89.1, Y89.9)	Remainder of external causes of morbidity and mortality	T.	553	1	1	2	1	1	-	3	5
		M.	356	1	1	1	-	1	-	2	2
		F.	197	-	-	1	1	-	-	1	3

to the General mortality Selected list
, 2010 (Cont'd)

Unit : Person

15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																	100+
19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
2	8	14	13	16	30	22	20	10	7	3	6	3	4	3	-	-	-
2	7	12	7	11	22	19	14	7	3	2	4	2	3	2	-	-	-
-	1	2	6	5	8	3	6	3	4	1	2	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	5	3	2	5	7	6	3	7	9	9	12	24	12	1	3	-
-	-	4	3	2	3	5	4	2	4	3	3	4	15	7	-	2	-
1	-	1	-	-	2	2	2	1	3	6	6	8	9	5	1	1	-
9	15	33	63	55	64	52	46	47	20	29	20	29	26	22	5	4	-
5	10	23	44	38	46	34	35	31	9	11	10	17	18	12	3	2	-
4	5	10	19	17	18	18	11	16	11	18	10	12	8	10	2	2	-



Table 64 Deaths under 1 Year Classified According
by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days
A00-Y98	Number of deaths	T.	705	219	42	26	16	14	14
		M.	403	119	29	12	12	8	10
		F.	302	100	13	14	4	6	4
A00-B99	Certain infectious and parasitic diseases	T.	7	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
A40-A41	Septicaemia	T.	6	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
A00-B99 excludes above-mentioned code (A20-A28, A30-A32, A34, A36, A38, A42-A90, A92-A99, B00-B04, B06-B09, B25-B83, B85-B97, B99)	Remainder of certain infectious and parasitic diseases	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
C00-D48	Neoplasms	T.	5	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
C00-C97	Malignant neoplasms	T.	3	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-
C00-C75	Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue	T.	1	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
C91-C95	Leukaemia	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
D00-D48 excludes above-mentioned code (D00-D48)	Remainder of neoplasms	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
D50-D89	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	T.	7	2	-	-	-	-	-
		M.	4	1	-	-	-	-	-
		F.	3	1	-	-	-	-	-
D50-D64	Anaemias	T.	4	2	-	-	-	-	-
		M.	2	1	-	-	-	-	-
		F.	2	1	-	-	-	-	-
D50-D89 excludes above-mentioned code (D65-D76, D80-D89)	Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	T.	3	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
E00-E90	Endocrine, nutritional and metabolic diseases	T.	15	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-
E40-E64	Malnutrition and other nutritional deficiencies	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
E70-E90	Metabolic disorders	T.	14	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-
G00-G99	Diseases of the nervous system	T.	16	-	-	-	-	-	1
		M.	10	-	-	-	-	-	1
		F.	6	-	-	-	-	-	-
G00, G03	Meningitis	T.	3	-	-	-	-	-	1
		M.	2	-	-	-	-	-	1
		F.	1	-	-	-	-	-	-
G80	Infantile cerebral palsy	T.	3	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
G93	Other disorders of brain	T.	8	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-

Table 64 Deaths under 1 Year Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days
G93.1	Anoxic brain damage, not elsewhere classified	T.	4	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
G93.0, G93.2-G93.9	Other disorders of brain, except anoxic brain damage	T.	4	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
G00-G99 excludes above-mentioned code (G06, G08-G11, G20, G21, G23-G25, G30, G31, G35-G37, G40, G41, G43-G45, G47, G50-G52, G54, G56-G58, G60-G62, G64, G70-G72, G81-G83, G90-G92, G95-G98)	Remainder of diseases of the nervous system	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
I00-I99	Diseases of the circulatory system	T.	23	-	-	-	-	-	-
		M.	12	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-
I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	T.	17	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-
I30, I33, I40	Acute pericarditis, acute and subacute endocarditis and acute myocarditis	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
I42	Cardiomyopathy	T.	4	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-
I01-I02.0, I05-I09, I20-I25, I27, I30-I52 excludes above-mentioned code (I01-I02.0, I05-I09, I20-I25, I27, I31, I34-I38, I44-I52)	Other diseases of heart	T.	12	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-
I60-I69	Cerebrovascular diseases	T.	4	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
I00-I99 excludes above-mentioned code (I02.9, I10-I13, I15, I26, I28, I70-I78, I80-I89, I95, I97, I99)	Remainder of diseases of the circulatory system	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
J00-J99	Diseases of the respiratory system	T.	26	-	-	-	-	-	-
		M.	13	-	-	-	-	-	-
		F.	13	-	-	-	-	-	-
J12-J18	Pneumonia	T.	5	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-
J20-J21	Acute bronchitis and bronchiolitis	T.	1	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
J69	Pneumonitis due to solids and liquids	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
J00-J99 excludes above-mentioned code (J22, J30-J39, J43, J44, J47, J60-J68, J70, J80-J82, J84-J86, J90, J92-J96, J98)	Remainder of diseases of the respiratory system	T.	19	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-
K00-K93	Diseases of the digestive system	T.	7	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
K70-K76	Diseases of liver	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
K00-K93 excludes above-mentioned code (K00-K14, K20-K22, K25-K31, K35-K38, K55, K57-K63, K65, K66, K80-K83, K85, K86, K90-K92)	Remainder of diseases of the digestive system	T.	6	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
N00-N99	Diseases of the genitourinary system	T.	3	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-

to the General mortality Selected list
, 2010 (Cont.1)

Unit : Person

7-13 Days	14-20 Days	21-27 Days	28-29 Days	1 Month	2 Months	3 Months	4 Months	5 Months	6 Months	7 Months	8 Months	9 Months	10 Months	11 Months
-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	5	5	4	1	3	3	1	-	-	1	-
-	-	-	-	3	3	2	1	2	1	-	-	-	-	-
-	-	-	-	2	2	2	-	1	2	1	-	-	1	-
-	-	-	-	4	5	3	-	3	1	1	-	-	-	-
-	-	-	-	3	3	2	-	2	-	-	-	-	-	-
-	-	-	-	1	2	1	-	1	1	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	3	3	1	-	3	1	1	-	-	-	-
-	-	-	-	2	2	1	-	2	-	-	-	-	-	-
-	-	-	-	1	1	-	-	1	1	1	-	-	-	-
-	-	-	-	-	-	1	1	-	1	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	2	2	5	1	3	3	3	2	2	-
-	-	-	-	3	1	1	2	-	1	1	2	2	-	-
-	-	-	-	-	1	1	3	1	2	2	1	-	2	-
-	-	-	-	-	-	1	1	-	1	2	-	-	-	-
-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	1	4	1	2	1	3	2	2	-
-	-	-	-	2	1	-	1	-	1	-	2	2	-	-
-	-	-	-	-	-	1	3	1	1	1	1	-	2	-
-	-	-	1	2	1	-	-	2	-	-	-	-	1	-
-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	2	1	-	-	1	-	-	-	-	1	-
-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-	1	-
-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-



Table 64 Deaths under 1 Year Classified According
by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days
N00-N07, N17-N19, Nephritis, nephrotic syndrome and nephrosis N25-N27		T.	3	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
N17-N19	Renal failure	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
N00-N07, N17-N19, N25-N27 excludes above- mentioned code (N00- N07, N25-N27)	Other nephritis, nephrotic syndrome and nephrosis	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
P00-P96	Certain conditions originating in the perinatal period	T.	323	155	29	22	12	10	9
		M.	177	85	19	9	10	5	5
		F.	146	70	10	13	2	5	4
P00-P04	Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery	T.	9	8	-	1	-	-	-
		M.	4	3	-	1	-	-	-
		F.	5	5	-	-	-	-	-
P00	Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy	T.	1	1	-	-	-	-	-
		M.	1	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-
P01	Fetus and newborn affected by maternal complications of pregnancy	T.	3	3	-	-	-	-	-
		M.	1	1	-	-	-	-	-
		F.	2	2	-	-	-	-	-
P02	Fetus and newborn affected by complications of placenta, cord and membranes	T.	4	3	-	1	-	-	-
		M.	2	1	-	1	-	-	-
		F.	2	2	-	-	-	-	-
P03	Fetus and newborn affected by other complications of labour and delivery	T.	1	1	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-
P05-P08	Disorders relating to length of gestation and fetal growth	T.	33	21	2	-	-	-	1
		M.	18	13	-	-	-	-	1
		F.	15	8	2	-	-	-	-
P07	Disorders related to short gestation and low birth weight, not elsewhere classified	T.	33	21	2	-	-	-	1
		M.	18	13	-	-	-	-	1
		F.	15	8	2	-	-	-	-
P10-P15	Birth trauma	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
P20-P28	Respiratory disorders originating in the perinatal period	T.	107	51	16	10	4	-	2
		M.	58	29	11	4	2	-	-
		F.	49	22	5	6	2	-	2
P20	Intrauterine hypoxia	T.	4	3	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	4	3	-	-	-	-	-
P21	Birth asphyxia	T.	15	8	-	2	1	-	-
		M.	10	5	-	1	1	-	-
		F.	5	3	-	1	-	-	-
P22	Respiratory distress of newborn	T.	50	28	7	5	2	-	1
		M.	26	16	5	2	-	-	-
		F.	24	12	2	3	2	-	1
P23	Congenital pneumonia	T.	5	-	1	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	2	-	1	-	-	-	-
P24	Neonatal aspiration syndromes	T.	3	2	-	-	-	-	-
		M.	3	2	-	-	-	-	-
		F.	-	-	-	-	-	-	-
P25	Interstitial emphysema and related conditions originating in the perinatal period	T.	5	3	-	-	-	-	-
		M.	3	3	-	-	-	-	-
		F.	2	-	-	-	-	-	-

to the General mortality Selected list
, 2010 (Cont.2)

Unit : Person

7-13 Days	14-20 Days	21-27 Days	28-29 Days	1 Month	2 Months	3 Months	4 Months	5 Months	6 Months	7 Months	8 Months	9 Months	10 Months	11 Months
-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	18	13	1	8	3	-	-	-	-	-	-	-	-	-
21	11	7	-	3	2	-	-	-	-	-	-	-	-	-
22	7	6	1	5	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	6	2	-	-	-	-	-	-	-	-	-
-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
1	-	-	-	4	-	-	-	-	-	-	-	-	-	-
1	-	-	-	6	2	-	-	-	-	-	-	-	-	-
-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
1	-	-	-	4	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
15	6	2	1	-	-	-	-	-	-	-	-	-	-	-
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Table 64 Deaths under 1 Year Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days
P26	Pulmonary hemorrhage originating in the perinatal period	T.	20	3	8	3	1	-	1
		M.	11	1	6	1	1	-	-
		F.	9	2	2	2	-	-	1
P28	Other respiratory conditions originating in the perinatal period	T.	5	4	-	-	-	-	-
		M.	2	2	-	-	-	-	-
		F.	3	2	-	-	-	-	-
P29	Cardiovascular disorders originating in the perinatal period	T.	65	46	4	2	2	3	1
		M.	36	26	1	1	2	1	1
		F.	29	20	3	1	-	2	-
P29.0	Neonatal cardiac failure	T.	62	46	3	2	2	2	1
		M.	35	26	-	1	2	1	1
		F.	27	20	3	1	-	1	-
P29.1	Neonatal cardiac dysrhythmia	T.	1	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
P29 excludes above-mentioned code (P29.2-P29.4, P29.8, P29.9)	Other cardiovascular disorders originating in the perinatal period	T.	2	-	1	-	-	1	-
		M.	1	-	1	-	-	-	-
		F.	1	-	-	-	-	1	-
P35-P39	Infections specific to the perinatal period	T.	39	10	1	2	-	2	1
		M.	23	8	1	2	-	-	-
		F.	16	2	-	-	-	2	1
P36	Bacterial sepsis of newborn	T.	36	8	-	2	-	2	1
		M.	20	6	-	2	-	-	-
		F.	16	2	-	-	-	2	1
P35-P39 excludes above-mentioned code (P35.1-P35.3, P35.8, P35.9, P37-P39)	Other infections specific to the perinatal period	T.	3	2	1	-	-	-	-
		M.	3	2	1	-	-	-	-
		F.	-	-	-	-	-	-	-
P50-P61	Haemorrhagic and haematological disorders of fetus and newborn	T.	21	5	2	3	1	-	1
		M.	11	2	2	1	1	-	1
		F.	10	3	-	2	-	-	-
P50-P52, P54	Fetal and neonatal haemorrhages	T.	13	1	2	1	1	-	1
		M.	7	-	2	-	1	-	1
		F.	6	1	-	1	-	-	-
P50-P61 excludes above-mentioned code (P60-P61)	Other haemorrhagic and haematological disorders of fetus and newborn	T.	8	4	-	2	-	-	-
		M.	4	2	-	1	-	-	-
		F.	4	2	-	1	-	-	-
P77	Necrotizing enterocolitis of fetus and newborn	T.	3	1	-	-	-	1	-
		M.	2	-	-	-	-	1	-
		F.	1	1	-	-	-	-	-
P00-P96 excludes above-mentioned code (P70-P72, P74, P76, P78, P80, P81, P83, P90-P96)	Remainder of certain conditions originating in the perinatal period	T.	44	13	4	4	5	4	3
		M.	24	4	4	-	5	3	2
		F.	20	9	-	4	-	1	1
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	161	57	13	3	3	3	3
		M.	96	30	10	2	1	2	3
		F.	65	27	3	1	2	1	-
Q00-Q07	Congenital malformations of the nervous system	T.	11	6	-	1	-	-	-
		M.	7	4	-	-	-	-	-
		F.	4	2	-	1	-	-	-
Q20-Q24	Congenital malformations of heart	T.	55	7	3	-	-	2	2
		M.	36	6	2	-	-	1	2
		F.	19	1	1	-	-	1	-
Q25-Q28	Other congenital malformations of the circulatory system	T.	29	8	6	1	1	-	-
		M.	20	4	5	1	-	-	-
		F.	9	4	1	-	1	-	-
Q30-Q34	Congenital malformations of the respiratory system	T.	15	9	1	-	-	-	-
		M.	7	4	1	-	-	-	-
		F.	8	5	-	-	-	-	-

to the General mortality Selected list
, 2010 (Cont.3)

Unit : Person

7-13 Days	14-20 Days	21-27 Days	28-29 Days	1 Month	2 Months	3 Months	4 Months	5 Months	6 Months	7 Months	8 Months	9 Months	10 Months	11 Months
3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	6	4	-	1	-	-	-	-	-	-	-	-	-	-
6	3	2	-	1	-	-	-	-	-	-	-	-	-	-
6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
12	6	4	-	1	-	-	-	-	-	-	-	-	-	-
6	3	2	-	1	-	-	-	-	-	-	-	-	-	-
6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	3	2	-	1	-	-	-	-	-	-	-	-	-	-
1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
2	3	1	-	1	-	-	-	-	-	-	-	-	-	-
1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
9	5	2	-	15	9	7	4	9	3	3	6	2	2	3
7	3	1	-	9	3	5	1	4	1	3	5	1	2	3
2	2	1	-	6	6	2	3	5	2	-	1	1	-	-
-	1	-	-	-	-	1	-	1	-	-	-	-	-	1
-	1	-	-	-	-	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4	2	1	-	10	4	3	1	4	3	1	3	2	1	2
2	2	1	-	7	1	1	1	2	1	1	2	1	1	2
2	-	-	-	3	3	2	-	2	2	-	1	1	-	-
5	1	-	-	1	1	1	2	-	-	1	1	-	-	-
5	-	-	-	1	1	1	-	-	-	1	1	-	-	-
-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	1	3	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	1	2	-	-	-	-	-	-	-	-	-



Table 64 Deaths under 1 Year Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days
Q35-Q45	Congenital malformations of the digestive system	T.	3	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
Q50-Q56, Q60-Q64	Congenital malformations of the genitourinary system	T.	2	1	-	-	-	-	-
		M.	1	1	-	-	-	-	-
		F.	1	-	-	-	-	-	-
Q65-Q79	Congenital malformations and deformations of the musculoskeletal system	T.	7	3	2	-	-	-	-
		M.	3	1	1	-	-	-	-
		F.	4	2	1	-	-	-	-
Q90-Q99	Chromosomal abnormalities, not elsewhere classified	T.	17	10	-	-	-	1	-
		M.	8	6	-	-	-	1	-
		F.	9	4	-	-	-	-	-
Q90	Down's syndrome	T.	2	1	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	2	1	-	-	-	-	-
Q90-Q99 excludes above-mentioned code (Q91-Q99)	Other chromosomal abnormalities, not elsewhere classified	T.	15	9	-	-	-	1	-
		M.	8	6	-	-	-	1	-
		F.	7	3	-	-	-	-	-
Q00-Q99 excludes above-mentioned code (Q10-Q18, Q80-Q89)	Remainder of congenital malformations, deformations and chromosomal abnormalities	T.	22	13	1	1	2	-	1
		M.	11	4	1	1	1	-	1
		F.	11	9	-	-	1	-	-
R00-R99	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	T.	67	3	-	1	1	1	1
		M.	43	2	-	1	1	1	1
		F.	24	1	-	-	-	-	-
R95	Sudden infant death syndrome	T.	26	-	-	-	-	-	-
		M.	18	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-
R00-R99 excludes above-mentioned code (R00-R94, R96-R99)	Remainder of symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	T.	41	3	-	1	1	1	1
		M.	25	2	-	1	1	1	1
		F.	16	1	-	-	-	-	-
V01-Y89	External causes of morbidity and mortality	T.	45	2	-	-	-	-	-
		M.	29	1	-	-	-	-	-
		F.	16	1	-	-	-	-	-
V01-X59, Y85-Y86	Accidents and adverse effects	T.	37	-	-	-	-	-	-
		M.	23	-	-	-	-	-	-
		F.	14	-	-	-	-	-	-
V01-V99, Y85	Transport accidents	T.	7	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-
W00-W19	Falls	T.	2	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
W75-W84	Other accidental threats to breathing	T.	24	-	-	-	-	-	-
		M.	15	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-
X00-X09	Exposure to smoke, fire and flames	T.	1	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
V01-X59, Y85-Y86 excludes above-mentioned code (W20-W64, W85-W99, X10-X29, X50-X59, Y86)	Other and unspecified nontransport accidents and their sequelae	T.	3	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
X85-Y09, Y87.1	Assault (homicide)	T.	5	2	-	-	-	-	-
		M.	4	1	-	-	-	-	-
		F.	1	1	-	-	-	-	-
Y06-Y07	Neglect, abandonment and other maltreatment syndromes	T.	1	1	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-

to the General mortality Selected list
, 2010 (Cont.4)

Unit : Person

7-13 Days	14-20 Days	21-27 Days	28-29 Days	1 Month	2 Months	3 Months	4 Months	5 Months	6 Months	7 Months	8 Months	9 Months	10 Months	11 Months
-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	1	-	1	-	1	1	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	1	-	1	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	1	-	1	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	1	-	1	-	1	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1	3	1	1	11	12	10	6	4	3	2	2	3	-	1
1	2	-	1	5	7	8	4	1	2	2	1	2	-	1
-	1	1	-	6	5	2	2	3	1	-	1	1	-	-
-	1	1	1	4	6	5	2	-	1	1	2	1	-	1
-	1	-	1	2	5	4	1	-	-	1	1	1	-	1
-	-	1	-	2	1	1	1	-	1	-	1	-	-	-
1	2	-	-	7	6	5	4	4	2	1	-	2	-	-
1	1	-	-	3	2	4	3	1	2	1	-	1	-	-
-	1	-	-	4	4	1	1	3	-	-	-	1	-	-
1	-	1	-	4	7	3	6	7	2	5	1	1	2	3
1	-	1	-	1	6	2	4	5	1	4	-	-	1	2
-	-	-	-	3	1	1	2	2	1	1	1	1	1	1
1	-	-	-	3	7	3	5	7	2	5	1	1	-	2
1	-	-	-	-	6	2	3	5	1	4	-	-	-	1
-	-	-	-	3	1	1	2	2	1	1	1	1	-	1
-	-	-	-	-	-	1	-	1	1	1	1	1	-	1
-	-	-	-	-	-	-	-	-	-	1	1	1	-	1
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	6	2	4	5	1	3	-	-	-	-
-	-	-	-	-	5	1	2	4	-	3	-	-	-	-
-	-	-	-	3	1	1	2	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
1	-	-	-	-	-	-	-	1	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Table 64 Deaths under 1 Year Classified According
by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days
X85-Y05, Y08, Y09, Y87.1	Other assault (homicide)	T.	4	1	-	-	-	-	-
		M.	4	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-
V01-Y89 excludes above-mentioned code (X60-X84, Y10-Y36, Y40-Y84, Y87.0, Y87.2, Y88, Y89)	Remainder of external causes of morbidity and mortality	T.	3	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-

to the General mortality Selected list
, 2010 (Cont'd)

Unit : Person

7-13 Days	14-20 Days	21-27 Days	28-29 Days	1 Month	2 Months	3 Months	4 Months	5 Months	6 Months	7 Months	8 Months	9 Months	10 Months	11 Months
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-



Table 65 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5
A00-Y98	Number of deaths	T.	144,709	429	276	70	56	48	29	157
		M.	88,374	246	157	38	28	29	14	97
		F.	56,335	183	119	32	28	19	15	60
A00-A09	Intestinal infectious diseases	T.	52	-	-	-	-	-	-	-
		M.	27	-	-	-	-	-	-	-
		F.	25	-	-	-	-	-	-	-
A15-A19	Tuberculosis	T.	654	-	-	-	-	-	-	-
		M.	476	-	-	-	-	-	-	-
		F.	178	-	-	-	-	-	-	-
A40-A41	Septicemia	T.	3,784	-	6	1	2	-	3	3
		M.	2,035	-	3	1	-	-	1	1
		F.	1,749	-	3	-	2	-	2	2
B15-B19	Viral hepatitis	T.	258	-	-	-	-	-	-	-
		M.	182	-	-	-	-	-	-	-
		F.	76	-	-	-	-	-	-	-
B20-B24	Human immunodeficiency virus [HIV] disease	T.	115	-	-	-	-	-	-	-
		M.	109	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
C00-C97	Malignant neoplasms	T.	41,046	-	3	6	8	10	5	40
		M.	26,022	-	1	2	2	4	3	25
		F.	15,024	-	2	4	6	6	2	15
D00-D48	Remainder of neoplasms	T.	968	-	2	-	-	1	-	2
		M.	569	-	1	-	-	-	-	2
		F.	399	-	1	-	-	1	-	-
D50-D64	Anaemias	T.	282	2	2	-	-	-	-	4
		M.	140	1	1	-	-	-	-	2
		F.	142	1	1	-	-	-	-	2
E10-E14	Diabetes mellitus	T.	8,211	-	-	-	-	-	-	-
		M.	4,062	-	-	-	-	-	-	-
		F.	4,149	-	-	-	-	-	-	-
F01-F03	Vascular and unspecified dementia	T.	590	-	-	-	-	-	-	-
		M.	273	-	-	-	-	-	-	-
		F.	317	-	-	-	-	-	-	-
G00, G03	Meningitis	T.	86	1	2	-	-	1	-	-
		M.	58	1	1	-	-	1	-	-
		F.	28	-	1	-	-	-	-	-
G12	Spinal muscular atrophy and related syndromes	T.	93	-	-	-	1	-	-	-
		M.	54	-	-	-	-	-	-	-
		F.	39	-	-	-	1	-	-	-
G20-G21	Parkinson's disease	T.	623	-	-	-	-	-	-	-
		M.	363	-	-	-	-	-	-	-
		F.	260	-	-	-	-	-	-	-
G30	Alzheimer's disease	T.	52	-	-	-	-	-	-	-
		M.	20	-	-	-	-	-	-	-
		F.	32	-	-	-	-	-	-	-
I10-I15	Hypertensive diseases	T.	4,174	-	-	-	-	-	-	1
		M.	2,128	-	-	-	-	-	-	-
		F.	2,046	-	-	-	-	-	-	1
I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	T.	15,675	-	17	1	3	2	-	5
		M.	9,389	-	10	1	1	-	-	2
		F.	6,286	-	7	-	2	2	-	3
I60-I69	Cerebrovascular diseases	T.	10,134	-	4	1	1	-	1	4
		M.	5,963	-	1	1	1	-	-	2
		F.	4,171	-	3	-	-	-	1	2
I70	Atherosclerosis	T.	48	-	-	1	-	-	-	-
		M.	27	-	-	1	-	-	-	-
		F.	21	-	-	-	-	-	-	-

to the General Mortality Condensed List
, 2010

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																		100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
214	602	734	1,275	1,905	2,588	4,277	6,256	7,950	9,894	8,885	10,727	14,776	19,733	23,785	18,133	8,705	2,758	447
126	431	534	890	1,355	1,926	3,165	4,558	5,678	6,846	5,917	6,910	8,759	11,679	14,167	9,656	3,965	1,069	134
88	171	200	385	550	662	1,112	1,698	2,272	3,048	2,968	3,817	6,017	8,054	9,618	8,477	4,740	1,689	313
1	-	-	-	1	-	1	1	2	2	2	5	11	6	8	6	4	1	1
1	-	-	-	-	-	-	1	1	2	2	4	4	2	5	2	2	1	-
-	-	-	-	1	-	1	-	1	-	-	1	7	4	3	4	2	-	1
-	1	1	2	7	3	6	15	23	34	16	44	58	106	153	122	48	13	2
-	-	-	2	4	2	5	12	19	28	14	35	48	85	110	77	25	9	1
-	1	1	-	3	1	1	3	4	6	2	9	10	21	43	45	23	4	1
3	-	3	8	18	26	52	95	114	172	175	246	395	591	766	664	312	112	17
1	-	-	5	13	19	37	61	73	114	97	139	221	312	420	327	134	51	5
2	-	3	3	5	7	15	34	41	58	78	107	174	279	346	337	178	61	12
2	-	1	3	6	8	16	12	29	27	29	33	28	28	22	9	5	-	-
1	-	1	3	4	6	12	10	21	16	23	27	12	23	14	6	3	-	-
1	-	-	-	2	2	4	2	8	11	6	6	16	5	8	3	2	-	-
-	-	3	12	21	16	11	16	12	13	2	3	1	2	2	1	-	-	-
-	-	3	12	20	16	9	15	11	12	2	3	1	2	2	1	-	-	-
-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-
38	68	72	164	343	665	1,391	2,399	3,249	4,190	3,751	4,219	4,951	5,668	5,441	3,060	1,061	216	28
22	47	43	91	197	423	904	1,531	2,095	2,716	2,426	2,742	3,011	3,631	3,542	1,878	576	100	10
16	21	29	73	146	242	487	868	1,154	1,474	1,325	1,477	1,940	2,037	1,899	1,182	485	116	18
3	3	3	7	4	13	27	24	28	50	32	63	108	174	200	146	63	13	2
2	2	2	6	3	9	16	18	15	42	23	33	63	94	124	80	29	3	2
1	1	1	1	1	4	11	6	13	8	9	30	45	80	76	66	34	10	-
1	1	-	5	3	7	6	8	8	17	12	13	24	28	52	52	25	11	1
-	1	-	2	2	1	4	7	5	12	7	7	11	15	27	22	8	5	-
1	-	-	3	1	6	2	1	3	5	5	6	13	13	25	30	17	6	1
1	1	1	7	19	41	91	188	338	551	557	779	1,152	1,494	1,515	992	392	82	10
-	-	1	6	12	36	71	135	240	362	349	401	538	660	705	395	123	26	2
1	1	-	1	7	5	20	53	98	189	208	378	614	834	810	597	269	56	8
-	-	-	-	-	-	-	3	1	3	5	17	24	71	148	164	113	35	6
-	-	-	-	-	-	-	2	1	1	1	12	13	41	73	63	57	9	-
-	-	-	-	-	-	-	1	-	2	4	5	11	30	75	101	56	26	6
-	-	1	3	1	5	4	6	9	5	5	9	7	13	9	2	2	1	-
-	-	1	2	1	3	2	6	8	3	5	6	4	5	6	1	2	-	-
-	-	-	1	-	2	2	-	1	2	-	3	3	8	3	1	-	1	-
1	1	1	1	-	3	2	3	11	18	13	15	8	10	3	1	1	-	-
1	1	1	-	-	2	-	1	6	10	9	10	5	4	3	1	-	-	-
-	-	-	1	-	1	2	2	5	8	4	5	3	6	-	-	1	-	-
-	-	-	1	1	-	-	4	1	8	19	29	72	111	199	128	43	7	-
-	-	-	1	1	-	-	1	1	5	9	17	40	59	119	76	30	4	-
-	-	-	-	-	-	-	3	-	3	10	12	32	52	80	52	13	3	-
-	-	-	-	-	-	-	-	-	-	1	1	4	9	16	14	5	1	1
-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	5	2	1	1
-	-	-	-	-	-	-	-	-	-	1	-	4	5	10	9	3	-	-
-	-	-	3	11	24	29	88	133	193	179	266	381	646	903	721	426	142	28
-	-	-	3	8	19	18	69	96	134	131	177	196	316	450	308	154	40	9
-	-	-	-	3	5	11	19	37	59	48	89	185	330	453	413	272	102	19
15	21	21	71	113	174	328	507	694	856	817	1,069	1,609	2,281	2,999	2,409	1,207	388	68
7	17	18	50	87	138	271	414	570	650	608	712	994	1,334	1,661	1,179	511	136	18
8	4	3	21	26	36	57	93	124	206	209	357	615	947	1,338	1,230	696	252	50
4	5	9	14	39	90	187	307	451	591	584	666	1,174	1,655	2,001	1,535	634	165	12
3	3	5	10	27	73	144	224	341	422	410	440	692	952	1,154	736	253	64	5
1	2	4	4	12	17	43	83	110	169	174	226	482	703	847	799	381	101	7
-	-	-	-	-	-	-	-	-	1	1	1	3	5	12	14	7	2	1
-	-	-	-	-	-	-	-	-	1	-	1	2	2	7	7	5	1	-
-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	7	2	1	1



Table 65 Number of Deaths Classified According by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5
										9
I71	Aortic aneurysm and dissection	T.	682	-	-	-	-	-	-	-
		M.	481	-	-	-	-	-	-	-
		F.	201	-	-	-	-	-	-	-
J10-J11	Influenza	T.	58	-	-	1	-	-	1	1
		M.	36	-	-	1	-	-	1	-
		F.	22	-	-	-	-	-	-	-
J12-J18	Pneumonia	T.	8,909	-	5	4	3	2	2	2
		M.	5,565	-	3	-	1	2	1	1
		F.	3,344	-	2	4	2	-	1	1
J20-J21	Acute bronchitis and bronchiolitis	T.	7	-	1	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	5	-	1	-	-	-	-	-
J40-J47	Chronic lower respiratory diseases	T.	5,197	-	1	-	1	1	-	-
		M.	3,823	-	-	-	1	1	-	-
		F.	1,374	-	1	-	-	-	-	-
J60-J65	Pneumoconioses	T.	204	-	-	-	-	-	-	-
		M.	195	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	T.	550	-	1	1	-	1	-	-
		M.	333	-	1	-	-	1	-	-
		F.	217	-	-	1	-	-	-	-
K25-K28	Peptic ulcer	T.	557	-	-	-	-	-	-	-
		M.	365	-	-	-	-	-	-	-
		F.	192	-	-	-	-	-	-	-
K40-K46, K56	Hernia and intestinal obstruction	T.	302	-	-	-	-	-	-	-
		M.	185	-	-	-	-	-	-	-
		F.	117	-	-	-	-	-	-	-
K70, K73-K74	Chronic liver disease and cirrhosis	T.	4,912	-	1	-	-	-	-	1
		M.	3,508	-	1	-	-	-	-	-
		F.	1,404	-	-	-	-	-	-	1
K80-K82	Cholelithiasis and other disorders of gallbladder	T.	384	-	-	-	-	-	-	-
		M.	200	-	-	-	-	-	-	-
		F.	184	-	-	-	-	-	-	-
L00-L99	Diseases of the skin and subcutaneous tissue	T.	506	-	-	-	-	-	-	-
		M.	257	-	-	-	-	-	-	-
		F.	249	-	-	-	-	-	-	-
M00-M99	Diseases of the musculoskeletal system and connective tissue	T.	1,534	-	-	1	-	1	-	1
		M.	717	-	-	1	-	1	-	-
		F.	817	-	-	-	-	-	-	1
N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	T.	4,105	-	3	-	1	-	1	2
		M.	2,088	-	2	-	1	-	1	1
		F.	2,017	-	1	-	-	-	-	1
O00-O99	Pregnancy, childbirth and the puerperium	T.	7	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
P00-P96	Certain conditions originating in the perinatal period	T.	324	311	12	1	-	-	-	-
		M.	178	172	5	1	-	-	-	-
		F.	146	139	7	-	-	-	-	-
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	280	98	63	13	7	4	2	8
		M.	155	59	37	8	3	3	-	4
		F.	125	39	26	5	4	1	2	4
R54	Senility	T.	1,518	-	-	-	-	-	-	-
		M.	700	-	-	-	-	-	-	-
		F.	818	-	-	-	-	-	-	-
R95	Sudden infant death syndrome	T.	26	2	24	-	-	-	-	-
		M.	18	1	17	-	-	-	-	-
		F.	8	1	7	-	-	-	-	-



to the General Mortality Condensed List
, 2010 (Cont.1)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
-	-	-	2	12	15	15	19	33	60	46	54	99	109	107	79	28	4	-
-	-	-	1	10	14	15	15	27	44	34	41	62	77	66	52	21	2	-
-	-	-	1	2	1	-	4	6	16	12	13	37	32	41	27	7	2	-
-	1	3	-	1	-	3	6	2	5	4	2	7	2	11	6	1	1	-
-	1	1	-	-	-	3	6	2	4	2	2	5	2	3	3	-	-	-
-	-	2	-	1	-	-	-	-	1	2	-	2	-	8	3	1	1	-
5	5	12	19	29	40	72	107	158	211	259	407	726	1,269	2,018	1,948	1,119	416	71
4	3	7	14	19	35	54	80	126	167	189	290	483	831	1,303	1,187	555	190	20
1	2	5	5	10	5	18	27	32	44	70	117	243	438	715	761	564	226	51
-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
2	1	2	5	5	11	22	36	47	116	128	221	487	845	1,368	1,180	532	165	21
1	1	2	2	1	9	18	29	32	85	92	168	378	676	1,047	826	355	90	9
1	-	-	3	4	2	4	7	15	31	36	53	109	169	321	354	177	75	12
-	-	-	-	-	-	-	1	5	3	11	18	43	47	47	21	8	-	-
-	-	-	-	-	-	-	1	4	3	10	18	42	47	43	20	7	-	-
-	-	-	-	-	-	-	-	1	-	1	-	1	-	4	1	1	-	-
1	-	1	1	2	4	3	6	10	11	18	19	33	73	138	126	68	30	3
1	-	1	-	1	3	3	5	6	6	12	12	21	51	96	70	32	9	2
-	-	-	1	1	1	-	1	4	5	6	7	12	22	42	56	36	21	1
-	-	-	-	2	3	5	16	13	35	34	35	75	82	117	80	40	18	2
-	-	-	-	2	2	5	15	10	30	24	23	49	52	76	47	22	7	1
-	-	-	-	-	1	-	1	3	5	10	12	26	30	41	33	18	11	1
-	1	-	1	-	2	3	6	10	12	6	9	24	51	72	65	29	10	1
-	1	-	1	-	1	1	5	4	9	4	8	14	35	44	40	14	3	1
-	-	-	-	-	1	2	1	6	3	2	1	10	16	28	25	15	7	-
-	-	1	31	123	249	421	581	590	573	399	407	458	452	358	188	63	13	3
-	-	1	28	111	228	376	532	515	464	283	246	238	218	166	75	20	6	-
-	-	-	3	12	21	45	49	75	109	116	161	220	234	192	113	43	7	3
-	-	-	-	2	2	2	8	9	6	13	29	38	55	81	97	32	10	-
-	-	-	-	2	2	2	5	7	4	9	17	25	22	46	46	12	1	-
-	-	-	-	-	-	-	3	2	2	4	12	13	33	35	51	20	9	-
-	1	-	2	1	8	5	8	20	17	23	28	43	86	93	94	55	17	5
-	1	-	1	-	6	4	7	12	12	14	17	26	44	47	44	14	5	3
-	-	-	1	1	2	1	1	8	5	9	11	17	42	46	50	41	12	2
5	7	13	18	26	26	33	44	54	72	81	72	90	168	219	256	231	91	25
3	3	3	8	7	13	20	23	31	37	46	37	49	86	98	117	98	31	5
2	4	10	10	19	13	13	21	23	35	35	35	41	82	121	139	133	60	20
-	3	3	2	18	24	36	84	145	211	232	331	472	659	803	653	306	109	7
-	3	1	2	6	18	25	49	92	131	123	197	235	327	399	303	129	39	4
-	-	2	-	12	6	11	35	53	80	109	134	237	332	404	350	177	70	3
-	-	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	11	6	8	8	2	4	5	9	4	5	4	-	5	2	3	-	-	-
4	9	5	3	5	-	2	1	4	2	-	2	-	2	1	1	-	-	-
5	2	1	5	3	2	2	4	5	2	5	2	-	3	1	2	-	-	-
-	-	-	-	-	-	-	-	1	6	8	28	80	172	322	413	309	148	31
-	-	-	-	-	-	-	-	-	5	4	16	45	91	176	198	113	42	10
-	-	-	-	-	-	-	-	1	1	4	12	35	81	146	215	196	106	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 65 Number of Deaths Classified According
by Gender and Age

ICD-10 Mortality NO.	Cause of Death		Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5
V01-X59, Y85- Y86	Accidents and adverse effects	T.	6,669	1	36	16	17	11	3	35
		M.	4,835	1	22	8	11	6	1	32
		F.	1,834	-	14	8	6	5	2	3
X60-X84, Y87.0	Intentional self-harm (suicide)	T.	3,889	-	-	-	-	-	-	-
		M.	2,639	-	-	-	-	-	-	-
		F.	1,250	-	-	-	-	-	-	-
X85-Y09, Y87.1	Assault (homicide)	T.	179	2	3	1	2	1	-	7
		M.	127	1	3	-	1	1	-	3
		F.	52	1	-	1	1	-	-	4

to the General Mortality Condensed List
, 2010 (Cont'd)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																		100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
68	339	352	374	334	368	446	472	514	521	403	436	495	531	471	293	98	29	6
47	257	275	296	275	291	367	396	399	372	276	299	314	330	322	173	54	11	-
21	82	77	78	59	77	79	76	115	149	127	137	181	201	149	120	44	18	6
6	48	128	275	383	330	425	417	402	345	244	239	227	178	147	71	19	5	-
4	29	94	183	265	212	288	281	282	255	170	168	126	114	101	47	16	4	-
2	19	34	92	118	118	137	136	120	90	74	71	101	64	46	24	3	1	-
2	2	8	14	13	16	30	22	20	10	7	3	6	3	4	3	-	-	-
1	2	7	12	7	11	22	19	14	7	3	2	4	2	3	2	-	-	-
1	-	1	2	6	5	8	3	6	3	4	1	2	1	1	1	-	-	-



Table 66 Deaths under 1 Year Classified According to

ICD-10 Mortality NO.	Cause of Death		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days
A00-Y98	All causes of death	T.	705	219	42	26	16	14	14
		M.	403	119	29	12	12	8	10
		F.	302	100	13	14	4	6	4
A40-A41	Septicaemia	T.	6	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
C00-C97	Malignant neoplasms	T.	3	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-
D00-D48	Remainder of neoplasms	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
E40-E64	Malnutrition and other nutritional deficiencies	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
E70-E90	Metabolic disorders	T.	14	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-
G00, G03	Meningitis	T.	3	-	-	-	-	-	1
		M.	2	-	-	-	-	-	1
		F.	1	-	-	-	-	-	-
G80	Infantile cerebral palsy	T.	3	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
G93	Other disorders of brain	T.	8	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	T.	17	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-
I60-I69	Cerebrovascular diseases	T.	4	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-
J12-J18	Pneumonia	T.	5	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-
J20-J21	Acute bronchitis and acute bronchiolitis	T.	1	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
J69	Pneumonitis due to solids and liquids	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
K70-K76	Diseases of liver	T.	1	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-
N17-N19	Renal failure	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-
P00-P04	Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery	T.	9	8	-	1	-	-	-
		M.	4	3	-	1	-	-	-
		F.	5	5	-	-	-	-	-
P05-P08	Disorders relating to length of gestation and fetal growth	T.	33	21	2	-	-	-	1
		M.	18	13	-	-	-	-	1
		F.	15	8	2	-	-	-	-
P10-P15	Birth trauma	T.	2	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-

Table 66 Deaths under 1 Year Classified According to

ICD-10 Mortality NO.	Cause of Death		Total	0-1 Day	2 Days	3 Days	4 Days	5 Days	6 Days
P20-P28	Respiratory disorders originating in the perinatal period	M	107	51	16	10	4	-	2
		F.	58	29	11	4	2	-	-
		M.	49	22	5	6	2	-	2
P35-P39	Infections specific to the perinatal period	F.	39	10	1	2	-	2	1
		M.	23	8	1	2	-	-	-
		F.	16	2	-	-	-	2	1
P50-P61	Haemorrhagic and haematological disorders of fetus and newborn	M.	21	5	2	3	1	-	1
		F.	11	2	2	1	1	-	1
		M.	10	3	-	2	-	-	-
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	F.	161	57	13	3	3	3	3
		M.	96	30	10	2	1	2	3
		F.	65	27	3	1	2	1	-
R95	Sudden infant death syndrome	M.	26	-	-	-	-	-	-
		F.	18	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-
V01-X59, Y85-Y86	Accidents	F.	37	-	-	-	-	-	-
		M.	23	-	-	-	-	-	-
		F.	14	-	-	-	-	-	-
X85-Y09, Y87.1	Assault (homicide)	M.	5	2	-	-	-	-	-
		F.	4	1	-	-	-	-	-
		M.	1	1	-	-	-	-	-



the General Mortality Condensed List by Gender and Age, 2010 (Cont'd)

Unit : Person

7-13 Days	14-20 Days	21-27 Days	28-29 Days	1 Month	2 Months	3 Months	4 Months	5 Months	6 Months	7 Months	8 Months	9 Months	10 Months	11 Months
15	6	2	1	-	-	-	-	-	-	-	-	-	-	-
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
12	6	4	-	1	-	-	-	-	-	-	-	-	-	-
6	3	2	-	1	-	-	-	-	-	-	-	-	-	-
6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
3	3	2	-	1	-	-	-	-	-	-	-	-	-	-
1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
9	5	2	-	15	9	7	4	9	3	3	6	2	2	3
7	3	1	-	9	3	5	1	4	1	3	5	1	2	3
2	2	1	-	6	6	2	3	5	2	-	1	1	-	-
-	1	1	1	4	6	5	2	-	1	1	2	1	-	1
-	1	-	1	2	5	4	1	-	-	1	1	1	-	1
-	-	1	-	2	1	1	1	-	1	-	1	-	-	-
1	-	-	-	3	7	3	5	7	2	5	1	1	-	2
1	-	-	-	-	6	2	3	5	1	4	-	-	-	1
-	-	-	-	3	1	1	2	2	1	1	1	1	-	1
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Cause of Death							
			Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
A00-Y98	All causes of death	T.	144,709	18,311	15,047	14,220	13,164	17,883	3,328	10,135
		M.	88,374	11,465	8,882	8,703	7,788	11,072	2,029	6,565
		F.	56,335	6,846	6,165	5,517	5,376	6,811	1,299	3,570
A00-B99	Certain infectious and parasitic diseases	T.	5,233	693	592	530	439	617	90	317
		M.	3,074	427	341	314	256	373	53	207
		F.	2,159	266	251	216	183	244	37	110
A00-A09	Intestinal infectious diseases	T.	52	7	6	8	2	10	-	1
		M.	27	2	3	4	1	4	-	1
		F.	25	5	3	4	1	6	-	-
A15-A19	Tuberculosis	T.	654	82	50	72	45	90	11	31
		M.	476	64	38	47	37	69	8	24
		F.	178	18	12	25	8	21	3	7
A15-A16	Respiratory tuberculosis	T.	616	76	47	67	45	85	11	31
		M.	458	61	37	44	37	68	8	24
		F.	158	15	10	23	8	17	3	7
A17-A19	Other tuberculosis	T.	38	6	3	5	-	5	-	-
		M.	18	3	1	3	-	1	-	-
		F.	20	3	2	2	-	4	-	-
A40-A41	Septicaemia	T.	3,784	482	449	379	337	435	61	229
		M.	2,035	272	230	215	181	244	31	139
		F.	1,749	210	219	164	156	191	30	90
A91	Dengue haemorrhagic fever	T.	2	-	-	-	-	1	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	1	-	-
B15-B19	Viral hepatitis	T.	258	38	31	27	13	30	4	21
		M.	182	28	25	18	9	19	4	17
		F.	76	10	6	9	4	11	-	4
B15	Viral hepatitis A	T.	1	-	-	-	-	-	-	1
		M.	1	-	-	-	-	-	-	1
		F.	-	-	-	-	-	-	-	-
B16-B17.0, B18.0-B18.1	Viral hepatitis B	T.	165	25	22	20	9	18	3	14
		M.	125	21	17	14	8	14	3	11
		F.	40	4	5	6	1	4	-	3
B17.1, B18.2	Viral hepatitis C	T.	54	7	4	5	2	7	-	1
		M.	30	3	3	4	1	2	-	1
		F.	24	4	1	1	1	5	-	-
B17.2, B17.8, B18.8, B18.9, B19	Other viral hepatitis	T.	38	6	5	2	2	5	1	5
		M.	26	4	5	-	-	3	1	4
		F.	12	2	-	2	2	2	-	1
B20-B24	Human immunodeficiency virus [HIV] disease	T.	115	21	14	11	5	17	2	11
		M.	109	21	12	11	4	17	2	10
		F.	6	-	2	-	1	-	-	1
A00-B99 excludes above-mentioned code (A20-A28, A30-A39, A42-A90, A92-A99, B00-B09, B25-B83, B85-B97, B99)	Remainder of certain infectious and parasitic diseases	T.	368	63	42	33	37	34	12	24
		M.	244	40	33	19	24	20	8	16
		F.	124	23	9	14	13	14	4	8
C00-D48	Neoplasms	T.	42,014	5,591	4,752	4,189	3,816	5,255	994	2,719
		M.	26,591	3,507	2,846	2,630	2,348	3,281	655	1,814
		F.	15,423	2,084	1,906	1,559	1,468	1,974	339	905
C00-C97	Malignant neoplasms	T.	41,046	5,476	4,632	4,089	3,741	5,118	973	2,643
		M.	26,022	3,439	2,771	2,574	2,306	3,196	644	1,767
		F.	15,024	2,037	1,861	1,515	1,435	1,922	329	876
C00-C06, C09-C10, C12-C14	Malignant neoplasm of oral cavity	T.	2,370	310	151	243	176	309	28	117
		M.	2,198	289	139	226	166	296	23	109
		F.	172	21	12	17	10	13	5	8
C07-C08	Malignant neoplasm of major salivary glands	T.	62	10	6	6	8	7	-	2
		M.	40	9	4	5	5	4	-	1
		F.	22	1	2	1	3	3	-	1

to the Basic Tabulation List
, 2010

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
3,385	4,270	8,866	4,247	6,228	4,959	7,374	2,268	3,101	848	2,639	2,167	1,746	475	48
2,072	2,553	5,340	2,571	3,735	2,978	4,481	1,423	1,977	512	1,595	1,314	1,012	279	28
1,313	1,717	3,526	1,676	2,493	1,981	2,893	845	1,124	336	1,044	853	734	196	20
107	169	365	152	206	212	262	85	137	21	90	66	67	16	-
61	89	198	84	126	115	144	53	88	11	49	43	35	7	-
46	80	167	68	80	97	118	32	49	10	41	23	32	9	-
2	2	4	-	1	-	6	-	-	-	-	2	1	-	-
1	1	2	-	1	-	4	-	-	-	-	2	1	-	-
1	1	2	-	-	-	2	-	-	-	-	-	-	-	-
17	12	62	21	31	18	37	20	26	2	11	6	4	6	-
13	5	36	16	24	13	26	14	21	2	7	6	3	3	-
4	7	26	5	7	5	11	6	5	-	4	-	1	3	-
17	11	52	20	30	15	36	19	26	2	10	6	4	6	-
13	5	30	16	24	11	25	13	21	2	7	6	3	3	-
4	6	22	4	6	4	11	6	5	-	3	-	1	3	-
-	1	10	1	1	3	1	1	-	-	1	-	-	-	-
-	-	6	-	-	2	1	1	-	-	-	-	-	-	-
-	1	4	1	1	1	-	-	-	-	1	-	-	-	-
72	138	250	115	149	169	194	55	96	14	58	43	49	10	-
37	72	124	57	80	83	99	32	56	5	30	22	22	4	-
35	66	126	58	69	86	95	23	40	9	28	21	27	6	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	10	14	4	13	8	8	-	6	-	14	6	5	-	-
3	7	11	3	11	5	4	-	4	-	6	5	3	-	-
3	3	3	1	2	3	4	-	2	-	8	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	4	8	2	8	5	4	-	3	-	10	4	1	-	-
3	3	6	1	7	4	2	-	3	-	4	3	1	-	-
2	1	2	1	1	1	2	-	-	-	6	1	-	-	-
1	5	4	2	4	2	1	-	2	-	3	-	4	-	-
-	3	4	2	4	-	-	-	-	-	1	-	2	-	-
1	2	-	-	-	2	1	-	2	-	2	-	2	-	-
-	1	2	-	1	1	3	-	1	-	1	2	-	-	-
-	1	1	-	-	1	2	-	1	-	1	2	-	-	-
-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
2	-	5	3	2	5	5	1	1	-	4	4	2	-	-
2	-	5	3	1	5	4	1	1	-	4	4	2	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
8	7	29	9	10	12	12	9	8	5	3	5	6	-	-
5	4	19	5	9	9	7	6	6	4	2	4	4	-	-
3	3	10	4	1	3	5	3	2	1	1	1	2	-	-
773	1,093	2,654	1,079	1,927	1,483	1,933	580	766	255	753	660	568	157	17
467	692	1,728	724	1,296	984	1,223	381	525	168	479	393	340	99	11
306	401	926	355	631	499	710	199	241	87	274	267	228	58	6
752	1,069	2,610	1,060	1,872	1,444	1,891	566	750	249	734	648	559	154	16
455	680	1,705	713	1,265	964	1,198	372	514	165	464	387	335	97	11
297	389	905	347	607	480	693	194	236	84	270	261	224	57	5
26	46	217	86	138	95	169	65	73	7	33	36	42	3	-
24	42	211	83	128	89	138	53	66	7	32	34	41	2	-
2	4	6	3	10	6	31	12	7	-	1	2	1	1	-
2	1	5	1	-	3	3	1	1	-	3	2	-	1	-
-	-	2	1	-	3	2	-	1	-	2	1	-	-	-
2	1	3	-	-	-	1	1	-	-	1	1	-	1	-



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
		M.	505	66	56	51	39	67	15	32
		F.	153	24	11	12	14	22	2	19
C15	Malignant neoplasm of oesophagus	T.	1,563	200	137	186	128	210	40	101
		M.	1,457	185	115	174	120	206	36	96
		F.	106	15	22	12	8	4	4	5
C16	Malignant neoplasm of stomach	T.	2,261	344	307	207	176	247	80	159
		M.	1,446	232	197	128	108	164	54	112
		F.	815	112	110	79	68	83	26	47
C17	Malignant neoplasm of small intestine	T.	135	15	25	7	14	21	3	5
		M.	91	13	14	5	9	16	3	4
		F.	44	2	11	2	5	5	-	1
C18-C21	Malignant neoplasms of colon, rectum and anus	T.	4,676	634	570	472	443	601	100	318
		M.	2,719	375	331	272	238	350	52	183
		F.	1,957	259	239	200	205	251	48	135
C22	Malignant neoplasms of liver and intrahepatic bile ducts	T.	7,744	874	644	787	793	1,089	163	411
		M.	5,454	647	443	555	549	740	115	308
		F.	2,290	227	201	232	244	349	48	103
C22.0	Liver cell carcinoma	T.	267	54	46	28	11	28	4	13
		M.	202	43	33	23	4	24	4	10
		F.	65	11	13	5	7	4	-	3
C22.1	Intrahepatic bile duct carcinoma	T.	748	98	83	66	66	88	21	60
		M.	391	56	42	35	36	46	8	33
		F.	357	42	41	31	30	42	13	27
C22 excludes above-mentioned code (C22.2-C22.4, C22.7, C22.9)	Other malignant neoplasms of liver and intrahepatic bile ducts	T.	6,729	722	515	693	716	973	138	338
		M.	4,861	548	368	497	509	670	103	265
		F.	1,868	174	147	196	207	303	35	73
C23-C24	Malignant neoplasms of gallbladder and other parts of biliary tract	T.	529	65	52	37	59	72	20	43
		M.	283	32	30	24	30	32	10	28
		F.	246	33	22	13	29	40	10	15
C25	Malignant neoplasm of pancreas	T.	1,470	212	211	136	116	189	26	91
		M.	855	126	126	79	60	114	16	57
		F.	615	86	85	57	56	75	10	34
C30-C31	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	T.	36	6	5	-	1	5	-	3
		M.	22	5	2	-	1	1	-	1
		F.	14	1	3	-	-	4	-	2
C32	Malignant neoplasm of larynx	T.	186	15	17	23	14	25	5	17
		M.	178	15	16	23	14	23	5	16
		F.	8	-	1	-	-	2	-	1
C33-C34	Malignant neoplasms of trachea, bronchus and lung	T.	8,194	1,142	990	756	758	883	246	585
		M.	5,412	734	617	481	483	555	178	431
		F.	2,782	408	373	275	275	328	68	154
C37	Malignant neoplasm of thymus	T.	91	8	9	9	14	16	4	5
		M.	57	5	6	5	5	11	3	5
		F.	34	3	3	4	9	5	1	-
C38	Malignant neoplasms of heart, mediastinum and pleura	T.	65	8	6	8	3	9	1	7
		M.	40	3	3	5	2	6	1	4
		F.	25	5	3	3	1	3	-	3
C40-C41	Malignant neoplasms of bone and articular cartilage	T.	108	14	16	10	6	19	2	4
		M.	58	9	9	4	2	10	1	-
		F.	50	5	7	6	4	9	1	4
C43-C44	Melanoma and other malignant neoplasms of skin	T.	206	27	20	24	19	29	8	14
		M.	113	17	11	14	9	11	7	8
		F.	93	10	9	10	10	18	1	6
C45-C49	Malignant neoplasms of mesothelial and soft tissue	T.	280	48	30	32	15	42	10	13
		M.	161	24	21	17	8	24	9	9
		F.	119	24	9	15	7	18	1	4

to the Basic Tabulation List
, 2010 (Cont.1)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
11	20	31	21	22	23	40	18	12	1	12	9	6	2	-
9	15	26	17	21	20	32	14	8	1	7	6	2	1	-
2	5	5	4	1	3	8	4	4	-	5	3	4	1	-
19	39	102	54	56	48	78	37	38	6	28	18	19	19	-
19	38	99	51	54	45	72	31	37	6	24	15	18	16	-
-	1	3	3	2	3	6	6	1	-	4	3	1	3	-
36	67	129	36	67	54	111	28	63	20	51	39	26	12	2
20	45	75	20	40	33	68	16	40	12	34	24	16	6	2
16	22	54	16	27	21	43	12	23	8	17	15	10	6	-
2	2	12	2	6	5	6	2	1	-	5	2	-	-	-
1	-	6	1	5	3	5	-	1	-	3	2	-	-	-
1	2	6	1	1	2	1	2	-	-	2	-	-	-	-
95	116	297	109	197	138	195	59	65	28	83	89	45	20	2
57	67	182	72	116	84	113	31	38	18	49	52	26	12	1
38	49	115	37	81	54	82	28	27	10	34	37	19	8	1
123	238	471	195	508	350	368	77	126	85	124	145	150	21	2
77	178	338	138	355	246	276	55	90	62	83	88	93	16	2
46	60	133	57	153	104	92	22	36	23	41	57	57	5	-
7	14	6	9	15	7	10	1	4	2	5	1	1	1	-
6	10	4	8	11	4	8	-	4	2	3	-	-	1	-
1	4	2	1	4	3	2	1	-	-	2	1	1	-	-
14	15	37	21	35	25	42	9	15	15	10	11	14	3	-
7	7	18	11	16	12	20	6	10	10	5	5	6	2	-
7	8	19	10	19	13	22	3	5	5	5	6	8	1	-
102	209	428	165	458	318	316	67	107	68	109	133	135	17	2
64	161	316	119	328	230	248	49	76	50	75	83	87	13	2
38	48	112	46	130	88	68	18	31	18	34	50	48	4	-
10	7	39	14	27	24	28	3	9	3	7	2	7	1	-
5	4	20	8	15	9	14	1	8	3	5	1	3	1	-
5	3	19	6	12	15	14	2	1	-	2	1	4	-	-
27	53	74	45	50	48	59	19	31	12	28	20	18	4	1
13	29	41	28	29	27	38	11	17	2	17	9	12	3	1
14	24	33	17	21	21	21	8	14	10	11	11	6	1	-
1	-	6	1	1	2	2	-	1	-	-	1	1	-	-
-	-	5	1	1	1	2	-	1	-	-	-	1	-	-
1	-	1	-	-	1	-	-	-	-	-	1	-	-	-
2	5	12	5	9	7	15	3	4	1	2	4	1	-	-
2	3	12	5	7	7	15	3	4	1	2	4	1	-	-
-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
168	179	564	214	365	316	357	103	130	40	151	109	99	33	6
112	124	388	158	277	214	215	71	101	23	103	68	55	20	4
56	55	176	56	88	102	142	32	29	17	48	41	44	13	2
1	-	6	1	3	4	1	2	3	-	-	-	3	2	-
-	-	1	-	2	4	1	2	3	-	-	-	2	2	-
1	-	5	1	1	-	-	-	-	-	-	-	1	-	-
1	4	2	1	4	2	3	-	2	1	1	-	2	-	-
1	2	2	-	3	2	1	-	1	1	1	-	2	-	-
-	2	-	1	1	-	2	-	1	-	-	-	-	-	-
1	3	9	2	4	4	3	2	2	-	1	3	2	1	-
-	3	7	2	-	2	1	-	2	-	1	3	1	1	-
1	-	2	-	4	2	2	2	-	-	-	-	1	-	-
2	2	15	2	12	8	9	2	2	-	7	1	3	-	-
2	1	4	1	7	3	8	2	1	-	5	1	1	-	-
-	1	11	1	5	5	1	-	1	-	2	-	2	-	-
4	9	14	6	15	4	5	5	7	2	12	4	1	1	1
2	4	8	2	10	2	2	3	4	1	8	2	-	-	1
2	5	6	4	5	2	3	2	3	1	4	2	1	1	-



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
C50	Malignant neoplasm of breast	T.	1,718	301	266	209	159	190	25	99
		M.	12	5	-	2	-	2	-	1
		F.	1,706	296	266	207	159	188	25	98
C53-C55	Malignant neoplasms of uterus	T.	893	120	100	87	77	114	17	64
		M.	-	-	-	-	-	-	-	-
		F.	893	120	100	87	77	114	17	64
C53, C55	Malignant neoplasms of cervix uteri and uterus, part unspecified	T.	704	94	71	71	56	89	16	49
		M.	-	-	-	-	-	-	-	-
		F.	704	94	71	71	56	89	16	49
C54	Malignant neoplasm of corpus uteri	T.	189	26	29	16	21	25	1	15
		M.	-	-	-	-	-	-	-	-
		F.	189	26	29	16	21	25	1	15
C56	Malignant neoplasm of ovary	T.	434	77	66	35	38	52	9	30
		M.	-	-	-	-	-	-	-	-
		F.	434	77	66	35	38	52	9	30
C61	Malignant neoplasm of prostate	T.	1,021	124	144	93	90	107	10	85
		M.	1,021	124	144	93	90	107	10	85
		F.	-	-	-	-	-	-	-	-
C60, C62, C63	Malignant neoplasms of male genital organs, except prostate	T.	34	6	4	4	4	-	-	2
		M.	34	6	4	4	4	-	-	2
		F.	-	-	-	-	-	-	-	-
C64-C65	Malignant neoplasm of kidney	T.	490	75	64	42	50	59	10	37
		M.	289	49	39	18	36	34	6	26
		F.	201	26	25	24	14	25	4	11
C67	Malignant neoplasm of bladder	T.	735	77	95	66	94	108	15	35
		M.	504	49	63	49	64	69	11	29
		F.	231	28	32	17	30	39	4	6
C71	Malignant neoplasm of brain	T.	501	66	69	52	35	66	11	35
		M.	286	37	41	31	18	37	8	18
		F.	215	29	28	21	17	29	3	17
C70, C72	Malignant neoplasms of meninges and other parts of central nervous system, except brain	T.	24	4	2	4	1	4	-	1
		M.	11	2	-	2	1	1	-	1
		F.	13	2	2	2	-	3	-	-
C73	Malignant neoplasm of thyroid gland	T.	135	15	16	16	14	20	5	8
		M.	56	6	8	4	4	8	1	3
		F.	79	9	8	12	10	12	4	5
C81	Hodgkin's disease	T.	18	4	1	3	3	1	1	2
		M.	10	2	1	2	2	1	-	-
		F.	8	2	-	1	1	-	1	2
C82-C85	Non-Hodgkin's lymphoma	T.	991	154	152	87	67	130	16	78
		M.	628	100	102	49	48	79	11	57
		F.	363	54	50	38	19	51	5	21
C91-C95	Leukaemia	T.	968	146	107	114	84	96	29	65
		M.	582	87	65	72	57	51	18	40
		F.	386	59	42	42	27	45	11	25
C88, C90	Malignant immunoproliferative diseases, multiple myeloma and malignant plasma cell neoplasms	T.	301	42	40	39	20	30	13	22
		M.	193	31	24	27	15	13	11	16
		F.	108	11	16	12	5	17	2	6
C96	Other malignant neoplasms of lymphoid, haematopoietic and related tissue	T.	4	-	1	-	1	1	-	-
		M.	3	-	1	-	1	-	-	-
		F.	1	-	-	-	-	1	-	-
C00-C97 excludes above-mentioned code (C26, C39, C51, C52, C57.5-C57.9, C58, C65-C66, C68, C69, C74-C80, C97)	Other malignant neoplasms	T.	2,145	243	242	232	208	278	59	134
		M.	1,304	155	139	153	118	164	40	85
		F.	841	88	103	79	90	114	19	49
D00-D48	Remainder of neoplasms	T.	968	115	120	100	75	137	21	76
		M.	569	68	75	56	42	85	11	47
		F.	399	47	45	44	33	52	10	29

to the Basic Tabulation List
, 2010 (Cont.2)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
31	40	94	26	51	29	64	17	26	6	32	21	27	4	1
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
31	40	94	26	51	29	63	17	26	6	32	20	27	4	1
21	27	52	22	30	21	51	14	17	2	20	25	8	3	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	27	52	22	30	21	51	14	17	2	20	25	8	3	1
18	22	40	18	23	20	41	14	15	1	13	23	6	3	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	22	40	18	23	20	41	14	15	1	13	23	6	3	1
3	5	12	4	7	1	10	-	2	1	7	2	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	5	12	4	7	1	10	-	2	1	7	2	2	-	-
5	8	18	10	18	12	19	5	8	1	8	6	8	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	8	18	10	18	12	19	5	8	1	8	6	8	1	-
25	30	63	36	38	34	49	15	17	4	24	16	11	6	-
25	30	63	36	38	34	49	15	17	4	24	16	11	6	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	2	2	3	1	2	-	-	-	-	-	1	-	-
-	3	2	2	3	1	2	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	11	29	9	12	19	24	9	8	4	6	4	9	-	-
6	3	13	2	6	12	12	7	6	3	3	2	6	-	-
3	8	16	7	6	7	12	2	2	1	3	2	3	-	-
12	13	40	17	35	37	32	8	14	4	11	11	11	-	-
11	6	21	14	27	25	20	8	9	3	7	8	11	-	-
1	7	19	3	8	12	12	-	5	1	4	3	-	-	-
10	16	29	19	22	13	19	9	9	-	6	8	6	1	-
6	7	16	11	12	5	14	4	7	-	4	6	3	1	-
4	9	13	8	10	8	5	5	2	-	2	2	3	-	-
1	1	-	-	3	1	-	-	-	-	-	-	2	-	-
-	1	-	-	2	-	-	-	-	-	-	-	1	-	-
1	-	-	-	1	1	-	-	-	-	-	-	1	-	-
-	2	8	1	4	6	6	1	3	-	3	3	1	3	-
-	-	4	-	2	5	3	-	1	-	2	2	1	2	-
-	2	4	1	2	1	3	1	2	-	1	1	-	1	-
-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
21	26	59	23	42	21	30	8	17	10	16	19	10	5	-
12	15	30	11	25	14	17	5	11	9	11	14	6	2	-
9	11	29	12	17	7	13	3	6	1	5	5	4	3	-
34	30	50	33	32	26	45	11	23	2	17	10	11	3	-
21	16	31	14	19	16	23	8	17	2	11	5	8	1	-
13	14	19	19	13	10	22	3	6	-	6	5	3	2	-
7	13	14	9	10	11	5	7	7	-	6	5	1	-	-
5	9	8	4	5	8	4	4	2	-	3	4	-	-	-
2	4	6	5	5	3	1	3	5	-	3	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	57	147	58	88	78	92	36	31	9	37	36	28	7	-
25	34	90	31	56	50	50	28	21	6	23	19	13	4	-
20	23	57	27	32	28	42	8	10	3	14	17	15	3	-
21	24	44	19	55	39	42	14	16	6	19	12	9	3	1
12	12	23	11	31	20	25	9	11	3	15	6	5	2	-
9	12	21	8	24	19	17	5	5	3	4	6	4	1	1



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
D50-D89	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	T.	496	72	57	52	33	67	11	31
		M.	259	42	34	29	15	35	7	14
		F.	237	30	23	23	18	32	4	17
D50-D64	Anaemias	T.	282	36	22	28	19	41	8	21
		M.	140	22	14	13	9	19	4	7
		F.	142	14	8	15	10	22	4	14
D50-D89 excludes above-mentioned code (D65-D76, D80-D89)	Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	T.	214	36	35	24	14	26	3	10
		M.	119	20	20	16	6	16	3	7
		F.	95	16	15	8	8	10	-	3
E00-E90	Endocrine, nutritional and metabolic diseases	T.	9,048	1,266	848	960	864	1,067	179	614
		M.	4,520	670	432	453	450	557	98	316
		F.	4,528	596	416	507	414	510	81	298
E10-E14	Diabetes mellitus	T.	8,211	1,152	769	863	800	979	164	543
		M.	4,062	601	384	397	416	517	93	277
		F.	4,149	551	385	466	384	462	71	266
E40-E64	Malnutrition and other nutritional deficiencies	T.	144	11	7	25	14	9	3	3
		M.	79	8	3	16	9	6	1	2
		F.	65	3	4	9	5	3	2	1
E00-E90 excludes above-mentioned code (E00-E07, E15-E16, E20-E34, E65-E68, E70-E89)	Remainder of endocrine, nutritional and metabolic diseases	T.	693	103	72	72	50	79	12	68
		M.	379	61	45	40	25	34	4	37
		F.	314	42	27	32	25	45	8	31
F00-F99	Mental and behavioural disorders	T.	960	166	142	95	65	78	20	99
		M.	569	88	76	66	30	30	16	73
		F.	391	78	66	29	35	48	4	26
F01, F03	Vascular and unspecified dementia	T.	590	94	116	49	46	49	9	66
		M.	273	36	55	25	16	17	6	43
		F.	317	58	61	24	30	32	3	23
F00-F99 excludes above-mentioned code (F04-F48, F50-F99)	Remainder of mental and behavioural disorders	T.	370	72	26	46	19	29	11	33
		M.	296	52	21	41	14	13	10	30
		F.	74	20	5	5	5	16	1	3
G00-G99	Diseases of the nervous system	T.	1,902	254	292	216	152	195	48	137
		M.	1,125	154	169	125	83	120	28	86
		F.	777	100	123	91	69	75	20	51
G00, G03	Meningitis	T.	86	11	11	14	4	13	3	4
		M.	58	8	8	10	4	9	2	1
		F.	28	3	3	4	-	4	1	3
G12	Spinal muscular atrophy and related syndromes	T.	93	14	17	9	8	9	3	7
		M.	54	7	8	8	2	5	1	7
		F.	39	7	9	1	6	4	2	-
G20-G21	Parkinson's disease	T.	623	83	111	58	58	65	23	57
		M.	363	57	64	32	34	37	14	34
		F.	260	26	47	26	24	28	9	23
G30	Alzheimer's disease	T.	52	4	13	6	4	2	-	2
		M.	20	3	5	1	2	1	-	1
		F.	32	1	8	5	2	1	-	1
G00-G99 excludes above-mentioned code (G04, G06, G08-G11, G23-G25, G31, G35-G37, G40-G45, G47, G50-G52, G54, G56-G58, G60-G62, G64, G70-G72, G80-G83, G90-G93, G95-G98)	Remainder of diseases of the nervous system	T.	1,048	142	140	129	78	106	19	67
		M.	630	79	84	74	41	68	11	43
		F.	418	63	56	55	37	38	8	24
H00-H59	Diseases of the eye and adnexa	T.	3	-	-	-	1	1	-	-
		M.	-	-	-	-	-	-	-	-
		F.	3	-	-	-	1	1	-	-
H60-H95	Diseases of the ear and mastoid process	T.	5	-	-	-	1	3	1	-
		M.	4	-	-	-	1	3	-	-
		F.	1	-	-	-	-	-	1	-
I00-I99	Diseases of the circulatory system	T.	31,196	3,776	3,354	2,924	2,682	3,341	810	2,538
		M.	18,243	2,348	1,980	1,696	1,532	2,016	464	1,613
		F.	12,953	1,428	1,374	1,228	1,150	1,325	346	925

to the Basic Tabulation List
, 2010 (Cont.3)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
12	11	35	18	13	12	31	10	8	2	5	10	5	1	-
4	5	18	9	5	7	14	5	5	1	1	5	4	-	-
8	6	17	9	8	5	17	5	3	1	4	5	1	1	-
6	9	20	13	10	11	13	7	4	1	3	7	3	-	-
2	3	10	7	3	7	5	4	3	1	-	4	3	-	-
4	6	10	6	7	4	8	3	1	-	3	3	-	-	-
6	2	15	5	3	1	18	3	4	1	2	3	2	1	-
2	2	8	2	2	-	9	1	2	-	1	1	1	-	-
4	-	7	3	1	1	9	2	2	1	1	2	1	1	-
234	330	509	280	385	299	467	127	202	58	150	88	99	18	4
108	150	251	129	174	138	236	58	105	30	62	48	44	9	2
126	180	258	151	211	161	231	69	97	28	88	40	55	9	2
217	305	454	252	352	272	414	104	184	56	139	83	92	15	2
97	143	222	111	157	123	203	47	98	28	54	46	40	7	1
120	162	232	141	195	149	211	57	86	28	85	37	52	8	1
4	5	12	5	5	5	10	13	6	1	-	1	3	1	1
3	-	4	3	5	2	5	6	1	1	-	1	2	1	-
1	5	8	2	-	3	5	7	5	-	-	-	1	-	1
13	20	43	23	28	22	43	10	12	1	11	4	4	2	1
8	7	25	15	12	13	28	5	6	1	8	1	2	1	1
5	13	18	8	16	9	15	5	6	-	3	3	2	1	-
21	34	42	34	44	27	24	7	22	2	19	9	7	3	-
12	27	28	21	26	17	10	4	14	1	14	9	5	2	-
9	7	14	13	18	10	14	3	8	1	5	-	2	1	-
15	13	21	19	26	20	10	5	6	2	13	4	5	2	-
7	8	8	7	9	12	2	2	2	1	9	4	3	1	-
8	5	13	12	17	8	8	3	4	1	4	-	2	1	-
6	21	21	15	18	7	14	2	16	-	6	5	2	1	-
5	19	20	14	17	5	8	2	12	-	5	5	2	1	-
1	2	1	1	1	2	6	-	4	-	1	-	-	-	-
49	77	105	60	61	51	52	23	35	6	47	22	14	5	1
29	44	62	37	31	31	30	12	23	3	31	12	10	4	1
20	33	43	23	30	20	22	11	12	3	16	10	4	1	-
1	-	1	3	2	2	9	1	3	-	-	3	1	-	-
1	-	1	2	-	-	8	-	2	-	-	2	-	-	-
-	-	-	1	2	2	1	1	1	-	-	1	1	-	-
3	3	7	2	1	2	3	1	1	-	1	2	-	-	-
1	3	4	1	1	2	1	1	1	-	-	1	-	-	-
2	-	3	1	-	-	2	-	-	-	1	1	-	-	-
16	22	33	18	15	14	12	4	5	2	18	2	5	2	-
8	10	16	13	7	7	7	1	3	2	12	-	3	2	-
8	12	17	5	8	7	5	3	2	-	6	2	2	-	-
1	4	1	1	9	-	1	1	1	-	1	-	-	1	-
-	3	-	-	3	-	-	-	1	-	-	-	-	-	-
1	1	1	1	6	-	1	-	1	-	1	-	-	1	-
28	48	63	36	34	33	27	16	25	4	27	15	8	2	1
19	28	41	21	20	22	14	9	17	1	19	9	7	2	1
9	20	22	15	14	11	13	7	8	3	8	6	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858	1,021	1,962	1,068	1,321	1,024	1,496	504	730	158	585	530	382	119	13
529	583	1,069	580	686	554	842	277	435	90	347	327	209	61	5
329	438	893	488	635	470	654	227	295	68	238	203	173	58	8



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
I10-I15	Hypertensive diseases	T.	4,174	562	422	395	376	451	68	403
		M.	2,128	307	231	207	187	234	34	233
		F.	2,046	255	191	188	189	217	34	170
I11, I13	Hypertensive heart disease and hypertensive heart and renal disease	T.	1,969	129	141	200	229	182	41	204
		M.	994	70	77	94	117	97	20	122
		F.	975	59	64	106	112	85	21	82
I10-I15 excludes above-mentioned code (I10, I12, I15)	Other hypertensive diseases	T.	2,205	433	281	195	147	269	27	199
		M.	1,134	237	154	113	70	137	14	111
		F.	1,071	196	127	82	77	132	13	88
I01-I02.0, I05-I09, I20-I25, I27, I30, I31, I33-I38, I40, I42, I44-I51	Diseases of heart (except hypertensive diseases)	T.	15,675	1,787	1,723	1,387	1,232	1,679	456	1,209
		M.	9,389	1,164	1,039	789	724	1,043	259	818
		F.	6,286	623	684	598	508	636	197	391
I05-I09	Chronic rheumatic heart disease	T.	124	17	15	12	13	10	5	4
		M.	47	6	7	6	3	4	2	1
		F.	77	11	8	6	10	6	3	3
I20-I25	Ischaemic heart diseases	T.	7,829	804	733	683	688	948	254	520
		M.	4,959	546	466	441	430	628	156	369
		F.	2,870	258	267	242	258	320	98	151
I21-I22	Acute and subsequent myocardial infarctions	T.	4,937	470	430	370	428	625	175	290
		M.	3,210	318	283	250	285	415	113	200
		F.	1,727	152	147	120	143	210	62	90
I24	Other acute ischaemic heart diseases	T.	42	18	6	1	1	3	-	5
		M.	26	13	5	-	1	2	-	2
		F.	16	5	1	1	-	1	-	3
I25.0	Atherosclerotic cardiovascular disease, so described	T.	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
I25.1	Atherosclerotic heart disease	T.	1,822	231	227	176	190	213	48	149
		M.	1,143	170	140	113	106	142	30	110
		F.	679	61	87	63	84	71	18	39
I20-I25 excludes above-mentioned code (I20, I23, I25.2-I25.9)	Other ischaemic heart diseases	T.	1,028	85	70	136	69	107	31	76
		M.	580	45	38	78	38	69	13	57
		F.	448	40	32	58	31	38	18	19
I27	Other pulmonary heart diseases	T.	163	14	12	13	7	18	4	13
		M.	89	5	3	4	2	13	4	11
		F.	74	9	9	9	5	5	-	2
I30-I31	Diseases of pericardium	T.	42	4	3	5	5	2	3	4
		M.	23	-	2	2	4	2	3	1
		F.	19	4	1	3	1	-	-	3
I33	Acute and subacute endocarditis	T.	88	12	16	11	9	7	1	5
		M.	53	8	10	7	6	5	-	4
		F.	35	4	6	4	3	2	1	1
I34-I38	Chronic nonrheumatic endocarditis	T.	691	98	124	74	28	69	22	44
		M.	291	46	47	25	16	32	8	18
		F.	400	52	77	49	12	37	14	26
I40	Acute myocarditis	T.	12	2	2	-	-	3	-	2
		M.	7	1	2	-	-	1	-	2
		F.	5	1	-	-	-	2	-	-
I42	Cardiomyopathy	T.	307	63	27	34	27	20	6	21
		M.	215	49	20	22	19	14	4	15
		F.	92	14	7	12	8	6	2	6
I44-I49	Conduction disorders and cardiac arrhythmias	T.	1,444	198	189	135	83	147	28	63
		M.	847	129	108	64	50	88	15	40
		F.	597	69	81	71	33	59	13	23
I50	Heart failure	T.	3,166	310	338	343	267	353	98	239
		M.	1,585	172	180	171	119	192	42	141
		F.	1,581	138	158	172	148	161	56	98

to the Basic Tabulation List
, 2010 (Cont.4)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
113	134	271	181	140	134	174	58	130	22	54	31	45	9	1
62	72	120	83	51	51	83	20	68	12	28	17	26	2	-
51	62	151	98	89	83	91	38	62	10	26	14	19	7	1
60	81	163	112	64	59	102	41	92	8	22	14	18	6	1
28	41	77	49	21	18	55	15	54	6	14	6	11	2	-
32	40	86	63	43	41	47	26	38	2	8	8	7	4	1
53	53	108	69	76	75	72	17	38	14	32	17	27	3	-
34	31	43	34	30	33	28	5	14	6	14	11	15	-	-
19	22	65	35	46	42	44	12	24	8	18	6	12	3	-
426	453	1,089	515	721	546	791	296	350	84	327	319	199	75	11
271	251	591	282	389	313	461	174	216	48	204	206	103	40	4
155	202	498	233	332	233	330	122	134	36	123	113	96	35	7
2	3	11	5	4	3	6	-	5	-	1	6	2	-	-
1	-	4	2	1	2	3	-	2	-	1	1	1	-	-
1	3	7	3	3	1	3	-	3	-	-	5	1	-	-
214	254	562	230	359	280	392	208	146	53	197	203	69	28	4
134	153	329	128	196	162	245	131	86	33	121	142	42	18	3
80	101	233	102	163	118	147	77	60	20	76	61	27	10	1
165	144	314	153	270	188	242	167	88	41	160	159	40	15	3
100	89	204	90	155	114	154	108	55	28	101	110	24	11	3
65	55	110	63	115	74	88	59	33	13	59	49	16	4	-
1	1	3	-	-	1	2	-	-	-	-	-	-	-	-
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	1	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	62	117	50	47	58	95	16	18	7	31	33	13	10	1
21	33	59	22	22	32	62	10	14	3	18	24	7	5	-
9	29	58	28	25	26	33	6	4	4	13	9	6	5	1
18	47	128	27	42	33	53	25	40	5	6	11	16	3	-
12	31	64	16	19	16	29	13	17	2	2	8	11	2	-
6	16	64	11	23	17	24	12	23	3	4	3	5	1	-
2	-	29	3	12	9	18	-	4	1	2	1	-	1	-
1	-	18	-	8	5	10	-	2	-	1	1	-	1	-
1	-	11	3	4	4	8	-	2	1	1	-	-	-	-
-	3	1	-	1	-	7	1	-	-	1	1	1	-	-
-	1	1	-	-	-	5	1	-	-	-	-	1	-	-
-	2	-	-	1	-	2	-	-	-	1	1	-	-	-
1	3	3	2	2	2	5	1	-	-	2	3	3	-	-
1	2	2	1	1	-	4	-	-	-	-	2	-	-	-
-	1	1	1	1	2	1	1	-	-	2	1	3	-	-
9	18	49	19	30	20	28	8	25	3	10	6	6	1	-
2	6	14	9	12	15	14	4	12	2	5	3	1	-	-
7	12	35	10	18	5	14	4	13	1	5	3	5	1	-
-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
9	7	7	24	6	10	20	9	7	-	3	3	4	-	-
7	6	4	20	5	2	15	4	3	-	1	3	2	-	-
2	1	3	4	1	8	5	5	4	-	2	-	2	-	-
79	34	83	34	59	84	73	27	29	12	15	42	24	5	1
59	23	41	20	26	57	35	16	21	6	7	25	15	2	-
20	11	42	14	33	27	38	11	8	6	8	17	9	3	1
77	98	185	135	159	98	155	30	85	14	53	38	51	34	6
45	40	64	63	73	44	76	12	53	7	38	21	16	15	1
32	58	121	72	86	54	79	18	32	7	15	17	35	19	5



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
I01-I02.0, I05-I09, I20-I25, I27, I30-I52 excludes above-mentioned code (I01-I02.0, I51)	Other diseases of heart	T.	1,809	265	264	77	105	102	35	294
		M.	1,273	202	194	47	75	64	25	216
		F.	536	63	70	30	30	38	10	78
I60-I67, I69	Cerebrovascular diseases	T.	10,134	1,286	1,047	983	975	1,083	263	857
		M.	5,963	790	602	597	562	661	155	514
		F.	4,171	496	445	386	413	422	108	343
I60, I69.0	Subarachnoid haemorrhage	T.	561	74	49	61	65	72	18	39
		M.	241	38	15	28	27	40	6	14
		F.	320	36	34	33	38	32	12	25
I61, I69.1	Intracerebral haemorrhage	T.	2,018	228	168	204	186	219	57	164
		M.	1,295	152	103	121	123	148	34	103
		F.	723	76	65	83	63	71	23	61
I63, I69.3	Cerebral infarction	T.	946	85	68	93	135	114	15	81
		M.	506	46	32	56	70	56	11	53
		F.	440	39	36	37	65	58	4	28
I60-I69 excludes above-mentioned code (I62, I64-I67, I69.2, I69.4, I69.8)	Other cerebrovascular diseases	T.	6,609	899	762	625	589	678	173	573
		M.	3,921	554	452	392	342	417	104	344
		F.	2,688	345	310	233	247	261	69	229
I70	Atherosclerosis	T.	48	5	7	5	2	7	1	-
		M.	27	3	4	3	1	4	-	-
		F.	21	2	3	2	1	3	1	-
I71	Aortic aneurysm and dissection	T.	682	68	93	96	66	72	15	39
		M.	481	44	70	77	46	47	12	27
		F.	201	24	23	19	20	25	3	12
I00-I99 excludes above-mentioned code (I00, I02.9, I26, I28, I72-I78, I80-I89, I95-I97, I99)	Remainder of diseases of the circulatory system	T.	483	68	62	58	31	49	7	30
		M.	255	40	34	23	12	27	4	21
		F.	228	28	28	35	19	22	3	9
J00-J99	Diseases of the respiratory system	T.	17,120	1,962	1,707	1,579	1,627	2,207	362	1,099
		M.	11,280	1,375	1,096	1,098	1,035	1,447	227	807
		F.	5,840	587	611	481	592	760	135	292
J10-J11	Influenza	T.	58	2	3	7	4	13	-	3
		M.	36	1	1	5	3	8	-	2
		F.	22	1	2	2	1	5	-	1
J12-J16, J18	Pneumonia	T.	8,909	998	899	688	947	1,326	195	486
		M.	5,565	647	548	459	583	851	112	337
		F.	3,344	351	351	229	364	475	83	149
J20-J22	Other acute lower respiratory infections	T.	10	-	2	5	-	1	-	-
		M.	4	-	-	3	-	-	-	-
		F.	6	-	2	2	-	1	-	-
J20-I21	Acute bronchitis and bronchiolitis	T.	7	-	2	3	-	1	-	-
		M.	2	-	-	2	-	-	-	-
		F.	5	-	2	1	-	1	-	-
J20-J22 excludes above-mentioned code (J22)	Unspecified acute lower respiratory infection	T.	3	-	-	2	-	-	-	-
		M.	2	-	-	1	-	-	-	-
		F.	1	-	-	1	-	-	-	-
J41-J44	Chronic obstructive pulmonary diseases	T.	4,426	476	392	477	421	501	100	343
		M.	3,438	387	305	406	305	368	71	275
		F.	988	89	87	71	116	133	29	68
J45-J46	Asthma	T.	572	64	53	61	42	57	15	49
		M.	287	38	20	23	25	29	7	29
		F.	285	26	33	38	17	28	8	20
J47	Bronchiectasis	T.	182	17	18	18	17	17	4	10
		M.	88	10	9	10	6	9	2	7
		F.	94	7	9	8	11	8	2	3
J60-J65	Pneumoconiosis	T.	204	96	17	6	-	6	3	26
		M.	195	92	15	6	-	5	3	26
		F.	9	4	2	-	-	1	-	-

to the Basic Tabulation List
, 2010 (Cont.5)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
33	32	157	63	89	40	87	12	49	1	43	16	39	6	-
21	20	113	39	67	26	54	6	37	-	30	8	25	4	-
12	12	44	24	22	14	33	6	12	1	13	8	14	2	-
287	396	521	335	401	301	490	132	227	46	190	160	120	33	1
175	233	303	189	215	166	274	74	141	26	110	90	67	18	1
112	163	218	146	186	135	216	58	86	20	80	70	53	15	-
13	17	23	19	19	16	24	4	10	1	12	10	12	2	1
7	7	9	9	7	4	10	-	5	-	4	6	3	1	1
6	10	14	10	12	12	14	4	5	1	8	4	9	1	-
63	98	131	60	82	62	107	29	62	9	33	28	17	11	-
44	67	89	37	55	38	64	18	41	5	18	19	9	7	-
19	31	42	23	27	24	43	11	21	4	15	9	8	4	-
22	35	63	40	28	36	59	12	22	6	9	15	5	3	-
17	17	24	22	10	15	37	7	14	4	5	4	4	2	-
5	18	39	18	18	21	22	5	8	2	4	11	1	1	-
189	246	304	216	272	187	300	87	133	30	136	107	86	17	-
107	142	181	121	143	109	163	49	81	17	83	61	51	8	-
82	104	123	95	129	78	137	38	52	13	53	46	35	9	-
-	2	3	1	3	1	1	-	4	-	4	1	1	-	-
-	1	2	1	3	-	1	-	2	-	2	-	-	-	-
-	1	1	-	-	1	-	-	2	-	2	1	1	-	-
17	20	45	21	33	21	26	10	9	2	5	11	11	2	-
11	16	34	15	16	14	18	6	4	2	3	10	8	1	-
6	4	11	6	17	7	8	4	5	-	2	1	3	1	-
15	16	33	15	23	21	14	8	10	4	5	8	6	-	-
10	10	19	10	12	10	5	3	4	2	-	4	5	-	-
5	6	14	5	11	11	9	5	6	2	5	4	1	-	-
386	461	1,087	461	800	600	1,093	311	383	108	301	327	202	52	5
259	296	680	310	470	373	709	217	260	67	187	203	130	31	3
127	165	407	151	330	227	384	94	123	41	114	124	72	21	2
-	1	5	2	7	2	4	-	3	-	-	1	1	-	-
-	-	3	2	5	1	1	-	2	-	-	1	1	-	-
-	1	2	-	2	1	3	-	1	-	-	-	-	-	-
160	190	574	218	446	323	627	162	203	60	174	99	99	34	1
105	104	327	124	248	187	401	111	135	38	102	62	65	18	1
55	86	247	94	198	136	226	51	68	22	72	37	34	16	-
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96	157	282	155	201	166	302	67	87	21	63	41	65	12	1
81	122	224	129	147	125	215	54	71	16	46	36	45	10	-
15	35	58	26	54	41	87	13	16	5	17	5	20	2	1
25	16	43	18	19	12	35	12	20	4	9	11	5	2	-
13	7	20	11	10	8	21	9	10	-	2	3	1	1	-
12	9	23	7	9	4	14	3	10	4	7	8	4	1	-
5	6	14	5	4	10	14	6	10	2	1	-	4	-	-
4	3	5	2	1	4	6	3	6	-	-	-	1	-	-
1	3	9	3	3	6	8	3	4	2	1	-	3	-	-
10	18	1	1	2	-	-	1	1	-	15	1	-	-	-
10	18	1	1	2	-	-	1	1	-	13	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
J66, J68-J69	Lung diseases due to external agents (except pneumoconiosis and pneumonia)	T.	550	72	82	99	18	54	10	40
		M.	333	43	44	58	12	33	5	32
		F.	217	29	38	41	6	21	5	8
J00-J99 excludes above-mentioned code (J00-J06, J30-J40, J67, J70, J80-J86, J90, J92-J98)	Remainder of diseases of the respiratory system	T.	2,209	237	241	218	178	232	35	142
		M.	1,334	157	154	128	101	144	27	99
		F.	875	80	87	90	77	88	8	43
K00-K93	Diseases of the digestive system	T.	9,340	1,084	771	954	759	1,127	194	622
		M.	6,171	753	460	649	456	761	120	422
		F.	3,169	331	311	305	303	366	74	200
K25-K28	Peptic ulcer	T.	557	57	50	65	57	51	14	40
		M.	365	38	27	44	37	41	9	23
		F.	192	19	23	21	20	10	5	17
K35-K38	Diseases of appendix	T.	22	3	2	5	2	1	-	2
		M.	12	2	-	3	1	-	-	1
		F.	10	1	2	2	1	1	-	1
K40-K46, K56	Hernia and intestinal obstruction	T.	302	37	45	24	36	27	7	22
		M.	185	20	26	16	17	20	6	16
		F.	117	17	19	8	19	7	1	6
K70-K76	Diseases of liver	T.	5,503	649	371	565	420	683	106	387
		M.	3,915	482	231	402	260	494	77	274
		F.	1,588	167	140	163	160	189	29	113
K70, K73-K74	Chronic liver disease and cirrhosis	T.	4,912	566	318	510	390	617	97	335
		M.	3,508	419	198	363	240	449	72	238
		F.	1,404	147	120	147	150	168	25	97
K70-K76 excludes above-mentioned code (K71-K72, K75-K76)	Other diseases of liver	T.	591	83	53	55	30	66	9	52
		M.	407	63	33	39	20	45	5	36
		F.	184	20	20	16	10	21	4	16
K80-K82	Cholelithiasis and other disorders of gallbladder	T.	384	43	36	46	26	35	4	29
		M.	200	20	22	30	12	15	-	15
		F.	184	23	14	16	14	20	4	14
K83-K86	Diseases of biliary tract and pancreas	T.	422	59	38	36	36	52	16	31
		M.	273	45	19	25	25	41	8	21
		F.	149	14	19	11	11	11	8	10
K70-K93 excludes above-mentioned code (K00-K14, K20-K22, K29-K31, K50-K52, K55, K57-K63, K65, K66, K90-K92)	Remainder of diseases of the digestive system	T.	2,150	236	229	213	182	278	47	111
		M.	1,221	146	135	129	104	150	20	72
		F.	929	90	94	84	78	128	27	39
L00-L99	Diseases of the skin and subcutaneous tissue	T.	506	62	40	53	47	57	7	36
		M.	257	30	21	21	25	32	4	23
		F.	249	32	19	32	22	25	3	13
M00-M99	Diseases of the musculoskeletal system and connective tissue	T.	1,534	328	380	106	68	136	22	68
		M.	717	144	170	53	38	64	11	31
		F.	817	184	210	53	30	72	11	37
N00-N99	Diseases of the genitourinary system	T.	6,348	713	701	678	536	856	159	407
		M.	3,022	352	337	313	247	418	70	206
		F.	3,326	361	364	365	289	438	89	201
N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	T.	4,105	497	474	462	384	503	101	267
		M.	2,088	257	234	232	192	255	45	144
		F.	2,017	240	240	230	192	248	56	123
N17	Acute renal failure	T.	799	99	96	69	71	84	17	51
		M.	461	64	55	33	38	51	7	33
		F.	338	35	41	36	33	33	10	18
N18	Chronic renal failure	T.	1,554	169	139	186	158	216	38	112
		M.	758	81	64	93	72	104	15	63
		F.	796	88	75	93	86	112	23	49
N19	Unspecified renal failure	T.	1,593	211	223	192	139	179	41	91
		M.	784	103	104	96	74	90	19	44
		F.	809	108	119	96	65	89	22	47

to the Basic Tabulation List
, 2010 (Cont.6)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
10	24	27	12	20	22	15	7	12	5	7	10	4	-	-
4	16	15	9	13	11	11	6	6	5	2	7	1	-	-
6	8	12	3	7	11	4	1	6	-	5	3	3	-	-
80	49	141	50	100	65	95	56	47	16	32	164	24	4	3
42	26	85	32	43	37	54	33	29	8	22	93	16	2	2
38	23	56	18	57	28	41	23	18	8	10	71	8	2	1
213	308	600	356	466	353	623	206	256	34	171	115	105	23	-
143	204	384	234	313	233	433	149	176	22	116	69	54	20	-
70	104	216	122	153	120	190	57	80	12	55	46	51	3	-
15	15	27	28	21	24	34	16	22	3	8	5	5	-	-
9	10	17	18	13	15	23	13	16	2	5	4	1	-	-
6	5	10	10	8	9	11	3	6	1	3	1	4	-	-
-	-	1	2	1	1	-	-	1	-	-	-	1	-	-
-	-	1	1	1	1	-	-	-	-	-	-	1	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
9	17	10	10	15	11	12	6	7	1	1	3	2	-	-
7	10	5	7	10	6	5	4	4	1	1	3	1	-	-
2	7	5	3	5	5	7	2	3	-	-	-	1	-	-
131	176	338	204	289	219	397	134	160	17	98	69	72	18	-
101	130	237	157	209	158	310	102	118	13	69	36	39	16	-
30	46	101	47	80	61	87	32	42	4	29	33	33	2	-
118	162	303	177	269	197	355	121	137	13	83	63	63	18	-
91	119	220	133	195	142	279	95	100	10	61	34	34	16	-
27	43	83	44	74	55	76	26	37	3	22	29	29	2	-
13	14	35	27	20	22	42	13	23	4	15	6	9	-	-
10	11	17	24	14	16	31	7	18	3	8	2	5	-	-
3	3	18	3	6	6	11	6	5	1	7	4	4	-	-
6	20	31	18	22	17	23	5	8	1	5	7	2	-	-
2	6	19	8	11	11	13	3	5	-	2	4	2	-	-
4	14	12	10	11	6	10	2	3	1	3	3	-	-	-
5	10	32	17	13	14	23	10	11	4	7	3	3	2	-
2	6	20	10	6	6	14	7	3	2	5	3	3	2	-
3	4	12	7	7	8	9	3	8	2	2	-	-	-	-
47	70	161	77	105	67	134	35	47	8	52	28	20	3	-
22	42	85	33	63	36	68	20	30	4	34	19	7	2	-
25	28	76	44	42	31	66	15	17	4	18	9	13	1	-
14	15	33	19	22	25	31	10	8	8	10	7	2	-	-
5	6	14	14	9	12	13	7	3	4	8	5	1	-	-
9	9	19	5	13	13	18	3	5	4	2	2	1	-	-
19	38	67	32	51	38	52	27	39	7	20	21	12	3	-
9	24	39	17	19	19	19	14	19	2	8	11	4	2	-
10	14	28	15	32	19	33	13	20	5	12	10	8	1	-
144	150	386	237	251	240	363	79	104	27	123	87	90	17	-
76	69	171	104	118	107	171	42	52	17	48	46	51	7	-
68	81	215	133	133	133	192	37	52	10	75	41	39	10	-
74	107	225	137	169	144	225	44	59	17	85	57	65	9	-
44	50	109	70	86	69	123	23	36	13	35	28	37	6	-
30	57	116	67	83	75	102	21	23	4	50	29	28	3	-
15	15	50	33	36	35	41	12	13	9	17	14	21	1	-
10	7	31	21	18	19	25	5	12	7	6	9	10	-	-
5	8	19	12	18	16	16	7	1	2	11	5	11	1	-
22	53	85	57	63	56	70	14	29	5	35	23	22	2	-
13	23	38	24	35	24	38	9	16	4	14	13	13	2	-
9	30	47	33	28	32	32	5	13	1	21	10	9	-	-
34	34	77	46	64	50	104	18	15	3	27	19	20	6	-
18	18	33	24	31	25	54	9	7	2	12	5	12	4	-
16	16	44	22	33	25	50	9	8	1	15	14	8	2	-



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
		M	85	9	11	10	8	10	4	4
		F.	74	9	5	5	8	14	1	9
N10-N15	Renal tubulo-interstitial diseases	T.	53	3	5	7	1	7	-	2
		M	17	2	3	-	-	3	-	1
		F.	36	1	2	7	1	4	-	1
N28	Other disorders of kidney and ureter, not elsewhere classified	T.	28	1	2	2	-	6	-	4
		M	19	1	1	1	-	5	-	3
		F.	9	-	1	1	-	1	-	1
N00-N99 excludes above-mentioned code (N20, N21, N23, N30-N32, N34-N36, N38-N50, N60-N64, N70-N73, N75, N76, N80-N98, N99)	Remainder of diseases of the genitourinary system	T.	2,162	212	220	207	151	340	58	134
		M	898	92	99	80	55	155	25	58
		F.	1,264	120	121	127	96	185	33	76
O00-O99	Pregnancy, childbirth and the puerperium	T.	7	2	1	1	-	-	1	1
		M	-	-	-	-	-	-	-	-
		F.	7	2	1	1	-	-	1	1
P00-P96	Certain conditions originating in the perinatal period	T.	324	37	41	38	29	43	7	22
		M	178	23	23	22	15	22	2	10
		F.	146	14	18	16	14	21	5	12
P05-P08	Disorders related to length of gestation and fetal growth	T.	34	3	5	2	4	3	2	-
		M	19	2	1	1	2	2	1	-
		F.	15	1	4	1	2	1	1	-
P10-P15	Birth trauma	T.	2	1	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
P20-P29	Respiratory and cardiovascular disorders specific to the perinatal period	T.	172	20	22	20	18	17	4	14
		M	94	11	14	10	10	9	1	6
		F.	78	9	8	10	8	8	3	8
P35-P39	Infections specific to the perinatal period	T.	39	5	7	4	1	5	1	1
		M	23	3	6	4	-	2	-	1
		F.	16	2	1	-	1	3	1	-
P50-P61	Haemorrhagic and haematological disorders of fetus and newborn	T.	21	4	3	3	-	1	-	2
		M	11	3	-	2	-	1	-	1
		F.	10	1	3	1	-	-	-	1
P00-P96 excludes above-mentioned code (P00-P04, P70-P74, P76-P78, P80-P83, P90-P96)	Remainder of certain conditions originating in the perinatal period	T.	56	4	4	9	6	17	-	5
		M	30	3	2	5	3	8	-	2
		F.	26	1	2	4	3	9	-	3
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	280	49	25	36	23	26	10	28
		M	155	21	17	22	16	12	6	14
		F.	125	28	8	14	7	14	4	14
Q00-Q07	Congenital malformations of the nervous system	T.	21	1	-	2	1	2	1	4
		M	10	-	-	2	-	-	1	2
		F.	11	1	-	-	1	2	-	2
Q20-Q28	Congenital malformations of the circulatory system	T.	141	29	17	14	10	13	7	10
		M	82	18	11	8	9	6	4	6
		F.	59	11	6	6	1	7	3	4
Q20-Q24	Congenital malformations of heart	T.	107	22	10	13	5	10	4	10
		M	60	14	7	7	4	4	3	6
		F.	47	8	3	6	1	6	1	4
Q20-Q28 excludes above-mentioned code (Q25-Q28)	Other congenital malformations of the circulatory system	T.	34	7	7	1	5	3	3	-
		M	22	4	4	1	5	2	1	-
		F.	12	3	3	-	-	1	2	-
Q35-Q45	Congenital malformations of the digestive system	T.	10	2	1	2	-	1	-	2
		M	6	-	-	2	-	1	-	2
		F.	4	2	1	-	-	-	-	-
Q00-Q99 excludes above-mentioned code (Q10-Q18, Q30-Q34, Q50-Q56, Q60-Q89)	Other congenital malformations	T.	76	13	3	13	9	6	1	6
		M	37	2	2	6	6	3	1	-
		F.	39	11	1	7	3	3	-	6

to the Basic Tabulation List
, 2010 (Cont.7)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
3	5	13	1	6	3	10	-	2	-	6	1	2	-	-
3	2	7	1	2	1	6	-	1	-	3	1	2	-	-
-	3	6	-	4	2	4	-	1	-	3	-	-	-	-
3	1	6	4	3	3	5	2	1	-	-	-	-	-	-
-	-	2	-	1	2	2	1	-	-	-	-	-	-	-
3	1	4	4	2	1	3	1	1	-	-	-	-	-	-
-	-	-	-	-	2	4	-	1	-	4	2	-	-	-
-	-	-	-	-	2	3	-	-	-	2	1	-	-	-
-	-	-	-	-	-	1	-	1	-	2	1	-	-	-
67	42	155	96	79	91	129	33	43	10	34	28	25	8	-
32	19	60	34	31	34	43	18	16	4	11	17	14	1	-
35	23	95	62	48	57	86	15	27	6	23	11	11	7	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
19	9	13	5	10	3	13	10	8	2	7	5	1	2	-
10	6	9	1	5	2	7	6	5	1	3	4	1	1	-
9	3	4	4	5	1	6	4	3	1	4	1	-	1	-
6	-	-	1	4	-	1	1	-	1	-	1	-	-	-
4	-	-	-	2	-	1	1	-	1	-	1	-	-	-
2	-	-	1	2	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
9	6	4	1	5	2	7	8	6	-	6	2	-	1	-
5	4	2	-	3	2	4	4	4	-	2	2	-	1	-
4	2	2	1	2	-	3	4	2	-	4	-	-	-	-
1	2	5	-	1	1	2	1	1	1	-	-	-	-	-
-	1	4	-	-	-	1	1	-	-	-	-	-	-	-
1	1	1	-	1	1	1	-	1	1	-	-	-	-	-
1	-	4	1	-	-	2	-	-	-	-	-	-	-	-
-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	2	-	-	-	-	-	-	-	-
2	1	-	1	-	-	1	-	1	-	1	2	1	1	-
1	1	-	-	-	-	1	-	1	-	1	1	1	-	-
1	-	-	1	-	-	-	-	-	-	-	1	-	1	-
10	6	15	4	6	4	17	5	5	-	3	2	5	1	-
9	4	8	2	4	1	6	3	3	-	2	1	4	-	-
1	2	7	2	2	3	11	2	2	-	1	1	1	1	-
-	-	3	-	-	-	3	-	3	-	-	-	1	-	-
-	-	3	-	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	3	-	2	-	-	-	-	-	-
6	1	8	1	1	2	11	4	1	-	1	2	3	-	-
5	-	2	1	-	-	5	2	1	-	1	1	2	-	-
1	1	6	-	1	2	6	2	-	-	-	1	1	-	-
6	1	5	-	1	2	8	4	1	-	-	2	3	-	-
5	-	1	-	-	-	3	2	1	-	-	1	2	-	-
1	1	4	-	1	2	5	2	-	-	-	1	1	-	-
-	-	3	1	-	-	3	-	-	-	1	-	-	-	-
-	-	1	1	-	-	2	-	-	-	1	-	-	-	-
-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
4	4	3	2	4	2	2	1	-	-	2	-	1	-	-
4	3	2	1	3	1	-	1	-	-	1	-	1	-	-
-	1	1	1	1	1	2	-	-	-	1	-	-	-	-



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
		M	20	1	4	4	1	2	-	4
		F.	12	3	-	1	2	2	1	2
R00-R99	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	T.	6,990	744	577	564	1,023	1,422	101	541
		M	4,189	473	361	350	550	933	57	336
		F.	2,801	271	216	214	473	489	44	205
R54	Senility	T.	1,518	97	54	184	422	120	27	80
		M	700	46	26	89	198	57	11	38
		F.	818	51	28	95	224	63	16	42
R95	Sudden infant death syndrome	T.	26	8	1	-	2	1	2	4
		M	18	6	-	-	2	-	2	3
		F.	8	2	1	-	-	1	-	1
R00-R99 excludes above-mentioned code (R00-R23, R25-R53, R55-R94, R96-R99)	Remainder of symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	T.	5,446	639	522	380	599	1,301	72	457
		M	3,471	421	335	261	350	876	44	295
		F.	1,975	218	187	119	249	425	28	162
V01-Y89	External causes of morbidity and mortality	T.	11,403	1,512	767	1,245	999	1,385	312	856
		M	8,020	1,058	519	862	691	968	211	593
		F.	3,383	454	248	383	308	417	101	263
V01-X59, Y85-Y86	Accidents	T.	6,669	699	359	727	617	777	202	504
		M	4,835	516	258	520	426	566	135	364
		F.	1,834	183	101	207	191	211	67	140
V01-V99, Y85	Transport accidents	T.	3,773	363	154	389	384	454	125	281
		M	2,721	257	113	274	256	326	87	196
		F.	1,052	106	41	115	128	128	38	85
V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2	Motor vehicle accidents	T.	3,515	351	142	376	369	356	115	266
		M	2,524	249	104	264	245	254	78	186
		F.	991	102	38	112	124	102	37	80
V01-V89 excludes above-mentioned code (V01, V05-V06, V09.1, V09.3, V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	Other land transport accidents	T.	233	11	11	12	12	95	9	14
		M	175	8	8	9	8	69	8	9
		F.	58	3	3	3	4	26	1	5
V01-V99, Y85 excludes above-mentioned code (V90-V99, Y85)	Water, air and space, and other and unspecified transport accidents and their sequelae	T.	25	1	1	1	3	3	1	1
		M	22	-	1	1	3	3	1	1
		F.	3	1	-	-	-	-	-	-
W00-W19	Falls	T.	1,178	128	83	138	108	136	31	101
		M	884	95	64	103	72	105	21	80
		F.	294	33	19	35	36	31	10	21
W65-W74	Accidental drowning and submersion	T.	381	37	16	25	37	47	13	32
		M	310	35	11	16	34	38	10	27
		F.	71	2	5	9	3	9	3	5
W75-W84	Other accidental threats to breathing	T.	282	33	26	39	18	24	5	20
		M	188	26	18	24	12	15	3	13
		F.	94	7	8	15	6	9	2	7
X00-X09	Exposure to smoke, fire and flames	T.	74	10	6	8	7	5	1	5
		M	51	10	3	6	4	3	1	4
		F.	23	-	3	2	3	2	-	1
X30-X39	Exposure to forces of nature	T.	38	3	2	3	3	-	10	2
		M	27	2	1	3	1	-	5	2
		F.	11	1	1	-	2	-	5	-
X40-X49	Accidental poisoning by and exposure to noxious substances	T.	274	50	20	59	16	23	1	16
		M	205	39	14	47	15	20	1	10
		F.	69	11	6	12	1	3	-	6

to the Basic Tabulation List
, 2010 (Cont.8)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
-	-	1	1	1	-	1	-	1	-	-	-	-	-	-
-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
214	169	327	117	185	172	297	45	78	111	152	68	60	19	4
130	86	197	65	92	79	171	27	43	63	91	41	32	9	3
84	83	130	52	93	93	126	18	35	48	61	27	28	10	1
91	53	102	24	68	54	43	9	23	13	3	11	36	4	-
41	26	49	11	24	24	19	3	13	7	1	1	14	2	-
50	27	53	13	44	30	24	6	10	6	2	10	22	2	-
2	1	1	-	-	-	-	-	1	-	1	2	-	-	-
-	1	-	-	-	-	-	-	1	-	1	2	-	-	-
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
121	115	224	93	117	118	254	36	54	98	148	55	24	15	4
89	59	148	54	68	55	152	24	29	56	89	38	18	7	3
32	56	76	39	49	63	102	12	25	42	59	17	6	8	1
312	379	666	325	480	416	620	239	319	49	203	150	127	38	4
221	268	484	240	361	306	453	168	221	32	149	97	88	27	3
91	111	182	85	119	110	167	71	98	17	54	53	39	11	1
196	256	438	214	329	260	385	175	212	34	98	77	81	26	3
142	180	329	159	257	191	288	125	151	23	73	53	58	18	3
54	76	109	55	72	69	97	50	61	11	25	24	23	8	-
105	146	275	112	208	161	280	93	101	9	39	37	47	10	-
80	104	208	85	158	117	214	70	76	5	30	25	33	7	-
25	42	67	27	50	44	66	23	25	4	9	12	14	3	-
102	137	262	108	204	152	271	87	90	7	33	33	46	8	-
77	97	198	82	155	111	206	64	66	3	26	21	33	5	-
25	40	64	26	49	41	65	23	24	4	7	12	13	3	-
-	8	12	4	4	8	9	5	8	2	5	1	1	2	-
-	6	9	3	3	6	8	5	7	2	4	1	-	2	-
-	2	3	1	1	2	1	-	1	-	1	-	1	-	-
3	1	1	-	-	1	-	1	3	-	1	3	-	-	-
3	1	1	-	-	-	-	1	3	-	-	3	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
24	45	60	50	41	38	53	35	38	4	31	10	17	6	1
21	32	47	36	33	30	38	26	29	3	23	8	14	3	1
3	13	13	14	8	8	15	9	9	1	8	2	3	3	-
20	8	22	11	18	13	12	16	19	9	9	7	2	7	1
13	7	17	10	17	12	10	10	13	6	8	7	2	6	1
7	1	5	1	1	1	2	6	6	3	1	-	-	1	-
11	12	25	12	13	10	5	5	12	1	1	7	2	1	-
7	9	16	7	10	8	2	3	7	1	1	4	1	1	-
4	3	9	5	3	2	3	2	5	-	-	3	1	-	-
2	3	6	-	6	5	-	4	-	-	4	1	-	1	-
2	3	4	-	3	3	-	2	-	-	3	-	-	-	-
-	-	2	-	3	2	-	2	-	-	1	1	-	1	-
1	2	3	1	3	-	1	1	1	1	1	-	-	-	-
-	2	3	1	3	-	1	1	-	1	1	-	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
11	8	8	5	5	8	10	4	6	1	5	13	4	-	1
6	4	8	4	5	6	6	1	3	-	4	8	3	-	1
5	4	-	1	-	2	4	3	3	1	1	5	1	-	-



Table 67 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
V01-X59, Y85-Y86 excludes above-mentioned code (W20-W64, W85-W99, X10-X29, X50-X59, Y86)	Other and unspecified nontransport accidents and their sequelae	T.	669	75	52	66	44	88	16	47
		M.	449	52	34	47	32	59	7	32
		F.	220	23	18	19	12	29	9	15
X60-X84, Y87.0	Intentional self-harm (suicide)	T.	3,889	668	329	379	321	508	93	292
		M.	2,639	441	212	255	224	341	63	194
		F.	1,250	227	117	124	97	167	30	98
X85-Y09, Y87.1	Assault (homicide)	T.	179	37	11	17	22	13	1	7
		M.	127	30	8	12	16	8	1	2
		F.	52	7	3	5	6	5	-	5
Y35, Y89.0	Legal intervention	T.	-	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Y40-Y84, Y88	Complications of medical and surgical care	T.	113	17	12	15	10	18	1	5
		M.	63	9	4	8	6	9	1	4
		F.	50	8	8	7	4	9	-	1
V01-Y89 excludes above-mentioned code (Y10-Y34, Y36, Y87.2, Y89.1, Y89.9)	Remainder of external causes of morbidity and mortality	T.	553	91	56	107	29	69	15	48
		M.	356	62	37	67	19	44	11	29
		F.	197	29	19	40	10	25	4	19

to the Basic Tabulation List
, 2010 (Cont'd)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
22	32	39	23	35	25	24	17	35	9	8	2	9	1	-
13	19	26	16	28	15	17	12	23	7	3	1	5	1	-
9	13	13	7	7	10	7	5	12	2	5	1	4	-	-
97	114	194	96	122	134	193	55	79	13	92	61	39	9	1
67	82	135	70	85	102	135	35	50	9	69	39	24	7	-
30	32	59	26	37	32	58	20	29	4	23	22	15	2	1
7	2	8	4	11	9	7	7	10	-	2	1	2	1	-
6	2	5	3	6	5	6	6	8	-	-	-	2	1	-
1	-	3	1	5	4	1	1	2	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	4	5	4	2	6	-	4	-	1	2	1	2	-
1	1	3	3	3	1	4	-	4	-	-	-	1	1	-
1	1	1	2	1	1	2	-	-	-	1	2	-	1	-
10	5	22	6	14	11	29	2	14	2	10	9	4	-	-
5	3	12	5	10	7	20	2	8	-	7	5	3	-	-
5	2	10	1	4	4	9	-	6	2	3	4	1	-	-



Table 68 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
A00-Y98	All causes of death	T.	144,709	18,311	15,047	14,220	13,164	17,883	3,328	10,135
		M.	88,374	11,465	8,882	8,703	7,788	11,072	2,029	6,565
		F.	56,335	6,846	6,165	5,517	5,376	6,811	1,299	3,570
A00-A09	Intestinal infectious diseases	T.	52	7	6	8	2	10	-	1
		M.	27	2	3	4	1	4	-	1
		F.	25	5	3	4	1	6	-	-
A15-A19	Tuberculosis	T.	654	82	50	72	45	90	11	31
		M.	476	64	38	47	37	69	8	24
		F.	178	18	12	25	8	21	3	7
A40-A41	Septicemia	T.	3,784	482	449	379	337	435	61	229
		M.	2,035	272	230	215	181	244	31	139
		F.	1,749	210	219	164	156	191	30	90
B15-B19	Viral hepatitis	T.	258	38	31	27	13	30	4	21
		M.	182	28	25	18	9	19	4	17
		F.	76	10	6	9	4	11	-	4
B20-B24	Human immunodeficiency virus [HIV] disease	T.	115	21	14	11	5	17	2	11
		M.	109	21	12	11	4	17	2	10
		F.	6	-	2	-	1	-	-	1
C00-C97	Malignant neoplasms	T.	41,046	5,476	4,632	4,089	3,741	5,118	973	2,643
		M.	26,022	3,439	2,771	2,574	2,306	3,196	644	1,767
		F.	15,024	2,037	1,861	1,515	1,435	1,922	329	876
D00-D48	Remainder of neoplasms	T.	968	115	120	100	75	137	21	76
		M.	569	68	75	56	42	85	11	47
		F.	399	47	45	44	33	52	10	29
D50-D64	Anaemias	T.	282	36	22	28	19	41	8	21
		M.	140	22	14	13	9	19	4	7
		F.	142	14	8	15	10	22	4	14
E10-E14	Diabetes mellitus	T.	8,211	1,152	769	863	800	979	164	543
		M.	4,062	601	384	397	416	517	93	277
		F.	4,149	551	385	466	384	462	71	266
F01-F03	Vascular and unspecified dementia	T.	590	94	116	49	46	49	9	66
		M.	273	36	55	25	16	17	6	43
		F.	317	58	61	24	30	32	3	23
G00, G03	Meningitis	T.	86	11	11	14	4	13	3	4
		M.	58	8	8	10	4	9	2	1
		F.	28	3	3	4	-	4	1	3
G12	Spinal muscular atrophy and related syndromes	T.	93	14	17	9	8	9	3	7
		M.	54	7	8	8	2	5	1	7
		F.	39	7	9	1	6	4	2	-
G20-G21	Parkinson's disease	T.	623	83	111	58	58	65	23	57
		M.	363	57	64	32	34	37	14	34
		F.	260	26	47	26	24	28	9	23
G30	Alzheimer's disease	T.	52	4	13	6	4	2	-	2
		M.	20	3	5	1	2	1	-	1
		F.	32	1	8	5	2	1	-	1
I10-I15	Hypertensive diseases	T.	4,174	562	422	395	376	451	68	403
		M.	2,128	307	231	207	187	234	34	233
		F.	2,046	255	191	188	189	217	34	170
I01-I02.0, I05-109, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	T.	15,675	1,787	1,723	1,387	1,232	1,679	456	1,209
		M.	9,389	1,164	1,039	789	724	1,043	259	818
		F.	6,286	623	684	598	508	636	197	391
I60-I69	Cerebrovascular diseases	T.	10,134	1,286	1,047	983	975	1,083	263	857
		M.	5,963	790	602	597	562	661	155	514
		F.	4,171	496	445	386	413	422	108	343
I70	Atherosclerosis	T.	48	5	7	5	2	7	1	-
		M.	27	3	4	3	1	4	-	-
		F.	21	2	3	2	1	3	1	-

to the General Mortality Condensed List
, 2010

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
3,385	4,270	8,866	4,247	6,228	4,959	7,374	2,268	3,101	848	2,639	2,167	1,746	475	48
2,072	2,553	5,340	2,571	3,735	2,978	4,481	1,423	1,977	512	1,595	1,314	1,012	279	28
1,313	1,717	3,526	1,676	2,493	1,981	2,893	845	1,124	336	1,044	853	734	196	20
2	2	4	-	1	-	6	-	-	-	-	2	1	-	-
1	1	2	-	1	-	4	-	-	-	-	2	1	-	-
1	1	2	-	-	-	2	-	-	-	-	-	-	-	-
17	12	62	21	31	18	37	20	26	2	11	6	4	6	-
13	5	36	16	24	13	26	14	21	2	7	6	3	3	-
4	7	26	5	7	5	11	6	5	-	4	-	1	3	-
72	138	250	115	149	169	194	55	96	14	58	43	49	10	-
37	72	124	57	80	83	99	32	56	5	30	22	22	4	-
35	66	126	58	69	86	95	23	40	9	28	21	27	6	-
6	10	14	4	13	8	8	-	6	-	14	6	5	-	-
3	7	11	3	11	5	4	-	4	-	6	5	3	-	-
3	3	3	1	2	3	4	-	2	-	8	1	2	-	-
2	-	5	3	2	5	5	1	1	-	4	4	2	-	-
2	-	5	3	1	5	4	1	1	-	4	4	2	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
752	1,069	2,610	1,060	1,872	1,444	1,891	566	750	249	734	648	559	154	16
455	680	1,705	713	1,265	964	1,198	372	514	165	464	387	335	97	11
297	389	905	347	607	480	693	194	236	84	270	261	224	57	5
21	24	44	19	55	39	42	14	16	6	19	12	9	3	1
12	12	23	11	31	20	25	9	11	3	15	6	5	2	-
9	12	21	8	24	19	17	5	5	3	4	6	4	1	1
6	9	20	13	10	11	13	7	4	1	3	7	3	-	-
2	3	10	7	3	7	5	4	3	1	-	4	3	-	-
4	6	10	6	7	4	8	3	1	-	3	3	-	-	-
217	305	454	252	352	272	414	104	184	56	139	83	92	15	2
97	143	222	111	157	123	203	47	98	28	54	46	40	7	1
120	162	232	141	195	149	211	57	86	28	85	37	52	8	1
15	13	21	19	26	20	10	5	6	2	13	4	5	2	-
7	8	8	7	9	12	2	2	2	1	9	4	3	1	-
8	5	13	12	17	8	8	3	4	1	4	-	2	1	-
1	-	1	3	2	2	9	1	3	-	-	3	1	-	-
1	-	1	2	-	-	8	-	2	-	-	2	-	-	-
-	-	-	1	2	2	1	1	1	-	-	1	1	-	-
3	3	7	2	1	2	3	1	1	-	1	2	-	-	-
1	3	4	1	1	2	1	1	1	-	-	1	-	-	-
2	-	3	1	-	-	2	-	-	-	1	1	-	-	-
16	22	33	18	15	14	12	4	5	2	18	2	5	2	-
8	10	16	13	7	7	7	1	3	2	12	-	3	2	-
8	12	17	5	8	7	5	3	2	-	6	2	2	-	-
1	4	1	1	9	-	1	1	1	-	1	-	-	1	-
-	3	-	-	3	-	-	1	-	-	-	-	-	-	-
1	1	1	1	6	-	1	-	1	-	1	-	-	1	-
113	134	271	181	140	134	174	58	130	22	54	31	45	9	1
62	72	120	83	51	51	83	20	68	12	28	17	26	2	-
51	62	151	98	89	83	91	38	62	10	26	14	19	7	1
426	453	1,089	515	721	546	791	296	350	84	327	319	199	75	11
271	251	591	282	389	313	461	174	216	48	204	206	103	40	4
155	202	498	233	332	233	330	122	134	36	123	113	96	35	7
287	396	521	335	401	301	490	132	227	46	190	160	120	33	1
175	233	303	189	215	166	274	74	141	26	110	90	67	18	1
112	163	218	146	186	135	216	58	86	20	80	70	53	15	-
-	2	3	1	3	1	1	-	4	-	4	1	1	-	-
-	1	2	1	3	-	1	-	2	-	2	-	-	-	-
-	1	1	-	-	1	-	-	2	-	2	1	1	-	-



Table 68 Number of Deaths Classified According by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
I71	Aortic aneurysm and dissection	T.	682	68	93	96	66	72	15	39
		M.	481	44	70	77	46	47	12	27
		F.	201	24	23	19	20	25	3	12
J10-J11	Influenza	T.	58	2	3	7	4	13	-	3
		M.	36	1	1	5	3	8	-	2
		F.	22	1	2	2	1	5	-	1
J12-J18	Pneumonia	T.	8,909	998	899	688	947	1,326	195	486
		M.	5,565	647	548	459	583	851	112	337
		F.	3,344	351	351	229	364	475	83	149
J20-J21	Acute bronchitis and bronchiolitis	T.	7	-	2	3	-	1	-	-
		M.	2	-	-	2	-	-	-	-
		F.	5	-	2	1	-	1	-	-
J41-J47	Chronic lower respiratory diseases	T.	5,197	559	465	557	480	577	119	402
		M.	3,823	437	335	439	336	407	80	311
		F.	1,374	122	130	118	144	170	39	91
J60-J65	Pneumoconioses	T.	204	96	17	6	-	6	3	26
		M.	195	92	15	6	-	5	3	26
		F.	9	4	2	-	-	1	-	-
J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	T.	550	72	82	99	18	54	10	40
		M.	333	43	44	58	12	33	5	32
		F.	217	29	38	41	6	21	5	8
K25-K28	Peptic ulcer	T.	557	57	50	65	57	51	14	40
		M.	365	38	27	44	37	41	9	23
		F.	192	19	23	21	20	10	5	17
K40-K46, K56	Hernia and intestinal obstruction	T.	302	37	45	24	36	27	7	22
		M.	185	20	26	16	17	20	6	16
		F.	117	17	19	8	19	7	1	6
K70, K73-K74	Chronic liver disease and cirrhosis	T.	4,912	566	318	510	390	617	97	335
		M.	3,508	419	198	363	240	449	72	238
		F.	1,404	147	120	147	150	168	25	97
K80-K82	Cholelithiasis and other disorders of gallbladder	T.	384	43	36	46	26	35	4	29
		M.	200	20	22	30	12	15	-	15
		F.	184	23	14	16	14	20	4	14
L00-L99	Diseases of the skin and subcutaneous tissue	T.	506	62	40	53	47	57	7	36
		M.	257	30	21	21	25	32	4	23
		F.	249	32	19	32	22	25	3	13
M00-M99	Diseases of the musculoskeletal system and connective tissue	T.	1,534	328	380	106	68	136	22	68
		M.	717	144	170	53	38	64	11	31
		F.	817	184	210	53	30	72	11	37
N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	T.	4,105	497	474	462	384	503	101	267
		M.	2,088	257	234	232	192	255	45	144
		F.	2,017	240	240	230	192	248	56	123
O00-O99	Pregnancy, childbirth and the puerperium	T.	7	2	1	1	-	-	1	1
		M.	-	-	-	-	-	-	-	-
		F.	7	2	1	1	-	-	1	1
P00-P96	Certain conditions originating in the perinatal period	T.	324	37	41	38	29	43	7	22
		M.	178	23	23	22	15	22	2	10
		F.	146	14	18	16	14	21	5	12
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	280	49	25	36	23	26	10	28
		M.	155	21	17	22	16	12	6	14
		F.	125	28	8	14	7	14	4	14
R54	Senility	T.	1,518	97	54	184	422	120	27	80
		M.	700	46	26	89	198	57	11	38
		F.	818	51	28	95	224	63	16	42
R95	Sudden infant death syndrome	T.	26	8	1	-	2	1	2	4
		M.	18	6	-	-	2	-	2	3
		F.	8	2	1	-	-	1	-	1

to the General Mortality Condensed List
, 2010 (Cont.1)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
17	20	45	21	33	21	26	10	9	2	5	11	11	2	-
11	16	34	15	16	14	18	6	4	2	3	10	8	1	-
6	4	11	6	17	7	8	4	5	-	2	1	3	1	-
-	1	5	2	7	2	4	-	3	-	-	1	1	-	-
-	-	3	2	5	1	1	-	2	-	-	1	1	-	-
-	1	2	-	2	1	3	-	1	-	-	-	-	-	-
160	190	574	218	446	323	627	162	203	60	174	99	99	34	1
105	104	327	124	248	187	401	111	135	38	102	62	65	18	1
55	86	247	94	198	136	226	51	68	22	72	37	34	16	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
126	183	341	178	226	189	351	85	117	27	73	52	75	14	1
98	135	249	142	159	138	242	66	87	16	48	39	48	11	-
28	48	92	36	67	51	109	19	30	11	25	13	27	3	1
10	18	1	1	2	-	-	1	1	-	15	1	-	-	-
10	18	1	1	2	-	-	1	1	-	13	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
10	24	27	12	20	22	15	7	12	5	7	10	4	-	-
4	16	15	9	13	11	11	6	6	5	2	7	1	-	-
6	8	12	3	7	11	4	1	6	-	5	3	3	-	-
15	15	27	28	21	24	34	16	22	3	8	5	5	-	-
9	10	17	18	13	15	23	13	16	2	5	4	1	-	-
6	5	10	10	8	9	11	3	6	1	3	1	4	-	-
9	17	10	10	15	11	12	6	7	1	1	3	2	-	-
7	10	5	7	10	6	5	4	4	1	1	3	1	-	-
2	7	5	3	5	5	7	2	3	-	-	-	1	-	-
118	162	303	177	269	197	355	121	137	13	83	63	63	18	-
91	119	220	133	195	142	279	95	100	10	61	34	34	16	-
27	43	83	44	74	55	76	26	37	3	22	29	29	2	-
6	20	31	18	22	17	23	5	8	1	5	7	2	-	-
2	6	19	8	11	11	13	3	5	-	2	4	2	-	-
4	14	12	10	11	6	10	2	3	1	3	3	-	-	-
14	15	33	19	22	25	31	10	8	8	10	7	2	-	-
5	6	14	14	9	12	13	7	3	4	8	5	1	-	-
9	9	19	5	13	13	18	3	5	4	2	2	1	-	-
19	38	67	32	51	38	52	27	39	7	20	21	12	3	-
9	24	39	17	19	19	19	14	19	2	8	11	4	2	-
10	14	28	15	32	19	33	13	20	5	12	10	8	1	-
74	107	225	137	169	144	225	44	59	17	85	57	65	9	-
44	50	109	70	86	69	123	23	36	13	35	28	37	6	-
30	57	116	67	83	75	102	21	23	4	50	29	28	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
19	9	13	5	10	3	13	10	8	2	7	5	1	2	-
10	6	9	1	5	2	7	6	5	1	3	4	1	1	-
9	3	4	4	5	1	6	4	3	1	4	1	-	1	-
10	6	15	4	6	4	17	5	5	-	3	2	5	1	-
9	4	8	2	4	1	6	3	3	-	2	1	4	-	-
1	2	7	2	2	3	11	2	2	-	1	1	1	1	-
91	53	102	24	68	54	43	9	23	13	3	11	36	4	-
41	26	49	11	24	24	19	3	13	7	1	1	14	2	-
50	27	53	13	44	30	24	6	10	6	2	10	22	2	-
2	1	1	-	-	-	-	-	1	-	1	2	-	-	-
-	1	-	-	-	-	-	-	1	-	1	2	-	-	-
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-



Table 68 Number of Deaths Classified According
by Gender and Locale

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
V01-X59, Y85-Y86	Accidents	T.	6,669	699	359	727	617	777	202	504
		M.	4,835	516	258	520	426	566	135	364
		F.	1,834	183	101	207	191	211	67	140
X60-X84, Y87.0	Intentional self-harm (suicide)	T.	3,889	668	329	379	321	508	93	292
		M.	2,639	441	212	255	224	341	63	194
		F.	1,250	227	117	124	97	167	30	98
X85-Y09, Y87.1	Assault (homicide)	T.	179	37	11	17	22	13	1	7
		M.	127	30	8	12	16	8	1	2
		F.	52	7	3	5	6	5	-	5

to the General Mortality Condensed List
, 2010 (Cont'd)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
196	256	438	214	329	260	385	175	212	34	98	77	81	26	3
142	180	329	159	257	191	288	125	151	23	73	53	58	18	3
54	76	109	55	72	69	97	50	61	11	25	24	23	8	-
97	114	194	96	122	134	193	55	79	13	92	61	39	9	1
67	82	135	70	85	102	135	35	50	9	69	39	24	7	-
30	32	59	26	37	32	58	20	29	4	23	22	15	2	1
7	2	8	4	11	9	7	7	10	-	2	1	2	1	-
6	2	5	3	6	5	6	6	8	-	-	-	2	1	-
1	-	3	1	5	4	1	1	2	-	2	1	-	-	-



Table 69 Deaths under 1 Year Classified According to

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
A00-Y98	All causes of death	T.	705	100	71	78	52	82	20	68
		M.	403	62	41	47	28	43	11	41
		F.	302	38	30	31	24	39	9	27
A40-A41	Septicaemia	T.	6	-	-	-	-	-	-	1
		M.	3	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	1
C00-C97	Malignant neoplasms	T.	3	-	-	2	-	-	1	-
		M.	1	-	-	-	-	-	1	-
		F.	2	-	-	2	-	-	-	-
D00-D48	Remainder of neoplasms	T.	2	-	1	1	-	-	-	-
		M.	1	-	1	-	-	-	-	-
		F.	1	-	-	1	-	-	-	-
E40-E64	Malnutrition and other nutritional deficiencies	T.	1	1	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
E70-E90	Metabolic disorders	T.	14	1	2	1	1	2	-	2
		M.	6	1	-	-	-	-	-	2
		F.	8	-	2	1	1	2	-	-
G00, G03	Meningitis	T.	3	1	1	-	-	-	-	1
		M.	2	1	1	-	-	-	-	-
		F.	1	-	-	-	-	-	-	1
G80	Infantile cerebral palsy	T.	3	-	-	-	1	-	-	-
		M.	2	-	-	-	1	-	-	-
		F.	1	-	-	-	-	-	-	-
G93	Other disorders of brain	T.	8	-	1	1	-	4	1	-
		M.	5	-	1	-	-	3	1	-
		F.	3	-	-	1	-	1	-	-
I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	T.	17	1	1	-	2	1	-	3
		M.	10	1	1	-	-	1	-	3
		F.	7	-	-	-	2	-	-	-
I60-I69	Cerebrovascular diseases	T.	4	-	-	-	-	1	-	-
		M.	1	-	-	-	-	-	-	-
		F.	3	-	-	-	-	1	-	-
J12-J18	Pneumonia	T.	5	-	-	-	-	-	-	1
		M.	3	-	-	-	-	-	-	1
		F.	2	-	-	-	-	-	-	-
J20-J21	Acute bronchitis and acute bronchiolitis	T.	1	-	-	-	-	1	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	1	-	-
J69	Pneumonitis due to solids and liquids	T.	1	-	-	-	-	-	-	1
		M.	1	-	-	-	-	-	-	1
		F.	-	-	-	-	-	-	-	-
K70-K76	Diseases of liver	T.	1	-	-	-	-	-	1	-
		M.	1	-	-	-	-	-	1	-
		F.	-	-	-	-	-	-	-	-
N17-N19	Renal failure	T.	2	-	-	-	-	1	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	1	-	-
P00-P04	Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery	T.	9	1	2	-	1	2	-	2
		M.	4	1	1	-	-	1	-	-
		F.	5	-	1	-	1	1	-	2
P05-P08	Disorders relating to length of gestation and fetal growth	T.	33	3	5	2	4	3	2	-
		M.	18	2	1	1	2	2	1	-
		F.	15	1	4	1	2	1	1	-
P10-P15	Birth trauma	T.	2	1	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
P20-P28	Respiratory disorders originating in the perinatal period	T.	107	14	13	12	13	13	3	7
		M.	58	7	8	6	8	7	1	2
		F.	49	7	5	6	5	6	2	5

Table 69 Deaths under 1 Year Classified According to

ICD-10 Mortality NO.	Cause of Death		Total	New Taipei City	Taipei City	Taichung City	Tainan City	Kaohsiung City	Ilan County	Taoyuan County
P35-P39	Infections specific to the perinatal period	T.	39	5	7	4	1	5	1	1
		M.	23	3	6	4	-	2	-	1
		F.	16	2	1	-	1	3	1	-
P50-P61	Haemorrhagic and haematological disorders of fetus and newborn	T.	21	4	3	3	-	1	-	2
		M.	11	3	-	2	-	1	-	1
		F.	10	1	3	1	-	-	-	1
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	161	30	14	22	11	10	8	17
		M.	96	15	10	14	8	5	4	9
		F.	65	15	4	8	3	5	4	8
R95	Sudden infant death syndrome	T.	26	8	1	-	2	1	2	4
		M.	18	6	-	-	2	-	2	3
		F.	8	2	1	-	-	1	-	1
V01-X59, Y85-Y86	Accidents	T.	37	4	4	3	3	3	-	4
		M.	23	2	2	3	1	2	-	4
		F.	14	2	2	-	2	1	-	-
X85-Y09, Y87.1	Assault (homicide)	T.	5	2	1	1	-	-	-	-
		M.	4	1	1	1	-	-	-	-
		F.	1	1	-	-	-	-	-	-

the General Mortality Condensed List by Gender and Locale, 2010 (Cont'd)

Unit : Person

Hsinchu County	Miaoli County	Changhua County	Nantou County	Yunlin County	Chiayi County	Pingtung County	Taitung County	Hualien County	Penghu County	Keelung City	Hsinchu City	Chiayi City	Kinmen County	Lienkiang County
1	2	5	-	1	1	2	1	1	1	-	-	-	-	-
-	1	4	-	-	-	1	1	-	-	-	-	-	-	-
1	1	1	-	1	1	1	-	1	1	-	-	-	-	-
1	-	4	1	-	-	2	-	-	-	-	-	-	-	-
-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	2	-	-	-	-	-	-	-	-
7	3	9	3	2	1	12	1	3	-	2	2	4	-	-
6	3	5	1	1	1	6	1	1	-	1	1	4	-	-
1	-	4	2	1	-	6	-	2	-	1	1	-	-	-
2	1	1	-	-	-	-	-	1	-	1	2	-	-	-
-	1	-	-	-	-	-	-	1	-	1	2	-	-	-
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2	4	3	1	2	1	1	-	2	-	-	-	-	-	-
2	2	1	1	2	-	1	-	-	-	-	-	-	-	-
-	2	2	-	-	1	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Table 70 Number of Deaths Classified According by Gender and Month

ICD-10 Mortality NO.	Cause of Death		Total	Jan	Feb	Mar
A00-Y98	All causes of death	T.	144,709	13,301	11,767	12,186
		M.	88,374	8,162	7,240	7,375
		F.	56,335	5,139	4,527	4,811
A00-A09	Intestinal infectious diseases	T.	52	4	3	4
		M.	27	2	3	1
		F.	25	2	-	3
A15-A19	Tuberculosis	T.	654	70	51	70
		M.	476	58	35	42
		F.	178	12	16	28
A40-A41	Septicemia	T.	3,784	350	324	334
		M.	2,035	192	170	161
		F.	1,749	158	154	173
B15-B19	Viral hepatitis	T.	258	20	12	21
		M.	182	14	8	11
		F.	76	6	4	10
B20-B24	Human immunodeficiency virus [HIV] disease	T.	115	12	10	13
		M.	109	10	9	12
		F.	6	2	1	1
C00-C97	Malignant neoplasms	T.	41,046	3,438	3,116	3,367
		M.	26,022	2,162	1,990	2,114
		F.	15,024	1,276	1,126	1,253
D00-D48	Remainder of neoplasms	T.	968	88	86	89
		M.	569	48	55	55
		F.	399	40	31	34
D50-D64	Anaemias	T.	282	25	18	24
		M.	140	14	9	13
		F.	142	11	9	11
E10-E14	Diabetes mellitus	T.	8,211	796	724	701
		M.	4,062	405	364	334
		F.	4,149	391	360	367
F01-F03	Vascular and unspecified dementia	T.	590	59	49	51
		M.	273	27	20	21
		F.	317	32	29	30
G00, G03	Meningitis	T.	86	9	5	9
		M.	58	5	5	6
		F.	28	4	-	3
G12	Spinal muscular atrophy and related syndromes	T.	93	6	2	7
		M.	54	3	1	4
		F.	39	3	1	3
G20-G21	Parkinson's disease	T.	623	48	49	53
		M.	363	33	30	37
		F.	260	15	19	16
G30	Alzheimer's disease	T.	52	5	5	6
		M.	20	3	1	1
		F.	32	2	4	5
I10-I15	Hypertensive diseases	T.	4,174	388	344	368
		M.	2,128	198	185	176
		F.	2,046	190	159	192
I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	T.	15,675	1,540	1,308	1,354
		M.	9,389	917	802	837
		F.	6,286	623	506	517
I60-I69	Cerebrovascular diseases	T.	10,134	1,027	943	879
		M.	5,963	609	562	528
		F.	4,171	418	381	351
I70	Atherosclerosis	T.	48	4	4	5
		M.	27	3	2	2
		F.	21	1	2	3



to the General Mortality Condensed List
, 2010

Unit : Person

Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
11,634	11,676	11,433	12,464	11,941	11,678	11,959	11,575	13,095
7,115	7,170	6,984	7,543	7,244	7,135	7,340	7,044	8,022
4,519	4,506	4,449	4,921	4,697	4,543	4,619	4,531	5,073
9	5	7	3	5	4	3	2	3
5	4	5	1	1	2	1	-	2
4	1	2	2	4	2	2	2	1
38	55	57	43	55	63	60	44	48
29	42	46	28	43	46	47	31	29
9	13	11	15	12	17	13	13	19
260	287	323	328	333	327	320	298	300
145	153	175	182	177	177	177	158	168
115	134	148	146	156	150	143	140	132
28	24	26	20	19	16	21	23	28
22	20	22	13	14	13	11	14	20
6	4	4	7	5	3	10	9	8
6	8	8	11	13	7	9	8	10
6	8	8	11	13	7	8	8	9
-	-	-	-	-	-	1	-	1
3,304	3,396	3,346	3,648	3,554	3,452	3,506	3,374	3,545
2,113	2,179	2,104	2,296	2,240	2,210	2,207	2,134	2,273
1,191	1,217	1,242	1,352	1,314	1,242	1,299	1,240	1,272
67	85	74	69	94	80	75	73	88
31	54	38	40	56	45	48	46	53
36	31	36	29	38	35	27	27	35
26	25	16	28	23	27	21	25	24
17	12	9	13	12	13	9	8	11
9	13	7	15	11	14	12	17	13
725	627	662	635	643	577	655	683	783
368	307	339	306	300	269	332	340	398
357	320	323	329	343	308	323	343	385
50	40	52	45	43	37	51	53	60
24	21	16	18	17	15	29	30	35
26	19	36	27	26	22	22	23	25
10	7	8	14	2	6	8	4	4
7	3	5	11	2	3	5	3	3
3	4	3	3	-	3	3	1	1
9	12	3	2	8	9	7	17	11
3	9	3	-	5	4	5	10	7
6	3	-	2	3	5	2	7	4
54	45	50	59	61	47	57	51	49
32	26	30	30	31	24	36	28	26
22	19	20	29	30	23	21	23	23
3	5	4	1	4	3	5	3	8
1	1	2	1	2	1	1	2	4
2	4	2	-	2	2	4	1	4
335	335	330	349	313	299	325	354	434
185	172	169	180	154	159	175	164	211
150	163	161	169	159	140	150	190	223
1,269	1,241	1,226	1,321	1,221	1,223	1,232	1,267	1,473
742	722	733	764	741	704	738	779	910
527	519	493	557	480	519	494	488	563
798	846	722	812	759	766	809	815	958
482	512	442	456	413	462	466	477	554
316	334	280	356	346	304	343	338	404
6	-	1	4	5	5	6	3	5
1	-	1	3	3	3	4	1	4
5	-	-	1	2	2	2	2	1

Table 70 Number of Deaths Classified According by Gender and Month

ICD-10 Mortality NO.	Cause of Death		Total	Jan	Feb	Mar
I71	Aortic aneurysm and dissection	T.	682	62	55	68
		M.	481	40	46	55
		F.	201	22	9	13
J10-J11	Influenza	T.	58	9	2	2
		M.	36	5	1	2
		F.	22	4	1	-
J12-J18	Pneumonia	T.	8,909	784	712	730
		M.	5,565	500	450	451
		F.	3,344	284	262	279
J20-J21	Acute bronchitis and bronchiolitis	T.	7	3	-	-
		M.	2	-	-	-
		F.	5	3	-	-
J40-J47	Chronic lower respiratory diseases	T.	5,197	483	414	433
		M.	3,823	369	293	315
		F.	1,374	114	121	118
J60-J65	Pneumoconioses	T.	204	23	20	17
		M.	195	20	20	17
		F.	9	3	-	-
J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	T.	550	47	50	59
		M.	333	30	31	42
		F.	217	17	19	17
K25-K28	Peptic ulcer	T.	557	55	58	47
		M.	365	38	38	31
		F.	192	17	20	16
K40-K46, K56	Hernia and intestinal obstruction	T.	302	34	20	26
		M.	185	22	13	12
		F.	117	12	7	14
K70, K73-K74	Chronic liver disease and cirrhosis	T.	4,912	454	426	418
		M.	3,508	324	298	289
		F.	1,404	130	128	129
K80-K82	Cholelithiasis and other disorders of gallbladder	T.	384	30	22	27
		M.	200	14	13	11
		F.	184	16	9	16
L00-L99	Diseases of the skin and subcutaneous tissue	T.	506	47	46	36
		M.	257	25	19	13
		F.	249	22	27	23
M00-M99	Diseases of the musculoskeletal system and connective tissue	T.	1,534	154	111	118
		M.	717	76	47	60
		F.	817	78	64	58
N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	T.	4,105	404	321	355
		M.	2,088	198	182	178
		F.	2,017	206	139	177
O00-O99	Pregnancy, childbirth and the puerperium	T.	7	-	1	-
		M.	-	-	-	-
		F.	7	-	1	-
P00-P96	Certain conditions originating in the perinatal period	T.	324	31	28	23
		M.	178	21	19	11
		F.	146	10	9	12
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	280	24	17	23
		M.	155	17	4	10
		F.	125	7	13	13
R54	Senility	T.	1,518	185	127	141
		M.	700	91	53	57
		F.	818	94	74	84
R95	Sudden infant death syndrome	T.	26	4	3	4
		M.	18	2	2	2
		F.	8	2	1	2



to the General Mortality Condensed List
, 2010 (Cont.1)

Unit : Person

Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
54	37	37	66	61	53	62	51	76
41	22	28	48	41	30	45	30	55
13	15	9	18	20	23	17	21	21
-	-	3	2	11	15	5	5	4
-	-	2	1	6	10	3	3	3
-	-	1	1	5	5	2	2	1
693	690	679	796	813	765	810	669	768
429	438	413	489	489	480	509	422	495
264	252	266	307	324	285	301	247	273
-	1	1	1	1	-	-	-	-
-	1	1	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-
424	425	402	451	424	443	417	407	474
316	303	292	328	304	344	319	296	344
108	122	110	123	120	99	98	111	130
23	19	13	14	14	11	19	15	16
21	18	13	13	14	11	18	15	15
2	1	-	1	-	-	1	-	1
38	47	47	43	47	46	45	36	45
14	26	35	21	24	31	30	24	25
24	21	12	22	23	15	15	12	20
46	40	47	48	47	34	54	38	43
30	28	27	30	30	22	37	23	31
16	12	20	18	17	12	17	15	12
13	25	26	26	31	24	25	22	30
10	14	14	13	19	16	16	16	20
3	11	12	13	12	8	9	6	10
377	369	395	406	397	375	433	403	459
255	272	279	301	292	274	318	284	322
122	97	116	105	105	101	115	119	137
30	30	26	32	29	49	30	37	42
16	20	18	18	14	23	13	18	22
14	10	8	14	15	26	17	19	20
38	51	44	46	36	40	36	38	48
20	24	21	21	25	21	26	13	29
18	27	23	25	11	19	10	25	19
119	152	106	149	112	115	120	128	150
50	70	53	69	58	55	54	57	68
69	82	53	80	54	60	66	71	82
342	321	339	336	309	332	301	337	408
183	166	167	166	161	163	147	166	211
159	155	172	170	148	169	154	171	197
1	-	1	1	1	-	-	1	1
-	-	-	-	-	-	-	-	-
1	-	1	1	1	-	-	1	1
31	23	30	17	35	15	37	26	28
12	14	20	10	15	10	18	13	15
19	9	10	7	20	5	19	13	13
28	17	26	35	26	18	24	20	22
16	10	14	16	13	9	17	14	15
12	7	12	19	13	9	7	6	7
100	93	108	137	110	110	122	111	174
48	46	50	70	47	46	56	54	82
52	47	58	67	63	64	66	57	92
2	1	2	4	1	1	3	-	1
2	-	2	3	1	1	2	-	1
-	1	-	1	-	-	1	-	-

Table 70 Number of Deaths Classified According
by Gender and Month

ICD-10 Mortality NO.	Cause of Death		Total	Jan	Feb	Mar
V01-X59, Y85-Y86	Accidents	T.	6,669	609	544	555
		M.	4,835	439	398	398
		F.	1,834	170	146	157
X60-X84, Y87.0	Intentional self-harm (suicide)	T.	3,889	329	281	343
		M.	2,639	223	193	251
		F.	1,250	106	88	92
X85-Y09, Y87.1	Assault (homicide)	T.	179	22	20	15
		M.	127	18	16	11
		F.	52	4	4	4



to the General Mortality Condensed List
, 2010 (Cont'd)

Unit : Person

Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
520	481	528	636	573	572	576	492	583
384	352	376	463	429	425	417	352	402
136	129	152	173	144	147	159	140	181
337	376	336	385	353	335	259	262	293
227	263	236	254	219	216	184	164	209
110	113	100	131	134	119	75	98	84
13	23	12	13	14	13	11	9	14
8	19	7	5	11	9	9	6	8
5	4	5	8	3	4	2	3	6

Table 71 Deaths under 1 Year Classified According
by Gender and Month

ICD-10 Mortality NO.	Cause of Death		Total	Jan	Feb	Mar
A00-Y98	All causes of death	T.	705	67	62	60
		M.	403	46	38	31
		F.	302	21	24	29
A40-A41	Septicaemia	T.	6	-	1	1
		M.	3	-	-	1
		F.	3	-	1	-
C00-C97	Malignant neoplasms	T.	3	-	-	-
		M.	1	-	-	-
		F.	2	-	-	-
D00-D48	Remainder of neoplasms	T.	2	1	-	-
		M.	1	1	-	-
		F.	1	-	-	-
E40-E64	Malnutrition and other nutritional deficiencies	T.	1	-	-	1
		M.	1	-	-	1
		F.	-	-	-	-
E70-E90	Metabolic disorders	T.	14	3	1	1
		M.	6	1	-	1
		F.	8	2	1	-
G00, G03	Meningitis	T.	3	1	-	-
		M.	2	-	-	-
		F.	1	1	-	-
G80	Infantile cerebral palsy	T.	3	-	1	-
		M.	2	-	1	-
		F.	1	-	-	-
G93	Other disorders of brain	T.	8	1	1	1
		M.	5	1	1	1
		F.	3	-	-	-
I01-I02.0, I05- I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	T.	17	4	-	1
		M.	10	3	-	1
		F.	7	1	-	-
I60-I69	Cerebrovascular diseases	T.	4	1	-	-
		M.	1	1	-	-
		F.	3	-	-	-
J12-J18	Pneumonia	T.	5	-	2	-
		M.	3	-	1	-
		F.	2	-	1	-
J20-J21	Acute bronchitis and acute bronchiolitis	T.	1	1	-	-
		M.	-	-	-	-
		F.	1	1	-	-
J69	Pneumonitis due to solids and liquids	T.	1	-	1	-
		M.	1	-	1	-
		F.	-	-	-	-
K70-K76	Diseases of liver	T.	1	-	-	-
		M.	1	-	-	-
		F.	-	-	-	-
N17-N19	Renal failure	T.	2	-	1	-
		M.	1	-	-	-
		F.	1	-	1	-
P00-P04	Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery	T.	9	-	1	-
		M.	4	-	-	-
		F.	5	-	1	-
P05-P08	Disorders relating to length of gestation and fetal growth	T.	33	3	4	-
		M.	18	2	3	-
		F.	15	1	1	-
P10-P15	Birth trauma	T.	2	-	-	1
		M.	1	-	-	-
		F.	1	-	-	1

to the General Mortality Condensed List
, 2010

Unit : Person

Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
68	51	59	54	58	43	68	53	62
32	27	40	30	29	23	43	32	32
36	24	19	24	29	20	25	21	30
-	-	-	-	-	-	1	-	3
-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	2
-	-	1	-	1	-	-	-	1
-	-	-	-	1	-	-	-	-
-	-	1	-	-	-	-	-	1
-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
3	1	-	1	-	-	1	2	1
1	-	-	-	-	-	1	1	1
2	1	-	1	-	-	-	1	-
-	-	-	1	-	-	1	-	-
-	-	-	1	-	-	1	-	-
-	1	-	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-
1	-	-	-	-	1	-	2	1
1	-	-	-	-	-	-	-	1
-	-	-	-	-	1	-	2	-
3	2	2	-	-	2	1	1	1
1	1	2	-	-	1	1	-	-
2	1	-	-	-	1	-	1	1
-	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	2
1	-	-	-	-	2	-	-	-
1	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-
1	-	1	1	-	1	1	-	3
-	-	-	-	-	-	1	-	3
1	-	1	1	-	1	-	-	-
6	2	2	1	5	-	3	1	6
3	-	1	-	3	-	2	1	3
3	2	1	1	2	-	1	-	3
-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-



Table 71 Deaths under 1 Year Classified According
by Gender and Month

ICD-10 Mortality NO.	Cause of Death		Total	Jan	Feb	Mar
P20-P28	Respiratory disorders originating in the perinatal period	T.	107	9	5	9
		M.	58	8	4	5
		F.	49	1	1	4
P35-P39	Infections specific to the perinatal period	T.	39	4	2	4
		M.	23	2	2	2
		F.	16	2	-	2
P50-P61	Haemorrhagic and haematological disorders of fetus and newborn	T.	21	-	1	2
		M.	11	-	1	-
		F.	10	-	-	2
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	161	10	11	14
		M.	96	9	4	6
		F.	65	1	7	8
R95	Sudden infant death syndrome	T.	26	4	3	4
		M.	18	2	2	2
		F.	8	2	1	2
V01-X59, Y85-Y86	Accidents	T.	37	3	5	3
		M.	23	2	4	2
		F.	14	1	1	1
X85-Y09, Y87.1	Assault (homicide)	T.	5	1	-	1
		M.	4	-	-	1
		F.	1	1	-	-

to the General Mortality Condensed List
, 2010 (Cont'd)

Unit : Person

Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
8	8	7	9	12	7	9	16	8
1	5	5	5	4	4	4	9	4
7	3	2	4	8	3	5	7	4
2	4	4	2	6	-	6	3	2
1	3	4	2	3	-	2	1	1
1	1	-	-	3	-	4	2	1
3	1	1	1	3	2	4	1	2
1	1	1	1	2	1	2	-	1
2	-	-	-	1	1	2	1	1
15	10	17	22	15	12	15	7	13
8	7	10	9	9	6	13	6	9
7	3	7	13	6	6	2	1	4
2	1	2	4	1	1	3	-	1
2	-	2	3	1	1	2	-	1
-	1	-	1	-	-	1	-	-
4	4	3	4	-	3	2	5	1
2	-	3	4	-	1	2	3	-
2	4	-	-	-	2	-	2	1
-	-	-	1	1	1	-	-	-
-	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-



Table 72 Number of Deaths at Age 15 and over Classified by Gender and Marital Status

ICD-10 Mortality NO.	Cause of Death		Total	Single
A00-Y98	All causes of death	T.	143,430	13,539
		M.	87,639	10,831
		F.	55,791	2,708
A00-A09	Intestinal infectious diseases	T.	51	5
		M.	26	4
		F.	25	1
A15-A19	Tuberculosis	T.	654	63
		M.	476	59
		F.	178	4
A40-A41	Septicemia	T.	3,766	329
		M.	2,028	267
		F.	1,738	62
B15-B19	Viral hepatitis	T.	256	28
		M.	181	24
		F.	75	4
B20-B24	Human immunodeficiency virus [HIV] disease	T.	115	68
		M.	109	66
		F.	6	2
C00-C97	Malignant neoplasms	T.	40,936	2,763
		M.	25,963	1,955
		F.	14,973	808
D00-D48	Remainder of neoplasms	T.	960	83
		M.	564	60
		F.	396	23
D50-D64	Anaemias	T.	273	25
		M.	136	20
		F.	137	5
E10-E14	Diabetes mellitus	T.	8,210	381
		M.	4,062	305
		F.	4,148	76
F01-F03	Vascular and unspecified dementia	T.	590	20
		M.	273	18
		F.	317	2
G00, G03	Meningitis	T.	82	16
		M.	55	12
		F.	27	4
G12	Spinal muscular atrophy and related syndromes	T.	91	9
		M.	53	6
		F.	38	3
G20-G21	Parkinson's disease	T.	623	20
		M.	363	17
		F.	260	3
G30	Alzheimer's disease	T.	52	2
		M.	20	1
		F.	32	1
I10-I15	Hypertensive diseases	T.	4,173	219
		M.	2,128	177
		F.	2,045	42
I01-I02.0, I05-I09, I20-I25, I27, I30- I52	Diseases of heart (except hypertensive diseases)	T.	15,632	1,228
		M.	9,368	1,022
		F.	6,264	206
I60-I69	Cerebrovascular diseases	T.	10,119	604
		M.	5,955	508
		F.	4,164	96
I70	Atherosclerosis	T.	47	2
		M.	26	2
		F.	21	-

According to the General Mortality Condensed List
, 2010

Unit : Person

Married	Divorced	Widowed	Unknown
76,080	8,840	43,616	1,355
55,079	6,711	14,185	833
21,001	2,129	29,431	522
30	2	14	-
17	1	4	-
13	1	10	-
318	32	232	9
268	30	111	8
50	2	121	1
1,775	159	1,448	55
1,216	112	403	30
559	47	1,045	25
180	10	34	4
133	6	14	4
47	4	20	-
26	15	2	4
25	12	2	4
1	3	-	-
26,556	2,415	8,907	295
18,906	1,709	3,219	174
7,650	706	5,688	121
510	39	321	7
361	32	106	5
149	7	215	2
122	11	114	1
80	7	28	1
42	4	86	-
4,313	377	3,066	73
2,742	275	708	32
1,571	102	2,358	41
228	8	329	5
164	6	84	1
64	2	245	4
34	8	23	1
29	7	7	-
5	1	16	1
60	5	17	-
42	2	3	-
18	3	14	-
352	17	234	-
262	11	73	-
90	6	161	-
24	-	26	-
7	-	12	-
17	-	14	-
1,854	192	1,883	25
1,334	148	456	13
520	44	1,427	12
7,852	874	5,514	164
5,870	711	1,660	105
1,982	163	3,854	59
5,399	473	3,538	105
3,911	369	1,106	61
1,488	104	2,432	44
20	-	24	1
15	-	9	-
5	-	15	1



Table 72 Number of Deaths at Age 15 and over Classified by Gender and Marital Status

ICD-10 Mortality NO.	Cause of Death		Total	Single
I71	Aortic aneurysm and dissection	T.	682	34
		M.	481	31
		F.	201	3
J10-J11	Influenza	T.	55	8
		M.	34	5
		F.	21	3
J12-J18	Pneumonia	T.	8,886	819
		M.	5,553	719
		F.	3,333	100
J20-J21	Acute bronchitis and bronchiolitis	T.	6	-
		M.	2	-
		F.	4	-
J40-J47	Chronic lower respiratory diseases	T.	5,192	395
		M.	3,820	352
		F.	1,372	43
J60-J65	Pneumoconioses	T.	204	5
		M.	195	5
		F.	9	-
J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	T.	546	42
		M.	330	34
		F.	216	8
K25-K28	Peptic ulcer	T.	557	54
		M.	365	51
		F.	192	3
K40-K46, K56	Hernia and intestinal obstruction	T.	302	33
		M.	185	25
		F.	117	8
K70, K73-K74	Chronic liver disease and cirrhosis	T.	4,910	640
		M.	3,507	582
		F.	1,403	58
K80-K82	Cholelithiasis and other disorders of gallbladder	T.	384	24
		M.	200	22
		F.	184	2
L00-L99	Diseases of the skin and subcutaneous tissue	T.	506	41
		M.	257	36
		F.	249	5
M00-M99	Diseases of the musculoskeletal system and connective tissue	T.	1,526	137
		M.	712	76
		F.	814	61
N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	T.	4,098	226
		M.	2,083	169
		F.	2,015	57
O00-O99	Pregnancy, childbirth and the puerperium	T.	7	1
		M.	-	-
		F.	7	1
P00-P96	Certain conditions originating in the perinatal period	T.	-	-
		M.	-	-
		F.	-	-
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	76	47
		M.	37	28
		F.	39	19
R54	Senility	T.	1,518	42
		M.	700	28
		F.	818	14
R95	Sudden infant death syndrome	T.	-	-
		M.	-	-
		F.	-	-

According to the General Mortality Condensed List
, 2010 (Cont.1)

Unit : Person

Married	Divorced	Widowed	Unknown
415	39	182	12
327	28	85	10
88	11	97	2
27	6	14	-
21	5	3	-
6	1	11	-
3,945	338	3,654	130
3,077	279	1,397	81
868	59	2,257	49
3	-	3	-
2	-	-	-
1	-	3	-
2,626	146	1,955	70
2,264	121	1,039	44
362	25	916	26
135	8	56	-
133	8	49	-
2	-	7	-
261	15	217	11
196	12	80	8
65	3	137	3
281	25	191	6
212	22	75	5
69	3	116	1
142	12	110	5
105	9	41	5
37	3	69	-
2,722	640	858	50
2,086	556	245	38
636	84	613	12
180	14	164	2
115	10	52	1
65	4	112	1
209	14	236	6
142	13	61	5
67	1	175	1
612	60	703	14
389	41	200	6
223	19	503	8
2,081	174	1,575	42
1,339	125	429	21
742	49	1,146	21
6	-	-	-
-	-	-	-
6	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
18	2	9	-
8	-	1	-
10	2	8	-
515	22	936	3
381	13	277	1
134	9	659	2
-	-	-	-
-	-	-	-
-	-	-	-



Table 72 Number of Deaths at Age 15 and over Classified by Gender and Marital Status

ICD-10 Mortality NO.	Cause of Death		Total	Single
V01-X59, Y85-Y86	Accidents	T.	6,482	1,732
		M.	4,707	1,438
		F.	1,775	294
X60-X84, Y87.0	Intentional self-harm (suicide)	T.	3,883	1,092
		M.	2,635	821
		F.	1,248	271
X85-Y09, Y87.1	Assault (homicide)	T.	161	46
		M.	117	41
		F.	44	5

According to the General Mortality Condensed List
, 2010 (Cont'd)

Unit : Person

Married	Divorced	Widowed	Unknown
3,111	642	961	36
2,405	487	348	29
706	155	613	7
1,561	832	385	13
1,074	563	166	11
487	269	219	2
61	40	11	3
43	26	5	2
18	14	6	1



Table 73 Number of Deaths Classified According by Gender and Place

ICD-10 Mortality NO.	Cause of Death		Total	Hospital
A00-Y98	All causes of death	T.	144,709	63,951
		M.	88,374	40,548
		F.	56,335	23,403
A00-A09	Intestinal infectious diseases	T.	52	30
		M.	27	14
		F.	25	16
A15-A19	Tuberculosis	T.	654	381
		M.	476	293
		F.	178	88
A40-A41	Septicemia	T.	3,784	2,303
		M.	2,035	1,314
		F.	1,749	989
B15-B19	Viral hepatitis	T.	258	135
		M.	182	101
		F.	76	34
B20-B24	Human immunodeficiency virus [HIV] disease	T.	115	102
		M.	109	96
		F.	6	6
C00-C97	Malignant neoplasms	T.	41,046	20,229
		M.	26,022	12,810
		F.	15,024	7,419
D00-D48	Remainder of neoplasms	T.	968	460
		M.	569	284
		F.	399	176
D50-D64	Anaemias	T.	282	137
		M.	140	73
		F.	142	64
E10-E14	Diabetes mellitus	T.	8,211	2,323
		M.	4,062	1,200
		F.	4,149	1,123
F01-F03	Vascular and unspecified dementia	T.	590	151
		M.	273	77
		F.	317	74
G00, G03	Meningitis	T.	86	44
		M.	58	29
		F.	28	15
G12	Spinal muscular atrophy and related syndromes	T.	93	34
		M.	54	20
		F.	39	14
G20-G21	Parkinson's disease	T.	623	165
		M.	363	95
		F.	260	70
G30	Alzheimer's disease	T.	52	14
		M.	20	5
		F.	32	9
I10-I15	Hypertensive diseases	T.	4,174	821
		M.	2,128	435
		F.	2,046	386
I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	T.	15,675	6,458
		M.	9,389	4,059
		F.	6,286	2,399
I60-I69	Cerebrovascular diseases	T.	10,134	4,042
		M.	5,963	2,572
		F.	4,171	1,470
I70	Atherosclerosis	T.	48	28
		M.	27	16
		F.	21	12

to the General Mortality Condensed List
, 2010

Unit : Person

Clinic	Midwife Clinic	Home	Other
171	6	70,638	9,943
99	3	40,878	6,846
72	3	29,760	3,097
-	-	21	1
-	-	12	1
-	-	9	-
-	-	258	15
-	-	171	12
-	-	87	3
1	1	1,426	53
-	-	691	30
1	1	735	23
-	-	117	6
-	-	77	4
-	-	40	2
-	-	11	2
-	-	11	2
-	-	-	-
25	-	19,986	806
13	-	12,673	526
12	-	7,313	280
1	-	470	37
-	-	265	20
1	-	205	17
-	-	141	4
-	-	64	3
-	-	77	1
16	-	5,249	623
7	-	2,504	351
9	-	2,745	272
-	-	368	71
-	-	156	40
-	-	212	31
-	-	40	2
-	-	29	-
-	-	11	2
-	-	57	2
-	-	32	2
-	-	25	-
-	-	403	55
-	-	232	36
-	-	171	19
-	-	37	1
-	-	15	-
-	-	22	1
6	-	2,882	465
3	-	1,401	289
3	-	1,481	176
30	1	8,044	1,142
19	-	4,459	852
11	1	3,585	290
8	1	5,443	640
6	1	2,984	400
2	-	2,459	240
-	-	20	-
-	-	11	-
-	-	9	-



Table 73 Number of Deaths Classified According by Gender and Place

ICD-10 Mortality NO.	Cause of Death		Total	Hospital
I71	Aortic aneurysm and dissection	T.	682	390
		M.	481	276
		F.	201	114
J10-J11	Influenza	T.	58	29
		M.	36	19
		F.	22	10
J12-J18	Pneumonia	T.	8,909	5,066
		M.	5,565	3,352
		F.	3,344	1,714
J20-J21	Acute bronchitis and bronchiolitis	T.	7	2
		M.	2	1
		F.	5	1
J40-J47	Chronic lower respiratory diseases	T.	5,197	2,300
		M.	3,823	1,726
		F.	1,374	574
J60-J65	Pneumoconioses	T.	204	79
		M.	195	73
		F.	9	6
J66, J68-J69	Lung diseases due to external agents (except Pneumoconiosis and Pneumonia)	T.	550	329
		M.	333	205
		F.	217	124
K25-K28	Peptic ulcer	T.	557	243
		M.	365	158
		F.	192	85
K40-K46, K56	Hernia and intestinal obstruction	T.	302	173
		M.	185	112
		F.	117	61
K70, K73-K74	Chronic liver disease and cirrhosis	T.	4,912	2,258
		M.	3,508	1,638
		F.	1,404	620
K80-K82	Cholelithiasis and other disorders of gallbladder	T.	384	174
		M.	200	98
		F.	184	76
L00-L99	Diseases of the skin and subcutaneous tissue	T.	506	254
		M.	257	154
		F.	249	100
M00-M99	Diseases of the musculoskeletal system and connective tissue	T.	1,534	431
		M.	717	213
		F.	817	218
N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	T.	4,105	1,947
		M.	2,088	1,046
		F.	2,017	901
O00-O99	Pregnancy, childbirth and the puerperium	T.	7	5
		M.	-	-
		F.	7	5
P00-P96	Certain conditions originating in the perinatal period	T.	324	303
		M.	178	165
		F.	146	138
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	280	211
		M.	155	117
		F.	125	94
R54	Senility	T.	1,518	15
		M.	700	6
		F.	818	9
R95	Sudden infant death syndrome	T.	26	19
		M.	18	12
		F.	8	7

to the General Mortality Condensed List
, 2010 (Cont.1)

Unit : Person

Clinic	Midwife Clinic	Home	Other
1	-	277	14
1	-	194	10
-	-	83	4
-	-	26	3
-	-	14	3
-	-	12	-
3	1	3,647	192
2	1	2,095	115
1	-	1,552	77
-	-	5	-
-	-	1	-
-	-	4	-
4	-	2,652	241
3	-	1,924	170
1	-	728	71
-	-	119	6
-	-	117	5
-	-	2	1
-	-	210	11
-	-	120	8
-	-	90	3
-	-	293	21
-	-	189	18
-	-	104	3
-	-	126	3
-	-	72	1
-	-	54	2
3	-	2,467	184
2	-	1,711	157
1	-	756	27
-	-	201	9
-	-	98	4
-	-	103	5
1	-	235	16
-	-	98	5
1	-	137	11
3	-	947	153
2	-	432	70
1	-	515	83
5	-	2,019	134
1	-	970	71
4	-	1,049	63
-	-	1	1
-	-	-	-
-	-	1	1
14	-	6	1
8	-	5	-
6	-	1	1
11	-	43	15
6	-	23	9
5	-	20	6
1	-	1,391	111
-	-	638	56
1	-	753	55
-	-	2	5
-	-	2	4
-	-	-	1



Table 73 Number of Deaths Classified According
by Gender and Place

ICD-10 Mortality NO.	Cause of Death		Total	Hospital
V01-X59, Y85-Y86	Accidents	T.	6,669	3,629
		M.	4,835	2,653
		F.	1,834	976
X60-X84, Y87.0	Intentional self-harm (suicide)	T.	3,889	834
		M.	2,639	495
		F.	1,250	339
X85-Y09, Y87.1	Assault (homicide)	T.	179	80
		M.	127	62
		F.	52	18

to the General Mortality Condensed List
, 2010 (Cont'd)

Unit : Person

Clinic	Midwife Clinic	Home	Other
14	1	1,607	1,418
12	-	1,085	1,085
2	1	522	333
6	1	1,497	1,551
3	1	1,031	1,109
3	-	466	442
1	-	29	69
-	-	17	48
1	-	12	21



Table 74 The International Comparison of Standardized Mortality

Based on 2000 W.H.O. Standard Population

unit : 0/0000

Year	Nation								
	Republic of China	United States	Germany	United Kingdom	Italy	Japan	Australia	Singapore	Korea
1985	735.9	661.0	824.8#	701.2	636.1	511.2	636.7	759.9	771.0
1986	731.7	655.2	818.0#	684.0	617.0	489.6	594.1	704.1	717.7
1987	714.7	648.4	784.3#	659.4	590.2	471.6	595.0	700.0	715.5
1988	730.1	649.8	783.9#	655.9	580.4	480.0	581.4	681.8	673.0
1989	707.8	633.9	757.8#	653.1	558.4	461.2	594.4	674.4	643.4
1990	693.4	630.0	646.8	634.4	556.5	463.6	551.4	639.5	631.2
1991	669.5	622.3	642.7	628.7	559.3	453.9	534.2	583.6	636.0
1992	672.0	611.9	628.1	612.8	548.5	454.1	538.2	581.7	653.5
1993	647.2	625.5	637.4	631.5	546.5	451.6	515.5	566.4	672.0
1994	638.6*	618.7	627.2	603.5	547.7	438.7	528.1	568.3	704.0
1995	647.7	616.3	616.4	609.1	542.2	446.7	507.6	573.9	677.5
1996	641.1	603.7	601.6	593.8	525.0	420.0	503.3	555.4	649.1
1997	610.7	591.1	576.0	581.1	514.3	413.9	490.5	528.9	634.5
1998	600.8	583.8	561.4	574.8	511.7	412.4	472.7	529.0	615.6
1999	594.1	586.6	549.8	571.4	493.4	417.4	461.3	511.0	606.8
2000	569.4	576.3	536.6	546.8	476.5	394.9	449.3	501.5	589.9
2001	558.7	568.5	520.0	541.0	463.9	384.5	433.8	471.6	561.9
2002	539.8	564.2	517.3	535.7	449.9	375.8	433.4	464.5	556.6
2003	532.3	557.3	513.5	532.6	456.2	374.9	417.5	451.6	532.8
2004	528.7	538.2	482.4	505.4	-	367.2	-	420.0	511.3
2005	530.0	539.2	476.6	497.4	-	371.4	-	410.6	489.7
2006	495.4	-	462.7	484.4	-	359.5	-	395.1	467.2
2007	491.6	-	-	-	-	-	-	-	-
2008	484.3	-	-	-	-	-	-	-	-
2009	466.7	-	-	-	-	-	-	-	-
2010	455.6	-	-	-	-	-	-	-	-

Data Source: Calculated from the World Health Organization Mortality Database, Table 1.

Remark : 1. * Starting from 1994, the data in the table includes Kinmen and Lianjiang counties.

2. # pertains to West Germany.

3. Starting from 2008, R.O.C. adopt ICD-10 CODE.

Table 75 The International Comparison of Standardized Cancer Mortality

Based on 2000 W.H.O. Standard Population

unit : 0/0000

Year	Nation								
	Republic of China	United States	Germany	United Kingdom	Italy	Japan	Australia	Singapore	Korea
1985	119.4	151.1	144.1#	173.9	160.6	126.9	150.0	160.7	108.0
1986	118.3	150.8	142.7#	171.7	159.6	124.8	146.2	155.6	109.2
1987	118.9	150.6	141.9#	171.8	161.4	125.6	147.5	162.5	109.7
1988	121.1	150.6	142.9#	172.4	160.7	125.2	147.0	145.1	113.9
1989	121.7	151.2	142.2#	171.6	157.2	125.4	148.6	157.8	116.9
1990	115.3	153.6	153.8	170.0	156.6	124.2	144.7	150.6	119.2
1991	117.8	153.2	157.3	168.9	157.4	124.0	145.0	143.4	115.9
1992	121.9	151.9	158.1	168.2	155.3	124.5	144.5	142.1	129.7
1993	125.5	151.7	158.3	164.6	155.0	122.8	143.5	139.9	135.7
1994	126.9*	150.5	155.7	162.6	154.7	123.4	145.9	144.1	139.4
1995	136.4	149.1	153.5	159.9	147.1	128.7	140.1	144.7	137.0
1996	143.5	146.9	150.7	157.0	145.9	128.5	140.3	141.4	133.2
1997	144.3	144.5	146.4	153.4	143.6	126.4	136.4	143.5	133.0
1998	140.5	142.1	146.1	152.7	142.3	126.3	135.4	136.9	125.3
1999	138.3	141.9	143.2	149.2	138.8	125.4	131.6	135.1	129.3
2000	141.6	139.2	141.3	146.5	137.9	123.6	130.5	134.5	134.8
2001	143.1	136.7	137.2	148.2	138.5	122.0	129.8	130.7	132.8
2002	144.2	134.9	136.5	146.8	136.1	119.3	128.2	128.6	136.6
2003	143.1	132.3	133.8	143.9	134.7	117.4	124.7	115.6	133.1
2004	142.8	129.3	130.9	143.3	-	118.0	-	112.7	129.8
2005	141.2	127.9	129.4	139.6	-	115.5	-	107.0	126.2
2006	139.3	-	127.2	138.8	-	113.3	-	111.0	122.1
2007	142.6	-	-	-	-	-	-	-	-
2008	133.7	-	-	-	-	-	-	-	-
2009	132.5	-	-	-	-	-	-	-	-
2010	131.6	-	-	-	-	-	-	-	-

Data Source: Calculated from Table 1 of the World Health Organization Mortality Database and 1999 and 2000 United States statistical data, using NVSS Vol. 49, No. 8, Table 9, and NVSS Vol. 50, No. 15, Table 10.

Note : 1. * Starting from 1994, the data in the table includes Kinmen and Lianjiang counties.

2. # pertains to West Germany.

3. Starting from 2008, R.O.C. adopt ICD-10 CODE.



Table 76 The International Comparison of Main Causes of Standardized Mortality

Based on 2000 W.H.O. Standard Population

unit : 0/0000

ICD-10 Code	Cause of Death	Republic of China 2010		Japan	United States	Germany	United Kingdom	Singapore	Korea
		Death Rate	Standardized Death Rate	2006	2005	2006	2006	2006	2006
	Total	625.3	455.6	359.5	539.2	462.7	484.4	395.1	467.2
C00-C97	Malignant neoplasms	177.4	131.6	113.3	127.9	127.2	138.8	111.0	122.1
I01-I02.0, I05- I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	67.7	47.4	53.6	125.9	123.2	97.2	81.4	39.2
I60-I69	Cerebrovascular diseases	43.8	30.6	38.6	28.2	32.3	40.6	35.9	57.5
J12-J18	Pneumonia	38.5	25.6	29.0	11.8	10.0	23.0	56.6	9.1
E10-E14	Diabetes mellitus	35.5	25.3	4.5	16.6	11.5	5.3	13.4	21.8
V01-X59, Y85-Y86	Accidents	28.8	24.4	16.9	34.8	15.0	16.2	9.7	29.8
J40-J47	Chronic lower respiratory diseases	22.5	14.8	5.0	26.9	13.1	22.1	1.4	13.5
K70, K73-K74	Chronic liver disease and cirrhosis	21.2	16.1	5.8	8.3	11.5	10.3	2.3	12.8
X60-X84, Y87.0	Intentional self- harm (suicide)	16.8	13.8	18.5	9.9	8.6	6.1	8.9	19.4
N00-N07, N17-N19, N25-N27	Nephritis, nephrotic syndrome and nephrosis	17.7	12.4	6.4	9.1	5.4	3.1	6.9	5.3

Data Source: Calculated from the World Health Organization Mortality Database, Table 1.

Remark : 1. R.O.C.,Japan,United States,Germany,United Kingdom and Korea adopt ICD-10 CODE.

2. 28※ Indicates ICD-9 codes 420-429.

3. The ICD-9 BASIC CODE for heart disease (#) includes 250,251,27,28 (same as Singapore)



Table 77 The International
Accident and
Bases on 2000 W.H.O.

Nation Cause of Death	Republic of China 2010	United States 2005	Germany 2006	United Kingdom 2006
Accidents and Adverse Effects	24.4	31.3	17.9	14.9
Male	35.8	43.8	25.0	20.1
Female	13.1	19.2	10.8	9.6
Motor Vehicle Traffic Accidents	13.3	14.4	6.6	5.2
Male	19.2	20.1	9.8	8.2
Female	7.4	9.0	3.4	2.3
Suicide and self-inflicted injury	13.8	9.5	10.5	6.3
Male	18.8	15.8	16.5	10.0
Female	8.8	3.6	4.9	2.7

Data Source: Calculated from the World Health Organization Mortality Database, Table 1.

Note: 1. Taiwan Area Accidental Injuries (Per 100,000 People) Standardized

Mortality Rates: Year 2005 Total 34.0 , Male 50.0 , Female 17.8;

Year 2006 Total 31.9 , Male 47.2 , Female 16.3 .

2. Taiwan Area Motor Vehicle Transportation Accident (Per 100,000 People)

Standardized Mortality Rates: Year 2005 Total 19.4 , Male 28.3 , Female 10.3 ;

Year 2006 Total 18.6 , Male 27.3 , Female 9.7 .

3. Taiwan Area Suicide and Self-Inflicted (Per 100,000 People) Standardized

Mortality Rate: Year 2005 Total 16.6 , Male 22.9 , Female 10.2 ;


Year 2006 Total 16.8 , Male 23.4 , Female 10.1 .

Comparison of Standardized
Suicide Mortality
Standard Population


Unit:0/0000


Italy 2003	Japan 2006	Australia 2003	Singapore 2006	Korea 2006
24.0	19.5	21.7	10.3	37.7
34.0	28.4	30.7	15.5	54.5
14.2	11.5	12.8	5.2	22.1
11.9	6.5	8.6	5.3	17.3
19.0	9.7	12.8	9.0	25.7
5.0	3.4	4.4	1.6	9.7
5.3	18.0	11.8	8.9	17.1
8.6	27.1	18.9	11.4	25.2
2.4	9.2	4.9	6.5	10.1





Appendices





(I) Annex Tables



Annex 1 Composition of

Age Group	2010 Mid-year Population			2010 End of Year Population		
	Total	Male	Female	Total	Male	Female
Total	23,140,948	11,635,980	11,504,968	23,162,123	11,635,225	11,526,898
0	169,940	88,556	81,384	157,282	82,126	75,156
1 - 4	813,186	424,650	388,536	806,811	421,274	385,537
5 - 9	1,207,116	630,783	576,332	1,158,304	605,233	553,071
10 - 14	1,510,922	786,811	724,112	1,501,914	782,666	719,248
15 - 19	1,613,240	840,193	773,048	1,608,154	836,734	771,420
20 - 24	1,588,332	820,165	768,166	1,586,737	821,067	765,670
25 - 29	1,918,770	969,209	949,561	1,886,699	953,304	933,395
30 - 34	2,005,602	1,001,368	1,004,234	2,029,110	1,012,113	1,016,997
35 - 39	1,798,349	894,338	904,012	1,791,704	889,468	902,236
40 - 44	1,865,280	934,712	930,568	1,862,445	932,140	930,305
45 - 49	1,905,172	953,558	951,614	1,904,868	952,466	952,402
50 - 54	1,768,061	877,871	890,190	1,780,392	883,709	896,683
55 - 59	1,535,186	755,636	779,550	1,572,529	773,674	798,855
60 - 64	969,022	472,312	496,709	1,027,281	500,740	526,541
65 - 69	750,462	358,008	392,454	736,850	351,553	385,297
70 - 74	638,202	294,024	344,178	648,886	298,770	350,116
75 - 79	496,620	238,584	258,035	497,209	234,614	262,595
80 - 84	356,756	185,620	171,136	364,105	188,509	175,596
85+	230,730	109,580	121,150	240,843	115,065	125,778
85 - 89	166,150	80,976	85,174	173,270	85,006	88,264
90 - 94	50,880	22,585	28,295	53,396	23,822	29,574
95+	13,700	6,020	7,680	14,177	6,237	7,940
Infant	169,940	88,556	81,384	157,282	82,126	75,156
Early Youth	3,531,224	1,842,244	1,688,980	3,467,029	1,809,173	1,657,856
Youth	3,201,572	1,660,358	1,541,214	3,194,891	1,657,801	1,537,090
Prime Age	7,588,001	3,799,627	3,788,375	7,569,958	3,787,025	3,782,933
Middle Age	6,177,441	3,059,377	3,118,063	6,285,070	3,110,589	3,174,481
Old Age	2,472,770	1,185,816	1,286,953	2,487,893	1,188,511	1,299,382
Young Old	1,388,664	652,032	736,632	1,385,736	650,323	735,413
Middle Old	853,376	424,204	429,171	861,314	423,123	438,191
Old Old	217,030	103,561	113,469	226,666	108,828	117,838
Oldest Old	13,700	6,020	7,680	14,177	6,237	7,940

note: Infant is 0 years of age ; Early youth is 1-14 years of age ;
Youth is 15-24 years of age ; Prime age is 25-44 years of age ;
Middle age is 45-64 years of age ; Old age is above 65 years old ;
Youth old is 65-74 years of age ; Middle old is 75-84 years of age ;
Old old is 85-94 years of age ; Oldest old is above 95 years old.

Population by Age Group

2005 Mid-year Population			The Structure of World Population in 2000 from W.H.O.
Total	Male	Female	
22,729,752	11,552,012	11,177,740	100,000
201,136	105,264	95,872	1,800
993,013	518,888	474,125	7,000
1,511,978	787,608	724,370	8,700
1,616,944	843,236	773,708	8,600
1,591,460	824,736	766,724	8,500
1,896,302	972,190	924,112	8,200
1,980,548	1,007,574	972,975	7,900
1,789,243	902,916	886,327	7,600
1,873,974	948,460	925,513	7,200
1,925,748	974,025	951,724	6,600
1,796,226	902,788	893,438	6,000
1,570,398	784,436	785,962	5,400
1,003,456	497,610	505,846	4,600
795,688	387,823	407,865	3,700
704,828	334,677	370,152	3,000
587,254	293,730	293,524	2,200
472,692	257,704	214,988	1,500
265,648	137,414	128,234	900
153,216	70,934	82,282	600
108,131	51,116	57,016	...
36,489	16,156	20,334	...
8,598	3,664	4,934	...
201,134	105,264	95,870	1,800
4,121,932	2,149,731	1,972,202	24,300
3,487,764	1,796,927	1,690,838	16,700
7,569,512	3,832,975	3,736,538	29,300
5,165,772	2,572,659	2,593,113	19,700
2,183,640	1,094,459	1,089,181	8,200
1,292,081	628,407	663,675	5,200
738,341	395,118	343,223	2,400
144,620	67,271	77,349	600
8,598	3,664	4,934	...



Annex 2 Composition of Population by Locale

Locale	2010					
	Mid-year Population			End of Year Population		
	Total	Male	Female	Total	Male	Female
Total	23,140,948	11,635,980	11,504,968	23,162,123	11,635,225	11,526,898
New Taipei City	3,885,510	1,931,621	1,953,889	3,897,367	1,935,668	1,961,699
Taipei City	2,613,100	1,261,502	1,351,598	2,618,772	1,262,554	1,356,218
Taichung City	2,642,090	1,317,189	1,324,901	2,648,419	1,319,156	1,329,263
Tainan City	1,874,600	945,080	929,520	1,873,794	944,044	929,750
Koahsiung City	2,772,185	1,392,040	1,380,144	2,773,483	1,390,927	1,382,556
Ilan County	461,056	235,198	225,858	460,486	234,682	225,804
Taoyuan County	1,990,421	1,004,170	986,252	2,002,060	1,009,274	992,786
Hsinchu County	511,948	263,676	248,272	513,015	264,014	249,001
Miaoli County	561,356	291,697	269,659	560,968	291,177	269,791
Changhua County	1,309,876	672,703	637,174	1,307,286	670,812	636,474
Nantou County	528,658	272,324	256,333	526,491	271,053	255,438
Yunlin County	720,224	376,330	343,894	717,653	374,746	342,907
Chaiyi City	545,482	284,654	260,828	543,248	283,284	259,964
Pingtung County	878,074	451,846	426,228	873,509	449,267	424,242
Taitung County	231,585	121,326	110,259	230,673	120,747	109,926
Hwalien County	339,884	175,368	164,517	338,805	174,584	164,221
Penghu County	96,564	49,634	46,930	96,918	49,769	47,149
Keelung City	386,228	194,752	191,475	384,134	193,573	190,561
Hsinchu City	413,466	205,442	208,024	415,344	206,243	209,101
Chiayi City	273,126	134,508	138,618	272,390	134,036	138,354
Kinmen County	95,584	49,173	46,410	97,364	49,871	47,493
Lienjiang County	9,932	5,746	4,185	9,944	5,744	4,200

Source : Ministry of the Interior, R.O.C.
 Remark : Based on Date of Registration.

Annex 3 Dynamical Population by Locale

Locale	2010								
	No. of Live-Birth			No. of Death			No. of Natural Increase		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	166,473	86,804	79,669	145,804	89,154	56,650	20,669	-2,350	23,019
New Taipei City	3,385	1,740	1,645	4,271	2,592	1,679	-886	-852	-34
Taipei City	27,493	14,323	13,170	18,384	11,520	6,864	9,109	2,803	6,306
Taichung City	9,445	4,972	4,473	11,731	7,087	4,644	-2,286	-2,115	-171
Tainan City	15,288	7,996	7,292	11,074	6,676	4,398	4,214	1,320	2,894
Koahsiung City	11,077	5,753	5,324	8,654	5,195	3,459	2,423	558	1,865
Ilan County	5,092	2,725	2,367	6,258	3,753	2,505	-1,166	-1,028	-138
Taoyuan County	3,468	1,776	1,692	4,981	2,993	1,988	-1,513	-1,217	-296
Hsinchu County	6,557	3,471	3,086	8,762	5,148	3,614	-2,205	-1,677	-528
Miaoli County	7,765	3,981	3,784	8,816	5,557	3,259	-1,051	-1,576	525
Changhua County	1,703	897	806	2,276	1,430	846	-573	-533	-40
Nantou County	2,348	1,224	1,124	3,122	1,992	1,130	-774	-768	-6
Yunlin County	661	346	315	851	514	337	-190	-168	-22
Chaiyi City	2,145	1,093	1,052	2,684	1,638	1,046	-539	-545	6
Pingtung County	1,776	931	845	1,762	1,020	742	14	-89	103
Taitung County	5,100	2,688	2,412	4,475	2,688	1,787	625	0	625
Hwalien County	18,677	9,696	8,981	15,356	9,113	6,243	3,321	583	2,738
Penghu County	10,810	5,597	5,213	9,207	5,614	3,593	1,603	-17	1,620
Keelung City	15,792	8,229	7,563	10,219	6,624	3,595	5,573	1,605	3,968
Hsinchu City	4,861	2,563	2,298	3,373	2,068	1,305	1,488	495	993
Chiayi City	11,891	6,198	5,693	9,012	5,616	3,396	2,879	582	2,297
Kinmen County	1,042	550	492	487	288	199	555	262	293
Lienjiang County	97	55	42	49	28	21	48	27	21

Source : Ministry of the Interior, R.O.C.

Remark : Data Based on Date of Occurrence.



Annex 4 Mid-Year Population

Age Group	1986			1991			1996		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	19,356,331	10,040,340	9,315,992	20,454,904	10,565,150	9,889,753	21,441,432	11,028,228	10,413,204
0	302,343	156,104	146,239	315,568	164,750	150,818	303,000	157,615	145,386
1 - 4	1,514,046	780,877	733,170	1,298,669	673,224	625,443	1,287,730	671,040	616,689
5 - 9	2,022,425	1,041,675	980,751	1,838,248	946,744	891,504	1,608,368	837,717	770,651
10 - 14	1,829,036	940,127	888,909	2,008,297	1,033,304	974,992	1,830,215	944,036	886,180
15 - 19	1,891,192	970,436	920,756	1,813,028	928,261	884,767	2,003,972	1,029,934	974,038
20 - 24	1,993,007	1,020,670	972,336	1,883,969	965,230	918,738	1,802,192	923,182	879,011
25 - 29	1,901,985	972,045	929,941	1,967,112	1,007,458	959,655	1,866,065	954,550	911,514
30 - 34	1,725,755	881,279	844,475	1,877,055	959,510	917,545	1,956,348	997,948	958,400
35 - 39	1,234,263	632,548	601,716	1,699,466	867,692	831,775	1,867,794	950,137	917,656
40 - 44	884,159	452,143	432,015	1,219,977	623,719	596,258	1,687,168	856,820	830,349
45 - 49	876,530	443,215	433,316	878,333	446,271	432,062	1,198,048	607,592	590,455
50 - 54	790,077	415,481	374,594	860,455	432,067	428,388	837,704	421,127	416,578
55 - 59	777,640	455,232	322,407	760,416	395,386	365,031	819,246	404,664	414,582
60 - 64	614,039	359,340	254,700	731,777	421,971	309,806	712,250	363,912	348,338
65 - 69	421,081	235,665	185,417	557,465	319,549	237,916	667,571	380,166	287,404
70 - 74	297,601	158,622	138,980	360,394	196,198	164,196	480,332	271,250	209,082
75 - 79	167,743	78,595	89,147	226,725	116,294	110,431	282,172	149,395	132,778
80 - 84	78,018	33,542	44,477	107,208	47,643	59,565	154,378	75,746	78,632
85 - 89	27,876	10,406	17,470	39,657	16,086	23,571	57,884	24,207	33,677
90+	7,515	2,338	5,176	11,085	3,793	7,292	18,994	7,188	11,806

by Age Group

Unit: Person

1999			2000			2001			2002		
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
22,010,489	11,278,068	10,732,421	22,184,530	11,352,389	10,832,140	22,341,120	11,416,850	10,924,270	22,463,172	11,463,530	10,999,642
262,496	136,932	125,564	281,470	147,080	134,391	269,552	140,696	128,856	241,534	126,116	115,418
1,264,058	657,896	606,162	1,216,761	633,721	583,040	1,188,448	619,640	568,808	1,147,260	598,274	548,986
1,619,475	845,686	773,789	1,620,218	845,252	774,966	1,617,061	842,198	774,863	1,620,171	842,903	777,268
1,628,968	843,374	785,594	1,600,395	830,636	769,760	1,607,427	836,864	770,564	1,621,423	845,884	775,538
1,964,765	1,010,105	954,660	1,907,808	981,280	926,528	1,821,855	937,519	884,336	1,724,736	888,400	836,336
1,929,514	987,216	942,297	1,980,272	1,012,996	967,276	1,997,080	1,021,347	975,732	1,998,622	1,022,512	976,110
1,808,443	921,988	886,456	1,787,468	910,224	877,244	1,803,810	917,666	886,144	1,842,457	936,942	905,514
1,897,090	966,799	930,291	1,885,094	959,768	925,326	1,868,018	950,174	917,844	1,851,432	939,857	911,574
1,947,476	990,920	956,555	1,949,768	991,508	958,260	1,947,636	989,404	958,232	1,930,288	980,034	950,255
1,795,948	909,830	886,118	1,828,028	925,592	902,437	1,849,766	936,354	913,412	1,877,704	950,603	927,100
1,529,082	772,388	756,695	1,606,115	810,372	795,744	1,661,667	837,986	823,681	1,692,520	852,789	839,730
934,867	469,900	464,966	1,035,366	520,368	514,998	1,173,357	589,171	584,186	1,307,128	655,582	651,546
851,386	421,424	429,962	834,376	413,624	420,753	809,330	401,288	408,042	811,340	402,394	408,946
739,070	360,456	378,614	757,998	368,032	389,966	778,780	377,736	401,044	794,229	385,366	408,863
665,584	353,355	312,229	661,236	340,102	321,134	657,534	328,465	329,070	660,764	322,839	337,926
554,492	314,738	239,754	574,265	323,666	250,598	586,984	326,488	260,496	592,511	323,384	269,127
343,988	184,966	159,022	366,288	198,445	167,843	388,403	212,046	176,358	408,910	224,252	184,658
171,524	85,340	86,184	182,170	91,315	90,855	198,284	99,966	98,319	216,106	109,578	106,528
77,417	35,006	42,412	82,162	37,593	44,568	86,235	39,903	46,332	90,320	41,970	48,351
24,846	9,748	15,098	27,270	10,816	16,453	29,890	11,938	17,952	33,717	13,850	19,867



Annex 4 Mid-Year Population

Age Group	2003			2004			2005			2006		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	22,562,662	11,500,236	11,062,426	22,646,836	11,528,324	11,118,512	22,729,752	11,552,012	11,177,740	22,823,455	11,577,074	11,246,382
0	227,076	118,966	108,110	212,196	111,340	100,856	201,136	105,264	95,872	194,109	101,362	92,748
1 - 4	1,103,300	575,536	527,764	1,064,724	555,855	508,869	993,013	518,888	474,125	924,540	483,531	441,008
5 - 9	1,591,220	827,721	763,499	1,541,030	802,041	738,990	1,511,978	787,608	724,370	1,470,048	766,221	703,827
10 - 14	1,618,676	844,968	773,708	1,616,400	843,762	772,638	1,616,944	843,236	773,708	1,613,644	840,055	773,588
15 - 19	1,663,580	858,392	805,188	1,619,356	837,020	782,336	1,591,460	824,736	766,724	1,599,461	831,574	767,886
20 - 24	1,991,058	1,019,305	971,752	1,952,660	1,000,317	952,344	1,896,302	972,190	924,112	1,812,504	929,579	882,924
25 - 29	1,878,803	955,438	923,365	1,930,016	981,919	948,098	1,980,548	1,007,574	972,975	2,000,649	1,016,450	984,198
30 - 34	1,834,196	929,143	905,054	1,808,984	914,876	894,108	1,789,243	902,916	886,327	1,808,766	910,798	897,968
35 - 39	1,902,796	965,797	936,999	1,884,784	955,688	929,096	1,873,974	948,460	925,513	1,860,243	939,289	920,954
40 - 44	1,907,654	965,855	941,800	1,922,850	973,416	949,434	1,925,748	974,025	951,724	1,926,302	972,576	953,726
45 - 49	1,725,337	868,444	856,893	1,764,120	887,384	876,736	1,796,226	902,788	893,438	1,820,594	914,308	906,286
50 - 54	1,410,082	706,394	703,688	1,494,420	747,416	747,004	1,570,398	784,436	785,962	1,627,468	812,164	815,304
55 - 59	844,002	418,808	425,194	904,998	448,982	456,016	1,003,456	497,610	505,846	1,139,926	564,684	575,242
60 - 64	805,372	391,214	414,158	811,192	394,876	416,316	795,688	387,823	407,865	773,286	376,816	396,470
65 - 69	671,344	323,138	348,205	685,792	327,116	358,675	704,828	334,677	370,152	726,228	344,536	381,692
70 - 74	591,823	315,140	276,683	589,061	304,488	284,572	587,254	293,730	293,524	586,516	284,684	301,832
75 - 79	431,514	237,406	194,109	454,334	249,616	204,718	472,692	257,704	214,988	486,034	261,369	224,666
80 - 84	231,822	118,263	113,558	247,564	126,968	120,596	265,648	137,414	128,234	284,906	148,594	136,311
85 - 89	94,888	44,083	50,805	100,526	47,086	53,439	108,131	51,116	57,016	119,694	56,983	62,710
90+	38,120	16,224	21,895	41,829	18,157	23,672	45,085	19,818	25,266	48,540	21,500	27,040



by Age Group (Cont'd)

Unit: Person											
2007			2008			2009			2010		
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
22,917,444	11,600,237	11,317,206	22,997,696	11,617,559	11,380,136	23,078,402	11,631,542	11,446,859	23,140,948	11,635,980	11,504,968
192,456	100,647	91,809	189,796	99,236	90,560	185,084	96,512	88,571	169,940	88,556	81,384
880,308	460,484	419,825	849,600	444,291	405,310	829,100	433,240	395,860	813,186	424,650	388,536
1,398,473	729,143	669,330	1,339,828	699,224	640,604	1,287,898	672,780	615,119	1,207,116	630,783	576,332
1,616,904	840,812	776,092	1,588,704	826,044	762,659	1,539,529	800,920	738,610	1,510,922	786,811	724,112
1,614,494	841,152	773,342	1,613,136	840,929	772,207	1,612,140	840,382	771,758	1,613,240	840,193	773,048
1,718,043	881,804	836,238	1,658,952	852,904	806,048	1,616,116	832,216	783,900	1,588,332	820,165	768,166
2,007,908	1,018,256	989,651	2,005,792	1,015,636	990,157	1,972,704	997,187	975,517	1,918,770	969,209	949,561
1,851,377	930,696	920,682	1,891,718	949,574	942,144	1,949,382	976,004	973,378	2,005,602	1,001,368	1,004,234
1,847,831	929,734	918,096	1,834,494	919,828	914,666	1,814,290	906,151	908,140	1,798,349	894,338	904,012
1,912,281	964,178	948,104	1,887,764	950,957	936,808	1,873,314	941,571	931,744	1,865,280	934,712	930,568
1,851,068	929,222	921,846	1,882,767	944,678	938,088	1,900,660	952,736	947,924	1,905,172	953,558	951,614
1,660,766	827,541	833,226	1,695,442	843,568	851,874	1,735,814	862,668	873,145	1,768,061	877,871	890,190
1,273,014	629,694	643,321	1,375,692	679,438	696,254	1,460,034	719,683	740,351	1,535,186	755,636	779,550
777,458	378,886	398,572	811,353	395,548	415,806	872,403	425,257	447,146	969,022	472,312	496,709
743,028	352,705	390,324	755,692	359,152	396,539	763,297	363,584	399,714	750,462	358,008	392,454
591,839	280,672	311,168	603,274	281,598	321,676	618,530	286,092	332,438	638,202	294,024	344,178
493,532	260,092	233,440	495,230	254,094	241,135	495,463	246,349	249,114	496,620	238,584	258,035
302,657	158,480	144,177	321,024	168,462	152,562	340,252	178,306	161,946	356,756	185,620	171,136
132,100	63,227	68,873	147,409	70,921	76,488	153,220	73,934	79,286	166,150	80,976	85,174
51,905	22,812	29,093	56,759	24,795	31,964	59,172	25,972	33,200	64,580	28,604	35,975

Annex 5 Registered Deaths by

locale	Total			January		February		March		April	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	145,772	89,152	56,620	7,692	4,804	6,908	4,242	8,437	5,506	7,380	4,745
New Taipei City	18,404	11,540	6,864	1,010	578	882	486	1,087	704	951	559
Taipei City	15,398	9,146	6,252	790	544	730	463	834	620	812	526
Taichung City	14,340	8,765	5,575	790	483	665	427	809	537	766	487
Tainan City	13,206	7,808	5,398	647	448	604	419	746	515	604	414
Koahsiung City	18,001	11,163	6,838	914	558	859	487	1,072	615	869	563
Ilan County	3,368	2,049	1,319	162	120	167	105	195	125	177	134
Taoyuan County	10,183	6,605	3,578	603	294	539	258	622	335	519	338
Hsinchu County	3,383	2,070	1,313	168	111	174	103	194	145	155	115
Miaoli County	4,302	2,589	1,713	237	123	208	144	275	177	217	140
Changhua County	8,934	5,387	3,547	514	296	393	263	535	344	463	300
Nantou County	4,254	2,569	1,685	218	152	212	144	255	170	209	139
Yunlin County	6,279	3,763	2,516	354	258	270	194	351	236	332	198
Chaiyi City	4,970	2,992	1,978	251	178	249	154	243	187	258	162
Pingtung County	7,410	4,525	2,885	391	254	332	217	417	290	374	244
Taitung County	2,276	1,428	848	126	69	115	60	139	82	137	67
Hwalien County	3,099	1,963	1,136	145	84	149	83	180	113	145	109
Penghu County	848	514	334	37	18	44	30	48	33	53	28
Keelung City	2,665	1,617	1,048	108	96	121	74	152	102	126	85
Hsinchu City	2,180	1,337	843	123	67	99	77	147	82	111	63
Chiayi City	1,743	1,015	728	85	55	82	38	94	72	81	52
Kinmen County	481	279	202	17	15	13	15	37	19	20	21
Lienjiang County	48	28	20	2	3	1	1	5	3	1	1

Source : Ministry of the Interior.

Remark : Data Based on Date of Registration.

Month, Gender and Locale
2010

unit:person

May		June		July		August		September		October		November		December	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
6,981	4,398	7,187	4,527	7,455	4,804	7,398	4,786	7,186	4,536	7,027	4,442	7,588	4,856	7,913	4,974
934	521	971	571	967	564	967	572	876	559	908	564	988	588	999	598
726	478	743	522	798	536	761	475	730	476	714	482	748	578	760	552
672	455	701	459	743	473	709	460	716	416	667	438	740	459	787	481
587	419	626	424	648	468	703	467	656	439	613	435	667	472	707	478
836	537	884	545	948	580	1,002	605	959	558	915	546	920	586	985	658
155	91	158	112	163	93	155	116	181	103	160	102	189	106	187	112
536	277	532	274	563	307	507	309	457	296	520	247	595	310	612	333
181	97	191	98	157	94	162	119	167	110	161	88	189	114	171	119
211	153	179	120	220	142	182	151	214	155	205	130	214	133	227	145
443	283	409	306	444	330	428	283	425	267	408	283	453	284	472	308
217	126	203	117	219	140	193	136	235	152	176	145	211	124	221	140
254	205	304	186	318	213	317	223	304	180	290	210	323	209	346	204
244	143	235	146	251	164	216	162	236	163	248	144	275	202	286	173
332	218	359	232	389	229	412	251	382	243	351	227	382	242	404	238
118	62	115	70	111	89	95	71	103	67	129	66	108	74	132	71
166	94	162	98	146	84	173	106	158	86	169	86	178	94	192	99
36	20	42	27	37	34	47	41	35	28	50	25	42	25	43	25
137	77	147	80	140	93	136	93	125	78	125	86	143	100	157	84
105	71	102	66	99	81	101	70	123	64	101	53	109	70	117	79
71	52	94	61	82	71	95	64	80	74	87	65	87	66	77	58
17	16	29	11	10	17	34	11	21	21	25	20	26	18	30	18
3	3	1	2	2	2	3	1	3	1	5	0	1	2	1	1



Annex 6 Deaths of Occurrence by

	Total			January		February		March		April	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	144,709	88,374	56,335	8,162	5,139	7,240	4,527	7,375	4,811	7,115	4,519
New Taipei City	18,311	11,465	6,846	1,109	619	913	537	925	604	943	534
Taipei City	15,047	8,882	6,165	815	598	747	485	699	495	772	512
Taichung City	14,220	8,703	5,517	788	497	708	467	755	483	711	462
Tainan City	13,164	7,788	5,376	707	500	622	444	662	424	591	414
Koahsiung City	17,883	11,072	6,811	1,006	617	878	484	928	554	855	543
Ilan County	3,328	2,029	1,299	178	117	166	117	191	118	156	111
Taoyuan County	10,135	6,565	3,570	671	315	535	267	563	303	511	310
Hsinchu County	3,385	2,072	1,313	193	118	175	120	157	125	163	103
Miaoli County	4,270	2,553	1,717	233	139	238	152	220	151	212	154
Changhua County	8,866	5,340	3,526	505	300	440	281	469	330	427	271
Nantou County	4,247	2,571	1,676	239	155	231	145	222	147	206	145
Yunlin County	6,228	3,735	2,493	354	269	288	194	315	212	307	196
Chaiyi City	4,959	2,978	1,981	263	186	254	179	238	153	240	162
Pingtung County	7,374	4,481	2,893	421	286	349	240	360	241	359	238
Taitung County	2,268	1,423	845	126	73	133	59	127	79	138	65
Hwalien County	3,101	1,977	1,124	175	85	150	88	148	113	161	96
Penghu County	848	512	336	38	20	47	39	42	24	48	19
Keelung City	2,639	1,595	1,044	115	91	131	87	122	96	128	68
Hsinchu City	2,167	1,314	853	119	87	123	73	120	63	96	58
Chiayi City	1,746	1,012	734	80	49	89	50	88	73	75	37
Kinmen County	475	279	196	23	15	21	17	20	19	16	19
Lienjiang County	48	28	20	4	3	2	2	4	4	-	2

Remark : Data Based on Date of Occurrence.

Month, Gender and Locale
2010

unit:person

May		June		July		August		September		October		November		December	
Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
7,170	4,506	6,984	4,449	7,543	4,921	7,244	4,697	7,135	4,543	7,340	4,619	7,044	4,531	8,022	5,073
962	545	923	551	998	587	927	553	903	577	925	592	940	531	997	616
700	474	761	505	806	545	708	483	690	446	719	550	669	539	796	533
711	461	701	467	721	454	714	465	694	424	709	440	692	438	799	459
611	427	584	405	717	489	668	463	636	437	661	465	612	435	717	473
864	550	886	525	946	604	993	576	940	585	935	548	859	555	982	670
163	105	138	102	183	98	145	114	178	107	176	104	177	99	178	107
527	283	533	280	528	330	496	305	448	254	563	267	571	319	619	337
173	95	178	91	164	106	165	114	171	104	169	98	167	98	197	141
224	138	177	118	194	136	195	163	222	158	219	119	193	127	226	162
456	307	419	297	432	308	432	293	419	271	437	292	418	254	486	322
220	117	192	126	219	137	209	136	219	149	181	147	202	107	231	165
280	208	282	191	328	227	318	208	319	193	292	200	300	185	352	210
249	147	223	149	260	166	211	158	238	164	265	146	264	190	273	181
347	225	339	217	400	242	407	240	373	250	366	233	362	234	398	247
117	68	110	63	109	95	89	67	115	65	127	77	100	59	132	75
158	94	155	89	149	103	174	94	166	86	180	93	159	91	202	92
41	28	40	24	44	38	31	37	53	27	50	26	32	27	46	27
144	90	137	79	134	104	146	79	126	87	130	82	131	98	151	83
120	71	91	83	104	77	96	65	113	58	114	63	105	63	113	92
75	60	93	69	88	64	85	67	88	79	91	58	63	60	97	68
25	12	21	16	16	10	32	16	22	21	26	19	27	20	30	12
3	1	1	2	3	1	3	1	2	1	5	-	1	2	-	1



Annex 7 Neonatal and Infant Death

Rank	ICD-10 Mortality NO.	Cause of Death	Number of Death					
			Infant			Neonatal		
			Total	Male	Female	Total	Male	Female
		Total.	705	403	302	429	246	183
1	Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	161	96	65	98	59	39
2	P20-P28	Respiratory disorders originating in the perinatal period	107	58	49	106	58	48
3	P35-P39	Infections specific to the perinatal period	39	23	16	38	22	16
4	V01-X59, Y85-Y86	Accidents and adverse effects	37	23	14	1	1	-
5	P05-P08	Disorders relating to length of gestation and fetal growth	33	18	15	25	14	11
6	R95	Sudden infant death syndrome	26	18	8	2	1	1
7	P50-P61	Haemorrhagic and haematological disorders of fetus and newborn	21	11	10	20	11	9
8	I01-I02.0, I05-I09, I20-I25, I27, I30-I52	Diseases of heart (except hypertensive diseases)	17	10	7	-	-	-
9	E70-E90	Metabolic disorders	14	6	8	1	1	-
10	P00-P04	Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery	9	4	5	9	4	5
11		Others	241	136	105	129	75	54

Remark : The count of registered live births in 2010 is 166,473.

Statistics by Life Time

2010

Unit : Person, 0/00

28 days ~ Under 1 Year Old			Crude Death Rate		
Total	Male	Female	Infant	Neonatal	28 days ~ Under 1 Year Old
276	157	119	4.2	2.6	1.7
63	37	26	1.0	0.6	0.4
1	-	1	0.6	0.6	0.0
1	1	-	0.2	0.2	0.0
36	22	14	0.2	0.0	0.2
8	4	4	0.2	0.2	0.0
24	17	7	0.2	0.0	0.1
1	-	1	0.1	0.1	0.0
17	10	7	0.1	-	0.1
13	5	8	0.1	0.0	0.1
-	-	-	0.1	0.1	-
112	61	51	1.4	0.8	0.7



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
A00-Y98	All causes of death	T.	144,709	429	276	70	56	48	29	157
		M.	88,374	246	157	38	28	29	14	97
		F.	56,335	183	119	32	28	19	15	60
A00-B99	Certain infectious and parasitic diseases	T.	5,233	-	7	3	2	-	5	5
		M.	3,074	-	4	3	-	-	2	2
		F.	2,159	-	3	-	2	-	3	3
A00-A09	Intestinal infectious diseases	T.	52	-	-	-	-	-	-	-
		M.	27	-	-	-	-	-	-	-
		F.	25	-	-	-	-	-	-	-
A00	Cholera	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
A02	Other salmonella infections	T.	7	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
A04	Other bacterial intestinal infections	T.	9	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
A06	Amoebiasis	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
A08	Viral and other specified intestinal infections	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
A09	Diarrhoea and gastroenteritis of presumed infectious origin	T.	32	-	-	-	-	-	-	-
		M.	13	-	-	-	-	-	-	-
		F.	19	-	-	-	-	-	-	-
A15-A19	Tuberculosis	T.	654	-	-	-	-	-	-	-
		M.	476	-	-	-	-	-	-	-
		F.	178	-	-	-	-	-	-	-
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	T.	616	-	-	-	-	-	-	-
		M.	458	-	-	-	-	-	-	-
		F.	158	-	-	-	-	-	-	-
A17	Tuberculosis of nervous system	T.	15	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
A18	Tuberculosis of other organs	T.	10	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
A19	Miliary tuberculosis	T.	13	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
A20-A28	Certain zoonotic bacterial diseases	T.	6	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
A22	Anthrax	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
A24	Glanders and melioidosis	T.	5	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
A30-A49	Other bacterial diseases	T.	3,816	-	6	1	2	-	3	3
		M.	2,061	-	3	1	-	-	1	1
		F.	1,755	-	3	-	2	-	2	2
A30	Leprosy [Hansen's disease]	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
A31	Infection due to other mycobacteria	T.	11	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
A32	Listeriosis	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
A35	Other tetanus	F.	1	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
A41	Other septicaemia	M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
		T.	3,784	-	6	1	2	-	3	3
A48	Other bacterial diseases, not elsewhere classified	M.	2,035	-	3	1	-	-	1	1
		F.	1,749	-	3	-	2	-	2	2
		T.	6	-	-	-	-	-	-	-
A49	Bacterial infection of unspecified site	M.	6	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
		T.	10	-	-	-	-	-	-	-
A50-A64	Infections with a predominantly sexual mode of transmission	M.	8	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
		T.	2	-	-	-	-	-	-	-
A52	Late syphilis	M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
		T.	2	-	-	-	-	-	-	-
A65-A69	Other spirochaetal diseases	M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
A69	Other spirochaetal infections	F.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
A80-A89	Viral infections of the central nervous system	F.	1	-	-	-	-	-	-	-
		M.	30	-	-	-	-	-	1	-
		T.	13	-	-	-	-	-	-	-
A80	Acute poliomyelitis	F.	17	-	-	-	-	-	1	-
		M.	6	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
A81	Slow virus infections of central nervous system	F.	5	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		T.	8	-	-	-	-	-	-	-
A83	Mosquito-borne viral encephalitis	F.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		T.	-	-	-	-	-	-	-	-
A86	Unspecified viral encephalitis	F.	2	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	1	-
		T.	3	-	-	-	-	-	-	-
A87	Viral meningitis	M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
		T.	2	-	-	-	-	-	-	-
A90-A99	Arthropod-borne viral fevers and viral haemorrhagic fevers	F.	5	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
A90	Dengue fever [classical dengue]	F.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		T.	-	-	-	-	-	-	-	-
A91	Dengue haemorrhagic fever	F.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
A92	Other mosquito-borne viral fevers	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
A98	Other viral haemorrhagic fevers, not elsewhere classified	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
B00-B09	Viral infections characterized by skin and mucous membrane lesions	T.	17	-	-	-	-	-	-	1
		M.	11	-	-	-	-	-	-	1
		F.	6	-	-	-	-	-	-	-
B00	Herpesviral [herpes simplex] infections	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
B01	Varicella [chickenpox]	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
B02	Zoster [herpes zoster]	T.	12	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
B08	Other viral infections characterized by skin and mucous membrane lesions, not elsewhere classified	T.	1	-	-	-	-	-	-	1
		M.	1	-	-	-	-	-	-	1
		F.	-	-	-	-	-	-	-	-
B15-B19	Viral hepatitis	T.	258	-	-	-	-	-	-	-
		M.	182	-	-	-	-	-	-	-
		F.	76	-	-	-	-	-	-	-
B15	Acute hepatitis A	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
B16	Acute hepatitis B	T.	122	-	-	-	-	-	-	-
		M.	91	-	-	-	-	-	-	-
		F.	31	-	-	-	-	-	-	-
B17	Other acute viral hepatitis	T.	44	-	-	-	-	-	-	-
		M.	26	-	-	-	-	-	-	-
		F.	18	-	-	-	-	-	-	-
B18	Chronic viral hepatitis	T.	54	-	-	-	-	-	-	-
		M.	39	-	-	-	-	-	-	-
		F.	15	-	-	-	-	-	-	-
B19	Unspecified viral hepatitis	T.	37	-	-	-	-	-	-	-
		M.	25	-	-	-	-	-	-	-
		F.	12	-	-	-	-	-	-	-
B20-B24	Human immunodeficiency virus [HIV] disease	T.	115	-	-	-	-	-	-	-
		M.	109	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	T.	72	-	-	-	-	-	-	-
		M.	68	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	T.	8	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	T.	25	-	-	-	-	-	-	-
		M.	23	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
B24	Unspecified human immunodeficiency virus [HIV] disease	T.	6	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.3)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	1	1	5	1	4	1	1
-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	1	-	1	1
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	5	1	3	-	1
-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	3	6	8	16	12	29	27	29	33	28	28	22	9	5	-	-
1	-	1	3	4	6	12	10	21	16	23	27	12	23	14	6	3	-	-
1	-	-	-	2	2	4	2	8	11	6	6	16	5	8	3	2	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	2	4	5	5	15	16	14	17	11	15	11	4	1	-	-
-	-	-	2	2	3	5	4	11	8	12	14	8	12	6	3	1	-	-
-	-	-	-	-	1	-	1	4	8	2	3	3	3	5	1	-	-	-
-	-	-	-	-	-	4	1	5	3	3	4	9	4	7	4	-	-	-
-	-	-	-	-	-	3	-	3	2	1	3	4	2	6	2	-	-	-
-	-	-	-	-	-	1	1	2	1	2	1	5	2	1	2	-	-	-
-	-	-	-	1	2	4	5	4	8	8	7	7	1	1	1	1	-	-
-	-	-	-	-	1	3	5	4	4	6	8	-	7	-	1	-	-	-
-	-	-	-	1	1	1	-	1	-	2	-	7	-	1	-	1	-	-
2	-	1	1	2	2	3	1	4	4	4	4	1	2	3	-	3	-	-
1	-	1	1	1	2	1	1	3	2	4	2	-	2	2	-	2	-	-
1	-	-	-	1	-	2	-	1	2	-	2	1	-	1	-	1	-	-
-	-	3	12	21	16	11	16	12	13	2	3	1	2	2	1	-	-	-
-	-	3	12	20	16	9	15	11	12	2	3	1	2	2	1	-	-	-
-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-
-	-	1	5	16	9	6	12	9	8	1	1	1	2	-	1	-	-	-
-	-	1	5	16	9	5	11	8	7	1	1	1	2	-	1	-	-	-
-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	3	1	3	4	2	2	5	-	2	-	-	2	-	-	-	-
-	-	1	3	-	3	3	2	2	5	-	2	-	-	2	-	-	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
B25-B34	Other viral diseases	T.	18	-	1	2	-	-	-	-
		M.	12	-	1	2	-	-	-	-
		F.	6	-	-	-	-	-	-	-
B25	Cytomegaloviral disease	T.	7	-	1	-	-	-	-	-
		M.	4	-	1	-	-	-	-	-
B34	Viral infection of unspecified site	F.	3	-	-	-	-	-	-	-
		T.	11	-	-	2	-	-	-	-
		M.	8	-	-	2	-	-	-	-
B35-B49	Mycoses	F.	3	-	-	-	-	-	-	-
		T.	113	-	-	-	-	-	1	1
		M.	64	-	-	-	-	-	1	-
B37	Candidiasis	F.	49	-	-	-	-	-	-	1
		T.	16	-	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-	-
B44	Aspergillosis	F.	7	-	-	-	-	-	-	-
		T.	5	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
B45	Cryptococcosis	F.	3	-	-	-	-	-	-	-
		T.	13	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
B48	Other mycoses, not elsewhere classified	F.	5	-	-	-	-	-	-	-
		T.	6	-	-	-	-	-	-	1
		M.	2	-	-	-	-	-	-	-
B49	Unspecified mycosis	F.	4	-	-	-	-	-	-	1
		T.	73	-	-	-	-	-	1	-
		M.	43	-	-	-	-	-	1	-
B50-B64	Protozoal diseases	F.	30	-	-	-	-	-	-	-
		T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
B59	Pneumocystosis	F.	-	-	-	-	-	-	-	-
		T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
B65-B83	Helminthiasis	F.	-	-	-	-	-	-	-	-
		T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
B78	Strongyloidiasis	F.	-	-	-	-	-	-	-	-
		T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
B85-B89	Pediculosis, acariasis and other infestations	F.	-	-	-	-	-	-	-	-
		T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
B86	Scabies	F.	-	-	-	-	-	-	-	-
		T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
B90-B94	Sequelae of infectious and parasitic diseases	F.	-	-	-	-	-	-	-	-
		T.	115	-	-	-	-	-	-	-
		M.	89	-	-	-	-	-	-	-
B90	Sequelae of tuberculosis	F.	26	-	-	-	-	-	-	-
		T.	114	-	-	-	-	-	-	-
		M.	89	-	-	-	-	-	-	-
B91	Sequelae of poliomyelitis	F.	25	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
B99	Other infectious diseases	F.	1	-	-	-	-	-	-	-
		T.	22	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
C00-D48	Neoplasms	T.	42,014	-	5	6	8	11	5	42
		M.	26,591	-	2	2	2	4	3	27
		F.	15,423	-	3	4	6	7	2	15
C00-C14	Malignant neoplasms of lip, oral cavity and pharynx	T.	3,090	-	-	-	-	-	-	-
		M.	2,743	-	-	-	-	-	-	-
		F.	347	-	-	-	-	-	-	-
C00	Malignant neoplasm of lip	T.	17	-	-	-	-	-	-	-
		M.	14	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
C01	Malignant neoplasm of base of tongue	T.	28	-	-	-	-	-	-	-
		M.	27	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
C02	Malignant neoplasm of other and unspecified parts of tongue	T.	437	-	-	-	-	-	-	-
		M.	392	-	-	-	-	-	-	-
		F.	45	-	-	-	-	-	-	-
C03	Malignant neoplasm of gum	T.	70	-	-	-	-	-	-	-
		M.	57	-	-	-	-	-	-	-
		F.	13	-	-	-	-	-	-	-
C04	Malignant neoplasm of floor of mouth	T.	11	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C05	Malignant neoplasm of palate	T.	73	-	-	-	-	-	-	-
		M.	60	-	-	-	-	-	-	-
		F.	13	-	-	-	-	-	-	-
C06	Malignant neoplasm of other and unspecified parts of mouth	T.	1,014	-	-	-	-	-	-	-
		M.	938	-	-	-	-	-	-	-
		F.	76	-	-	-	-	-	-	-
C07	Malignant neoplasm of parotid gland	T.	32	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-
		F.	15	-	-	-	-	-	-	-
C08	Malignant neoplasm of other and unspecified major salivary glands	T.	30	-	-	-	-	-	-	-
		M.	23	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
C09	Malignant neoplasm of tonsil	T.	109	-	-	-	-	-	-	-
		M.	104	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
C10	Malignant neoplasm of oropharynx	T.	127	-	-	-	-	-	-	-
		M.	122	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
C11	Malignant neoplasm of nasopharynx	T.	658	-	-	-	-	-	-	-
		M.	505	-	-	-	-	-	-	-
		F.	153	-	-	-	-	-	-	-
C12	Malignant neoplasm of pyriform sinus	T.	5	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C13	Malignant neoplasm of hypopharynx	T.	418	-	-	-	-	-	-	-
		M.	408	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx	T.	61	-	-	-	-	-	-	-
		M.	60	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
C15-C26	Malignant neoplasms of digestive organs	T.	18,590	-	-	-	1	-	-	1
		M.	12,444	-	-	-	-	-	-	1
		F.	6,146	-	-	-	1	-	-	-
C15	Malignant neoplasm of oesophagus	T.	1,563	-	-	-	-	-	-	-
		M.	1,457	-	-	-	-	-	-	-
		F.	106	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.5)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
41	71	75	171	347	678	1,418	2,423	3,277	4,240	3,783	4,282	5,059	5,842	5,641	3,206	1,124	229	30
24	49	45	97	200	432	920	1,549	2,110	2,758	2,449	2,775	3,074	3,725	3,666	1,958	605	103	12
17	22	30	74	147	246	498	874	1,167	1,482	1,334	1,507	1,985	2,117	1,975	1,248	519	126	18
-	1	2	7	37	120	266	391	477	482	378	284	233	176	140	71	21	3	1
-	1	1	5	31	108	251	359	439	445	344	246	205	139	107	45	15	2	-
-	-	1	2	6	12	15	32	38	37	34	38	28	37	33	26	6	1	1
-	-	-	-	-	1	-	3	2	3	2	2	1	1	1	-	-	-	-
-	-	-	-	-	1	-	3	2	3	1	2	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
-	-	-	-	-	-	3	4	5	4	6	2	2	1	1	-	-	-	-
-	-	-	-	-	-	3	3	5	4	6	2	2	1	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	9	26	51	55	76	68	42	36	23	17	22	8	2	-	-
-	-	-	1	9	25	49	52	68	63	37	32	19	12	17	6	2	-	-
-	-	-	1	-	1	2	3	8	5	5	4	4	5	5	2	-	-	-
-	-	-	-	-	1	4	5	15	9	11	5	8	3	8	1	-	-	-
-	-	-	-	-	1	4	5	14	7	9	3	6	2	5	1	-	-	-
-	-	-	-	-	-	-	-	1	2	2	2	2	1	3	-	-	-	-
-	-	-	-	1	-	-	-	1	4	1	1	2	1	-	-	-	-	-
-	-	-	-	1	-	-	-	1	4	1	1	2	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	6	7	13	8	12	9	5	4	3	2	3	-	-
-	-	-	-	-	1	5	7	11	7	11	7	4	3	1	1	2	-	-
-	-	-	-	-	-	1	-	2	1	1	2	1	1	2	1	1	-	-
-	-	-	1	10	40	89	139	157	156	126	94	75	60	35	24	7	1	-
-	-	-	1	10	39	88	135	150	153	120	85	65	51	28	10	3	-	-
-	-	-	-	-	1	1	4	7	3	6	9	10	9	7	14	4	1	-
-	-	-	-	1	-	3	2	3	3	6	-	2	1	8	3	-	-	-
-	-	-	-	-	-	2	1	2	1	4	-	2	1	3	1	-	-	-
-	-	-	-	1	-	1	1	1	2	2	-	-	-	5	2	-	-	-
-	-	-	1	1	-	1	3	2	7	2	6	2	3	-	1	1	-	-
-	-	-	1	1	-	1	2	2	5	1	5	2	1	-	1	1	-	-
-	-	-	-	-	-	1	-	1	2	1	1	-	2	-	-	-	-	-
-	-	-	-	-	4	10	13	26	22	12	10	4	5	-	3	-	-	-
-	-	-	-	-	3	10	13	26	22	12	9	4	3	-	2	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	-	-	-
-	-	-	-	-	4	18	18	25	24	14	7	2	5	9	-	1	-	-
-	-	-	-	-	4	18	16	24	24	14	7	2	4	8	-	1	-	-
-	-	-	-	-	-	-	2	1	-	-	-	-	1	1	-	-	-	-
-	1	2	3	15	29	51	76	85	102	81	69	57	41	26	15	4	-	1
-	1	1	2	10	21	42	59	67	82	67	50	47	27	17	9	3	-	-
-	-	1	1	5	8	9	17	18	20	14	19	10	14	9	6	1	-	1
-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	14	29	62	58	64	51	35	39	29	20	12	3	2	-
-	-	-	-	-	13	28	59	58	62	50	35	38	28	20	12	3	2	-
-	-	-	-	-	1	1	3	-	2	1	-	1	1	-	-	-	-	-
-	-	-	-	-	-	1	3	8	8	11	8	10	5	6	1	-	-	-
-	-	-	-	-	-	1	3	8	8	10	8	10	5	6	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	1	11	43	136	275	538	1,007	1,434	1,923	1,793	2,029	2,378	2,619	2,467	1,364	459	97	13
-	1	8	25	93	199	416	794	1,109	1,426	1,260	1,405	1,465	1,634	1,542	790	230	43	3
1	-	3	18	43	76	122	213	325	497	533	624	913	985	925	574	229	54	10
-	-	-	1	3	34	106	206	225	261	156	152	124	115	98	53	25	3	1
-	-	-	1	3	34	103	203	213	253	147	148	112	97	79	40	21	3	-
-	-	-	-	-	-	3	3	12	8	9	4	12	18	19	13	4	-	1



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
C16	Malignant neoplasm of stomach	T.	2,261	-	-	-	-	-	-	-
		M.	1,446	-	-	-	-	-	-	-
		F.	815	-	-	-	-	-	-	-
C17	Malignant neoplasm of small intestine	T.	135	-	-	-	-	-	-	-
		M.	91	-	-	-	-	-	-	-
		F.	44	-	-	-	-	-	-	-
C18	Malignant neoplasm of colon	T.	3,306	-	-	-	-	-	-	-
		M.	1,880	-	-	-	-	-	-	-
		F.	1,426	-	-	-	-	-	-	-
C19	Malignant neoplasm of rectosigmoid junction	T.	193	-	-	-	-	-	-	-
		M.	117	-	-	-	-	-	-	-
		F.	76	-	-	-	-	-	-	-
C20	Malignant neoplasm of rectum	T.	1,165	-	-	-	-	-	-	-
		M.	716	-	-	-	-	-	-	-
		F.	449	-	-	-	-	-	-	-
C21	Malignant neoplasm of anus and anal canal	T.	12	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
C22	Malignant neoplasm of liver and intrahepatic bile ducts	T.	7,744	-	-	-	1	-	-	1
		M.	5,454	-	-	-	-	-	-	1
		F.	2,290	-	-	-	1	-	-	-
C23	Malignant neoplasm of gallbladder	T.	180	-	-	-	-	-	-	-
		M.	84	-	-	-	-	-	-	-
		F.	96	-	-	-	-	-	-	-
C24	Malignant neoplasm of other and unspecified parts of biliary tract	T.	349	-	-	-	-	-	-	-
		M.	199	-	-	-	-	-	-	-
		F.	150	-	-	-	-	-	-	-
C25	Malignant neoplasm of pancreas	T.	1,470	-	-	-	-	-	-	-
		M.	855	-	-	-	-	-	-	-
		F.	615	-	-	-	-	-	-	-
C26	Malignant neoplasm of other and ill-defined digestive organs	T.	212	-	-	-	-	-	-	-
		M.	139	-	-	-	-	-	-	-
		F.	73	-	-	-	-	-	-	-
C30-C39	Malignant neoplasms of respiratory and intrathoracic organs	T.	8,589	-	-	-	-	-	-	1
		M.	5,720	-	-	-	-	-	-	1
		F.	2,869	-	-	-	-	-	-	-
C30	Malignant neoplasm of nasal cavity and middle ear	T.	10	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
C31	Malignant neoplasm of accessory sinuses	T.	26	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
C32	Malignant neoplasm of larynx	T.	186	-	-	-	-	-	-	-
		M.	178	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
C33	Malignant neoplasm of trachea	T.	17	-	-	-	-	-	-	-
		M.	12	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
C34	Malignant neoplasm of bronchus and lung	T.	8,177	-	-	-	-	-	-	-
		M.	5,400	-	-	-	-	-	-	-
		F.	2,777	-	-	-	-	-	-	-
C37	Malignant neoplasm of thymus	T.	91	-	-	-	-	-	-	-
		M.	57	-	-	-	-	-	-	-
		F.	34	-	-	-	-	-	-	-
C38	Malignant neoplasm of heart, mediastinum and pleura	T.	65	-	-	-	-	-	-	1
		M.	40	-	-	-	-	-	-	1
		F.	25	-	-	-	-	-	-	-



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.6)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	3	1	9	26	64	104	156	173	179	200	220	341	411	259	89	25	1
-	-	1	1	4	12	30	56	91	115	120	138	139	230	281	165	50	12	1
-	-	2	-	5	14	34	48	65	58	59	62	81	111	130	94	39	13	-
-	-	-	-	3	4	3	5	5	14	14	10	23	23	16	9	5	1	-
-	-	-	-	2	3	2	5	5	9	9	7	17	16	9	5	2	-	-
-	-	-	-	1	1	1	-	-	5	5	3	6	7	7	4	3	1	-
-	1	3	13	31	48	71	126	193	280	263	318	382	506	563	352	124	29	3
-	1	2	4	16	25	37	61	102	159	151	202	219	307	342	183	54	14	1
-	-	1	9	15	23	34	65	91	121	112	116	163	199	221	169	70	15	2
-	-	-	2	3	5	8	11	13	24	18	24	15	24	24	18	4	-	-
-	-	-	2	2	2	5	7	6	19	8	14	8	16	16	10	2	-	-
-	-	-	-	1	3	3	4	7	5	10	10	7	8	8	8	2	-	-
-	-	1	2	13	12	30	48	72	114	105	112	146	179	181	98	43	8	1
-	-	1	1	6	5	18	24	48	74	71	72	90	108	113	61	21	3	-
-	-	-	1	7	7	12	24	24	40	34	40	56	71	68	37	22	5	1
-	-	-	-	-	-	-	-	2	1	-	1	1	2	3	-	2	-	-
-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-
1	-	4	19	65	129	214	430	631	865	852	940	1,139	1,064	859	398	111	17	4
-	-	4	14	55	109	192	384	549	681	633	661	707	661	509	233	55	5	1
1	-	-	5	10	20	22	46	82	184	219	279	432	403	350	165	56	12	3
-	-	-	-	-	1	3	5	7	11	11	23	24	42	26	16	8	2	1
-	-	-	-	-	1	2	4	4	3	4	12	9	23	14	5	2	1	-
-	-	-	-	-	-	1	1	3	8	7	11	15	19	12	11	6	1	1
-	-	-	1	2	4	7	10	27	27	38	37	58	55	50	23	9	-	1
-	-	-	-	-	2	3	8	18	16	18	21	33	30	29	16	5	-	-
-	-	-	1	2	2	4	2	9	11	20	16	25	25	21	7	4	-	1
-	-	-	4	5	12	30	57	88	138	136	186	208	238	199	122	34	12	1
-	-	-	2	4	6	22	38	59	86	83	112	107	129	124	62	16	5	-
-	-	-	2	1	6	8	19	29	52	53	74	101	109	75	60	18	7	1
-	-	-	-	2	-	2	5	15	15	21	26	38	30	37	16	5	-	-
-	-	-	-	1	-	2	4	12	10	16	17	24	16	25	10	2	-	-
-	-	-	-	1	-	-	1	3	5	5	9	14	14	12	6	3	-	-
1	1	3	9	37	49	168	314	482	726	740	940	1,210	1,480	1,379	748	251	44	6
1	1	3	6	20	28	96	173	282	460	490	641	802	1,051	1,005	502	136	18	4
-	-	-	3	17	21	72	141	200	266	250	299	408	429	374	246	115	26	2
-	-	-	-	-	-	1	2	-	1	1	2	2	-	-	-	-	1	-
-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	1	-
-	-	-	-	-	1	3	-	4	3	3	4	3	1	3	1	-	-	-
-	-	-	-	-	-	2	-	2	2	2	3	2	-	3	1	-	-	-
-	-	-	-	-	1	1	-	2	1	1	1	1	1	-	-	-	-	-
-	-	-	1	-	1	7	11	20	24	15	17	15	35	23	13	2	1	1
-	-	-	1	-	1	7	10	19	22	12	17	15	35	22	13	2	1	1
-	-	-	-	-	-	-	1	1	2	3	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	1	1	2	2	1	4	1	4	-	-	-
-	-	-	-	-	-	1	-	1	1	2	-	-	2	1	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-
-	-	1	7	34	44	145	289	437	685	702	898	1,163	1,422	1,338	719	246	42	5
-	-	1	4	19	25	81	152	247	427	463	611	770	1,001	970	476	133	17	3
-	-	-	3	15	19	64	137	190	258	239	287	393	421	368	243	113	25	2
-	-	2	-	2	-	9	8	12	10	13	8	12	5	4	5	1	-	-
-	-	2	-	-	-	3	6	9	6	7	4	7	4	4	5	-	-	-
-	-	-	-	2	-	6	2	3	4	6	4	5	1	-	-	1	-	-
1	1	-	1	1	3	2	4	8	1	4	6	10	8	7	6	1	-	-
1	1	-	1	1	2	1	4	4	1	3	4	5	4	3	3	1	-	-
-	-	-	-	-	1	1	-	4	-	1	2	5	4	4	3	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	T.	17	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
C40-C41	Malignant neoplasms of bone and articular cartilage	T.	108	-	-	-	-	-	-	1
		M.	58	-	-	-	-	-	-	-
		F.	50	-	-	-	-	-	-	-
C40	Malignant neoplasm of bone and articular cartilage of limbs	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	T.	105	-	-	-	-	-	-	1
		M.	57	-	-	-	-	-	-	-
		F.	48	-	-	-	-	-	-	-
C43-C44	Melanoma and other malignant neoplasms of skin	T.	206	-	-	-	-	-	-	-
		M.	113	-	-	-	-	-	-	-
		F.	93	-	-	-	-	-	-	-
C43	Malignant melanoma of skin	T.	116	-	-	-	-	-	-	-
		M.	65	-	-	-	-	-	-	-
		F.	51	-	-	-	-	-	-	-
C44	Other malignant neoplasms of skin	T.	90	-	-	-	-	-	-	-
		M.	48	-	-	-	-	-	-	-
		F.	42	-	-	-	-	-	-	-
C45-C49	Malignant neoplasms of mesothelial and soft tissue	T.	280	-	-	-	-	-	-	1
		M.	161	-	-	-	-	-	-	-
		F.	119	-	-	-	-	-	-	-
C45	Mesothelioma	T.	14	-	-	-	-	-	-	-
		M.	12	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
C46	Kaposi's sarcoma	T.	9	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	T.	18	-	-	-	-	-	-	1
		M.	11	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
C48	Malignant neoplasm of retroperitoneum and peritoneum	T.	91	-	-	-	-	-	-	-
		M.	35	-	-	-	-	-	-	-
		F.	56	-	-	-	-	-	-	-
C49	Malignant neoplasm of other connective and soft tissue	T.	148	-	-	-	-	-	-	-
		M.	96	-	-	-	-	-	-	-
		F.	52	-	-	-	-	-	-	-
C50	Malignant neoplasm of breast	T.	1,718	-	-	-	-	-	-	-
		M.	12	-	-	-	-	-	-	-
		F.	1,706	-	-	-	-	-	-	-
C51-C58	Malignant neoplasms of female genital organs	T.	1,367	-	-	-	-	1	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1,367	-	-	-	-	1	-	-
C51	Malignant neoplasm of vulva	T.	17	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	17	-	-	-	-	-	-	-
C52	Malignant neoplasm of vagina	T.	15	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	15	-	-	-	-	-	-	-
C53	Malignant neoplasm of cervix uteri	T.	656	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	656	-	-	-	-	-	-	-
C54	Malignant neoplasm of corpus uteri	T.	189	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	189	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.7)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	-	-	-	-	1	-	3	4	5	3	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	1	2	5	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	-
4	9	10	7	1	5	1	9	4	8	6	11	12	7	3	7	3	-	-
1	5	6	2	-	3	1	5	3	3	3	6	7	5	3	4	1	-	-
3	4	4	5	1	2	-	4	1	5	3	5	5	2	-	3	2	-	-
-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
4	8	10	7	1	4	1	9	3	8	6	11	12	7	3	7	3	-	-
1	5	6	2	-	2	1	5	3	3	3	6	7	5	3	4	1	-	-
3	3	4	5	1	2	-	4	-	5	3	5	5	2	-	3	2	-	-
-	-	-	4	3	2	12	12	14	18	15	13	29	22	23	22	6	8	3
-	-	-	2	2	2	8	11	7	10	9	8	17	10	12	10	1	3	1
-	-	-	2	1	-	4	1	7	8	6	5	12	12	11	12	5	5	2
-	-	-	4	2	2	8	5	6	14	13	7	16	14	14	9	-	1	1
-	-	-	2	1	2	5	5	1	7	7	4	10	7	8	5	-	-	1
-	-	-	2	1	-	3	-	5	7	6	3	6	7	6	4	-	1	-
-	-	-	-	1	-	4	7	8	4	2	6	13	8	9	13	6	7	2
-	-	-	-	1	-	3	6	6	3	2	4	7	3	4	5	1	3	-
-	-	-	-	-	-	1	1	2	1	-	2	6	5	5	8	5	4	2
2	6	8	9	9	16	9	13	24	25	23	29	28	27	29	19	2	1	-
1	4	6	7	5	13	6	9	14	15	10	14	16	13	12	14	2	-	-
1	2	2	2	4	3	3	4	10	10	13	15	12	14	17	5	-	1	-
-	-	-	1	1	-	-	-	2	2	1	2	2	-	3	-	-	-	-
-	-	-	1	1	-	-	-	2	2	1	2	1	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	1	-	-	-	1	1	-	-	2	1	1	2	-	-	-
-	-	-	-	1	-	-	-	1	1	-	-	2	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
1	-	-	3	1	3	-	1	-	-	2	2	-	1	3	-	-	-	-
1	-	-	3	-	2	-	1	-	-	1	2	-	-	1	-	-	-	-
-	-	-	-	1	1	-	-	-	-	1	-	-	1	2	-	-	-	-
1	-	-	-	1	-	5	5	7	11	11	15	9	10	8	7	1	-	-
-	-	-	-	-	-	3	3	2	4	4	6	4	3	1	4	1	-	-
1	-	-	-	1	-	2	2	5	7	7	9	5	7	7	3	-	-	-
-	6	8	5	5	13	4	7	14	11	9	10	15	15	14	10	1	1	-
-	4	6	3	3	11	3	5	9	8	4	4	9	9	8	9	1	-	-
-	2	2	2	2	2	1	2	5	3	5	6	6	6	6	1	-	1	-
-	-	-	6	25	55	126	237	270	309	178	154	132	80	69	45	22	8	2
-	-	-	-	-	-	-	-	-	1	2	-	2	3	3	-	1	-	-
-	-	-	6	25	55	126	237	270	308	176	154	130	77	66	45	21	8	2
-	1	1	10	23	42	80	130	168	183	129	126	131	127	116	60	26	13	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	10	23	42	80	130	168	183	129	126	131	127	116	60	26	13	-
-	-	-	-	-	-	1	1	-	1	-	3	3	2	2	2	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	1	-	3	3	2	2	2	1	1	-
-	-	-	-	-	1	1	1	2	2	-	1	1	3	-	-	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	1	2	2	-	1	1	3	-	-	2	1	-
-	-	-	2	13	16	36	62	74	69	52	54	72	69	68	43	18	8	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	13	16	36	62	74	69	52	54	72	69	68	43	18	8	-
-	-	-	-	1	10	7	26	27	33	28	16	14	12	11	3	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	10	7	26	27	33	28	16	14	12	11	3	-	1	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
C55	Malignant neoplasm of uterus, part unspecified	T.	48	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	48	-	-	-	-	-	-	-
C56	Malignant neoplasm of ovary	T.	429	-	-	-	-	1	-	-
		M.	-	-	-	-	-	-	-	-
		F.	429	-	-	-	-	1	-	-
C57	Malignant neoplasm of other and unspecified female genital organs	T.	10	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
C58	Malignant neoplasm of placenta	T.	3	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
C60-C63	Malignant neoplasms of male genital organs	T.	1,055	-	-	-	-	-	-	-
		M.	1,055	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C60	Malignant neoplasm of penis	T.	10	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C61	Malignant neoplasm of prostate	T.	1,021	-	-	-	-	-	-	-
		M.	1,021	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C62	Malignant neoplasm of testis	T.	17	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C63	Malignant neoplasm of other and unspecified male genital organs	T.	7	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C64-C68	Malignant neoplasms of urinary tract	T.	1,538	-	-	-	-	-	-	1
		M.	942	-	-	-	-	-	-	-
		F.	596	-	-	-	-	-	-	1
C64	Malignant neoplasm of kidney, except renal pelvis	T.	490	-	-	-	-	-	-	1
		M.	289	-	-	-	-	-	-	-
		F.	201	-	-	-	-	-	-	1
C65	Malignant neoplasm of renal pelvis	T.	59	-	-	-	-	-	-	-
		M.	29	-	-	-	-	-	-	-
		F.	30	-	-	-	-	-	-	-
C66	Malignant neoplasm of ureter	T.	97	-	-	-	-	-	-	-
		M.	41	-	-	-	-	-	-	-
		F.	56	-	-	-	-	-	-	-
C67	Malignant neoplasm of bladder	T.	735	-	-	-	-	-	-	-
		M.	504	-	-	-	-	-	-	-
		F.	231	-	-	-	-	-	-	-
C68	Malignant neoplasm of other and unspecified urinary organs	T.	157	-	-	-	-	-	-	-
		M.	79	-	-	-	-	-	-	-
		F.	78	-	-	-	-	-	-	-
C69-C72	Malignant neoplasms of eye, brain and other parts of central nervous system	T.	533	-	1	3	2	1	2	16
		M.	300	-	-	-	-	-	1	12
		F.	233	-	1	3	2	1	1	4
C69	Malignant neoplasm of eye and adnexa	T.	8	-	-	-	-	1	-	-
		M.	3	-	-	-	-	-	-	-
		F.	5	-	-	-	-	1	-	-
C70	Malignant neoplasm of meninges	T.	9	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
C71	Malignant neoplasm of brain	T.	501	-	1	3	2	-	2	14
		M.	286	-	-	-	-	-	1	10
		F.	215	-	1	3	2	-	1	4

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.8)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	-	1	1	-	4	-	9	9	2	5	2	6	7	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	4	-	9	9	2	5	2	6	7	1	1	-	-
-	-	1	6	7	15	30	39	54	69	46	45	39	32	28	11	4	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	6	7	15	30	39	54	69	46	45	39	32	28	11	4	2	-
-	-	-	-	1	-	1	1	1	-	1	2	-	3	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	1	1	-	1	2	-	3	-	-	-	-	-
-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2	2	3	5	6	-	4	4	3	27	25	83	113	209	293	187	75	13	1
2	2	3	5	6	-	4	4	3	27	25	83	113	209	293	187	75	13	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	1	-	-	1	2	2	-	-	-
-	-	-	-	-	-	-	2	-	2	1	-	-	1	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	3	2	3	23	24	83	113	207	290	185	73	13	1
-	-	-	1	-	-	3	2	3	23	24	83	113	207	290	185	73	13	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	2	3	4	-	1	-	-	1	-	-	-	1	1	-	1	-	-
1	2	2	3	4	-	1	-	-	1	-	-	-	1	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-
1	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	-	2	2	6	21	30	50	92	103	147	197	294	308	183	87	10	1
-	3	-	1	2	5	19	15	29	65	60	87	110	190	184	113	49	9	1
1	-	-	1	-	1	2	15	21	27	43	60	87	104	124	70	38	1	-
1	2	-	2	1	3	14	17	20	41	43	45	52	84	93	44	25	2	-
-	2	-	1	1	3	12	9	14	30	22	25	31	51	50	27	9	2	-
1	-	-	1	-	-	2	8	6	11	21	20	21	33	43	17	16	-	-
-	-	-	-	-	-	2	-	2	3	5	9	12	10	7	5	4	-	-
-	-	-	-	-	-	2	-	2	1	2	7	5	6	4	-	-	-	-
-	-	-	-	-	-	-	-	-	2	3	2	7	4	3	5	4	-	-
-	-	-	-	-	-	-	1	-	14	3	8	9	25	17	15	4	1	-
-	-	-	-	-	-	-	-	-	8	1	3	3	10	9	6	1	-	-
-	-	-	-	-	-	-	1	-	6	2	5	6	15	8	9	3	1	-
-	1	-	-	-	2	4	11	19	30	40	63	98	144	162	102	51	7	1
-	1	-	-	-	1	4	5	8	25	29	38	62	108	105	73	37	7	1
-	-	-	-	-	1	-	6	11	5	11	25	36	36	57	29	14	-	-
-	-	-	-	1	1	1	1	9	4	12	22	26	31	29	17	3	-	-
-	-	-	-	1	1	1	1	5	1	6	14	9	15	16	7	2	-	-
-	-	-	-	-	-	-	-	4	3	6	8	17	16	13	10	1	-	-
12	13	8	20	17	26	34	46	45	58	38	47	34	51	39	14	5	1	-
6	6	6	14	13	16	20	25	29	28	16	23	19	25	32	7	1	1	-
6	7	2	6	4	10	14	21	16	30	22	24	15	26	7	7	4	-	-
-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	1	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-
-	-	-	-	2	-	-	-	1	1	2	2	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	1	2	2	-	-	1	-	-	-	-
11	13	8	18	14	25	34	46	43	53	36	43	31	49	37	13	4	1	-
6	6	6	12	11	15	20	25	29	27	16	22	17	24	31	6	1	1	-
5	7	2	6	3	10	14	21	14	26	20	21	14	25	6	7	3	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
C72	Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system	T.	15	-	-	-	-	-	-	2
		M.	10	-	-	-	-	-	-	2
		F.	5	-	-	-	-	-	-	-
C73-C75	Malignant neoplasms of thyroid and other endocrine glands	T.	178	-	-	1	-	4	2	5
		M.	75	-	-	1	-	2	1	2
		F.	103	-	-	-	-	2	1	3
C73	Malignant neoplasm of thyroid gland	T.	135	-	-	-	-	-	-	-
		M.	56	-	-	-	-	-	-	-
		F.	79	-	-	-	-	-	-	-
C74	Malignant neoplasm of adrenal gland	T.	38	-	-	1	-	4	2	5
		M.	17	-	-	1	-	2	1	2
		F.	21	-	-	-	-	2	1	3
C75	Malignant neoplasm of other endocrine glands and related structures	T.	5	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
C76-C80	Malignant neoplasms of ill-defined, secondary and unspecified sites	T.	795	-	-	-	-	-	-	1
		M.	466	-	-	-	-	-	-	-
		F.	329	-	-	-	-	-	-	1
C76	Malignant neoplasm of other and ill-defined sites	T.	108	-	-	-	-	-	-	-
		M.	57	-	-	-	-	-	-	-
		F.	51	-	-	-	-	-	-	-
C77	Secondary and unspecified malignant neoplasm of lymph nodes	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C78	Secondary malignant neoplasm of respiratory and digestive organs	T.	184	-	-	-	-	-	-	-
		M.	90	-	-	-	-	-	-	-
		F.	94	-	-	-	-	-	-	-
C79	Secondary malignant neoplasm of other sites	T.	71	-	-	-	-	-	-	1
		M.	44	-	-	-	-	-	-	-
		F.	27	-	-	-	-	-	-	1
C80	Malignant neoplasm without specification of site	T.	428	-	-	-	-	-	-	-
		M.	271	-	-	-	-	-	-	-
		F.	157	-	-	-	-	-	-	-
C81-C96	Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue	T.	2,282	-	2	2	5	4	1	13
		M.	1,416	-	1	1	2	2	1	9
		F.	866	-	1	1	3	2	-	4
C81	Hodgkin's disease	T.	18	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
C83	Diffuse non-Hodgkin's lymphoma	T.	9	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
C84	Peripheral and cutaneous T-cell lymphomas	T.	19	-	-	-	-	-	-	-
		M.	18	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
C85	Other and unspecified types of non-Hodgkin's lymphoma	T.	963	-	-	1	1	1	-	-
		M.	605	-	-	1	1	1	-	-
		F.	358	-	-	-	-	-	-	-
C88	Malignant immunoproliferative diseases	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
C90	Multiple myeloma and malignant plasma cell neoplasms	T.	300	-	-	-	-	-	-	-
		M.	192	-	-	-	-	-	-	-
		F.	108	-	-	-	-	-	-	-
C91	Lymphoid leukaemia	T.	144	-	-	-	2	1	1	8
		M.	90	-	-	-	-	-	1	6
		F.	54	-	-	-	2	1	-	2

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.9)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
1	-	-	2	-	1	-	-	1	4	-	1	2	1	-	-	-	-	-
-	-	-	2	-	1	-	-	-	1	-	1	2	1	-	-	-	-	-
1	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
-	-	3	1	3	3	6	3	13	15	13	15	30	23	23	10	4	1	-
-	-	-	-	-	2	4	2	6	10	5	5	11	8	9	4	3	-	-
-	-	3	1	3	1	2	1	7	5	8	10	19	15	14	6	1	1	-
-	-	-	1	1	2	2	2	9	13	10	13	29	18	22	9	3	1	-
-	-	-	-	-	1	2	2	4	9	4	4	11	6	8	3	2	-	-
-	-	-	1	1	1	-	-	5	4	6	9	18	12	14	6	1	1	-
-	-	3	-	1	1	4	1	3	2	3	1	1	4	-	1	1	-	-
-	-	-	-	-	1	2	-	2	1	1	-	-	2	-	1	1	-	-
-	-	3	-	1	-	2	1	1	1	2	1	1	2	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
-	2	2	3	5	6	28	42	66	67	56	72	79	116	121	96	29	3	1
-	1	1	2	4	5	16	26	49	49	36	44	43	68	55	52	14	1	-
-	1	1	1	1	1	12	16	17	18	20	28	36	48	66	44	15	2	1
-	1	-	-	-	2	7	5	14	12	6	5	7	13	23	9	4	-	-
-	-	-	-	-	2	4	4	10	9	2	3	2	6	11	3	1	-	-
-	1	-	-	-	-	3	1	4	3	4	2	5	7	12	6	3	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	4	7	7	10	10	23	21	29	24	35	12	1	1
-	-	-	-	-	-	3	2	4	5	5	16	8	16	13	14	4	-	-
-	-	-	-	-	-	1	5	3	5	5	7	13	13	11	21	8	1	1
-	-	1	-	-	-	2	6	5	7	4	3	8	16	11	6	1	-	-
-	-	-	-	-	-	1	3	5	6	2	3	6	11	4	2	1	-	-
-	-	1	-	-	-	1	3	-	1	2	-	2	5	7	4	-	-	-
-	1	1	3	5	4	15	24	40	36	36	41	43	58	62	45	12	2	-
-	1	1	2	4	3	8	17	30	27	27	22	27	35	26	32	8	1	-
-	-	-	1	1	1	7	7	10	9	9	19	16	23	36	13	4	1	-
13	29	21	36	38	48	68	117	136	186	177	204	266	338	331	178	56	13	-
9	23	9	22	20	33	37	74	82	123	109	133	148	204	213	116	35	10	-
4	6	12	14	18	15	31	43	54	63	68	71	118	134	118	62	21	3	-
-	-	2	2	2	-	-	2	-	5	2	-	2	1	-	-	-	-	-
-	-	-	1	1	-	-	2	-	3	-	-	2	1	-	-	-	-	-
-	-	2	1	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	1	1	-	1	1	1	2	1	-	-	-
-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
-	-	-	-	1	-	-	2	4	1	-	-	4	4	1	1	1	-	-
-	-	-	-	1	-	-	2	4	1	-	-	4	3	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	9	4	10	10	18	20	42	64	81	70	86	110	140	164	95	25	9	-
2	8	2	6	5	16	15	25	35	58	47	58	58	77	101	63	19	7	-
1	1	2	4	5	2	5	17	29	23	23	28	52	63	63	32	6	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	2	4	7	20	20	27	37	49	58	51	17	6	1	-
-	-	-	-	1	2	-	5	13	13	16	26	25	38	37	11	4	1	-
-	-	-	-	-	-	4	2	7	7	11	11	24	20	14	6	2	-	-
6	9	7	5	8	3	3	9	9	11	9	10	15	11	8	7	2	-	-
5	8	4	2	4	2	2	7	4	6	5	7	10	6	5	5	1	-	-
1	1	3	3	4	1	1	2	5	5	4	3	5	5	3	2	1	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
C92	Myeloid leukaemia	T.	535	-	2	-	1	1	-	3
		M.	316	-	1	-	-	1	-	2
		F.	219	-	1	-	1	-	-	1
C93	Monocytic leukaemia	T.	5	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
C95	Leukaemia of unspecified cell type	T.	284	-	-	1	1	1	-	2
		M.	172	-	-	-	1	-	-	1
		F.	112	-	-	1	-	1	-	1
C96	Other bacterial agents as the cause of diseases classified to other chapters	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
C97	Malignant neoplasms of independent (primary) multiple sites	T.	717	-	-	-	-	-	-	-
		M.	517	-	-	-	-	-	-	-
		F.	200	-	-	-	-	-	-	-
D00-D09	In situ neoplasms	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D00	Carcinoma in situ of oral cavity, oesophagus and stomach	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
D01	Carcinoma in situ of other and unspecified digestive organs	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D09	Carcinoma in situ of other and unspecified sites	T.	4	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
D10-D36	Benign neoplasms	T.	128	-	1	-	-	1	-	-
		M.	55	-	1	-	-	-	-	-
		F.	73	-	-	-	-	1	-	-
D12	Benign neoplasm of colon, rectum, anus and anal canal	T.	9	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
D13	Benign neoplasm of other and ill-defined parts of digestive system	T.	12	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
D14	Benign neoplasm of middle ear and respiratory system	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D15	Benign neoplasm of other and unspecified intrathoracic organs	T.	4	-	1	-	-	-	-	-
		M.	2	-	1	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
D16	Benign neoplasm of bone and articular cartilage	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D17	Benign lipomatous neoplasm	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
D18	Haemangioma and lymphangioma, any site	T.	11	-	-	-	-	1	-	-
		M.	5	-	-	-	-	-	-	-
		F.	6	-	-	-	-	1	-	-
D24	Benign neoplasm of breast	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D25	Leiomyoma of uterus	T.	3	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
D26	Other benign neoplasms of uterus	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D27	Benign neoplasm of ovary	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D32	Benign neoplasm of meninges	T.	23	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	18	-	-	-	-	-	-	-
D33	Benign neoplasm of brain and other parts of central nervous system	T.	38	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-
		F.	21	-	-	-	-	-	-	-
D34	Benign neoplasm of thyroid gland	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
D35	Benign neoplasm of other and unspecified endocrine glands	T.	13	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
D36	Benign neoplasm of other and unspecified sites	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
D37-D48	Neoplasms of uncertain or unknown behaviour	T.	834	-	1	-	-	-	-	2
		M.	512	-	-	-	-	-	-	2
		F.	322	-	1	-	-	-	-	-
D37	Neoplasm of uncertain or unknown behaviour of oral cavity and digestive organs	T.	271	-	-	-	-	-	-	-
		M.	171	-	-	-	-	-	-	-
		F.	100	-	-	-	-	-	-	-
D38	Neoplasm of uncertain or unknown behaviour of middle ear and respiratory and intrathoracic organs	T.	149	-	-	-	-	-	-	-
		M.	101	-	-	-	-	-	-	-
		F.	48	-	-	-	-	-	-	-
D39	Neoplasm of uncertain or unknown behaviour of female genital organs	T.	3	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
D40	Neoplasm of uncertain or unknown behaviour of male genital organs	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
D41	Neoplasm of uncertain or unknown behaviour of urinary organs	T.	46	-	-	-	-	-	-	-
		M.	27	-	-	-	-	-	-	-
		F.	19	-	-	-	-	-	-	-
D42	Neoplasm of uncertain or unknown behaviour of meninges	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
D43	Neoplasm of uncertain or unknown behaviour of brain and central nervous system	T.	159	-	-	-	-	-	-	1
		M.	85	-	-	-	-	-	-	1
		F.	74	-	-	-	-	-	-	-
D44	Neoplasm of uncertain or unknown behaviour of endocrine glands	T.	14	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
D45	Polycythaemia vera	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
D46	Myelodysplastic syndromes	T.	89	-	-	-	-	-	-	1
		M.	62	-	-	-	-	-	-	1
		F.	27	-	-	-	-	-	-	-
D47	Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue	T.	34	-	-	-	-	-	-	-
		M.	25	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
D48	Neoplasm of uncertain or unknown behaviour of other and unspecified sites	T.	62	-	1	-	-	-	-	-
		M.	31	-	-	-	-	-	-	-
		F.	31	-	1	-	-	-	-	-
D50-D89	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	T.	496	2	5	3	1	2	1	7
		M.	259	1	3	1	1	1	1	4
		F.	237	1	2	2	-	1	-	3
D50-D53	Nutritional anaemias	T.	16	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
D50	Iron deficiency anaemia	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D53	Other nutritional anaemias	T.	14	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
D55-D59	Haemolytic anaemias	T.	22	2	2	-	-	-	-	-
		M.	10	1	1	-	-	-	-	-
		F.	12	1	1	-	-	-	-	-
D55	Anaemia due to enzyme disorders	T.	1	-	1	-	-	-	-	-
		M.	1	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
D56	Thalassaemia	T.	9	2	1	-	-	-	-	-
		M.	3	1	-	-	-	-	-	-
		F.	6	1	1	-	-	-	-	-
D58	Other hereditary haemolytic anaemias	T.	4	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
D59	Acquired haemolytic anaemia	T.	8	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
D60-D64	Aplastic and other anaemias	T.	244	-	-	-	-	-	-	4
		M.	122	-	-	-	-	-	-	2
		F.	122	-	-	-	-	-	-	2
D60	Acquired pure red cell aplasia [erythroblastopenia]	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
D61	Other aplastic anaemias	T.	83	-	-	-	-	-	-	4
		M.	42	-	-	-	-	-	-	2
		F.	41	-	-	-	-	-	-	2
D64	Other anaemias	T.	160	-	-	-	-	-	-	-
		M.	79	-	-	-	-	-	-	-
		F.	81	-	-	-	-	-	-	-
D65-D69	Coagulation defects, purpura and other haemorrhagic conditions	T.	127	-	1	1	1	1	-	1
		M.	66	-	1	-	1	-	-	1
		F.	61	-	-	1	-	1	-	-
D65	Disseminated intravascular coagulation [defibrination syndrome]	T.	41	-	1	-	1	1	-	1
		M.	27	-	1	-	1	-	-	1
		F.	14	-	-	-	-	1	-	-
D66	Hereditary factor VIII deficiency	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
D68	Other coagulation defects	T.	27	-	-	-	-	-	-	-
		M.	13	-	-	-	-	-	-	-
		F.	14	-	-	-	-	-	-	-
D69	Purpura and other haemorrhagic conditions	T.	55	-	-	1	-	-	-	-
		M.	23	-	-	-	-	-	-	-
		F.	32	-	-	1	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.12)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	2	2	1	4	2	3	3	8	10	13	11	1	1	-
-	-	-	-	-	1	2	1	1	2	2	2	3	4	5	7	-	1	-
-	-	-	-	-	1	-	-	3	-	1	1	5	6	8	4	1	-	-
1	3	1	6	6	10	9	20	16	28	25	26	49	55	93	74	38	14	1
-	2	1	2	4	3	7	13	11	18	15	14	29	31	46	33	13	5	-
1	1	-	4	2	7	2	7	5	10	10	12	20	24	47	41	25	9	1
-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	2	7	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1	7	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	-
1	1	-	1	-	2	2	1	1	2	2	-	1	1	1	2	-	-	-
-	1	-	-	-	-	1	1	-	2	1	-	-	-	1	1	-	-	-
1	-	-	1	-	2	1	-	1	-	1	-	1	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	2	-	-	1	1	-	1	1	1	1	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
-	-	-	4	3	5	4	7	7	14	10	12	23	27	46	48	18	11	1
-	-	-	2	2	1	3	6	5	9	6	6	11	15	23	21	5	5	-
-	-	-	2	1	4	1	1	2	5	4	6	12	12	23	27	13	6	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	3	3	4	2	4	4	8	4	8	10	9	11	8	1	-	-
-	-	-	1	2	-	1	3	2	4	3	3	5	5	8	3	-	-	-
-	-	-	2	1	4	1	1	2	4	1	5	5	4	3	5	1	-	-
-	-	-	1	-	1	2	3	3	6	6	4	13	17	35	40	17	11	1
-	-	-	1	-	1	2	3	3	5	3	3	6	9	15	18	5	5	-
-	-	-	-	-	-	-	-	-	1	3	1	7	8	20	22	12	6	1
-	2	1	-	-	2	3	7	3	4	7	9	15	16	28	14	10	1	-
-	1	1	-	-	1	3	2	2	1	4	4	11	10	12	6	5	-	-
-	1	-	-	-	1	-	5	1	3	3	5	4	6	16	8	5	1	-
-	-	1	-	-	1	-	2	1	4	2	4	4	5	7	3	2	1	-
-	-	1	-	-	1	-	1	-	1	2	3	4	3	4	3	1	-	-
-	-	-	-	-	-	-	-	1	3	-	1	-	2	3	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-
-	-	-	-	-	-	1	1	-	-	1	4	3	3	6	4	4	-	-
-	-	-	-	-	-	1	1	-	-	-	1	3	2	2	1	2	-	-
-	-	-	-	-	-	-	-	-	-	1	3	-	1	4	3	2	-	-
-	2	-	-	-	1	2	4	2	-	3	1	8	8	13	7	3	-	-
-	1	-	-	-	-	2	-	2	-	2	-	4	5	4	2	1	-	-
-	1	-	-	-	1	-	4	-	-	1	1	4	3	9	5	2	-	-



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.13)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	-	-	2	1	-	5	5	4	4	4	8	10	12	8	3	2	-
-	-	-	-	1	1	-	4	4	2	3	3	5	6	7	5	-	-	-
-	-	-	-	1	-	-	1	1	2	1	1	3	4	5	3	3	2	-
-	-	-	-	-	-	-	3	1	1	1	1	5	6	8	2	1	-	-
-	-	-	-	-	-	-	3	-	1	1	1	3	3	5	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	-	1	-	-
-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	5	2	2	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	3	2	-
-	-	-	-	1	1	-	2	3	2	1	1	2	1	-	1	-	-	-
-	-	-	-	1	1	-	1	3	-	1	1	1	1	-	1	-	-	-
-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	3	2	-	2	1	1	-	-	-	-
-	-	-	-	1	-	-	-	-	3	1	-	2	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
-	-	-	1	1	-	-	-	-	1	1	-	1	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
5	6	4	18	38	64	121	221	392	607	597	838	1,221	1,600	1,625	1,101	452	105	14
1	4	4	11	26	55	92	159	280	404	375	439	573	720	753	436	144	32	2
4	2	-	7	12	9	29	62	112	203	222	399	648	880	872	665	308	73	12
-	1	1	1	2	3	6	7	9	3	5	6	4	11	6	15	3	2	-
-	-	1	-	1	1	1	3	5	2	2	3	2	4	2	3	1	-	-
-	1	-	1	1	2	5	4	4	1	3	3	2	7	4	12	2	2	-
-	-	-	-	-	-	-	-	2	-	2	2	2	8	3	9	1	2	-
-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	3	1	-	-
-	-	-	-	-	-	-	-	1	-	1	2	-	5	2	6	-	2	-
-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	2	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-
-	-	1	1	1	2	6	7	6	3	2	4	1	3	1	4	1	-	-
-	-	1	-	-	-	1	3	4	2	1	3	-	1	1	-	-	-	-
-	-	-	1	1	2	5	4	2	1	1	1	1	2	-	4	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
1	1	1	7	19	41	91	188	338	551	557	779	1,152	1,494	1,515	992	392	82	10
-	-	1	6	12	36	71	135	240	362	349	401	538	660	705	395	123	26	2
1	1	-	1	7	5	20	53	98	189	208	378	614	834	810	597	269	56	8
-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
E11	Type 2 diabetes mellitus	T.	186	-	-	-	-	-	-	-
		M.	78	-	-	-	-	-	-	-
		F.	108	-	-	-	-	-	-	-
E14	Unspecified diabetes mellitus	T.	8,020	-	-	-	-	-	-	-
		M.	3,981	-	-	-	-	-	-	-
E15-E16	Other disorders of glucose regulation and pancreatic internal secretion	F.	4,039	-	-	-	-	-	-	-
		T.	44	-	-	-	-	-	-	-
		M.	22	-	-	-	-	-	-	-
E15	Nondiabetic hypoglycaemic coma	F.	22	-	-	-	-	-	-	-
		T.	10	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
E16	Other disorders of pancreatic internal secretion	F.	4	-	-	-	-	-	-	-
		T.	34	-	-	-	-	-	-	-
		M.	16	-	-	-	-	-	-	-
E20-E35	Disorders of other endocrine glands	F.	18	-	-	-	-	-	-	-
		T.	34	-	-	-	-	-	-	-
		M.	22	-	-	-	-	-	-	-
E20	Benign neoplasm of soft tissue of retroperitoneum and peritoneum	F.	12	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
E23	Hypofunction and other disorders of pituitary gland	F.	1	-	-	-	-	-	-	-
		T.	6	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
E24	Cushing's syndrome	F.	1	-	-	-	-	-	-	-
		T.	8	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
E27	Other disorders of adrenal gland	F.	4	-	-	-	-	-	-	-
		T.	19	-	-	-	-	-	-	-
		M.	13	-	-	-	-	-	-	-
E40-E46	Malnutrition	F.	6	-	-	-	-	-	-	-
		T.	140	-	1	-	-	-	-	-
		M.	77	-	1	-	-	-	-	-
E41	Nutritional marasmus	F.	63	-	-	-	-	-	-	-
		T.	23	-	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-	-
E43	Unspecified severe protein-energy malnutrition	F.	14	-	-	-	-	-	-	-
		T.	5	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
E46	Unspecified protein-energy malnutrition	F.	1	-	-	-	-	-	-	-
		T.	112	-	1	-	-	-	-	-
		M.	64	-	1	-	-	-	-	-
E50-E64	Other nutritional deficiencies	F.	48	-	-	-	-	-	-	-
		T.	4	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
E51	Thiamine deficiency	F.	2	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
E63	Other nutritional deficiencies	F.	1	-	-	-	-	-	-	-
		T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
E65-E68	Obesity and other hyperalimantation	F.	1	-	-	-	-	-	-	-
		T.	48	-	-	-	-	-	-	-
		M.	36	-	-	-	-	-	-	-
E66	Obesity	F.	12	-	-	-	-	-	-	-
		T.	48	-	-	-	-	-	-	-
		M.	36	-	-	-	-	-	-	-
		F.	12	-	-	-	-	-	-	

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
E70-E90	Metabolic disorders	T.	482	1	13	1	-	-	1	2
		M.	268	1	5	-	-	-	1	2
		F.	214	-	8	1	-	-	-	-
E70	Disorders of aromatic amino-acid metabolism	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
E74	Other disorders of carbohydrate metabolism	T.	2	-	1	-	-	-	-	-
		M.	2	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	T.	1	-	-	-	-	-	1	-
		M.	1	-	-	-	-	-	1	-
		F.	-	-	-	-	-	-	-	-
E76	Disorders of glycosaminoglycan metabolism	T.	4	-	-	-	-	-	-	1
		M.	4	-	-	-	-	-	-	1
		F.	-	-	-	-	-	-	-	-
E78	Disorders of lipoprotein metabolism and other lipidaemias	T.	66	-	-	-	-	-	-	-
		M.	52	-	-	-	-	-	-	-
		F.	14	-	-	-	-	-	-	-
E79	Disorders of purine and pyrimidine metabolism	T.	12	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
E83	Disorders of mineral metabolism	T.	18	1	-	-	-	-	-	-
		M.	13	1	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
E85	Amyloidosis	T.	17	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
E86	Volume depletion	T.	11	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
E87	Other disorders of fluid, electrolyte and acid-base balance	T.	298	-	5	-	-	-	-	-
		M.	144	-	-	-	-	-	-	-
		F.	154	-	5	-	-	-	-	-
E88	Other metabolic disorders	T.	51	-	7	1	-	-	-	1
		M.	24	-	4	-	-	-	-	1
		F.	27	-	3	1	-	-	-	-
F00-F99	Mental and behavioural disorders	T.	960	-	-	-	-	-	-	1
		M.	569	-	-	-	-	-	-	1
		F.	391	-	-	-	-	-	-	-
F00-F09	Organic, including symptomatic, mental disorders	T.	602	-	-	-	-	-	-	-
		M.	282	-	-	-	-	-	-	-
		F.	320	-	-	-	-	-	-	-
F01	Vascular dementia	T.	7	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
F03	Unspecified dementia	T.	583	-	-	-	-	-	-	-
		M.	268	-	-	-	-	-	-	-
		F.	315	-	-	-	-	-	-	-
F05	Delirium, not induced by alcohol and other psychoactive substances	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	T.	8	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
F09	Unspecified organic or symptomatic mental disorder	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
F10-F19	Mental and behavioural disorders due to psychoactive substance use	T.	254	-	-	-	-	-	-	-
		M.	229	-	-	-	-	-	-	-
		F.	25	-	-	-	-	-	-	-
F10	Mental and behavioural disorders due to use of alcohol	T.	228	-	-	-	-	-	-	-
		M.	207	-	-	-	-	-	-	-
		F.	21	-	-	-	-	-	-	-
F13	Mental and behavioural disorders due to use of sedatives or hypnotics	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
F15	Mental and behavioural disorders due to use of other stimulants, including caffeine	T.	9	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
F16	Mental and behavioural disorders due to use of hallucinogens	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
F17	Mental and behavioural disorders due to use of tobacco	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
F19	Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances	T.	10	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
F20-F29	Schizophrenia, schizotypal and delusional disorders	T.	53	-	-	-	-	-	-	-
		M.	32	-	-	-	-	-	-	-
		F.	21	-	-	-	-	-	-	-
F20	Schizophrenia	T.	37	-	-	-	-	-	-	-
		M.	21	-	-	-	-	-	-	-
		F.	16	-	-	-	-	-	-	-
F29	Unspecified nonorganic psychosis	T.	16	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
F30-F39	Mood [affective] disorders	T.	22	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	15	-	-	-	-	-	-	-
F30	Manic episode	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
F31	Bipolar affective disorder	T.	5	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
F32	Depressive episode	T.	13	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
F39	Unspecified mood [affective] disorder	T.	3	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
F40-F48	Neurotic, stress-related and somatoform disorders	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
F45	Somatoform disorders	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
F48	Other neurotic disorders	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
F50-F59	Behavioural syndromes associated with physiological disturbances and physical factors	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
F50	Eating disorders	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
F55	Abuse of non-dependence-producing substances	F.	1	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
F70-F79	Mental retardation	M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
		T.	21	-	-	-	-	-	-	1
F71	Moderate mental retardation	M.	14	-	-	-	-	-	-	1
		F.	7	-	-	-	-	-	-	-
		T.	6	-	-	-	-	-	-	-
F72	Severe mental retardation	M.	4	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
		T.	7	-	-	-	-	-	-	1
F73	Profound mental retardation	M.	3	-	-	-	-	-	-	1
		F.	4	-	-	-	-	-	-	-
		T.	2	-	-	-	-	-	-	-
F79	Unspecified mental retardation	M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
		T.	6	-	-	-	-	-	-	-
F80-F89	Disorders of psychological development	M.	5	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
F84	Pervasive developmental disorders	F.	1	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
G00-G99	Diseases of the nervous system	F.	-	-	-	-	-	-	-	-
		T.	1,902	1	15	9	2	4	3	11
		M.	1,125	1	9	6	-	3	-	5
G00-G09	Inflammatory diseases of the central nervous system	F.	777	-	6	3	2	1	3	6
		T.	177	1	2	2	-	1	1	1
		M.	116	1	1	2	-	1	-	1
G00	Bacterial meningitis, not elsewhere classified	F.	61	-	1	-	-	-	1	-
		T.	22	1	-	-	-	-	-	-
		M.	16	1	-	-	-	-	-	-
G03	Meningitis due to other and unspecified causes	F.	6	-	-	-	-	-	-	-
		T.	64	-	2	-	-	1	-	-
		M.	42	-	1	-	-	1	-	-
G04	Encephalitis, myelitis and encephalomyelitis	F.	22	-	1	-	-	-	-	-
		T.	41	-	-	2	-	-	1	-
		M.	21	-	-	2	-	-	-	-
G06	Intracranial and intraspinal abscess and granuloma	F.	20	-	-	-	-	-	1	-
		T.	48	-	-	-	-	-	-	1
		M.	36	-	-	-	-	-	-	-
G08	Intracranial and intraspinal phlebitis and thrombophlebitis	F.	12	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
G09	Sequelae of inflammatory diseases of central nervous system	F.	-	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
G10-G13	Systemic atrophies primarily affecting the central nervous system	F.	1	-	-	-	-	-	-	-
		T.	96	-	-	-	1	-	-	-
		M.	54	-	-	-	-	-	-	-
		F.	42	-	-	-	1	-	-	

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.17)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	2	2	1	3	2	2	1	-	1	-	2	2	1	-	1	-	-
-	-	2	1	1	3	1	1	-	-	1	-	-	1	1	-	1	-	-
-	-	-	1	-	-	1	1	1	-	-	-	2	1	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	1	1	1	-	1	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
-	-	-	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
24	30	24	33	33	47	46	66	90	105	109	122	191	253	339	229	95	18	3
13	19	15	20	24	37	30	49	57	64	63	73	115	134	194	129	54	9	2
11	11	9	13	9	10	16	17	33	41	46	49	76	119	145	100	41	9	1
-	1	1	6	4	8	10	10	19	11	16	17	16	19	16	7	7	1	-
-	1	1	3	3	5	7	9	13	7	10	11	12	10	9	2	7	-	-
-	-	-	3	1	3	3	1	6	4	6	6	4	9	7	5	-	1	-
-	-	-	1	1	-	1	2	3	-	1	2	4	4	1	-	1	-	-
-	-	-	-	1	-	1	2	3	-	1	1	2	2	1	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-
-	-	1	2	-	5	3	4	6	5	4	7	3	9	8	2	1	1	-
-	-	1	2	-	3	1	4	5	3	4	5	2	3	5	1	1	-	-
-	-	-	-	-	2	2	-	1	2	-	2	1	6	3	1	-	1	-
-	-	-	3	3	1	2	2	4	2	5	3	3	1	4	4	1	-	-
-	-	-	1	2	1	1	1	2	1	2	1	3	1	1	1	1	-	-
-	-	-	2	1	-	1	1	2	1	3	2	-	-	3	3	-	-	-
-	1	-	-	-	1	4	2	6	4	6	5	6	4	3	1	4	-	-
-	1	-	-	-	1	4	2	3	3	3	4	5	3	2	-	4	-	-
-	-	-	-	-	-	-	-	3	1	3	1	1	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	1	-	3	2	3	11	18	14	16	8	10	4	1	1	-	-
1	1	1	-	-	2	-	1	6	10	9	10	5	4	3	1	-	-	-
-	-	-	1	-	1	2	2	5	8	5	6	3	6	1	-	1	-	-



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.18)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
1	1	1	1	-	3	2	3	11	18	13	15	8	10	3	1	1	-	-
1	1	1	-	-	2	-	1	6	10	9	10	5	4	3	1	-	-	-
-	-	-	1	-	1	2	2	5	8	4	5	3	6	-	-	1	-	-
-	-	-	1	1	-	1	4	1	8	20	29	72	111	199	128	44	7	-
-	-	-	1	1	-	1	1	1	5	9	17	40	59	119	76	30	4	-
-	-	-	-	-	-	-	3	-	3	11	12	32	52	80	52	14	3	-
-	-	-	1	-	-	-	4	1	8	19	29	71	111	197	128	43	7	-
-	-	-	1	-	-	-	1	1	5	9	17	40	59	117	76	30	4	-
-	-	-	-	-	-	-	3	-	3	10	12	31	52	80	52	13	3	-
-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	2	1	1	4	4	3	8	8	9	16	15	20	22	8	2	2
-	-	-	2	1	1	2	4	2	4	5	5	8	7	8	9	4	1	2
1	-	-	-	-	-	2	-	1	4	3	4	8	8	12	13	4	1	-
-	-	-	-	-	-	-	-	-	-	1	1	4	9	16	14	5	1	1
-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	5	2	1	1
-	-	-	-	-	-	-	-	-	-	1	-	4	5	10	9	3	-	-
1	-	-	2	1	1	4	4	3	8	7	8	12	6	4	8	3	1	1
-	-	-	2	1	1	2	4	2	4	5	4	8	3	2	4	2	-	1
1	-	-	-	-	-	2	-	1	4	2	4	4	3	2	4	1	1	-
-	-	-	-	-	1	-	1	-	3	3	3	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	1	2	3	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	3	1	3	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	1	1	3	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
4	5	4	9	16	19	14	23	25	23	17	9	20	33	30	22	10	4	1
2	3	1	7	12	18	8	17	15	16	12	6	13	18	17	10	1	1	-
2	2	3	2	4	1	6	6	10	7	5	3	7	15	13	12	9	3	1
3	5	4	9	13	18	11	21	21	20	13	4	17	28	24	17	5	2	-
2	3	1	7	10	17	6	16	13	16	9	3	11	17	13	7	-	-	-
1	2	3	2	3	1	5	5	8	4	4	1	6	11	11	10	5	2	-
1	-	-	-	3	-	1	1	1	1	2	3	3	5	5	4	3	2	-
-	-	-	-	2	-	1	1	-	-	1	3	2	1	3	2	1	1	-
1	-	-	-	1	-	-	-	1	1	1	-	1	4	2	2	2	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	2	1	3	2	1	2	-	-	1	1	1	-	1
-	-	-	-	-	1	1	-	2	-	1	-	-	-	1	1	-	-	-
-	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-	1	-	1



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.19)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	-	-	-	1	-	2	2	-	-	-	-	1	-	2	-	-	-
-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	2	-	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	4	1	-	1	1	1	-	-
-	-	-	-	-	-	-	-	1	1	-	4	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
1	6	3	1	2	-	-	-	3	-	3	3	3	3	2	-	2	-	-
1	6	3	-	2	-	-	-	1	-	2	1	1	1	-	-	-	-	-
-	-	-	1	-	-	-	-	2	-	1	2	2	2	2	-	2	-	-
-	-	-	-	-	-	-	-	3	-	2	3	3	3	2	-	2	-	-
-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	1	2	2	2	2	-	2	-	-
1	6	3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	6	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	16	13	9	6	3	2	3	-	4	3	5	7	6	8	5	6	2	-
9	7	8	6	4	2	1	2	-	3	1	3	5	3	6	4	2	2	-
7	9	5	3	2	1	1	1	-	1	2	2	2	3	2	1	4	-	-
16	16	13	9	5	3	2	2	-	2	1	1	1	-	1	-	-	-	-
9	7	8	6	3	2	1	1	-	1	-	1	-	-	1	-	-	-	-
7	9	5	3	2	1	1	1	-	1	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	1	-	1	2	4	5	4	3	2	6	1	-
-	-	-	-	1	-	-	1	-	1	1	2	4	2	3	1	2	1	-
-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
1	1	2	4	3	11	13	16	25	29	25	27	47	55	59	41	16	2	-
-	1	1	1	1	7	11	14	17	16	14	16	30	31	31	25	10	1	-
1	-	1	3	2	4	2	2	8	13	11	11	17	24	28	16	6	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	3	1	4	4	3	2	6	13	13	10	2	-	-
-	1	-	-	-	-	3	1	1	2	2	2	4	4	6	10	1	-	-
-	-	-	-	-	1	-	-	3	2	1	-	2	9	7	-	1	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
G93	Other disorders of brain	T.	296	-	8	1	1	-	-	-
		M.	176	-	5	1	-	-	-	-
		F.	120	-	3	-	1	-	-	-
G95	Other diseases of spinal cord	T.	25	-	-	-	-	-	-	-
		M.	18	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
G96	Other disorders of central nervous system	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
H00-H59	Diseases of the eye and adnexa	T.	3	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
H43-H45	Disorders of vitreous body and globe	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
H44	Disorders of globe	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
H53-H54	Visual disturbances and blindness	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
H54	Blindness and low vision	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
H60-H95	Diseases of the ear and mastoid process	T.	5	-	-	-	-	-	-	1
		M.	4	-	-	-	-	-	-	1
		F.	1	-	-	-	-	-	-	-
H65-H75	Diseases of middle ear and mastoid	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
H66	Suppurative and unspecified otitis media	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
H80-H83	Diseases of inner ear	T.	2	-	-	-	-	-	-	1
		M.	1	-	-	-	-	-	-	1
		F.	1	-	-	-	-	-	-	-
H81	Disorders of vestibular function	T.	2	-	-	-	-	-	-	1
		M.	1	-	-	-	-	-	-	1
		F.	1	-	-	-	-	-	-	-
I00-I99	Diseases of the circulatory system	T.	31,196	-	23	3	4	2	1	10
		M.	18,243	-	12	3	2	-	-	4
		F.	12,953	-	11	-	2	2	1	6
I05-I09	Chronic rheumatic heart diseases	T.	124	-	-	-	-	-	-	1
		M.	47	-	-	-	-	-	-	1
		F.	77	-	-	-	-	-	-	-
I05	Rheumatic mitral valve diseases	T.	45	-	-	-	-	-	-	-
		M.	19	-	-	-	-	-	-	-
		F.	26	-	-	-	-	-	-	-
I06	Rheumatic aortic valve diseases	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
I07	Rheumatic tricuspid valve diseases	T.	9	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
I08	Multiple valve diseases	T.	8	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
I09	Other rheumatic heart diseases	T.	60	-	-	-	-	-	-	1
		M.	20	-	-	-	-	-	-	1
		F.	40	-	-	-	-	-	-	-
I10-I15	Hypertensive diseases	T.	4,174	-	-	-	-	-	-	1
		M.	2,128	-	-	-	-	-	-	-
		F.	2,046	-	-	-	-	-	-	1
I10	Essential (primary) hypertension	T.	1,859	-	-	-	-	-	-	-
		M.	970	-	-	-	-	-	-	-
		F.	889	-	-	-	-	-	-	-
I11	Hypertensive heart disease	T.	1,786	-	-	-	-	-	-	-
		M.	903	-	-	-	-	-	-	-
		F.	883	-	-	-	-	-	-	-
I12	Hypertensive renal disease	T.	346	-	-	-	-	-	-	-
		M.	164	-	-	-	-	-	-	-
		F.	182	-	-	-	-	-	-	-
I13	Hypertensive heart and renal disease	T.	183	-	-	-	-	-	-	1
		M.	91	-	-	-	-	-	-	-
		F.	92	-	-	-	-	-	-	1
I20-I25	Ischaemic heart diseases	T.	7,829	-	-	-	-	-	-	-
		M.	4,959	-	-	-	-	-	-	-
		F.	2,870	-	-	-	-	-	-	-
I20	Angina pectoris	T.	103	-	-	-	-	-	-	-
		M.	49	-	-	-	-	-	-	-
		F.	54	-	-	-	-	-	-	-
I21	Acute myocardial infarction	T.	4,937	-	-	-	-	-	-	-
		M.	3,210	-	-	-	-	-	-	-
		F.	1,727	-	-	-	-	-	-	-
I24	Other acute ischaemic heart diseases	T.	42	-	-	-	-	-	-	-
		M.	26	-	-	-	-	-	-	-
		F.	16	-	-	-	-	-	-	-
I25	Chronic ischaemic heart disease	T.	2,747	-	-	-	-	-	-	-
		M.	1,674	-	-	-	-	-	-	-
		F.	1,073	-	-	-	-	-	-	-
I26-I28	Pulmonary heart disease and diseases of pulmonary circulation	T.	281	-	3	-	-	1	-	-
		M.	144	-	2	-	-	-	-	-
		F.	137	-	1	-	-	1	-	-
I26	Pulmonary embolism	T.	116	-	-	-	-	-	-	-
		M.	54	-	-	-	-	-	-	-
		F.	62	-	-	-	-	-	-	-
I27	Other pulmonary heart diseases	T.	163	-	1	-	-	1	-	-
		M.	89	-	1	-	-	-	-	-
		F.	74	-	-	-	-	1	-	-
I28	Other diseases of pulmonary vessels	T.	2	-	2	-	-	-	-	-
		M.	1	-	1	-	-	-	-	-
		F.	1	-	1	-	-	-	-	-
I30-I52	Other forms of heart disease	T.	7,559	-	16	1	3	1	-	4
		M.	4,294	-	9	1	1	-	-	1
		F.	3,265	-	7	-	2	1	-	3
I30	Acute pericarditis	T.	5	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
I31	Other diseases of pericardium	T.	37	-	1	-	-	-	-	-
		M.	21	-	1	-	-	-	-	-
		F.	16	-	-	-	-	-	-	-
I33	Acute and subacute endocarditis	T.	88	-	-	-	-	-	-	-
		M.	53	-	-	-	-	-	-	-
		F.	35	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.21)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																		100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	-	3	2	4	8	4	7	8	8	10	5	-	-	-
-	-	-	-	-	-	1	1	2	4	2	2	3	-	2	2	-	-	-
-	-	-	-	-	-	2	1	2	4	2	5	5	8	8	3	-	-	-
-	-	-	3	11	24	29	88	133	193	179	266	381	646	903	721	426	142	28
-	-	-	3	8	19	18	69	96	134	131	177	196	316	450	308	154	40	9
-	-	-	-	3	5	11	19	37	59	48	89	185	330	453	413	272	102	19
-	-	-	1	8	15	8	47	55	86	85	115	177	297	389	318	187	58	13
-	-	-	1	6	13	5	42	44	65	64	75	83	143	184	151	71	18	5
-	-	-	-	2	2	3	5	11	21	21	40	94	154	205	167	116	40	8
-	-	-	2	2	7	16	31	53	72	61	115	151	264	411	321	198	69	13
-	-	-	2	2	5	11	24	39	50	43	75	86	139	212	126	70	16	3
-	-	-	-	-	2	5	7	14	22	18	40	65	125	199	195	128	53	10
-	-	-	-	-	2	3	6	21	27	26	21	35	59	66	55	17	7	1
-	-	-	-	-	1	1	3	11	13	18	13	16	24	37	20	4	2	1
-	-	-	-	-	1	2	3	10	14	8	8	19	35	29	35	13	5	-
-	-	-	-	1	-	2	4	4	8	7	15	18	26	37	27	24	8	1
-	-	-	-	-	-	1	-	2	6	6	14	11	10	17	11	9	4	-
-	-	-	-	1	-	1	4	2	2	1	1	7	16	20	16	15	4	1
2	2	2	12	29	56	110	202	331	441	459	597	920	1,279	1,584	1,147	490	138	28
1	2	2	8	26	50	98	175	279	348	366	410	581	809	915	612	215	55	7
1	-	-	4	3	6	12	27	52	93	93	187	339	470	669	535	275	83	21
-	1	-	-	-	2	2	4	1	5	3	9	9	15	22	18	9	3	-
-	1	-	-	-	2	2	2	1	2	2	6	4	10	8	6	2	1	-
-	-	-	-	-	-	-	2	-	3	1	3	5	5	14	12	7	2	-
1	1	2	11	24	35	90	150	250	327	310	415	600	818	904	658	259	69	13
-	1	2	7	22	33	80	130	217	263	254	280	396	511	522	346	115	27	4
1	-	-	4	2	2	10	20	33	64	56	135	204	307	382	312	144	42	9
1	-	-	1	-	2	1	3	6	-	3	4	3	4	7	5	2	-	-
1	-	-	1	-	2	1	2	5	-	2	2	-	1	4	4	1	-	-
-	-	-	-	-	-	-	1	1	-	1	2	3	3	3	1	1	-	-
-	-	-	-	5	17	17	45	74	109	143	169	308	442	651	466	220	66	15
-	-	-	-	4	13	15	41	56	83	108	122	181	287	381	256	97	27	3
-	-	-	-	1	4	2	4	18	26	35	47	127	155	270	210	123	39	12
-	-	-	3	4	8	7	12	12	12	12	14	28	44	56	39	17	8	1
-	-	-	1	3	3	2	5	8	6	7	3	14	21	36	21	10	2	-
-	-	-	2	1	5	5	7	4	6	5	11	14	23	20	18	7	6	1
-	-	-	-	3	3	2	4	2	7	5	6	14	16	27	18	5	3	1
-	-	-	-	2	2	1	1	2	3	3	2	3	6	18	9	2	-	-
-	-	-	-	1	1	1	3	-	4	2	4	11	10	9	9	3	3	1
-	-	-	3	1	5	5	8	10	5	7	8	14	28	29	21	12	5	-
-	-	-	1	1	1	1	4	6	3	4	1	11	15	18	12	8	2	-
-	-	-	2	-	4	4	4	4	2	3	7	3	13	11	9	4	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	19	19	56	83	110	207	294	346	397	342	451	659	959	1,367	1,225	703	244	40
6	15	16	41	60	85	169	234	280	293	234	297	395	507	723	549	288	79	11
7	4	3	15	23	25	38	60	66	104	108	154	264	452	644	676	415	165	29
-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
-	-	-	2	-	-	1	3	1	1	1	2	1	6	7	9	2	-	-
-	-	-	2	-	-	-	1	-	1	1	2	1	4	3	5	-	-	-
-	-	-	-	-	-	1	2	1	-	-	-	-	2	4	4	2	-	-
-	-	-	1	5	1	4	5	7	9	3	8	9	11	12	8	5	-	-
-	-	-	-	2	1	2	4	6	6	2	5	3	5	7	7	3	-	-
-	-	-	1	3	-	2	1	1	3	1	3	6	6	5	1	2	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
I34	Nonrheumatic mitral valve disorders	T.	73	-	1	-	-	-	-	-
		M.	34	-	1	-	-	-	-	-
		F.	39	-	-	-	-	-	-	-
I35	Nonrheumatic aortic valve disorders	T.	161	-	-	-	-	-	-	-
		M.	76	-	-	-	-	-	-	-
		F.	85	-	-	-	-	-	-	-
I37	Pulmonary valve disorders	T.	1	-	1	-	-	-	-	-
		M.	1	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
I38	Endocarditis, valve unspecified	T.	456	-	-	-	-	-	-	-
		M.	180	-	-	-	-	-	-	-
		F.	276	-	-	-	-	-	-	-
I40	Acute myocarditis	T.	12	-	1	-	1	-	-	-
		M.	7	-	1	-	-	-	-	-
		F.	5	-	-	-	1	-	-	-
I42	Cardiomyopathy	T.	307	-	4	-	1	-	-	-
		M.	215	-	2	-	-	-	-	-
		F.	92	-	2	-	1	-	-	-
I44	Atrioventricular and left bundle-branch block	T.	26	-	-	-	-	-	-	-
		M.	14	-	-	-	-	-	-	-
		F.	12	-	-	-	-	-	-	-
I45	Other conduction disorders	T.	4	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
I46	Cardiac arrest	T.	368	-	-	-	-	-	-	-
		M.	269	-	-	-	-	-	-	-
		F.	99	-	-	-	-	-	-	-
I47	Paroxysmal tachycardia	T.	38	-	-	-	-	-	-	-
		M.	22	-	-	-	-	-	-	-
		F.	16	-	-	-	-	-	-	-
I48	Atrial fibrillation and flutter	T.	131	-	-	-	-	-	-	-
		M.	51	-	-	-	-	-	-	-
		F.	80	-	-	-	-	-	-	-
I49	Other cardiac arrhythmias	T.	877	-	-	-	-	-	-	-
		M.	489	-	-	-	-	-	-	-
		F.	388	-	-	-	-	-	-	-
I50	Heart failure	T.	3,166	-	-	-	-	-	-	2
		M.	1,585	-	-	-	-	-	-	1
		F.	1,581	-	-	-	-	-	-	1
I51	Complications and ill-defined descriptions of heart disease	T.	1,809	-	8	1	1	1	-	2
		M.	1,273	-	3	1	1	-	-	-
		F.	536	-	5	-	-	1	-	2
I60-I69	Cerebrovascular diseases	T.	10,134	-	4	1	1	-	1	4
		M.	5,963	-	1	1	1	-	-	2
		F.	4,171	-	3	-	-	-	1	2
I60	Subarachnoid haemorrhage	T.	561	-	1	-	-	-	-	1
		M.	241	-	-	-	-	-	-	1
		F.	320	-	1	-	-	-	-	-
I61	Intracerebral haemorrhage	T.	1,946	-	1	-	-	-	-	3
		M.	1,245	-	-	-	-	-	-	1
		F.	701	-	1	-	-	-	-	2
I62	Other nontraumatic intracranial haemorrhage	T.	784	-	1	1	1	-	1	-
		M.	524	-	1	1	1	-	-	-
		F.	260	-	-	-	-	-	1	-
I63	Cerebral infarction	T.	863	-	-	-	-	-	-	-
		M.	455	-	-	-	-	-	-	-
		F.	408	-	-	-	-	-	-	-



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.22)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																		100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	1	1	4	-	1	2	3	3	4	7	5	14	13	10	3	1	-
-	-	1	1	3	-	1	2	1	2	3	2	3	6	5	2	1	-	-
-	-	-	-	1	-	-	-	2	1	1	5	2	8	8	8	2	1	-
-	-	-	-	-	-	2	-	1	2	1	10	12	20	47	43	20	3	-
-	-	-	-	-	-	2	-	-	1	-	5	11	11	19	19	6	2	-
-	-	-	-	-	-	-	-	1	1	1	5	1	9	28	24	14	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	5	5	9	10	16	22	17	26	45	60	95	81	48	16	-
-	-	-	-	3	4	4	7	10	10	8	10	22	30	37	22	10	3	-
-	-	-	1	2	1	5	3	6	12	9	16	23	30	58	59	38	13	-
-	-	-	2	-	-	-	2	1	2	1	2	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
4	4	3	12	9	23	13	29	27	34	15	23	22	31	24	19	7	3	-
2	2	2	11	8	15	12	21	20	32	12	17	15	14	13	13	3	1	-
2	2	1	1	1	8	1	8	7	2	3	6	7	17	11	6	4	2	-
-	-	-	-	-	-	-	1	1	1	1	1	3	3	9	2	4	-	-
-	-	-	-	-	-	-	-	1	-	1	-	2	-	5	2	2	-	-
-	-	-	-	-	-	-	1	-	1	-	-	1	3	4	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
1	2	1	4	7	13	31	27	46	37	24	23	44	31	31	30	12	2	2
1	2	1	4	6	12	27	23	44	33	17	16	26	16	24	11	6	-	-
-	-	-	-	1	1	4	4	2	4	7	7	18	15	7	19	6	2	2
-	-	-	-	-	1	1	2	2	3	-	2	2	9	10	3	2	1	-
-	-	-	-	-	1	1	2	1	1	-	1	2	3	6	1	2	1	-
-	-	-	-	-	-	-	-	1	2	-	1	-	6	4	2	-	-	-
-	-	-	-	-	1	1	2	-	1	4	7	11	27	28	31	15	3	-
-	-	-	-	-	-	-	2	-	-	2	3	5	11	12	11	5	-	-
-	-	-	-	-	1	1	-	-	1	2	4	6	16	16	20	10	3	-
3	1	3	-	5	3	13	17	25	37	34	48	78	135	181	175	93	22	4
1	1	2	-	2	2	9	13	22	19	17	30	44	82	96	94	44	10	1
2	-	1	-	3	1	4	4	3	18	17	18	34	53	85	81	49	12	3
3	5	3	11	15	18	37	51	64	108	102	166	260	411	663	637	415	166	29
2	5	2	5	12	13	32	38	46	72	65	108	147	210	331	273	166	50	7
1	-	1	6	3	5	5	13	18	36	37	58	113	201	332	364	249	116	22
2	7	8	22	33	45	94	141	152	137	134	125	165	201	247	176	76	26	5
-	5	8	17	24	37	79	118	128	115	106	95	113	115	165	89	40	11	3
2	2	-	5	9	8	15	23	24	22	28	30	52	86	82	87	36	15	2
4	5	9	14	39	90	187	307	451	591	584	666	1,174	1,655	2,001	1,535	634	165	12
3	3	5	10	27	73	144	224	341	422	410	440	692	952	1,154	736	253	64	5
1	2	4	4	12	17	43	83	110	169	174	226	482	703	847	799	381	101	7
2	1	2	5	6	12	34	52	52	73	48	44	68	58	52	36	12	2	-
1	1	1	4	4	10	18	28	26	34	28	11	21	22	17	10	3	1	-
1	-	1	1	2	2	16	24	26	39	20	33	47	36	35	26	9	1	-
2	1	4	7	16	46	79	143	207	214	153	145	212	252	229	169	47	14	2
2	-	2	6	12	36	69	115	164	157	105	89	111	138	123	87	22	5	1
-	1	2	1	4	10	10	28	43	57	48	56	101	114	106	82	25	9	1
-	2	1	1	9	16	36	38	58	66	41	53	89	98	132	89	39	11	1
-	1	1	-	7	13	29	32	44	49	28	41	49	50	97	53	21	5	1
-	1	-	1	2	3	7	6	14	17	13	12	40	48	35	36	18	6	-
-	1	-	-	2	3	5	19	28	52	46	71	94	151	178	143	60	10	-
-	1	-	-	1	3	4	10	21	31	30	48	46	80	101	60	14	5	-
-	-	-	-	1	-	1	9	7	21	16	23	48	71	77	83	46	5	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
I64	Stroke, not specified as haemorrhage or infarction	T.	2,442	-	-	-	-	-	-	-
		M.	1,371	-	-	-	-	-	-	-
		F.	1,071	-	-	-	-	-	-	-
I67	Other cerebrovascular diseases	T.	381	-	1	-	-	-	-	-
		M.	215	-	-	-	-	-	-	-
		F.	166	-	1	-	-	-	-	-
I69	Sequelae of cerebrovascular disease	T.	3,157	-	-	-	-	-	-	-
		M.	1,912	-	-	-	-	-	-	-
		F.	1,245	-	-	-	-	-	-	-
I70-I79	Diseases of arteries, arterioles and capillaries	T.	1,006	-	-	1	-	-	-	-
		M.	650	-	-	1	-	-	-	-
		F.	356	-	-	-	-	-	-	-
I70	Atherosclerosis	T.	48	-	-	1	-	-	-	-
		M.	27	-	-	1	-	-	-	-
		F.	21	-	-	-	-	-	-	-
I71	Aortic aneurysm and dissection	T.	682	-	-	-	-	-	-	-
		M.	481	-	-	-	-	-	-	-
		F.	201	-	-	-	-	-	-	-
I72	Other aneurysm	T.	63	-	-	-	-	-	-	-
		M.	33	-	-	-	-	-	-	-
		F.	30	-	-	-	-	-	-	-
I73	Other peripheral vascular diseases	T.	17	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
I74	Arterial embolism and thrombosis	T.	159	-	-	-	-	-	-	-
		M.	78	-	-	-	-	-	-	-
		F.	81	-	-	-	-	-	-	-
I77	Other disorders of arteries and arterioles	T.	36	-	-	-	-	-	-	-
		M.	23	-	-	-	-	-	-	-
		F.	13	-	-	-	-	-	-	-
I78	Diseases of capillaries	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
I80-I89	Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified	T.	81	-	-	-	-	-	-	-
		M.	53	-	-	-	-	-	-	-
		F.	28	-	-	-	-	-	-	-
I80	Phlebitis and thrombophlebitis	T.	18	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
I81	Portal vein thrombosis	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
I82	Other venous embolism and thrombosis	T.	11	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
I83	Varicose veins of lower extremities	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
I84	Haemorrhoids	T.	5	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
I85	Oesophageal varices	T.	32	-	-	-	-	-	-	-
		M.	29	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
I86	Varicose veins of other sites	T.	6	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
I87	Other disorders of veins	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
I89	Other noninfective disorders of lymphatic vessels and lymph nodes	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
I95-I99	Other and unspecified disorders of the circulatory system	F.	1	-	-	-	-	-	-	-
		T.	8	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
I95	Hypotension	F.	3	-	-	-	-	-	-	-
		T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
I99	Other and unspecified disorders of circulatory system	F.	2	-	-	-	-	-	-	-
		T.	5	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
J00-J99	Diseases of the respiratory system	F.	1	-	-	-	-	-	-	-
		T.	17,120	-	26	6	4	5	3	5
		M.	11,280	-	13	1	2	4	2	1
J00-J06	Acute upper respiratory infections	F.	5,840	-	13	5	2	1	1	4
		T.	39	-	-	-	-	-	-	-
		M.	19	-	-	-	-	-	-	-
J00	Acute nasopharyngitis [common cold]	F.	20	-	-	-	-	-	-	-
		T.	7	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
J03	Acute tonsillitis	F.	4	-	-	-	-	-	-	-
		T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
J04	Acute laryngitis and tracheitis	F.	-	-	-	-	-	-	-	-
		T.	7	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
J05	Acute obstructive laryngitis [croup] and epiglottitis	F.	4	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
J06	Acute upper respiratory infections of multiple and unspecified sites	F.	1	-	-	-	-	-	-	-
		T.	22	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
J10-J18	Influenza and pneumonia	F.	11	-	-	-	-	-	-	-
		T.	8,967	-	5	5	3	2	3	3
		M.	5,601	-	3	1	1	2	2	1
J10	Influenza due to identified influenza virus	F.	3,366	-	2	4	2	-	1	2
		T.	35	-	-	-	-	-	1	1
		M.	21	-	-	-	-	-	1	-
J11	Influenza, virus not identified	F.	14	-	-	-	-	-	-	1
		T.	23	-	-	1	-	-	-	-
		M.	15	-	-	1	-	-	-	-
J12	Viral pneumonia, not elsewhere classified	F.	8	-	-	-	-	-	-	-
		T.	4	-	-	1	-	-	-	-
		M.	2	-	-	-	-	-	-	-
J13	Pneumonia due to Streptococcus pneumoniae	F.	2	-	-	1	-	-	-	-
		T.	5	-	-	-	1	1	-	-
		M.	4	-	-	-	1	1	-	-
J15	Bacterial pneumonia, not elsewhere classified	F.	1	-	-	-	-	-	-	-
		T.	71	-	1	-	-	-	-	-
		M.	49	-	1	-	-	-	-	-
J18	Pneumonia, organism unspecified	F.	22	-	-	-	-	-	-	-
		T.	8,829	-	4	3	2	1	2	2
		M.	5,510	-	2	-	-	1	1	1
		F.	3,319	-	2	3	2	-	1	1

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.24)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	2	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	12	20	33	51	69	137	213	298	443	507	785	1,476	2,546	4,072	3,665	1,943	686	107
6	8	11	22	31	58	104	161	222	335	368	571	1,040	1,797	2,797	2,320	1,054	319	33
2	4	9	11	20	11	33	52	76	108	139	214	436	749	1,275	1,345	889	367	74
-	-	1	-	2	2	-	3	4	1	2	2	4	4	4	3	6	-	1
-	-	-	-	1	2	-	1	1	-	2	1	2	2	2	-	4	-	1
-	-	1	-	1	-	-	2	3	1	-	1	2	2	2	3	2	-	-
-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	2	-	2	3	1	1	1	4	2	1	1	2	-	1
-	-	-	-	-	2	-	1	1	-	1	-	2	2	-	-	1	-	1
-	-	1	-	-	-	-	1	2	1	-	1	2	-	1	1	1	-	-
5	6	15	19	30	40	75	113	160	216	263	409	733	1,271	2,029	1,954	1,120	417	71
4	4	8	14	19	35	57	86	128	171	191	292	488	833	1,306	1,190	555	190	20
1	2	7	5	11	5	18	27	32	45	72	117	245	438	723	764	565	227	51
-	1	-	-	1	-	2	3	-	2	3	1	5	2	9	4	-	-	-
-	1	-	-	-	-	2	3	-	1	2	1	3	2	3	2	-	-	-
-	-	-	-	1	-	-	-	-	1	1	-	2	-	6	2	-	-	-
-	-	3	-	-	-	1	3	2	3	1	1	2	-	2	2	1	1	-
-	-	1	-	-	-	1	3	2	3	-	1	2	-	-	1	-	-	-
-	-	2	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	-
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	1	-	-	3	1	2	3	2	5	2	7	4	17	10	10	2	1
-	-	1	-	-	2	1	1	2	2	3	1	4	3	11	8	7	1	1
-	-	-	-	-	1	-	1	1	-	2	1	3	1	6	2	3	1	-
5	5	11	18	29	36	71	105	154	209	254	405	719	1,265	2,000	1,938	1,108	413	70
4	3	6	13	19	32	53	79	124	165	186	289	479	828	1,291	1,179	548	188	19
1	2	5	5	10	4	18	26	30	44	68	116	240	437	709	759	560	225	51



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
J20-J22	Other acute lower respiratory infections	T.	10	-	1	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	6	-	1	-	-	-	-	-
J20	Acute bronchitis	T.	6	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
J21	Acute bronchiolitis	T.	1	-	1	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	1	-	-	-	-	-
J22	Unspecified acute lower respiratory infection	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
J30-J39	Other diseases of upper respiratory tract	T.	35	-	1	-	-	-	-	-
		M.	14	-	-	-	-	-	-	-
		F.	21	-	1	-	-	-	-	-
J32	Chronic sinusitis	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
J38	Diseases of vocal cords and larynx, not elsewhere classified	T.	8	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
J39	Other diseases of upper respiratory tract	T.	24	-	1	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	14	-	1	-	-	-	-	-
J40-J47	Chronic lower respiratory diseases	T.	5,197	-	1	-	1	1	-	-
		M.	3,823	-	-	-	1	1	-	-
		F.	1,374	-	1	-	-	-	-	-
J40	Bronchitis, not specified as acute or chronic	T.	17	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
J41	Simple and mucopurulent chronic bronchitis	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
J42	Unspecified chronic bronchitis	T.	165	-	-	-	-	-	-	-
		M.	103	-	-	-	-	-	-	-
		F.	62	-	-	-	-	-	-	-
J43	Emphysema	T.	94	-	-	-	-	-	-	-
		M.	80	-	-	-	-	-	-	-
		F.	14	-	-	-	-	-	-	-
J44	Other chronic obstructive pulmonary disease	T.	4,166	-	1	-	-	-	-	-
		M.	3,254	-	-	-	-	-	-	-
		F.	912	-	1	-	-	-	-	-
J45	Asthma	T.	511	-	-	-	1	1	-	-
		M.	266	-	-	-	1	1	-	-
		F.	245	-	-	-	-	-	-	-
J46	Status asthmaticus	T.	61	-	-	-	-	-	-	-
		M.	21	-	-	-	-	-	-	-
		F.	40	-	-	-	-	-	-	-
J47	Bronchiectasis	T.	182	-	-	-	-	-	-	-
		M.	88	-	-	-	-	-	-	-
		F.	94	-	-	-	-	-	-	-
J60-J70	Lung diseases due to external agents	T.	754	-	1	1	-	1	-	-
		M.	528	-	1	-	-	1	-	-
		F.	226	-	-	1	-	-	-	-
J60	Coalworker's pneumoconiosis	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.25)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	2	1	-	-	4	3	2	4	6	7	4	-	-	-
-	1	-	-	-	1	1	-	-	2	1	-	2	-	3	3	-	-	-
-	-	-	-	-	1	-	-	-	2	2	2	2	6	4	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	-	-	-	-
-	1	-	-	-	2	1	-	-	1	3	1	4	2	4	4	-	-	-
-	1	-	-	-	1	1	-	-	-	1	-	2	-	1	3	-	-	-
-	-	-	-	-	1	-	-	-	1	2	1	2	2	3	1	-	-	-
2	1	2	5	5	11	22	36	47	116	128	221	487	845	1,368	1,180	532	165	21
1	1	2	2	1	9	18	29	32	85	92	168	378	676	1,047	826	355	90	9
1	-	-	3	4	2	4	7	15	31	36	53	109	169	321	354	177	75	12
-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	3	3	1	-
-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	2	4	2	4	5	12	18	40	32	32	11	-
-	-	-	-	-	-	2	1	4	2	3	3	7	10	31	18	17	5	-
-	-	-	-	-	-	1	1	-	-	1	2	5	8	9	14	15	6	-
-	-	1	-	-	-	-	-	-	5	5	3	10	17	20	17	12	3	1
-	-	1	-	-	-	-	-	-	5	5	2	10	17	17	13	7	2	1
-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	5	1	-
-	-	-	-	3	4	7	18	21	71	85	159	375	701	1,138	995	437	135	16
-	-	-	-	-	3	7	17	17	60	65	133	311	585	914	743	313	79	7
-	-	-	-	3	1	-	1	4	11	20	26	64	116	224	252	124	56	9
2	-	1	2	1	6	10	11	12	20	18	34	58	78	122	89	30	12	3
1	-	1	-	1	5	8	7	4	11	11	20	36	48	65	33	9	3	1
1	-	-	2	-	1	2	4	8	9	7	14	22	30	57	56	21	9	2
-	-	-	3	1	-	2	2	2	5	3	2	9	9	7	7	6	2	1
-	-	-	2	-	-	1	1	1	1	1	-	3	3	2	3	2	1	-
-	-	-	1	1	-	1	1	1	4	2	2	6	6	5	4	4	1	1
-	1	-	-	-	1	-	3	8	12	13	17	20	20	38	36	12	1	-
-	1	-	-	-	1	-	3	6	6	7	9	8	11	17	13	6	-	-
-	-	-	-	-	-	-	-	2	6	6	8	12	9	21	23	6	1	-
1	-	1	1	2	4	3	7	15	14	29	37	76	120	185	147	76	30	3
1	-	1	-	1	3	3	6	10	9	22	30	63	98	139	90	39	9	2
-	-	-	1	1	1	-	1	5	5	7	7	13	22	46	57	37	21	1
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
J62	Pneumoconiosis due to dust containing silica	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
J64	Unspecified pneumoconiosis	T.	196	-	-	-	-	-	-	-
		M.	187	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
J65	Pneumoconiosis associated with tuberculosis	T.	5	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
J69	Pneumonitis due to solids and liquids	T.	550	-	1	1	-	1	-	-
		M.	333	-	1	-	-	1	-	-
		F.	217	-	-	1	-	-	-	-
J80-J84	Other respiratory diseases principally affecting the interstitium	T.	477	-	9	-	-	-	-	1
		M.	304	-	6	-	-	-	-	-
		F.	173	-	3	-	-	-	-	1
J80	Adult respiratory distress syndrome	T.	179	-	6	-	-	-	-	1
		M.	118	-	4	-	-	-	-	-
		F.	61	-	2	-	-	-	-	1
J81	Pulmonary oedema	T.	56	-	-	-	-	-	-	-
		M.	26	-	-	-	-	-	-	-
		F.	30	-	-	-	-	-	-	-
J82	Pulmonary eosinophilia, not elsewhere classified	T.	5	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
J84	Other interstitial pulmonary diseases	T.	237	-	3	-	-	-	-	-
		M.	155	-	2	-	-	-	-	-
		F.	82	-	1	-	-	-	-	-
J85-J86	Suppurative and necrotic conditions of lower respiratory tract	T.	269	-	1	-	-	1	-	-
		M.	207	-	1	-	-	-	-	-
		F.	62	-	-	-	-	1	-	-
J85	Abscess of lung and mediastinum	T.	117	-	-	-	-	1	-	-
		M.	94	-	-	-	-	-	-	-
		F.	23	-	-	-	-	1	-	-
J86	Pyothorax	T.	152	-	1	-	-	-	-	-
		M.	113	-	1	-	-	-	-	-
		F.	39	-	-	-	-	-	-	-
J90-J94	Other diseases of the pleura	T.	284	-	-	-	-	-	-	-
		M.	173	-	-	-	-	-	-	-
		F.	111	-	-	-	-	-	-	-
J90	Pleural effusion, not elsewhere classified	T.	154	-	-	-	-	-	-	-
		M.	79	-	-	-	-	-	-	-
		F.	75	-	-	-	-	-	-	-
J93	Pneumothorax	T.	112	-	-	-	-	-	-	-
		M.	85	-	-	-	-	-	-	-
		F.	27	-	-	-	-	-	-	-
J94	Other pleural conditions	T.	18	-	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
J95-J99	Other diseases of the respiratory system	T.	1,088	-	7	-	-	-	-	1
		M.	607	-	2	-	-	-	-	-
		F.	481	-	5	-	-	-	-	1
J96	Respiratory failure, not elsewhere classified	T.	878	-	-	-	-	-	-	-
		M.	486	-	-	-	-	-	-	-
		F.	392	-	-	-	-	-	-	-
J98	Other respiratory disorders	T.	210	-	7	-	-	-	-	1
		M.	121	-	2	-	-	-	-	-
		F.	89	-	5	-	-	-	-	1



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.26)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																		100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	5	3	11	17	41	46	45	20	7	-	-
-	-	-	-	-	-	-	1	4	3	10	17	40	46	41	19	6	-	-
-	-	-	-	-	-	-	-	1	-	1	-	1	-	4	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	1	2	4	3	6	10	11	18	19	33	73	138	126	68	30	3
1	-	1	-	1	3	3	5	6	6	12	12	21	51	96	70	32	9	2
-	-	-	1	1	1	-	1	4	5	6	7	12	22	42	56	36	21	1
-	-	-	5	4	2	7	10	18	35	33	33	45	75	109	62	22	7	-
-	-	-	3	3	1	6	7	10	25	20	22	27	41	78	43	8	4	-
-	-	-	2	1	1	1	3	8	10	13	11	18	34	31	19	14	3	-
-	-	-	4	3	-	4	4	8	12	12	12	16	27	41	17	10	2	-
-	-	-	2	3	-	3	3	5	10	7	9	9	13	31	12	5	2	-
-	-	-	2	-	-	1	1	3	2	5	3	7	14	10	5	5	-	-
-	-	-	-	-	1	1	-	2	4	4	2	5	7	15	9	4	2	-
-	-	-	-	-	1	1	-	1	3	2	2	3	3	6	3	-	1	-
-	-	-	-	-	-	-	-	1	1	2	-	2	4	9	6	4	1	-
-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	1	2	6	8	18	17	19	23	40	52	35	8	3	-
-	-	-	1	-	-	2	4	4	11	11	11	14	24	40	27	3	1	-
-	-	-	-	1	1	-	2	4	7	6	8	9	16	12	8	5	2	-
-	1	-	1	1	1	11	14	16	15	13	21	25	36	60	32	14	6	-
-	1	-	1	1	1	8	11	14	13	12	19	18	23	49	18	12	5	-
-	-	-	-	-	-	3	3	2	2	1	2	7	13	11	14	2	1	-
-	1	-	-	-	1	3	6	8	10	7	7	12	20	30	6	4	1	-
-	1	-	-	-	1	3	5	8	8	6	6	8	14	25	5	3	1	-
-	-	-	-	-	-	-	1	-	2	1	1	4	6	5	1	1	-	-
-	-	-	1	1	-	8	8	8	5	6	14	13	16	30	26	10	5	-
-	-	-	1	1	-	5	6	6	5	6	13	10	9	24	13	9	4	-
-	-	-	-	-	-	3	2	2	-	-	1	3	7	6	13	1	1	-
-	1	1	-	5	1	3	3	6	12	6	15	23	49	63	54	28	10	4
-	1	-	-	4	-	2	3	5	9	5	9	11	36	38	31	15	3	1
-	-	1	-	1	1	1	-	1	3	1	6	12	13	25	23	13	7	3
-	-	-	-	1	-	1	1	3	4	2	5	10	29	34	37	14	10	3
-	-	-	-	1	-	1	1	2	4	2	2	4	20	17	17	4	3	1
-	-	-	-	-	-	-	-	1	-	-	3	6	9	17	20	10	7	2
-	1	1	-	4	-	2	2	3	8	4	8	12	16	23	16	11	-	1
-	1	-	-	3	-	1	2	3	5	3	6	7	14	18	13	9	-	-
-	-	1	-	1	-	1	-	-	3	1	2	5	2	5	3	2	-	1
-	-	-	-	-	1	-	-	-	-	-	2	1	4	6	1	3	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	2	-	-
-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	-	1	-	-
-	2	-	2	2	6	15	27	32	29	30	45	78	139	244	227	144	51	7
-	-	-	2	1	6	9	18	22	21	23	30	51	87	133	119	65	18	-
-	2	-	-	1	-	6	9	10	8	7	15	27	52	111	108	79	33	7
-	-	-	-	-	5	10	13	20	18	21	32	60	110	201	201	133	48	6
-	-	-	-	-	5	7	9	14	12	18	21	38	70	113	104	58	17	-
-	-	-	-	-	-	3	4	6	6	3	11	22	40	88	97	75	31	6
-	2	-	2	2	1	5	14	12	11	9	13	18	29	43	26	11	3	1
-	-	-	2	1	1	2	9	8	9	5	9	13	17	20	15	7	1	-
-	2	-	-	1	-	3	5	4	2	4	4	5	12	23	11	4	2	1

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
K00-K93	Diseases of the digestive system	T.	9,340	-	7	-	-	1	1	10
		M.	6,171	-	4	-	-	1	1	4
		F.	3,169	-	3	-	-	-	-	6
K00-K14	Diseases of oral cavity, salivary glands and jaws	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
K05	Gingivitis and periodontal diseases	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
K12	Stomatitis and related lesions	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
K13	Other diseases of lip and oral mucosa	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
K20-K31	Diseases of oesophagus, stomach and duodenum	T.	664	-	-	-	-	-	-	-
		M.	432	-	-	-	-	-	-	-
		F.	232	-	-	-	-	-	-	-
K20	Oesophagitis	T.	5	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
K21	Gastro-oesophageal reflux disease	T.	19	-	-	-	-	-	-	-
		M.	15	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
K22	Other diseases of oesophagus	T.	51	-	-	-	-	-	-	-
		M.	31	-	-	-	-	-	-	-
		F.	20	-	-	-	-	-	-	-
K25	Gastric ulcer	T.	221	-	-	-	-	-	-	-
		M.	154	-	-	-	-	-	-	-
		F.	67	-	-	-	-	-	-	-
K26	Duodenal ulcer	T.	182	-	-	-	-	-	-	-
		M.	117	-	-	-	-	-	-	-
		F.	65	-	-	-	-	-	-	-
K27	Peptic ulcer, site unspecified	T.	150	-	-	-	-	-	-	-
		M.	92	-	-	-	-	-	-	-
		F.	58	-	-	-	-	-	-	-
K28	Gastrojejunal ulcer	T.	4	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
K29	Gastritis and duodenitis	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
K30	Dyspepsia	T.	4	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
K31	Other diseases of stomach and duodenum	T.	25	-	-	-	-	-	-	-
		M.	16	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
K35-K38	Diseases of appendix	T.	22	-	-	-	-	-	-	-
		M.	12	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
K35	Acute appendicitis	T.	19	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
K37	Unspecified appendicitis	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
K40-K46	Hernia	T.	35	-	-	-	-	-	-	-
		M.	25	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
K40	Inguinal hernia	T.	7	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
K41	Femoral hernia	F.	-	-	-	-	-	-	-	-
		T.	2	-	-	-	-	-	-	-
K43	Ventral hernia	M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
K44	Diaphragmatic hernia	M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
		T.	8	-	-	-	-	-	-	-
K46	Unspecified abdominal hernia	M.	7	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
		T.	17	-	-	-	-	-	-	-
K50-K52	Noninfective enteritis and colitis	M.	11	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
		T.	58	-	-	-	-	-	-	3
K50	Crohn's disease [regional enteritis]	M.	33	-	-	-	-	-	-	1
		F.	25	-	-	-	-	-	-	2
		T.	2	-	-	-	-	-	-	-
K51	Ulcerative colitis	M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
		T.	7	-	-	-	-	-	-	-
K52	Other noninfective gastroenteritis and colitis	M.	4	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
		T.	49	-	-	-	-	-	-	3
K55-K63	Other diseases of intestines	M.	28	-	-	-	-	-	-	1
		F.	21	-	-	-	-	-	-	2
		T.	932	-	5	-	-	-	-	-
K55	Vascular disorders of intestine	M.	514	-	3	-	-	-	-	-
		F.	418	-	2	-	-	-	-	-
		T.	441	-	3	-	-	-	-	-
K56	Paralytic ileus and intestinal obstruction without hernia	M.	236	-	2	-	-	-	-	-
		F.	205	-	1	-	-	-	-	-
		T.	267	-	-	-	-	-	-	-
K57	Diverticular disease of intestine	M.	160	-	-	-	-	-	-	-
		F.	107	-	-	-	-	-	-	-
		T.	38	-	-	-	-	-	-	-
K58	Irritable bowel syndrome	M.	13	-	-	-	-	-	-	-
		F.	25	-	-	-	-	-	-	-
		T.	1	-	-	-	-	-	-	-
K59	Other functional intestinal disorders	M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
		T.	7	-	1	-	-	-	-	-
K60	Fissure and fistula of anal and rectal regions	M.	3	-	-	-	-	-	-	-
		F.	4	-	1	-	-	-	-	-
		T.	3	-	-	-	-	-	-	-
K61	Abscess of anal and rectal regions	M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
		T.	20	-	-	-	-	-	-	-
K62	Other diseases of anus and rectum	M.	16	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
		T.	15	-	-	-	-	-	-	-
			10	-	-	-	-	-	-	
			5	-	-	-	-	-	-	

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.28)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	-	1	-	-	2	-	-	4	6	8	7	4	2	1
-	-	-	-	-	-	-	-	-	2	-	-	4	6	5	5	2	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	2	2	-
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	2	-	-	1	2	2	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	1	2	2	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	6	3	1	-
-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	5	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-
-	-	-	-	-	-	-	-	4	3	7	4	9	8	11	5	3	-	1
-	-	-	-	-	-	-	-	3	2	3	2	4	5	6	3	3	-	1
-	-	-	-	-	-	-	-	1	1	4	2	5	3	5	2	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	1	1	2	-	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
-	-	-	-	-	-	-	-	2	1	6	4	8	7	9	5	3	-	1
-	-	-	-	-	-	-	-	2	-	2	2	4	4	6	3	3	-	1
-	-	-	-	-	-	-	-	-	1	4	2	4	3	3	2	-	-	-
-	2	-	2	2	6	7	15	23	40	32	53	84	170	221	172	80	17	1
-	2	-	2	2	4	5	12	12	29	16	33	44	95	123	95	30	7	-
-	-	-	-	-	2	2	3	11	11	16	20	40	75	98	77	50	10	1
-	1	-	-	1	1	3	5	7	17	14	33	43	85	115	71	36	5	1
-	1	-	-	1	1	2	5	5	13	6	19	23	44	61	40	12	1	-
-	-	-	-	-	-	1	-	2	4	8	14	20	41	54	31	24	4	1
-	1	-	1	-	2	2	6	10	10	6	9	20	45	64	58	25	8	-
-	1	-	1	-	1	1	5	4	7	4	8	10	29	39	35	12	3	-
-	-	-	-	-	1	1	1	6	3	2	1	10	16	25	23	13	5	-
-	-	-	-	-	-	-	1	1	2	1	-	6	9	9	7	2	-	-
-	-	-	-	-	-	-	-	1	-	1	-	3	2	2	3	1	-	-
-	-	-	-	-	-	-	-	1	1	1	-	3	7	7	4	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	1	-	1
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	1	1	-	-	2	2	2	2	-	2	4	3	-	-
-	-	-	1	-	1	1	-	-	2	1	2	2	-	2	3	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	3	1	-	2	1	3	4	1	-	-
-	-	-	-	-	-	-	-	-	3	1	-	1	1	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
K63	Other diseases of intestine	T.	140	-	1	-	-	-	-	-
		M.	74	-	1	-	-	-	-	-
		F.	66	-	-	-	-	-	-	-
K65-K67	Diseases of peritoneum	T.	357	-	-	-	-	1	1	
		M.	193	-	-	-	-	1	-	
		F.	164	-	-	-	-	-	1	
K65	Peritonitis	T.	348	-	-	-	-	1	1	
		M.	189	-	-	-	-	1	-	
		F.	159	-	-	-	-	-	1	
K66	Other disorders of peritoneum	T.	9	-	-	-	-	-	-	
		M.	4	-	-	-	-	-	-	
		F.	5	-	-	-	-	-	-	
K70-K77	Diseases of liver	T.	5,503	-	1	-	-	1	-	3
		M.	3,915	-	1	-	-	1	-	-
		F.	1,588	-	-	-	-	-	-	3
K70	Alcoholic liver disease	T.	668	-	-	-	-	-	-	-
		M.	627	-	-	-	-	-	-	-
		F.	41	-	-	-	-	-	-	-
K72	Hepatic failure, not elsewhere classified	T.	298	-	-	-	-	1	-	2
		M.	208	-	-	-	-	1	-	-
		F.	90	-	-	-	-	-	-	2
K73	Chronic hepatitis, not elsewhere classified	T.	41	-	-	-	-	-	-	-
		M.	30	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
K74	Fibrosis and cirrhosis of liver	T.	4,203	-	1	-	-	-	-	1
		M.	2,851	-	1	-	-	-	-	-
		F.	1,352	-	-	-	-	-	-	1
K75	Other inflammatory liver diseases	T.	135	-	-	-	-	-	-	-
		M.	77	-	-	-	-	-	-	-
		F.	58	-	-	-	-	-	-	-
K76	Other diseases of liver	T.	158	-	-	-	-	-	-	-
		M.	122	-	-	-	-	-	-	-
		F.	36	-	-	-	-	-	-	-
K80-K87	Disorders of gallbladder, biliary tract and pancreas	T.	806	-	-	-	-	-	-	2
		M.	473	-	-	-	-	-	-	2
		F.	333	-	-	-	-	-	-	-
K80	Cholelithiasis	T.	183	-	-	-	-	-	-	-
		M.	87	-	-	-	-	-	-	-
		F.	96	-	-	-	-	-	-	-
K81	Cholecystitis	T.	192	-	-	-	-	-	-	-
		M.	107	-	-	-	-	-	-	-
		F.	85	-	-	-	-	-	-	-
K82	Other diseases of gallbladder	T.	9	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
K83	Other diseases of biliary tract	T.	147	-	-	-	-	-	-	-
		M.	82	-	-	-	-	-	-	-
		F.	65	-	-	-	-	-	-	-
K85	Acute pancreatitis	T.	246	-	-	-	-	-	-	2
		M.	171	-	-	-	-	-	-	2
		F.	75	-	-	-	-	-	-	-
K86	Other diseases of pancreas	T.	29	-	-	-	-	-	-	-
		M.	20	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
K90-K93	Other diseases of the digestive system	T.	959	-	1	-	-	-	-	1
		M.	570	-	-	-	-	-	-	1
		F.	389	-	1	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.29)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	-	-	1	-	1	3	5	6	8	9	11	29	26	26	11	3	-
-	-	-	-	1	-	1	1	3	3	4	4	5	18	16	12	3	2	-
-	-	-	-	-	-	-	2	2	3	4	5	6	11	10	14	8	1	-
-	-	-	3	4	5	11	13	19	19	23	24	37	53	76	46	18	2	2
-	-	-	3	3	4	8	8	12	10	10	13	19	25	41	28	8	-	-
-	-	-	-	1	1	3	5	7	9	13	11	18	28	35	18	10	2	2
-	-	-	3	4	5	11	13	18	19	23	24	34	51	75	44	18	2	2
-	-	-	3	3	4	8	8	12	10	10	13	18	24	40	27	8	-	-
-	-	-	-	1	1	3	5	6	9	13	11	16	27	35	17	10	2	2
-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-
1	2	2	44	141	281	472	633	645	637	437	452	511	508	411	221	81	16	3
1	1	1	37	127	259	419	575	554	506	313	282	259	247	198	95	32	7	-
-	1	1	7	14	22	53	58	91	131	124	170	252	261	213	126	49	9	3
-	-	-	16	46	79	117	138	121	78	31	21	11	5	4	1	-	-	-
-	-	-	15	39	74	107	133	117	72	31	19	10	5	4	1	-	-	-
-	-	-	1	7	5	10	5	4	6	-	2	1	-	-	-	-	-	-
-	-	1	8	8	13	28	25	35	32	19	25	31	27	21	13	8	1	-
-	-	-	7	7	12	25	20	24	22	16	19	14	13	14	9	5	-	-
-	-	1	1	1	1	3	5	11	10	3	6	17	14	7	4	3	1	-
-	-	-	-	-	3	1	3	6	5	3	3	1	5	6	2	3	-	-
-	-	-	-	-	3	1	2	6	5	3	1	1	3	4	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	2	-	2	2	2	2	-	-
-	-	1	15	77	167	303	440	463	490	365	383	446	442	348	185	60	13	3
-	-	1	13	72	151	268	397	392	387	249	226	227	210	158	74	19	6	-
-	-	-	2	5	16	35	43	71	103	116	157	219	232	190	111	41	7	3
-	-	-	-	3	3	5	8	8	12	5	9	16	20	21	16	7	2	-
-	-	-	-	3	3	3	7	7	5	4	6	3	12	9	9	5	1	-
-	-	-	-	-	-	2	1	1	7	1	3	13	8	12	7	2	1	-
1	2	-	5	7	16	18	19	12	20	14	11	6	9	11	4	3	-	-
1	1	-	2	6	16	15	16	8	15	10	11	4	4	9	2	2	-	-
-	1	-	3	1	-	3	3	4	5	4	-	2	5	2	2	1	-	-
-	1	3	10	19	16	16	35	31	27	35	57	84	115	143	143	53	15	1
-	-	3	10	16	15	13	28	23	21	23	35	53	54	84	72	19	2	-
-	1	-	-	3	1	3	7	8	6	12	22	31	61	59	71	34	13	1
-	-	-	-	-	-	-	2	4	3	6	18	17	26	34	50	18	5	-
-	-	-	-	-	-	-	2	4	1	4	9	13	10	19	18	6	1	-
-	-	-	-	-	-	-	-	-	2	2	9	4	16	15	32	12	4	-
-	-	-	-	2	2	2	6	5	3	7	10	20	28	45	43	14	5	-
-	-	-	-	2	2	2	3	3	3	5	7	11	12	26	25	6	-	-
-	-	-	-	-	-	-	3	2	-	2	3	9	16	19	18	8	5	-
-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
-	-	-	1	-	-	-	-	5	2	9	13	20	30	29	19	16	3	-
-	-	-	1	-	-	-	-	3	2	4	6	12	16	19	12	7	-	-
-	-	-	-	-	-	-	-	2	-	5	7	8	14	10	7	9	3	-
-	-	3	8	14	11	13	20	12	18	12	13	25	30	32	25	5	2	1
-	-	3	8	12	10	10	16	12	15	9	11	16	16	18	12	-	1	-
-	-	-	-	2	1	3	4	-	3	3	2	9	14	14	13	5	1	1
-	1	-	1	3	3	1	7	5	1	1	2	1	-	1	2	-	-	-
-	-	-	1	2	3	1	7	1	-	1	1	-	-	1	2	-	-	-
-	1	-	-	1	-	-	-	4	1	-	1	1	-	-	-	-	-	-
1	1	1	2	5	8	29	25	34	37	43	63	103	149	170	164	93	25	4
-	-	1	1	5	7	26	21	28	30	28	40	72	88	97	78	41	6	-
1	1	-	1	-	1	3	4	6	7	15	23	31	61	73	86	52	19	4



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
K90	Intestinal malabsorption	T.	14	-	1	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	10	-	1	-	-	-	-	-
K92	Other diseases of digestive system	T.	945	-	-	-	-	-	-	1
		M.	566	-	-	-	-	-	-	1
		F.	379	-	-	-	-	-	-	-
L00-L99	Diseases of the skin and subcutaneous tissue	T.	506	-	-	-	-	-	-	-
		M.	257	-	-	-	-	-	-	-
		F.	249	-	-	-	-	-	-	-
L00-L08	Infections of the skin and subcutaneous tissue	T.	178	-	-	-	-	-	-	-
		M.	103	-	-	-	-	-	-	-
		F.	75	-	-	-	-	-	-	-
L02	Cutaneous abscess, furuncle and carbuncle	T.	20	-	-	-	-	-	-	-
		M.	13	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
L03	Cellulitis	T.	94	-	-	-	-	-	-	-
		M.	54	-	-	-	-	-	-	-
		F.	40	-	-	-	-	-	-	-
L08	Other local infections of skin and subcutaneous tissue	T.	64	-	-	-	-	-	-	-
		M.	36	-	-	-	-	-	-	-
		F.	28	-	-	-	-	-	-	-
L10-L14	Bullous disorders	T.	21	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
L10	Pemphigus	T.	19	-	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
L13	Other bullous disorders	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
L20-L30	Dermatitis and eczema	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
L30	Other dermatitis	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
L40-L45	Papulosquamous disorders	T.	5	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
L40	Psoriasis	T.	5	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
L50-L54	Urticaria and erythema	T.	28	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
L51	Erythema multiforme	T.	28	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
L60-L75	Disorders of skin appendages	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
L73	Other follicular disorders	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
L80-L99	Other disorders of the skin and subcutaneous tissue	T.	270	-	-	-	-	-	-	-
		M.	121	-	-	-	-	-	-	-
		F.	149	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.30)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
1	-	-	-	-	-	-	1	1	-	1	2	1	-	2	3	1	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-
1	-	-	-	-	-	-	1	-	-	1	1	1	-	1	2	1	-	-
-	1	1	2	5	8	29	24	33	37	42	61	102	149	168	161	92	25	4
-	-	1	1	5	7	26	21	27	30	28	39	72	88	96	77	41	6	-
-	1	-	1	-	1	3	3	6	7	14	22	30	61	72	84	51	19	4
-	1	-	2	1	8	5	8	20	17	23	28	43	86	93	94	55	17	5
-	1	-	1	-	6	4	7	12	12	14	17	26	44	47	44	14	5	3
-	-	-	1	1	2	1	1	8	5	9	11	17	42	46	50	41	12	2
-	-	-	1	-	3	3	5	11	10	13	10	18	31	26	32	11	3	1
-	-	-	1	-	3	2	4	7	7	8	8	9	20	13	16	3	1	1
-	-	-	-	-	-	1	1	4	3	5	2	9	11	13	16	8	2	-
-	-	-	1	-	-	-	1	1	1	3	3	2	4	2	2	-	-	-
-	-	-	1	-	-	-	1	1	1	1	3	1	4	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	2	-	-	-
-	-	-	-	-	2	2	3	6	6	5	4	10	15	15	16	6	3	1
-	-	-	-	-	2	1	3	2	4	4	3	5	10	8	7	3	1	1
-	-	-	-	-	-	1	-	4	2	1	1	5	5	7	9	3	2	-
-	-	-	-	-	1	1	1	4	3	5	3	6	12	9	14	5	-	-
-	-	-	-	-	1	1	-	4	2	3	2	3	6	5	9	-	-	-
-	-	-	-	-	-	-	1	-	1	2	1	3	6	4	5	5	-	-
-	-	-	-	-	-	-	1	-	-	-	1	2	3	6	3	5	-	-
-	-	-	-	-	-	-	1	-	-	-	1	1	1	4	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	-	-
-	-	-	-	-	-	-	1	-	-	-	1	2	2	6	3	4	-	-
-	-	-	-	-	-	-	1	-	-	-	1	1	-	4	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	1	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	2	-	-	2	-	6	8	6	2	-	-
-	-	-	-	-	-	1	1	1	-	-	-	-	2	6	4	2	-	-
-	-	-	-	-	-	-	-	1	-	-	2	-	4	2	2	-	-	-
-	-	-	-	-	-	1	1	2	-	-	2	-	6	8	6	2	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	2	6	4	2	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	1	-	1	-	4	-	1	7	6	10	15	23	45	51	52	37	13	4
-	1	-	-	-	3	-	1	4	4	6	8	16	21	23	22	7	3	2
-	-	-	1	-	1	-	-	3	2	4	7	7	24	28	30	30	10	2



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
L89	Decubitus ulcer	T.	262	-	-	-	-	-	-	-
		M.	115	-	-	-	-	-	-	-
		F.	147	-	-	-	-	-	-	-
L93	Lupus erythematosus	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
L97	Ulcer of lower limb, not elsewhere classified	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	T.	5	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
M00-M99	Diseases of the musculoskeletal system and connective tissue	T.	1,534	-	-	1	-	1	-	1
		M.	717	-	-	1	-	1	-	-
		F.	817	-	-	-	-	-	-	1
M00-M03	Infectious arthropathies	T.	55	-	-	-	-	-	-	-
		M.	30	-	-	-	-	-	-	-
		F.	25	-	-	-	-	-	-	-
M00	Pyogenic arthritis	T.	55	-	-	-	-	-	-	-
		M.	30	-	-	-	-	-	-	-
		F.	25	-	-	-	-	-	-	-
M05-M14	Inflammatory polyarthropathies	T.	200	-	-	-	-	-	-	-
		M.	122	-	-	-	-	-	-	-
		F.	78	-	-	-	-	-	-	-
M05	Seropositive rheumatoid arthritis	T.	5	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
M06	Other rheumatoid arthritis	T.	90	-	-	-	-	-	-	-
		M.	28	-	-	-	-	-	-	-
		F.	62	-	-	-	-	-	-	-
M08	Juvenile arthritis	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
M10	Gout	T.	97	-	-	-	-	-	-	-
		M.	87	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
M13	Other arthritis	T.	6	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
M15-M19	Arthrosis	T.	603	-	-	-	-	-	-	-
		M.	262	-	-	-	-	-	-	-
		F.	341	-	-	-	-	-	-	-
M16	Coxarthrosis [arthrosis of hip]	T.	12	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
M17	Gonarthrosis [arthrosis of knee]	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
M19	Other arthrosis	T.	590	-	-	-	-	-	-	-
		M.	251	-	-	-	-	-	-	-
		F.	339	-	-	-	-	-	-	-
M30-M36	Systemic connective tissue disorders	T.	245	-	-	-	-	-	-	1
		M.	54	-	-	-	-	-	-	-
		F.	191	-	-	-	-	-	-	1
M30	Polyarteritis nodosa and related conditions	T.	5	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
M31	Other necrotizing vasculopathies	T.	9	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
M32	Systemic lupus erythematosus	T.	153	-	-	-	-	-	-	1
		M.	27	-	-	-	-	-	-	-
		F.	126	-	-	-	-	-	-	-
M33	Dermatopolymyositis	T.	22	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	12	-	-	-	-	-	-	-
M34	Systemic sclerosis	T.	26	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	22	-	-	-	-	-	-	-
M35	Other systemic involvement of connective tissue	T.	30	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	22	-	-	-	-	-	-	-
M40-M43	Deforming dorsopathies	T.	8	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
M40	Kyphosis and lordosis	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
M41	Scoliosis	T.	7	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
M45-M49	Spondylopathies	T.	99	-	-	-	-	-	-	-
		M.	71	-	-	-	-	-	-	-
		F.	28	-	-	-	-	-	-	-
M45	Ankylosing spondylitis	T.	9	-	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
M46	Other inflammatory spondylopathies	T.	25	-	-	-	-	-	-	-
		M.	14	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
M47	Spondylosis	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
M48	Other spondylopathies	T.	62	-	-	-	-	-	-	-
		M.	47	-	-	-	-	-	-	-
		F.	15	-	-	-	-	-	-	-
M50-M54	Other dorsopathies	T.	10	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
M50	Cervical disc disorders	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
M51	Other intervertebral disc disorders	T.	5	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
M54	Dorsalgia	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
M60-M63	Disorders of muscles	T.	48	-	-	1	-	-	-	-
		M.	34	-	-	1	-	-	-	-
		F.	14	-	-	-	-	-	-	-
M60	Myositis	T.	9	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
M62	Other disorders of muscle	T.	39	-	-	1	-	-	-	-
		M.	28	-	-	1	-	-	-	-
		F.	11	-	-	-	-	-	-	-
M70-M79	Other soft tissue disorders	T.	129	-	-	-	-	-	-	-
		M.	75	-	-	-	-	-	-	-
		F.	54	-	-	-	-	-	-	-
M72	Fibroblastic disorders	T.	127	-	-	-	-	-	-	-
		M.	75	-	-	-	-	-	-	-
		F.	52	-	-	-	-	-	-	-
M79	Other soft tissue disorders, not elsewhere classified	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
M80-M85	Disorders of bone density and structure	T.	51	-	-	-	-	-	-	-
		M.	13	-	-	-	-	-	-	-
		F.	38	-	-	-	-	-	-	-
M80	Osteoporosis with pathological fracture	T.	11	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
M81	Osteoporosis without pathological fracture	T.	23	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	19	-	-	-	-	-	-	-
M84	Disorders of continuity of bone	T.	17	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
M86-M90	Other osteopathies	T.	84	-	-	-	-	1	-	-
		M.	47	-	-	-	-	1	-	-
		F.	37	-	-	-	-	-	-	-
M86	Osteomyelitis	T.	72	-	-	-	-	-	-	-
		M.	42	-	-	-	-	-	-	-
		F.	30	-	-	-	-	-	-	-
M87	Osteonecrosis	T.	5	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
M89	Other disorders of bone	T.	7	-	-	-	-	1	-	-
		M.	3	-	-	-	-	1	-	-
		F.	4	-	-	-	-	-	-	-
M91-M94	Chondropathies	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
M93	Other osteochondropathies	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
M95-M99	Other disorders of the musculoskeletal system and connective tissue	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
M95	Other acquired deformities of musculoskeletal system and connective tissue	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N00-N99	Diseases of the genitourinary system	T.	6,348	-	3	-	1	-	1	2
		M.	3,022	-	2	-	1	-	1	1
		F.	3,326	-	1	-	-	-	-	1
N00-N08	Glomerular diseases	T.	154	-	1	-	-	-	-	1
		M.	84	-	1	-	-	-	-	1
		F.	70	-	-	-	-	-	-	-
N00	Acute nephritic syndrome	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
N03	Chronic nephritic syndrome	T.	120	-	-	-	-	-	-	-
		M.	66	-	-	-	-	-	-	-
		F.	54	-	-	-	-	-	-	-
N04	Nephrotic syndrome	T.	23	-	1	-	-	-	-	1
		M.	11	-	1	-	-	-	-	1
		F.	12	-	-	-	-	-	-	-
N05	Unspecified nephritic syndrome	T.	10	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
N10-N16	Renal tubulo-interstitial diseases	T.	53	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-
		F.	36	-	-	-	-	-	-	-
N10	Acute tubulo-interstitial nephritis	T.	8	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
N11	Chronic tubulo-interstitial nephritis	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	T.	7	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
N13	Obstructive and reflux uropathy	T.	23	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	16	-	-	-	-	-	-	-
N15	Other renal tubulo-interstitial diseases	T.	14	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
N17-N19	Renal failure	T.	3,946	-	2	-	1	-	1	1
		M.	2,003	-	1	-	1	-	1	-
		F.	1,943	-	1	-	-	-	-	1
N17	Acute renal failure	T.	799	-	2	-	-	-	-	-
		M.	461	-	1	-	-	-	-	-
		F.	338	-	1	-	-	-	-	-
N18	Chronic renal failure	T.	1,554	-	-	-	1	-	1	-
		M.	758	-	-	-	1	-	1	-
		F.	796	-	-	-	-	-	-	-
N19	Unspecified renal failure	T.	1,593	-	-	-	-	-	-	1
		M.	784	-	-	-	-	-	-	-
		F.	809	-	-	-	-	-	-	1
N20-N23	Urolithiasis	T.	60	-	-	-	-	-	-	-
		M.	28	-	-	-	-	-	-	-
		F.	32	-	-	-	-	-	-	-
N20	Calculus of kidney and ureter	T.	58	-	-	-	-	-	-	-
		M.	27	-	-	-	-	-	-	-
		F.	31	-	-	-	-	-	-	-
N21	Calculus of lower urinary tract	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
N25-N29	Other disorders of kidney and ureter	T.	33	-	-	-	-	-	-	-
		M.	20	-	-	-	-	-	-	-
		F.	13	-	-	-	-	-	-	-
N25	Disorders resulting from impaired renal tubular function	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
N26	Unspecified contracted kidney	T.	4	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.34)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
																		100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	1	-	1	3	6	4	3	12	18	29	20	13	9	1
-	-	-	-	-	1	-	-	2	3	3	2	6	9	15	11	9	5	-
-	-	-	-	-	-	-	1	1	3	1	1	6	9	14	9	4	4	1
-	1	-	1	-	-	-	1	1	3	-	2	3	4	4	1	-	-	-
-	1	-	1	-	-	-	1	1	1	-	-	2	2	2	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	2	3	2	2	1	-	-	-
-	-	-	-	-	1	-	-	2	1	1	1	1	1	2	-	-	-	-
-	-	-	-	-	1	-	-	2	1	-	1	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
-	-	-	-	1	-	-	2	1	5	2	2	9	5	6	11	7	2	-
-	-	-	-	-	-	-	1	1	-	-	2	4	2	4	3	-	-	-
-	-	-	-	1	-	-	1	-	5	2	-	5	3	2	8	7	2	-
-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	2	2	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	4	4	3	6	3	2	-
-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	4	3	2	-
-	-	-	-	-	-	-	1	-	3	2	1	3	1	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	3	2	-	1	-	-	1	2	-	-
-	2	3	1	18	21	36	82	139	201	227	325	454	636	768	631	292	99	6
-	2	1	1	6	16	25	48	87	126	120	194	228	315	381	292	120	34	4
-	-	2	-	12	5	11	34	52	75	107	131	226	321	387	339	172	65	2
-	2	-	1	5	9	2	23	18	31	27	50	65	131	156	152	92	33	-
-	2	-	1	3	8	2	16	14	23	17	34	35	79	92	82	42	10	-
-	-	-	-	2	1	-	7	4	8	10	16	30	52	64	70	50	23	-
-	-	1	-	8	6	17	32	60	85	100	138	193	250	303	223	98	37	1
-	-	-	-	2	2	10	16	36	51	46	90	92	117	138	107	36	13	-
-	-	1	-	6	4	7	16	24	34	54	48	101	133	165	116	62	24	1
-	-	2	-	5	6	17	27	61	85	100	137	196	255	309	256	102	29	5
-	-	1	-	1	6	13	16	37	52	57	70	101	119	151	103	42	11	4
-	-	1	-	4	-	4	11	24	33	43	67	95	136	158	153	60	18	1
-	-	-	-	1	-	-	1	1	3	3	3	5	11	15	13	4	-	-
-	-	-	-	1	-	-	1	-	2	2	1	3	5	7	6	-	-	-
-	-	-	-	-	-	-	-	1	1	1	2	2	6	8	7	4	-	-
-	-	-	-	1	-	-	1	1	3	3	3	5	9	15	13	4	-	-
-	-	-	-	1	-	-	1	-	2	2	1	3	4	7	6	-	-	-
-	-	-	-	-	-	-	-	1	1	1	2	2	5	8	7	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	-	-	-	2	1	1	-	4	4	1	4	4	5	4	1	1	-
-	-	-	-	-	-	1	1	-	2	3	1	2	4	3	3	-	-	-
1	-	-	-	-	2	-	-	-	2	1	-	2	-	2	1	1	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
N28	Other disorders of kidney and ureter, not elsewhere classified	T.	28	-	-	-	-	-	-	-
		M.	19	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
N30-N39	Other diseases of the urinary system	T.	2,024	-	-	-	-	-	-	-
		M.	805	-	-	-	-	-	-	-
		F.	1,219	-	-	-	-	-	-	-
N30	Cystitis	T.	5	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
N31	Neuromuscular dysfunction of bladder, not elsewhere classified	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
N32	Other disorders of bladder	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
N34	Urethritis and urethral syndrome	T.	226	-	-	-	-	-	-	-
		M.	81	-	-	-	-	-	-	-
		F.	145	-	-	-	-	-	-	-
N36	Other disorders of urethra	T.	5	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N39	Other disorders of urinary system	T.	1,781	-	-	-	-	-	-	-
		M.	714	-	-	-	-	-	-	-
		F.	1,067	-	-	-	-	-	-	-
N40-N51	Diseases of male genital organs	T.	65	-	-	-	-	-	-	-
		M.	65	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N40	Hyperplasia of prostate	T.	46	-	-	-	-	-	-	-
		M.	46	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N41	Inflammatory diseases of prostate	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N42	Other disorders of prostate	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N45	Orchitis and epididymitis	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N48	Other disorders of penis	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N49	Inflammatory disorders of male genital organs, not elsewhere classified	T.	9	-	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
N70-N77	Inflammatory diseases of female pelvic organs	T.	8	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
N70	Salpingitis and oophoritis	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
N71	Inflammatory disease of uterus, except cervix	T.	3	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
N73	Other female pelvic inflammatory diseases	T.	4	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
N80-N98	Noninflammatory disorders of female genital tract	T.	5	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
N81	Female genital prolapse	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
N82	Fistulae involving female genital tract	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
N83	Noninflammatory disorders of ovary, fallopian tube and broad ligament	T.	3	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
O00-O99	Pregnancy, childbirth and the puerperium	T.	7	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
O60-O75	Complications of labour and delivery	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
O72	Postpartum haemorrhage	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
O85-O92	Complications predominantly related to the puerperium	T.	5	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
O88	Obstetric embolism	T.	5	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
P00-P96	Certain conditions originating in the perinatal period	T.	324	311	12	1	-	-	-	-
		M.	178	172	5	1	-	-	-	-
		F.	146	139	7	-	-	-	-	-
P00-P04	Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery	T.	9	9	-	-	-	-	-	-
		M.	4	4	-	-	-	-	-	-
		F.	5	5	-	-	-	-	-	-
P00	Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy	T.	1	1	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
P01	Fetus and newborn affected by maternal complications of pregnancy	T.	3	3	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	2	2	-	-	-	-	-	-
P02	Fetus and newborn affected by complications of placenta, cord and membranes	T.	4	4	-	-	-	-	-	-
		M.	2	2	-	-	-	-	-	-
		F.	2	2	-	-	-	-	-	-
P03	Fetus and newborn affected by other complications of labour and delivery	T.	1	1	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
P05-P08	Disorders related to length of gestation and fetal growth	T.	34	25	8	1	-	-	-	-
		M.	19	14	4	1	-	-	-	-
		F.	15	11	4	-	-	-	-	-
P07	Disorders related to short gestation and low birth weight, not elsewhere classified	T.	34	25	8	1	-	-	-	-
		M.	19	14	4	1	-	-	-	-
		F.	15	11	4	-	-	-	-	-
P10-P15	Birth trauma	T.	2	1	1	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	1	-	1	-	-	-	-	-
P11	Other birth injuries to central nervous system	T.	2	1	1	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	1	-	1	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
P20-P29	Respiratory and cardiovascular disorders specific to the perinatal period	T.	172	171	1	-	-	-	-	-
		M.	94	94	-	-	-	-	-	-
		F.	78	77	1	-	-	-	-	-
P20	Intrauterine hypoxia	T.	4	4	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	4	4	-	-	-	-	-	-
P21	Birth asphyxia	T.	15	14	1	-	-	-	-	-
		M.	10	10	-	-	-	-	-	-
		F.	5	4	1	-	-	-	-	-
P22	Respiratory distress of newborn	T.	50	50	-	-	-	-	-	-
		M.	26	26	-	-	-	-	-	-
		F.	24	24	-	-	-	-	-	-
P23	Congenital pneumonia	T.	5	5	-	-	-	-	-	-
		M.	3	3	-	-	-	-	-	-
		F.	2	2	-	-	-	-	-	-
P24	Neonatal aspiration syndromes	T.	3	3	-	-	-	-	-	-
		M.	3	3	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
P25	Interstitial emphysema and related conditions originating in the perinatal period	T.	5	5	-	-	-	-	-	-
		M.	3	3	-	-	-	-	-	-
		F.	2	2	-	-	-	-	-	-
P26	Pulmonary haemorrhage originating in the perinatal period	T.	20	20	-	-	-	-	-	-
		M.	11	11	-	-	-	-	-	-
		F.	9	9	-	-	-	-	-	-
P28	Other respiratory conditions originating in the perinatal period	T.	5	5	-	-	-	-	-	-
		M.	2	2	-	-	-	-	-	-
		F.	3	3	-	-	-	-	-	-
P29	Cardiovascular disorders originating in the perinatal period	T.	65	65	-	-	-	-	-	-
		M.	36	36	-	-	-	-	-	-
		F.	29	29	-	-	-	-	-	-
P35-P39	Infections specific to the perinatal period	T.	39	38	1	-	-	-	-	-
		M.	23	22	1	-	-	-	-	-
		F.	16	16	-	-	-	-	-	-
P36	Bacterial sepsis of newborn	T.	36	35	1	-	-	-	-	-
		M.	20	19	1	-	-	-	-	-
		F.	16	16	-	-	-	-	-	-
P39	Other infections specific to the perinatal period	T.	3	3	-	-	-	-	-	-
		M.	3	3	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
P50-P61	Haemorrhagic and haematological disorders of fetus and newborn	T.	21	20	1	-	-	-	-	-
		M.	11	11	-	-	-	-	-	-
		F.	10	9	1	-	-	-	-	-
P52	Intracranial nontraumatic haemorrhage of fetus and newborn	T.	13	12	1	-	-	-	-	-
		M.	7	7	-	-	-	-	-	-
		F.	6	5	1	-	-	-	-	-
P60	Disseminated intravascularcoagulation of fetus and newborn	T.	3	3	-	-	-	-	-	-
		M.	2	2	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
P61	Other perinatal haematological disorders	T.	5	5	-	-	-	-	-	-
		M.	2	2	-	-	-	-	-	-
		F.	3	3	-	-	-	-	-	-
P70-P74	Transitory endocrine and metabolic disorders specific to fetus and newborn	T.	7	7	-	-	-	-	-	-
		M.	4	4	-	-	-	-	-	-
		F.	3	3	-	-	-	-	-	-
P70	Transitory disorders of carbohydrate metabolism specific to fetus and newborn	T.	2	2	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
P74	Other transitory neonatal electrolyte and metabolic disturbances	T.	5	5	-	-	-	-	-	-
		M.	3	3	-	-	-	-	-	-
		F.	2	2	-	-	-	-	-	-
P75-P78	Digestive system disorders of fetus and newborn	T.	7	7	-	-	-	-	-	-
		M.	3	3	-	-	-	-	-	-
		F.	4	4	-	-	-	-	-	-
P76	Other intestinal obstruction of newborn	T.	2	2	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	2	-	-	-	-	-	-
P77	Necrotizing enterocolitis of fetus and newborn	T.	3	3	-	-	-	-	-	-
		M.	2	2	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
P78	Other perinatal digestive system disorders	T.	2	2	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
P80-P83	Conditions involving the integument and temperature regulation of fetus and newborn	T.	3	3	-	-	-	-	-	-
		M.	2	2	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
P83	Other conditions of integument specific to fetus and newborn	T.	3	3	-	-	-	-	-	-
		M.	2	2	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
P90-P96	Other disorders originating in the perinatal period	T.	30	30	-	-	-	-	-	-
		M.	17	17	-	-	-	-	-	-
		F.	13	13	-	-	-	-	-	-
P90	Convulsions of newborn	T.	2	2	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
P96	Other conditions originating in the perinatal period	T.	28	28	-	-	-	-	-	-
		M.	16	16	-	-	-	-	-	-
		F.	12	12	-	-	-	-	-	-
Q00-Q99	Congenital malformations, deformations and chromosomal abnormalities	T.	280	98	63	13	7	4	2	8
		M.	155	59	37	8	3	3	-	4
		F.	125	39	26	5	4	1	2	4
Q00-Q07	Congenital malformations of the nervous system	T.	21	8	3	3	1	1	-	1
		M.	10	5	2	1	-	-	-	1
		F.	11	3	1	2	1	1	-	-
Q00	Anencephaly and similar malformations	T.	3	3	-	-	-	-	-	-
		M.	2	2	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
Q02	Microcephaly	T.	1	-	1	-	-	-	-	-
		M.	1	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Q03	Congenital hydrocephalus	T.	5	2	-	1	-	-	-	1
		M.	1	-	-	-	-	-	-	1
		F.	4	2	-	1	-	-	-	-
Q04	Other congenital malformations of brain	T.	10	3	2	2	1	1	-	-
		M.	6	3	1	1	-	-	-	-
		F.	4	-	1	1	1	1	-	-
Q07	Other congenital malformations of nervous system	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
Q20-Q28	Congenital malformations of the circulatory system	T.	141	43	41	5	5	3	2	5
		M.	82	31	25	4	3	3	-	2
		F.	59	12	16	1	2	-	2	3
Q20	Congenital malformations of cardiac chambers and connections	T.	12	3	5	-	-	-	-	-
		M.	6	3	1	-	-	-	-	-
		F.	6	-	4	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
Q21	Congenital malformations of cardiac septa	T.	21	1	5	3	2	-	1	2
		M.	10	1	4	2	1	-	-	1
		F.	11	-	1	1	1	-	1	1
Q22	Congenital malformations of pulmonary and tricuspid valves	T.	2	1	-	1	-	-	-	-
		M.	1	-	-	1	-	-	-	-
		F.	1	1	-	-	-	-	-	-
Q23	Congenital malformations of aortic and mitral valves	T.	3	-	1	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	1	-	-	-	-	-
Q24	Other congenital malformations of heart	T.	69	16	23	1	2	3	1	3
		M.	41	12	15	1	1	3	-	1
		F.	28	4	8	-	1	-	1	2
Q25	Congenital malformations of great arteries	T.	11	6	4	-	-	-	-	-
		M.	8	5	2	-	-	-	-	-
		F.	3	1	2	-	-	-	-	-
Q26	Congenital malformations of great veins	T.	4	1	2	-	1	-	-	-
		M.	4	1	2	-	1	-	-	-
		F.	-	-	-	-	-	-	-	-
Q27	Other congenital malformations of peripheral vascular system	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
Q28	Other congenital malformations of circulatory system	T.	18	15	1	-	-	-	-	-
		M.	10	9	1	-	-	-	-	-
		F.	8	6	-	-	-	-	-	-
Q30-Q34	Congenital malformations of the respiratory system	T.	15	10	5	-	-	-	-	-
		M.	7	5	2	-	-	-	-	-
		F.	8	5	3	-	-	-	-	-
Q31	Congenital malformations of larynx	T.	1	-	1	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	1	-	-	-	-	-
Q32	Congenital malformations of trachea and bronchus	T.	1	-	1	-	-	-	-	-
		M.	1	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Q33	Congenital malformations of lung	T.	11	9	2	-	-	-	-	-
		M.	6	5	1	-	-	-	-	-
		F.	5	4	1	-	-	-	-	-
Q34	Other congenital malformations of respiratory system	T.	2	1	1	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	1	1	-	-	-	-	-
Q38-Q45	Other congenital malformations of the digestive system	T.	10	-	3	2	1	-	-	-
		M.	6	-	3	-	-	-	-	-
		F.	4	-	-	2	1	-	-	-
Q42	Congenital absence, atresia and stenosis of large intestine	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Q43	Other congenital malformations of intestine	T.	1	-	1	-	-	-	-	-
		M.	1	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Q44	Congenital malformations of gallbladder, bile ducts and liver	T.	8	-	2	2	1	-	-	-
		M.	4	-	2	-	-	-	-	-
		F.	4	-	-	2	1	-	-	-
Q60-Q64	Congenital malformations of the urinary system	T.	10	1	1	-	-	-	-	1
		M.	5	1	-	-	-	-	-	-
		F.	5	-	1	-	-	-	-	1
Q60	Renal agenesis and other reduction defects of kidney	T.	1	1	-	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
Q61	Cystic kidney disease	T.	9	-	1	-	-	-	-	1
		M.	4	-	-	-	-	-	-	-
		F.	5	-	1	-	-	-	-	1
Q65-Q79	Congenital malformations and deformations of the musculoskeletal system	T.	10	5	2	-	-	-	-	-
		M.	4	2	1	-	-	-	-	-
		F.	6	3	1	-	-	-	-	-
Q67	Congenital musculoskeletal deformities of head, face, spine and chest	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
Q78	Other osteochondrodysplasias	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	T.	7	5	2	-	-	-	-	-
		M.	3	2	1	-	-	-	-	-
		F.	4	3	1	-	-	-	-	-
Q80-Q89	Other congenital malformations	T.	41	18	4	1	-	-	-	-
		M.	21	8	3	1	-	-	-	-
		F.	20	10	1	-	-	-	-	-
Q85	Phakomatoses, not elsewhere classified	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
Q87	Other specified congenital malformation syndromes affecting multiple systems	T.	8	-	1	1	-	-	-	-
		M.	6	-	1	1	-	-	-	-
		F.	2	-	-	-	-	-	-	-
Q89	Other congenital malformations, not elsewhere classified	T.	32	18	3	-	-	-	-	-
		M.	15	8	2	-	-	-	-	-
		F.	17	10	1	-	-	-	-	-
Q90-Q99	Chromosomal abnormalities, not elsewhere classified	T.	32	13	4	2	-	-	-	1
		M.	20	7	1	2	-	-	-	1
		F.	12	6	3	-	-	-	-	-
Q90	Down's syndrome	T.	13	1	1	-	-	-	-	1
		M.	8	-	-	-	-	-	-	1
		F.	5	1	1	-	-	-	-	-
Q91	Edwards' syndrome and Patau's syndrome	T.	5	3	2	-	-	-	-	-
		M.	1	1	-	-	-	-	-	-
		F.	4	2	2	-	-	-	-	-
Q99	Other chromosome abnormalities, not elsewhere classified	T.	14	9	1	2	-	-	-	-
		M.	11	6	1	2	-	-	-	-
		F.	3	3	-	-	-	-	-	-
R00-R99	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	T.	6,990	12	55	4	7	5	2	6
		M.	4,189	9	34	2	5	4	1	4
		F.	2,801	3	21	2	2	1	1	2
R00-R09	Symptoms and signs involving the circulatory and respiratory systems	T.	2,625	-	2	-	1	1	-	1
		M.	1,523	-	1	-	1	1	-	1
		F.	1,102	-	1	-	-	-	-	-
R00	Abnormalities of heart beat	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
R04	Haemorrhage from respiratory passages	T.	6	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
R06	Abnormalities of breathing	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R07	Pain in throat and chest	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.40)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	-	1	-	3	-	1	1	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4	2	3	-	-	2	1	1	2	2	-	-	1	-	-	-	-	-
-	4	1	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
-	-	1	2	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
-	1	2	2	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-
-	1	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
1	3	-	-	2	-	-	-	4	1	-	1	-	-	-	-	-	-	-
1	2	-	-	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-
-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	2	-	-	2	-	-	-	4	1	-	1	-	-	-	-	-	-	-
-	1	-	-	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-
-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	23	33	90	132	150	220	285	280	325	228	263	415	682	1,226	1,220	865	372	82
4	14	24	57	99	123	175	234	227	262	170	184	260	400	770	622	351	129	25
4	9	9	33	33	27	45	51	53	63	58	79	155	282	456	598	514	243	57
3	1	-	9	20	24	55	89	103	117	96	119	182	285	495	484	349	156	33
2	-	-	6	16	18	44	70	86	93	75	81	113	162	314	238	137	56	8
1	1	-	3	4	6	11	19	17	24	21	38	69	123	181	246	212	100	25
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
R09	Other symptoms and signs involving the circulatory and respiratory systems	T.	2,612	-	2	-	1	1	-	1
		M.	1,513	-	1	-	1	1	-	1
		F.	1,099	-	1	-	-	-	-	-
R10-R19	Symptoms and signs involving the digestive system and abdomen	T.	5	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
R10	Abdominal and pelvic pain	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
R17	Unspecified jaundice	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R18	Ascites	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R25-R29	Symptoms and signs involving the nervous and musculoskeletal systems	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R25	Abnormal involuntary movements	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R40-R46	Symptoms and signs involving cognition, perception, emotional state and behaviour	T.	11	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
R40	Somnolence, stupor and coma	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R41	Other symptoms and signs involving cognitive functions and awareness	T.	7	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
R50-R69	General symptoms and signs	T.	2,276	-	1	-	-	-	-	-
		M.	1,217	-	-	-	-	-	-	-
		F.	1,059	-	1	-	-	-	-	-
R50	Fever of unknown origin	T.	4	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
R53	Malaise and fatigue	T.	30	-	-	-	-	-	-	-
		M.	21	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
R54	Senility	T.	1,518	-	-	-	-	-	-	-
		M.	700	-	-	-	-	-	-	-
		F.	818	-	-	-	-	-	-	-
R55	Syncope and collapse	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
R57	Shock, not elsewhere classified	T.	671	-	-	-	-	-	-	-
		M.	460	-	-	-	-	-	-	-
		F.	211	-	-	-	-	-	-	-
R58	Haemorrhage, not elsewhere classified	T.	12	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
R60	Oedema, not elsewhere classified	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R62	Lack of expected normal physiological development	T.	2	-	1	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	1	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
R63	Symptoms and signs concerning food and fluid intake	T.	6	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
R64	Cachexia	T.	27	-	-	-	-	-	-	-
		M.	18	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
R68	Other general symptoms and signs	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R70-R79	Abnormal findings on examination of blood, without diagnosis	T.	13	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
R73	Elevated blood glucose level	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
R78	Findings of drugs and other substances, not normally found in blood	T.	12	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
R83-R89	Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R89	Abnormal findings in specimens from other organs, systems and tissues	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
R90-R94	Abnormal findings on diagnostic imaging and in function studies, without diagnosis	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
R94	Abnormal results of function studies	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
R95-R99	Ill-defined and unknown causes of mortality	T.	2,055	12	52	4	6	4	2	5
		M.	1,429	9	33	2	4	3	1	3
		F.	626	3	19	2	2	1	1	2
R95	Sudden infant death syndrome	T.	26	2	24	-	-	-	-	-
		M.	18	1	17	-	-	-	-	-
		F.	8	1	7	-	-	-	-	-
R96	Other sudden death, cause unknown	T.	60	-	1	-	-	1	-	-
		M.	52	-	1	-	-	1	-	-
		F.	8	-	-	-	-	-	-	-
R99	Other ill-defined and unspecified causes of mortality	T.	1,969	10	27	4	6	3	2	5
		M.	1,359	8	15	2	4	2	1	3
		F.	610	2	12	2	2	1	1	2
V01-Y98	External causes of morbidity and mortality	T.	11,403	4	41	20	20	13	4	46
		M.	8,020	3	26	10	12	8	2	37
		F.	3,383	1	15	10	8	5	2	9
V01-V09	Pedestrian injured in transport accident	T.	287	-	-	3	2	1	-	1
		M.	150	-	-	2	1	1	-	1
		F.	137	-	-	1	1	-	-	-
V01	Pedestrian injured in collision with pedal cycle	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V02	Pedestrian injured in collision with two- or three- wheeled motor vehicle	T.	85	-	-	-	1	-	-	-
		M.	39	-	-	-	-	-	-	-
		F.	46	-	-	-	1	-	-	-
V03	Pedestrian injured in collision with car, pick-up truck or van	T.	130	-	-	3	1	1	-	1
		M.	73	-	-	2	1	1	-	1
		F.	57	-	-	1	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
V04	Pedestrian injured in collision with heavy transport vehicle or bus	T.	19	-	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
V05	Pedestrian injured in collision with railway train or railway vehicle	T.	7	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
V09	Pedestrian injured in other and unspecified transport accidents	T.	44	-	-	-	-	-	-	-
		M.	24	-	-	-	-	-	-	-
		F.	20	-	-	-	-	-	-	-
V10-V19	Pedal cyclist injured in transport accident	T.	223	-	-	-	-	-	-	1
		M.	148	-	-	-	-	-	-	1
		F.	75	-	-	-	-	-	-	-
V11	Pedal cyclist injured in collision with other pedal cycle	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
V12	Pedal cyclist injured in collision with two- or three-wheeled motor vehicle	T.	47	-	-	-	-	-	-	-
		M.	27	-	-	-	-	-	-	-
		F.	20	-	-	-	-	-	-	-
V13	Pedal cyclist injured in collision with car, pick-up truck or van	T.	80	-	-	-	-	-	-	1
		M.	51	-	-	-	-	-	-	1
		F.	29	-	-	-	-	-	-	-
V14	Pedal cyclist injured in collision with heavy transport vehicle or bus	T.	18	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
V17	Pedal cyclist injured in collision with fixed or stationary object	T.	6	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V18	Pedal cyclist injured in noncollision transport accident	T.	29	-	-	-	-	-	-	-
		M.	23	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
V19	Pedal cyclist injured in other and unspecified transport accidents	T.	42	-	-	-	-	-	-	-
		M.	31	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
V20-V29	Motorcycle rider injured in transport accident	T.	995	-	3	-	1	2	-	1
		M.	749	-	1	-	-	1	-	1
		F.	246	-	2	-	1	1	-	-
V21	Motorcycle rider injured in collision with pedal cycle	T.	5	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
V22	Motorcycle rider injured in collision with two- or three-wheeled motor vehicle	T.	78	-	1	-	-	-	-	-
		M.	57	-	-	-	-	-	-	-
		F.	21	-	1	-	-	-	-	-
V23	Motorcycle rider injured in collision with car, pick-up truck or van	T.	281	-	-	-	1	1	-	1
		M.	200	-	-	-	-	1	-	1
		F.	81	-	-	-	1	-	-	-
V24	Motorcycle rider injured in collision with heavy transport vehicle or bus	T.	88	-	-	-	-	-	-	-
		M.	60	-	-	-	-	-	-	-
		F.	28	-	-	-	-	-	-	-
V25	Motorcycle rider injured in collision with railway train or railway vehicle	T.	6	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
V26	Motorcycle rider injured in collision with other nonmotor vehicle	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
V27	Motorcycle rider injured in collision with fixed or stationary object	T.	53	-	-	-	-	-	-	-
		M.	43	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.43)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	-	1	1	2	-	-	1	2	-	-	2	3	5	2	-	-	-
-	-	-	1	1	2	-	-	-	2	-	-	-	-	3	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	2	3	2	2	-	-	-
-	1	-	-	-	1	1	1	-	-	-	1	-	1	-	1	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	2	-	2	2	3	2	-	6	4	1	5	6	7	2	2	-	-
-	-	-	-	2	1	3	2	-	3	1	1	3	4	2	-	2	-	-
-	-	2	-	-	1	-	-	-	3	3	-	2	2	5	2	-	-	-
5	8	6	8	2	5	4	11	9	17	22	26	30	29	29	10	-	1	-
1	7	3	4	2	4	4	9	6	13	15	10	12	20	27	9	-	1	-
4	1	3	4	-	1	-	2	3	4	7	16	18	9	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	1	-	-	1	-	1	1	3	5	10	6	9	7	3	-	-	-
-	-	-	-	-	1	-	1	-	1	1	3	4	6	7	3	-	-	-
-	-	1	-	-	-	-	-	1	2	4	7	2	3	-	-	-	-	-
3	4	1	1	-	-	2	4	3	9	8	8	11	11	11	3	-	-	-
-	3	1	1	-	-	2	3	1	7	5	3	4	7	10	3	-	-	-
3	1	-	-	-	-	-	1	2	2	3	5	7	4	1	-	-	-	-
2	-	1	-	-	2	-	-	-	-	-	2	2	2	4	3	-	-	-
1	-	-	-	-	1	-	-	-	-	-	1	-	1	4	2	-	-	-
1	-	1	-	-	1	-	-	-	-	-	1	2	1	-	1	-	-	-
-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	1	1	1	4	3	4	3	2	3	2	2	1	-	-	-
-	-	1	-	1	1	1	3	3	4	3	1	1	1	2	1	-	-	-
-	-	1	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-
-	3	-	5	1	1	1	2	2	1	5	4	7	5	4	-	-	1	-
-	3	-	1	1	1	1	2	2	1	5	2	3	5	3	-	-	1	-
-	-	-	4	-	-	-	-	-	-	-	2	4	-	1	-	-	-	-
9	114	95	84	66	60	68	75	68	85	47	64	59	53	30	11	-	-	-
6	91	78	61	52	45	52	55	53	51	27	43	48	48	27	9	-	-	-
3	23	17	23	14	15	16	20	15	34	20	21	11	5	3	2	-	-	-
-	-	1	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4	5	5	3	5	6	4	4	6	9	7	4	7	8	-	-	-	-
-	2	3	3	3	4	6	4	4	3	4	3	4	7	7	-	-	-	-
-	2	2	2	-	1	-	-	-	3	5	4	-	-	1	-	-	-	-
4	25	27	23	12	11	18	19	21	22	14	27	24	19	10	2	-	-	-
3	21	23	15	10	7	8	11	14	13	8	18	18	17	10	2	-	-	-
1	4	4	8	2	4	10	8	7	9	6	9	6	2	-	-	-	-	-
1	15	11	8	8	4	6	5	2	11	1	4	6	4	2	-	-	-	-
1	12	6	7	5	2	5	3	1	6	1	2	4	4	1	-	-	-	-
-	3	5	1	3	2	1	2	1	5	-	2	2	-	1	-	-	-	-
-	1	-	1	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-
-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	10	5	3	7	8	3	5	3	5	2	1	-	-	-	-	-	-	-
1	9	4	2	6	5	3	5	3	4	-	1	-	-	-	-	-	-	-
-	1	1	1	1	3	-	-	-	1	2	-	-	-	-	-	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
V28	Motorcycle rider injured in noncollision transport accident	T.	130	-	-	-	-	-	-	-
		M.	103	-	-	-	-	-	-	-
		F.	27	-	-	-	-	-	-	-
V29	Motorcycle rider injured in other and unspecified transport accidents	T.	350	-	2	-	-	1	-	-
		M.	273	-	1	-	-	-	-	-
		F.	77	-	1	-	-	1	-	-
V40-V49	Car occupant injured in transport accident	T.	192	-	2	1	-	-	-	1
		M.	149	-	1	-	-	-	-	-
		F.	43	-	1	1	-	-	-	1
V43	Car occupant injured in collision with car, pick- up truck or van	T.	35	-	1	-	-	-	-	1
		M.	24	-	-	-	-	-	-	-
		F.	11	-	1	-	-	-	-	1
V44	Car occupant injured in collision with heavy transport vehicle or bus	T.	10	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
V45	Car occupant injured in collision with railway train or railway vehicle	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
V47	Car occupant injured in collision with fixed or stationary object	T.	36	-	-	-	-	-	-	-
		M.	30	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
V48	Car occupant injured in noncollision transport accident	T.	28	-	1	-	-	-	-	-
		M.	26	-	1	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
V49	Car occupant injured in other and unspecified transport accidents	T.	81	-	-	1	-	-	-	-
		M.	59	-	-	-	-	-	-	-
		F.	22	-	-	1	-	-	-	-
V50-V59	Occupant of pick-up truck or van injured in transport accident	T.	42	-	-	-	-	-	-	-
		M.	35	-	-	-	-	-	-	-
		F.	7	-	-	-	-	-	-	-
V53	Occupant of pick-up truck or van injured in collision with car, pick-up truck or van	T.	6	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V54	Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V57	Occupant of pick-up truck or van injured in collision with fixed or stationary object	T.	8	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
V58	Occupant of pick-up truck or van injured in noncollision transport accident	T.	9	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
V59	Occupant of pick-up truck or van injured in other and unspecified transport accidents	T.	16	-	-	-	-	-	-	-
		M.	14	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
V60-V69	Occupant of heavy transport vehicle injured in transport accident	T.	20	-	-	-	-	-	-	-
		M.	15	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
V63	Occupant of heavy transport vehicle injured in collision with car, pick-up truck or van	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V69	Occupant of heavy transport vehicle injured in other and unspecified transport accidents	T.	9	-	-	-	-	-	-	-
		M.	8	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V70-V79	Bus occupant injured in transport accident	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
V74	Bus occupant injured in collision with heavy transport vehicle or bus	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V79	Bus occupant injured in other and unspecified transport accidents	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V80-V89	Other land transport accidents	T.	1,986	-	2	4	5	2	1	5
		M.	1,452	-	1	-	4	1	-	5
		F.	534	-	1	4	1	1	1	-
V81	Occupant of railway train or railway vehicle injured in transport accident	T.	16	-	-	-	1	-	-	-
		M.	10	-	-	-	1	-	-	-
		F.	6	-	-	-	-	-	-	-
V83	Occupant of special vehicle mainly used on industrial premises injured in transport accident	T.	2	-	-	1	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	1	-	-	-	-
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	T.	8	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
V85	Occupant of special construction vehicle injured in transport accident	T.	16	-	-	-	-	-	-	-
		M.	15	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
V87	Traffic accident of specified type but victim's mode of transport unknown	T.	298	-	-	-	1	-	-	-
		M.	218	-	-	-	1	-	-	-
		F.	80	-	-	-	-	-	-	-
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	T.	1,646	-	2	3	3	2	1	5
		M.	1,203	-	1	-	2	1	-	5
		F.	443	-	1	3	1	1	1	-
V90-V94	Water transport accidents	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
V90	Accident to watercraft causing drowning and submersion	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W00-W19	Falls	T.	1,178	-	2	1	-	1	-	3
		M.	884	-	2	-	-	-	-	2
		F.	294	-	-	1	-	1	-	1
W01	Fall on same level from slipping, tripping and stumbling	T.	10	-	1	-	-	-	-	-
		M.	9	-	1	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
W05	Fall involving wheelchair	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W07	Fall involving chair	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W10	Fall on and from stairs and steps	T.	74	-	-	-	-	-	-	-
		M.	44	-	-	-	-	-	-	-
		F.	30	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.45)

Unit : Person																		
10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	2	-	1	-	-	1	1	2	1	-	-	-	-	-	-	-	-
-	1	2	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	159	172	140	107	100	123	127	173	161	132	136	136	136	100	35	9	1	-
15	121	132	118	90	74	100	101	120	110	82	94	94	91	68	24	7	-	-
5	38	40	22	17	26	23	26	53	51	50	42	42	45	32	11	2	1	-
-	2	1	-	1	-	3	1	2	1	-	2	-	-	1	-	1	-	-
-	1	-	-	-	-	2	1	1	-	-	2	-	-	1	-	1	-	-
-	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	2	-	-	2	1	-	1	-	-
-	-	-	-	1	-	-	1	-	-	1	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
-	-	3	-	1	2	-	3	4	2	1	-	-	-	-	-	-	-	-
-	-	3	-	1	2	-	2	4	2	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	28	26	26	11	19	11	17	25	22	22	20	27	27	12	2	-	-	-
2	23	14	21	11	11	9	11	17	17	11	14	20	23	11	2	-	-	-
-	5	12	5	-	8	2	6	8	5	11	6	7	4	1	-	-	-	-
18	129	141	114	93	79	109	105	142	136	107	114	109	107	86	33	7	1	-
13	97	114	97	77	61	89	86	98	91	69	78	74	67	55	22	6	-	-
5	32	27	17	16	18	20	19	44	45	38	36	35	40	31	11	1	1	-
-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	5	11	21	31	55	75	90	105	89	87	82	125	135	135	81	33	5	2
1	3	10	16	26	51	66	82	92	72	70	68	74	80	97	51	17	4	-
3	2	1	5	5	4	9	8	13	17	17	14	51	55	38	30	16	1	2
-	-	1	-	-	-	2	-	-	1	1	1	1	2	-	-	-	-	-
-	-	1	-	-	-	2	-	-	1	1	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
-	-	1	-	1	1	2	3	10	7	7	6	9	7	7	10	3	-	-
-	-	1	-	1	1	1	2	8	5	4	2	-	4	6	7	2	-	-
-	-	-	-	-	-	1	1	2	2	3	4	9	3	1	3	1	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
W11	Fall on and from ladder	T.	5	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W12	Fall on and from scaffolding	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W13	Fall from, out of or through building or structure	T.	19	-	-	-	-	-	-	-
		M.	16	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
W14	Fall from tree	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W17	Other fall from one level to another	T.	351	-	1	-	-	-	-	3
		M.	294	-	1	-	-	-	-	2
		F.	57	-	-	-	-	-	-	-
W18	Other fall on same level	T.	9	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
W19	Unspecified fall	T.	701	-	-	1	-	1	-	-
		M.	503	-	-	-	-	-	-	-
		F.	198	-	-	1	-	1	-	-
W20-W49	Exposure to inanimate mechanical forces	T.	139	-	-	-	-	-	-	2
		M.	113	-	-	-	-	-	-	1
		F.	26	-	-	-	-	-	-	1
W20	Struck by thrown, projected or falling object	T.	56	-	-	-	-	-	-	1
		M.	52	-	-	-	-	-	-	1
		F.	4	-	-	-	-	-	-	-
W22	Striking against or struck by other objects	T.	32	-	-	-	-	-	-	-
		M.	21	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
W23	Caught, crushed, jammed or pinched in or between objects	T.	12	-	-	-	-	-	-	-
		M.	9	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
W26	Contact with knife, sword or dagger	T.	7	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W28	Contact with powered lawnmower	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W30	Contact with agricultural machinery	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W31	Contact with other and unspecified machinery	T.	16	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
W34	Discharge from other and unspecified firearms	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W36	Explosion and rupture of gas cylinder	T.	7	-	-	-	-	-	-	1
		M.	4	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	1
W39	Discharge of firework	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W40	Explosion of other materials	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.46)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
1	2	1	1	4	2	3	-	1	-	2	1	1	-	-	-	-	-	-
1	1	1	1	3	1	3	-	1	-	2	1	1	-	-	-	-	-	-
-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	3	6	17	16	25	30	44	49	30	30	23	29	23	9	5	4	-	1
-	2	5	13	12	24	25	38	46	25	27	23	22	17	6	4	2	-	-
3	1	1	4	4	1	5	6	3	5	3	-	7	6	3	1	2	-	1
-	-	-	1	-	-	2	1	-	-	-	-	2	-	2	-	1	-	-
-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-
-	-	2	2	9	27	35	42	42	49	47	48	81	103	116	65	25	5	1
-	-	2	2	9	25	32	41	34	39	36	38	48	58	83	39	13	4	-
-	-	-	-	-	2	3	1	8	10	11	10	33	45	33	26	12	1	1
1	2	3	8	8	15	13	21	19	22	9	5	4	4	2	1	-	-	-
1	1	3	7	4	13	12	18	17	21	6	4	3	2	-	-	-	-	-
-	1	-	1	4	2	1	3	2	1	3	1	1	2	2	1	-	-	-
-	-	-	3	3	4	7	8	13	8	5	1	1	2	-	-	-	-	-
-	-	-	3	2	3	6	7	13	8	5	1	1	2	-	-	-	-	-
-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
-	2	-	2	1	6	2	2	3	5	3	-	2	1	2	1	-	-	-
-	1	-	2	-	6	2	2	1	5	1	-	1	-	-	-	-	-	-
-	1	-	-	1	-	-	-	2	-	2	-	1	1	2	1	-	-	-
-	-	1	-	2	-	1	3	2	2	-	1	-	-	-	-	-	-	-
-	-	1	-	1	-	1	2	2	2	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	2	-	3	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	2	-	3	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	2	2	3	1	1	1	3	-	1	-	1	-	-	-	-	-
-	-	1	1	1	2	1	1	1	2	-	1	-	-	-	-	-	-	-
-	-	-	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-
-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
W50-W64	Exposure to animate mechanical forces	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W55	Bitten or struck by other mammals	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W65-W74	Accidental drowning and submersion	T.	381	-	-	4	7	3	1	13
		M.	310	-	-	4	5	2	-	13
		F.	71	-	-	-	2	1	1	-
W65	Drowning and submersion while in bath-tub	T.	2	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
W66	Drowning and submersion following fall into bath-tub	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W67	Drowning and submersion while in swimming-pool	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W69	Drowning and submersion while in natural water	T.	5	-	-	-	-	-	-	1
		M.	5	-	-	-	-	-	-	1
		F.	-	-	-	-	-	-	-	-
W70	Drowning and submersion following fall into natural water	T.	32	-	-	-	1	-	-	-
		M.	26	-	-	-	1	-	-	-
		F.	6	-	-	-	-	-	-	-
W73	Other specified drowning and submersion	T.	8	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
W74	Unspecified drowning and submersion	T.	329	-	-	4	6	3	1	12
		M.	267	-	-	4	4	2	-	12
		F.	62	-	-	-	2	1	1	-
W75-W84	Other accidental threats to breathing	T.	282	-	24	1	1	1	1	3
		M.	188	-	15	1	-	-	1	3
		F.	94	-	9	-	1	1	-	-
W75	Accidental suffocation and strangulation in bed	T.	8	-	8	-	-	-	-	-
		M.	6	-	6	-	-	-	-	-
		F.	2	-	2	-	-	-	-	-
W76	Other accidental hanging and strangulation	T.	6	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
W77	Threat to breathing due to cavein, falling earth and other substances	T.	5	-	-	-	1	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	2	-	-	-	1	-	-	-
W78	Inhalation of gastric contents	T.	23	-	1	-	-	-	-	-
		M.	20	-	1	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	T.	102	-	9	1	-	1	-	2
		M.	64	-	4	1	-	-	-	2
		F.	38	-	5	-	-	1	-	-
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	T.	121	-	4	-	-	-	-	1
		M.	80	-	3	-	-	-	-	1
		F.	41	-	1	-	-	-	-	-
W81	Confined to or trapped in a low-oxygen environment	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
W84	Unspecified threat to breathing	T.	16	-	2	-	-	-	1	-
		M.	11	-	1	-	-	-	1	-
		F.	5	-	1	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.47)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	15	8	12	23	21	42	30	34	29	27	23	25	22	17	8	-	-	-
15	13	6	9	22	17	36	28	29	24	22	15	19	12	15	4	-	-	-
2	2	2	3	1	4	6	2	5	5	5	8	6	10	2	4	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	-	1	2	4	6	4	3	3	2	-	2	1	-	-	-	-
1	1	1	-	1	2	3	6	2	1	3	2	-	1	1	-	-	-	-
-	-	-	-	-	-	1	-	2	2	-	-	-	1	-	-	-	-	-
1	-	-	-	-	-	3	-	-	2	-	-	1	1	-	-	-	-	-
1	-	-	-	-	-	3	-	-	2	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
13	13	7	12	20	19	35	24	29	24	22	20	24	18	15	8	-	-	-
11	11	5	9	19	15	30	22	26	21	18	12	19	10	13	4	-	-	-
2	2	2	3	1	4	5	2	3	3	4	8	5	8	2	4	-	-	-
1	3	2	7	10	7	12	10	14	20	23	21	24	29	29	29	9	1	-
1	2	1	5	8	4	10	9	10	12	19	16	16	17	15	19	4	-	-
-	1	1	2	2	3	2	1	4	8	4	5	8	12	14	10	5	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1	1	-	1	2	1	2	1	1	-	1	2	3	2	3	1	-	-	-
1	1	-	1	2	-	2	1	1	-	1	2	2	2	2	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
-	1	1	2	2	2	5	2	4	8	11	6	10	8	10	13	3	1	-
-	-	-	1	1	2	4	2	3	5	8	6	7	4	2	9	3	-	-
-	1	1	1	1	-	1	-	1	3	3	-	3	4	8	4	-	1	-
-	1	-	3	4	1	4	1	6	11	10	10	11	18	16	14	6	-	-
-	1	-	3	4	1	3	1	5	6	9	6	7	10	11	8	1	-	-
-	-	-	-	-	-	1	-	1	5	1	4	4	8	5	6	5	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	2	1	4	3	-	-	1	-	-	-	1	-	-	-
-	-	-	-	1	-	1	4	1	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
W85-W99	Exposure to electric current, radiation and extreme ambient air temperature and pressure	T.	57	-	-	-	-	-	-	-
		M.	55	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
W87	Exposure to unspecified electric current	T.	54	-	-	-	-	-	-	-
		M.	52	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
W94	Exposure to high and low air pressure and changes in air pressure	T.	3	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
X00-X09	Exposure to smoke, fire and flames	T.	74	-	1	1	1	1	-	2
		M.	51	-	-	1	1	1	-	2
		F.	23	-	1	-	-	-	-	-
X00	Exposure to uncontrolled fire in building or structure	T.	3	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
X09	Exposure to unspecified smoke, fire and flames	T.	71	-	1	1	1	1	-	2
		M.	50	-	-	1	1	1	-	2
		F.	21	-	1	-	-	-	-	-
X20-X29	Contact with venomous animals and plants	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X23	Contact with hornets, wasps and bees	T.	2	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X30-X39	Exposure to forces of nature	T.	38	-	-	-	-	-	-	-
		M.	27	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
X30	Exposure to excessive natural heat	T.	14	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
X31	Exposure to excessive natural cold	T.	8	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X32	Exposure to sunlight	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
X36	Victim of avalanche, landslide and other earth movements	T.	12	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
X40-X49	Accidental poisoning by and exposure to noxious substances	T.	274	-	-	1	-	-	-	3
		M.	205	-	-	-	-	-	-	3
		F.	69	-	-	1	-	-	-	-
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified	T.	28	-	-	-	-	-	-	-
		M.	20	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	T.	101	-	-	-	-	-	-	-
		M.	86	-	-	-	-	-	-	-
		F.	15	-	-	-	-	-	-	-
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances	T.	43	-	-	1	-	-	-	1
		M.	33	-	-	-	-	-	-	1
		F.	10	-	-	1	-	-	-	-
X45	Accidental poisoning by and exposure to alcohol	T.	34	-	-	-	-	-	-	-
		M.	28	-	-	-	-	-	-	-
		F.	6	-	-	-	-	-	-	-
X47	Accidental poisoning by and exposure to other gases and vapours	T.	38	-	-	-	-	-	-	2
		M.	20	-	-	-	-	-	-	2
		F.	18	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.48)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	100+
-	-	6	8	8	8	7	7	4	5	1	1	1	1	-	-	-	-	-
-	-	6	8	8	8	7	6	4	5	1	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	6	8	7	7	6	7	4	5	1	1	1	1	-	-	-	-	-
-	-	6	8	7	7	6	6	4	5	1	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	4	1	3	4	1	3	7	5	6	2	6	9	5	4	4	2	-	-
1	2	-	1	1	1	2	6	3	6	2	4	6	4	3	2	2	-	-
1	2	1	2	3	-	1	1	2	-	-	2	3	1	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
2	4	1	3	4	1	3	7	5	6	2	6	7	4	4	4	2	-	-
1	2	-	1	1	1	2	6	3	6	2	4	5	4	3	2	2	-	-
1	2	1	2	3	-	1	1	2	-	-	2	2	-	1	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	2	1	1	2	2	5	4	2	7	3	2	4	1	2	-	-
-	-	-	2	1	1	2	4	2	-	5	2	1	1	3	1	2	-	-
-	-	-	-	-	-	1	-	1	2	2	2	1	1	1	-	-	-	-
-	-	-	1	-	-	-	1	3	-	1	2	1	2	2	1	-	-	-
-	-	-	1	-	-	-	1	2	-	-	1	1	1	2	1	-	-	-
-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	1	2	-	3	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	1	1	-	3	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	1	-	1	2	1	1	2	-	1	-	1	-	-
-	-	-	1	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-	-
2	8	7	29	37	49	46	40	22	10	5	4	3	2	3	2	1	-	-
1	6	5	19	26	40	34	37	17	5	5	1	1	1	3	1	-	-	-
1	2	2	10	11	9	12	3	5	5	-	3	2	1	-	1	1	-	-
-	-	1	5	7	7	2	3	3	-	-	-	-	-	-	-	-	-	-
-	-	1	3	4	6	-	3	3	-	-	-	-	-	-	-	-	-	-
-	-	-	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	11	19	19	19	23	4	1	2	-	-	-	-	-	-	-	-
-	1	1	8	13	17	17	23	3	1	2	-	-	-	-	-	-	-	-
-	-	1	3	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-
-	1	1	4	8	9	11	4	1	1	-	1	-	-	-	-	-	-	-
-	1	1	3	7	6	8	4	1	-	-	1	-	-	-	-	-	-	-
-	-	-	1	1	3	3	-	-	1	-	-	-	-	-	-	-	-	-
-	2	1	4	1	8	6	4	7	-	1	-	-	-	-	-	-	-	-
-	2	-	2	-	7	6	4	6	-	1	-	-	-	-	-	-	-	-
-	-	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
2	4	1	5	-	3	5	2	5	2	2	1	1	1	1	1	-	-	-
1	2	1	3	-	1	1	2	2	1	2	-	-	-	1	1	-	-	-
1	2	-	2	-	2	4	-	3	1	-	1	1	1	-	-	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
X48	Accidental poisoning by and exposure to pesticides	T.	19	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	8	-	-	-	-	-	-	-
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	T.	11	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
X50-X57	Overexertion, travel and privation	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X50	Overexertion and strenuous or repetitive movements	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
X53	Lack of food	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X58-X59	Accidental exposure to other and unspecified factors	T.	362	1	2	-	-	-	-	-
		M.	211	1	2	-	-	-	-	-
		F.	151	-	-	-	-	-	-	-
X58	Exposure to other specified factors	T.	4	-	1	-	-	-	-	-
		M.	3	-	1	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X59	Exposure to unspecified factor	T.	358	1	1	-	-	-	-	-
		M.	208	1	1	-	-	-	-	-
		F.	150	-	-	-	-	-	-	-
X60-X84	Intentional self-harm	T.	3,889	-	-	-	-	-	-	-
		M.	2,639	-	-	-	-	-	-	-
		F.	1,250	-	-	-	-	-	-	-
X61	Intentional self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified	T.	22	-	-	-	-	-	-	-
		M.	12	-	-	-	-	-	-	-
		F.	10	-	-	-	-	-	-	-
X62	Intentional self-poisoning by and exposure to narcotics and psychodysleptics[hallucinogens],not elsewhere classified	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
X64	Intentional self-poisoning by and exposure to other and unspecified drugs, medicaments and biological substances	T.	57	-	-	-	-	-	-	-
		M.	28	-	-	-	-	-	-	-
		F.	29	-	-	-	-	-	-	-
X65	Intentional self-poisoning by and exposure to alcohol	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X66	Intentional self-poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours	T.	5	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
X67	Intentional self-poisoning by and exposure to other gases and vapours	T.	1,217	-	-	-	-	-	-	-
		M.	887	-	-	-	-	-	-	-
		F.	330	-	-	-	-	-	-	-
X68	Intentional self-poisoning by and exposure to pesticides	T.	478	-	-	-	-	-	-	-
		M.	347	-	-	-	-	-	-	-
		F.	131	-	-	-	-	-	-	-
X69	Intentional self-poisoning by and exposure to other and unspecified chemicals and noxious substances	T.	101	-	-	-	-	-	-	-
		M.	30	-	-	-	-	-	-	-
		F.	71	-	-	-	-	-	-	-
X70	Intentional self-harm by hanging, strangulation and suffocation	T.	1,224	-	-	-	-	-	-	-
		M.	899	-	-	-	-	-	-	-
		F.	325	-	-	-	-	-	-	-
X71	Intentional self-harm by drowning and submersion	T.	221	-	-	-	-	-	-	-
		M.	105	-	-	-	-	-	-	-
		F.	116	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.49)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	2	-	3	2	4	-	2	2	1	2	1	-	-	-
-	-	-	-	-	2	-	1	2	2	-	-	1	1	2	-	-	-	-
-	-	-	-	-	-	-	2	-	2	-	2	1	-	-	1	-	-	-
-	-	1	-	2	1	3	1	-	2	-	-	-	-	-	-	1	-	-
-	-	1	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-
-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	4	11	11	7	8	9	16	19	19	9	17	16	42	55	67	29	16	3
1	1	8	11	7	7	8	14	16	17	9	9	7	16	27	31	14	5	-
-	3	3	-	-	1	1	2	3	2	-	8	9	26	28	36	15	11	3
-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	4	11	11	7	8	9	14	19	19	9	17	16	42	54	67	29	16	3
1	1	8	11	7	7	8	12	16	17	9	9	7	16	27	31	14	5	-
-	3	3	-	-	1	1	2	3	2	-	8	9	26	27	36	15	11	3
6	48	128	275	383	330	425	417	402	345	244	239	227	178	147	71	19	5	-
4	29	94	183	265	212	288	281	282	255	170	168	126	114	101	47	16	4	-
2	19	34	92	118	118	137	136	120	90	74	71	101	64	46	24	3	1	-
-	-	-	1	2	3	6	2	5	1	-	1	-	-	1	-	-	-	-
-	-	-	-	2	2	3	-	3	-	-	1	-	-	1	-	-	-	-
-	-	-	1	-	1	3	2	2	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	5	4	8	7	8	3	5	4	4	3	2	1	2	-	-	-
-	1	-	3	-	4	3	5	1	3	2	2	1	1	1	1	-	-	-
-	-	-	2	4	4	4	3	2	2	2	2	2	1	-	1	-	-	-
-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-
2	18	66	131	191	165	187	144	133	84	47	23	15	9	2	-	-	-	-
2	8	48	89	139	116	135	110	94	67	43	17	9	8	2	-	-	-	-
-	10	18	42	52	49	52	34	39	17	4	6	6	1	-	-	-	-	-
-	1	5	8	23	30	35	48	47	48	46	48	50	42	33	9	5	-	-
-	-	4	7	18	22	24	33	35	38	35	39	35	27	21	5	4	-	-
-	1	1	1	5	8	11	15	12	10	11	9	15	15	12	4	1	-	-
-	-	-	3	1	1	5	7	8	11	11	10	17	9	11	5	1	1	-
-	-	-	1	1	-	1	4	5	4	3	2	2	2	2	1	1	1	-
-	-	-	2	-	1	4	3	3	7	8	8	15	7	9	4	-	-	-
1	10	34	64	92	69	107	129	131	128	80	102	83	75	72	34	9	4	-
1	8	27	52	64	50	83	94	97	97	58	75	49	51	56	26	8	3	-
-	2	7	12	28	19	24	35	34	31	22	27	34	24	16	8	1	1	-
-	-	3	12	15	15	11	21	27	19	26	19	21	19	7	6	-	-	-
-	-	1	4	12	4	5	8	14	9	11	13	6	9	5	4	-	-	-
-	-	2	8	3	11	6	13	13	10	15	6	15	10	2	2	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
X74	Intentional self-harm by other and unspecified firearm discharge	T.	12	-	-	-	-	-	-	-
		M.	10	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
X75	Intentional self-harm by explosive material	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
X76	Intentional self-harm by smoke, fire and flames	T.	39	-	-	-	-	-	-	-
		M.	28	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
X78	Intentional self-harm by sharp object	T.	73	-	-	-	-	-	-	-
		M.	53	-	-	-	-	-	-	-
		F.	20	-	-	-	-	-	-	-
X80	Intentional self-harm by jumping from a high place	T.	374	-	-	-	-	-	-	-
		M.	186	-	-	-	-	-	-	-
		F.	188	-	-	-	-	-	-	-
X82	Intentional self-harm by crashing of motor vehicle	T.	38	-	-	-	-	-	-	-
		M.	29	-	-	-	-	-	-	-
		F.	9	-	-	-	-	-	-	-
X83	Intentional self-harm by other specified means	T.	5	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
X84	Intentional self-harm by unspecified means	T.	14	-	-	-	-	-	-	-
		M.	11	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
X85-Y09	Assault	T.	179	2	3	1	2	1	-	7
		M.	127	1	3	-	1	1	-	3
		F.	52	1	-	1	1	-	-	4
X85	Assault by drugs, medicaments and biological substances	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
X88	Assault by gases and vapours	T.	10	-	-	-	-	1	-	4
		M.	7	-	-	-	-	1	-	2
		F.	3	-	-	-	-	-	-	2
X91	Assault by hanging, strangulation and suffocation	T.	8	1	-	-	1	-	-	-
		M.	3	1	-	-	-	-	-	-
		F.	5	-	-	-	1	-	-	-
X92	Assault by drowning and submersion	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X94	Assault by rifle, shotgun and larger firearm discharge	T.	1	-	-	-	-	-	-	-
		M.	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
X95	Assault by other and unspecified firearm discharge	T.	18	-	-	-	-	-	-	-
		M.	17	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
X97	Assault by smoke, fire and flames	T.	7	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
X99	Assault by sharp object	T.	53	-	1	-	-	-	-	-
		M.	36	-	1	-	-	-	-	-
		F.	17	-	-	-	-	-	-	-
Y00	Assault by blunt object	T.	6	-	-	-	-	-	-	-
		M.	6	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Y01	Assault by pushing from high place	T.	2	-	-	-	1	-	-	-
		M.	2	-	-	-	1	-	-	-
		F.	-	-	-	-	-	-	-	-



the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.50)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	5	3	-	-	1	2	1	-	-	-	-	-	-	-	-	-
-	-	-	3	3	-	-	1	2	1	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	5	4	1	7	9	6	2	1	2	-	-	-	-	-
-	-	-	1	1	3	1	-	4	9	5	2	1	1	-	-	-	-	-
-	-	-	-	-	2	3	1	3	-	1	-	-	1	-	-	-	-	-
-	1	1	3	5	4	5	4	6	7	9	6	9	7	3	1	2	-	-
-	-	1	1	3	2	4	2	5	6	7	4	6	7	3	1	1	-	-
-	1	-	2	2	2	1	2	1	1	2	2	3	-	-	-	1	-	-
3	16	17	36	37	26	51	37	30	24	11	19	27	12	12	14	2	-	-
1	11	11	17	17	8	23	12	19	14	2	9	16	7	8	9	2	-	-
2	5	6	19	20	18	28	25	11	10	9	10	11	5	4	5	-	-	-
-	1	1	2	4	3	3	8	1	6	3	3	1	1	1	-	-	-	-
-	1	1	1	1	-	3	7	1	5	3	3	1	1	1	-	-	-	-
-	-	-	1	3	3	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	2	1	1	1	2	2	1	-	2	-	-	1	-	-	-	-
-	-	1	2	-	1	1	1	2	1	-	1	-	-	1	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
2	2	8	14	13	16	30	22	20	10	7	3	6	3	4	3	-	-	-
1	2	7	12	7	11	22	19	14	7	3	2	4	2	3	2	-	-	-
1	-	1	2	6	5	8	3	6	3	4	1	2	1	1	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-
-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	3	3	-	4	3	2	1	2	-	-	-	-	-	-	-	-	-
-	-	2	3	-	4	3	2	1	2	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
-	-	1	4	8	4	9	8	6	2	3	2	-	3	1	1	-	-	-
-	-	1	4	5	2	6	6	4	2	1	1	-	2	1	-	-	-	-
-	-	-	-	3	2	3	2	2	-	2	1	-	1	-	1	-	-	-
-	-	-	-	1	-	-	1	3	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	3	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
Y03	Assault by crashing of motor vehicle	T.	2	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Y04	Assault by bodily force	T.	18	-	-	-	-	-	-	-
		M.	15	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
Y05	Sexual assault by bodily force	T.	1	-	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
Y06	Neglect and abandonment	T.	1	1	-	-	-	-	-	-
		M.	-	-	-	-	-	-	-	-
		F.	1	1	-	-	-	-	-	-
Y08	Assault by other specified means	T.	3	-	-	-	-	-	-	-
		M.	2	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
Y09	Assault by unspecified means	T.	41	-	2	1	-	-	-	1
		M.	28	-	2	-	-	-	-	-
		F.	13	-	-	1	-	-	-	-
Y10-Y34	Event of undetermined intent	T.	553	1	1	2	1	1	-	3
		M.	356	1	1	1	-	1	-	2
		F.	197	-	-	1	1	-	-	-
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified, undetermined intent	T.	18	-	-	-	-	-	-	1
		M.	6	-	-	-	-	-	-	-
		F.	12	-	-	-	-	-	-	-
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	T.	37	-	-	-	-	-	-	-
		M.	33	-	-	-	-	-	-	-
		F.	4	-	-	-	-	-	-	-
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent	T.	33	-	-	-	-	-	-	-
		M.	18	-	-	-	-	-	-	-
		F.	15	-	-	-	-	-	-	-
Y15	Poisoning by and exposure to alcohol, undetermined intent	T.	7	-	-	-	-	-	-	-
		M.	5	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-
Y17	Poisoning by and exposure to other gases and vapours, undetermined intent	T.	25	-	-	1	-	-	-	-
		M.	16	-	-	1	-	-	-	-
		F.	9	-	-	-	-	-	-	-
Y18	Poisoning by and exposure to pesticides, undetermined intent	T.	49	-	-	-	-	-	-	-
		M.	37	-	-	-	-	-	-	-
		F.	12	-	-	-	-	-	-	-
Y19	Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent	T.	18	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	11	-	-	-	-	-	-	-
Y20	Hanging, strangulation and suffocation, undetermined intent	T.	18	-	1	-	-	1	-	1
		M.	13	-	1	-	-	1	-	1
		F.	5	-	-	-	-	-	-	-
Y21	Drowning and submersion, undetermined intent	T.	124	-	-	-	-	-	-	-
		M.	72	-	-	-	-	-	-	-
		F.	52	-	-	-	-	-	-	-
Y24	Other and unspecified firearm discharge, undetermined intent	T.	4	-	-	-	-	-	-	-
		M.	4	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Y26	Exposure to smoke, fire and flames, undetermined intent	T.	26	-	-	-	-	-	-	-
		M.	14	-	-	-	-	-	-	-
		F.	12	-	-	-	-	-	-	-
Y28	Contact with sharp object, undetermined intent	T.	5	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.51)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	-	-	2	5	3	2	3	-	-	-	-	-	-	-	-	-
-	1	2	-	-	1	4	3	2	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	4	4	4	8	5	7	-	3	-	1	-	-	-	-	-	-
-	-	1	4	1	3	6	5	4	-	1	-	1	-	-	-	-	-	-
-	-	-	-	3	1	2	-	3	-	2	-	-	-	-	-	-	-	-
5	9	15	33	63	55	64	52	46	47	20	29	20	29	26	22	5	4	-
2	5	10	23	44	38	46	34	35	31	9	11	10	17	18	12	3	2	-
3	4	5	10	19	17	18	18	11	16	11	18	10	12	8	10	2	2	-
-	-	-	2	2	3	1	4	-	1	2	2	-	-	-	-	-	-	-
-	-	-	-	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-
-	-	-	2	1	2	1	2	-	-	1	2	-	-	-	-	-	-	-
-	-	1	5	6	10	10	3	-	2	-	-	-	-	-	-	-	-	-
-	-	1	4	6	8	9	3	-	2	-	-	-	-	-	-	-	-	-
-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	3	3	5	2	7	2	5	-	-	-	-	1	2	1	-	-
-	-	1	2	1	3	1	6	-	1	-	-	-	-	1	1	1	-	-
-	-	1	1	2	2	1	1	2	4	-	-	-	-	-	1	-	-	-
-	-	-	1	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-
1	-	1	3	5	3	4	2	2	1	-	-	2	-	-	-	-	-	-
-	-	-	2	4	2	2	2	1	1	-	-	1	-	-	-	-	-	-
1	-	1	1	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-
-	-	-	3	4	4	5	6	7	3	2	3	2	5	4	1	-	-	-
-	-	-	3	4	4	4	4	5	3	1	1	2	4	1	1	-	-	-
-	-	-	-	-	-	1	2	2	-	1	2	-	1	3	-	-	-	-
-	-	-	1	2	2	2	-	-	-	3	1	1	2	-	3	1	-	-
-	-	-	-	2	1	2	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	1	-	1	-	-	-	-	2	1	1	2	-	2	1	-	-
-	-	-	1	5	3	-	-	2	1	1	-	1	1	-	-	-	-	-
-	-	-	1	3	3	-	-	2	-	-	-	-	1	-	-	-	-	-
-	-	-	-	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-
-	1	2	7	14	7	19	8	10	20	6	8	5	6	3	5	2	1	-
-	1	2	6	9	5	12	3	9	11	3	2	1	2	2	2	1	1	-
-	-	-	1	5	2	7	5	1	9	3	6	4	4	1	3	1	-	-
-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	2	1	1	4	3	3	4	1	1	-	-	1	-	1	-	1	-
-	-	1	1	-	1	2	1	4	-	1	-	-	1	-	1	-	1	-
1	2	1	-	1	3	1	2	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-



Annex 8 Number of Deaths Classified According to

ICD-10	Cause of Death	Total	Under 4 Weeks	4 Weeks to 11 Months	1	2	3	4	5	
									9	
Y30	Falling, jumping or pushed from a high place, undetermined intent	T.	120	-	-	-	-	-	-	1
		M.	84	-	-	-	-	-	-	1
		F.	36	-	-	-	-	-	-	-
Y32	Crashing of motor vehicle, undetermined intent	T.	18	-	-	-	-	-	-	-
		M.	13	-	-	-	-	-	-	-
		F.	5	-	-	-	-	-	-	-
Y33	Other specified events, undetermined intent	T.	7	-	-	-	-	-	-	-
		M.	7	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-
Y34	Unspecified event, undetermined intent	T.	44	1	-	1	1	-	-	-
		M.	24	1	-	-	-	-	-	-
		F.	20	-	-	1	1	-	-	-
Y40-Y59	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
Y57	Other and unspecified drugs and medicaments	T.	4	-	-	-	-	-	-	-
		M.	3	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-
Y83-Y84	Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	T.	109	-	1	1	-	-	1	1
		M.	60	-	-	1	-	-	1	-
		F.	49	-	1	-	-	-	-	1
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	T.	76	-	1	1	-	-	1	-
		M.	45	-	-	1	-	-	1	-
		F.	31	-	1	-	-	-	-	-
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	T.	33	-	-	-	-	-	-	1
		M.	15	-	-	-	-	-	-	-
		F.	18	-	-	-	-	-	-	1
Y85-Y89	Sequelae of external causes of morbidity and mortality	T.	125	-	-	-	-	-	-	-
		M.	83	-	-	-	-	-	-	-
		F.	42	-	-	-	-	-	-	-
Y85	Sequelae of transport accidents	T.	21	-	-	-	-	-	-	-
		M.	18	-	-	-	-	-	-	-
		F.	3	-	-	-	-	-	-	-
Y86	Sequelae of other accidents	T.	104	-	-	-	-	-	-	-
		M.	65	-	-	-	-	-	-	-
		F.	39	-	-	-	-	-	-	-

the Detailed Tabulation List by Gender and Age Groups, 2010 (Cont.52)

Unit : Person

10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100+
14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
2	5	7	6	12	8	13	13	11	6	2	5	5	6	10	7	1	-	-
1	3	5	4	6	7	10	9	9	5	1	3	2	5	8	4	1	-	-
1	2	2	2	6	1	3	4	2	1	1	2	3	1	2	3	-	-	-
-	1	-	-	2	-	2	2	2	2	1	2	1	3	-	-	-	-	-
-	1	-	-	2	-	1	1	2	2	1	1	1	1	-	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	1	-	2	-	-	-	-	-
-	-	-	-	1	2	-	1	-	1	-	-	1	1	-	-	-	-	-
-	-	-	-	1	2	-	1	-	1	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	3	1	1	1	6	2	2	7	2	4	7	2	-	2	-
1	-	-	-	2	-	1	-	3	2	-	3	2	2	5	2	-	-	-
-	-	-	-	1	1	-	1	3	-	2	4	-	2	2	-	-	2	-
-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	4	3	2	4	7	6	3	7	9	8	12	24	11	1	3	-
-	-	-	4	3	2	2	5	4	2	4	3	2	4	15	6	-	2	-
-	1	-	-	-	-	2	2	2	1	3	6	6	8	9	5	1	1	-
-	1	-	3	3	2	4	6	4	-	6	8	6	9	13	6	1	1	-
-	-	-	3	3	2	2	4	3	-	4	3	1	4	9	4	-	1	-
-	1	-	-	-	-	2	2	1	-	2	5	5	5	4	2	1	-	-
-	-	-	1	-	-	-	1	2	3	1	1	2	3	11	5	-	2	-
-	-	-	1	-	-	-	1	1	2	-	-	1	-	6	2	-	1	-
-	-	-	-	-	-	-	-	1	1	1	1	1	3	5	3	-	1	-
1	-	2	4	3	6	1	5	2	9	2	11	18	14	21	18	5	2	1
1	-	2	4	3	4	-	4	2	8	-	9	13	10	12	9	2	-	-
-	-	-	-	-	2	1	1	-	1	2	2	5	4	9	9	3	2	1
-	-	1	3	1	2	-	2	1	-	-	1	4	4	2	-	-	-	-
-	-	1	3	1	1	-	1	1	-	-	1	4	3	2	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
1	-	1	1	2	4	1	3	1	9	2	10	14	10	19	18	5	2	1
1	-	1	1	2	3	-	3	1	8	-	8	9	7	10	9	2	-	-
-	-	-	-	-	1	1	-	-	1	2	2	5	3	9	9	3	2	1



Annex 9 No. of Deaths and Crude Death Rates from Accident

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	6,669	3,773	3,515	274
	Male	4,835	2,721	2,524	205
	Female	1,834	1,052	991	69
0-4	Subtotal.	84	29	26	1
	Male	49	13	11	-
	Female	35	16	15	1
5-14	Subtotal.	103	48	47	5
	Male	79	33	32	4
	Female	24	15	15	1
15-24	Subtotal.	691	599	566	15
	Male	532	463	437	11
	Female	159	136	129	4
25-44	Subtotal.	1,522	909	851	161
	Male	1,229	724	679	119
	Female	293	185	172	42
45-64	Subtotal.	1,910	1,073	988	77
	Male	1,443	737	674	64
	Female	467	336	314	13
65-74	Subtotal.	931	530	489	7
	Male	613	344	314	2
	Female	318	186	175	5
75-84	Subtotal.	1,002	481	450	5
	Male	652	337	313	4
	Female	350	144	137	1
85+	Subtotal.	426	104	98	3
	Male	238	70	64	1
	Female	188	34	34	2
		Death rate			
Total	Subtotal.	28.8	16.3	15.2	1.2
	Male	41.6	23.4	21.7	1.8
	Female	15.9	9.1	8.6	0.6
0-4	Subtotal.	8.5	2.9	2.6	0.1
	Male	9.5	2.5	2.1	-
	Female	7.4	3.4	3.2	0.2
5-14	Subtotal.	3.8	1.8	1.7	0.2
	Male	5.6	2.3	2.3	0.3
	Female	1.8	1.2	1.2	0.1
15-24	Subtotal.	21.6	18.7	17.7	0.5
	Male	32.0	27.9	26.3	0.7
	Female	10.3	8.8	8.4	0.3
25-44	Subtotal.	20.1	12.0	11.2	2.1
	Male	32.3	19.1	17.9	3.1
	Female	7.7	4.9	4.5	1.1
45-64	Subtotal.	30.9	17.4	16.0	1.2
	Male	47.2	24.1	22.0	2.1
	Female	15.0	10.8	10.1	0.4
65-74	Subtotal.	67.0	38.2	35.2	0.5
	Male	94.0	52.8	48.2	0.3
	Female	43.2	25.2	23.8	0.7
75-84	Subtotal.	117.4	56.4	52.7	0.6
	Male	153.7	79.4	73.8	0.9
	Female	81.6	33.6	31.9	0.2
85+	Subtotal.	184.6	45.1	42.5	1.3
	Male	217.2	63.9	58.4	0.9
	Female	155.2	28.1	28.1	1.7

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
1,178	74	381	989
884	51	310	664
294	23	71	325
4	4	15	31
2	3	11	20
2	1	4	11
7	4	30	9
3	3	28	8
4	1	2	1
16	5	23	33
13	2	19	24
3	3	4	9
182	11	98	161
159	5	84	138
23	6	14	23
371	20	120	249
316	17	103	206
55	3	17	43
207	15	48	124
142	10	34	81
65	5	14	43
270	9	39	198
177	7	27	100
93	2	12	98
121	6	8	184
72	4	4	87
49	2	4	97
(0/0000)			
5.1	0.3	1.6	4.3
7.6	0.4	2.7	5.7
2.6	0.2	0.6	2.8
0.4	0.4	1.5	3.2
0.4	0.6	2.1	3.9
0.4	0.2	0.9	2.3
0.3	0.1	1.1	0.3
0.2	0.2	2.0	0.6
0.3	0.1	0.2	0.1
0.5	0.2	0.7	1.0
0.8	0.1	1.1	1.4
0.2	0.2	0.3	0.6
2.4	0.1	1.3	2.1
4.2	0.1	2.2	3.6
0.6	0.2	0.4	0.6
6.0	0.3	1.9	4.0
10.3	0.6	3.4	6.7
1.8	0.1	0.5	1.4
14.9	1.1	3.5	8.9
21.8	1.5	5.2	12.4
8.8	0.7	1.9	5.8
31.6	1.1	4.6	23.2
41.7	1.7	6.4	23.6
21.7	0.5	2.8	22.8
52.4	2.6	3.5	79.7
65.7	3.7	3.7	79.4
40.4	1.7	3.3	80.1



Annex 9 No. of Deaths and Crude Death Rates from Accident
New Taipei City

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	699	363	351	50
	Male	516	257	249	39
	Female	183	106	102	11
0-4	Subtotal.	6	2	2	-
	Male	3	-	-	-
	Female	3	2	2	-
5-14	Subtotal.	6	-	-	-
	Male	5	-	-	-
	Female	1	-	-	-
15-24	Subtotal.	76	69	68	2
	Male	64	58	58	2
	Female	12	11	10	-
25-44	Subtotal.	166	90	86	31
	Male	138	76	73	23
	Female	28	14	13	8
45-64	Subtotal.	238	126	122	15
	Male	174	77	75	14
	Female	64	49	47	1
65-74	Subtotal.	67	34	32	1
	Male	48	23	21	-
	Female	19	11	11	1
75-84	Subtotal.	95	33	32	1
	Male	55	20	19	-
	Female	40	13	13	1
85+	Subtotal.	45	9	9	-
	Male	29	3	3	-
	Female	16	6	6	-
		Death rate			
Total	Subtotal.	18.0	9.3	9.0	1.3
	Male	26.7	13.3	12.9	2.0
	Female	9.4	5.4	5.2	0.6
0-4	Subtotal.	3.7	1.2	1.2	-
	Male	3.6	-	-	-
	Female	3.9	2.6	2.6	-
5-14	Subtotal.	1.4	-	-	-
	Male	2.2	-	-	-
	Female	0.5	-	-	-
15-24	Subtotal.	13.8	12.6	12.4	0.4
	Male	22.5	20.4	20.4	0.7
	Female	4.5	4.2	3.8	-
25-44	Subtotal.	12.3	6.7	6.4	2.3
	Male	20.6	11.4	10.9	3.4
	Female	4.1	2.1	1.9	1.2
45-64	Subtotal.	22.2	11.7	11.4	1.4
	Male	34.0	15.0	14.6	2.7
	Female	11.4	8.7	8.4	0.2
65-74	Subtotal.	35.8	18.2	17.1	0.5
	Male	55.0	26.3	24.1	-
	Female	19.0	11.0	11.0	1.0
75-84	Subtotal.	95.1	33.0	32.0	1.0
	Male	106.9	38.9	36.9	-
	Female	82.6	26.8	26.8	2.1
85+	Subtotal.	151.4	30.3	30.3	-
	Male	189.6	19.6	19.6	-
	Female	110.8	41.6	41.6	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other	
deaths	128	10	37	111
	95	10	35	80
	33	-	2	31
	-	-	-	4
	-	-	-	3
	-	-	-	1
	2	-	2	2
	1	-	2	2
	1	-	-	-
	2	-	3	-
	2	-	2	-
	-	-	1	-
	14	1	13	17
	11	1	13	14
	3	-	-	3
	51	3	11	32
	41	3	10	29
	10	-	1	3
	14	2	5	11
	10	2	5	8
	4	-	-	3
	33	3	1	24
	22	3	1	9
	11	-	-	15
	12	1	2	21
	8	1	2	15
	4	-	-	6
(0/0000)	3.3	0.3	1.0	2.9
	4.9	0.5	1.8	4.1
	1.7	-	0.1	1.6
	-	-	-	2.5
	-	-	-	3.6
	-	-	-	1.3
	0.5	-	0.5	0.5
	0.4	-	0.9	0.9
	0.5	-	-	-
	0.4	-	0.5	-
	0.7	-	0.7	-
	-	-	0.4	-
	1.0	0.1	1.0	1.3
	1.6	0.1	1.9	2.1
	0.4	-	-	0.4
	4.7	0.3	1.0	3.0
	8.0	0.6	2.0	5.7
	1.8	-	0.2	0.5
	7.5	1.1	2.7	5.9
	11.5	2.3	5.7	9.2
	4.0	-	-	3.0
	33.0	3.0	1.0	24.0
	42.8	5.8	1.9	17.5
	22.7	-	-	31.0
	40.4	3.4	6.7	70.6
	52.3	6.5	13.1	98.1
	27.7	-	-	41.6



Annex 9 No. of Deaths and Crude Death Rates from Accident
Taipei City

Age		Accidents			
		Transport accidents		Accidental poisoning by and exposure to noxious substances	Number of
		Motor vehicle traffic accidents			
Total	Subtotal.	359	154	142	
	Male	258	113	104	14
	Female	101	41	38	6
0-4	Subtotal.	8	1	1	-
	Male	3	-	-	-
	Female	5	1	1	-
5-14	Subtotal.	4	2	2	1
	Male	3	2	2	-
	Female	1	-	-	1
15-24	Subtotal.	28	22	22	1
	Male	24	21	21	1
	Female	4	1	1	-
25-44	Subtotal.	68	33	31	9
	Male	53	25	24	5
	Female	15	8	7	4
45-64	Subtotal.	97	41	35	8
	Male	79	33	28	7
	Female	18	8	7	1
65-74	Subtotal.	48	19	16	1
	Male	34	13	10	1
	Female	14	6	6	-
75-84	Subtotal.	67	27	26	-
	Male	39	12	12	-
	Female	28	15	14	-
85+	Subtotal.	39	9	9	-
	Male	23	7	7	-
	Female	16	2	2	-
		Death rate			
Total	Subtotal.	13.7	5.9	5.4	0.8
	Male	20.5	9.0	8.2	1.1
	Female	7.5	3.0	2.8	0.4
0-4	Subtotal.	7.4	0.9	0.9	-
	Male	5.3	-	-	-
	Female	9.6	1.9	1.9	-
5-14	Subtotal.	1.4	0.7	0.7	0.4
	Male	2.0	1.4	1.4	-
	Female	0.7	-	-	0.7
15-24	Subtotal.	8.9	7.0	7.0	0.3
	Male	14.8	13.0	13.0	0.6
	Female	2.6	0.7	0.7	-
25-44	Subtotal.	8.4	4.1	3.8	1.1
	Male	14.0	6.6	6.4	1.3
	Female	3.5	1.9	1.6	0.9
45-64	Subtotal.	12.6	5.3	4.5	1.0
	Male	21.8	9.1	7.7	1.9
	Female	4.4	2.0	1.7	0.2
65-74	Subtotal.	27.2	10.8	9.1	0.6
	Male	43.2	16.5	12.7	1.3
	Female	14.3	6.1	6.1	-
75-84	Subtotal.	58.8	23.7	22.8	-
	Male	68.5	21.1	21.1	-
	Female	49.2	26.4	24.6	-
85+	Subtotal.	97.6	22.5	22.5	-
	Male	109.3	33.3	33.3	-
	Female	84.5	10.6	10.6	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
83	6	16	80
64	3	11	53
19	3	5	27
1	2	1	3
1	1	-	1
-	1	1	2
-	-	-	1
-	-	-	1
-	-	-	-
-	1	2	2
-	-	-	2
-	1	2	-
8	1	6	11
8	-	4	11
-	1	2	-
23	1	3	21
20	1	3	15
3	-	-	6
19	-	1	8
13	-	1	6
6	-	-	2
21	-	3	16
15	-	3	9
6	-	-	7
11	1	-	18
7	1	-	8
4	-	-	10
(0/0000)			
3.2	0.2	0.6	3.1
5.1	0.2	0.9	4.2
1.4	0.2	0.4	2.0
0.9	1.9	0.9	2.8
1.8	1.8	-	1.8
-	1.9	1.9	3.9
-	-	-	0.4
-	-	-	0.7
-	-	-	-
-	0.3	0.6	0.6
-	-	-	1.2
-	0.7	1.3	-
1.0	0.1	0.7	1.4
2.1	-	1.1	2.9
-	0.2	0.5	-
3.0	0.1	0.4	2.7
5.5	0.3	0.8	4.1
0.7	-	-	1.5
10.8	-	0.6	4.5
16.5	-	1.3	7.6
6.1	-	-	2.0
18.4	-	2.6	14.1
26.3	-	5.3	15.8
10.5	-	-	12.3
27.5	2.5	-	45.0
33.3	4.8	-	38.0
21.1	-	-	52.8



Annex 9 No. of Deaths and Crude Death Rates from Accident
Taichung City

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	727	389	376	59
	Male	520	274	264	47
	Female	207	115	112	12
0-4	Subtotal.	7	3	3	-
	Male	6	3	3	-
	Female	1	-	-	-
5-14	Subtotal.	14	5	5	1
	Male	11	3	3	1
	Female	3	2	2	-
15-24	Subtotal.	90	79	77	4
	Male	67	58	57	3
	Female	23	21	20	1
25-44	Subtotal.	170	89	87	40
	Male	129	64	62	32
	Female	41	25	25	8
45-64	Subtotal.	212	114	110	13
	Male	155	81	78	10
	Female	57	33	32	3
65-74	Subtotal.	102	48	46	-
	Male	67	30	29	-
	Female	35	18	17	-
75-84	Subtotal.	83	34	32	1
	Male	57	25	23	1
	Female	26	9	9	-
85+	Subtotal.	49	17	16	-
	Male	28	10	9	-
	Female	21	7	7	-
		Death rate			
Total	Subtotal.	27.5	14.7	14.2	2.2
	Male	39.5	20.8	20.0	3.6
	Female	15.6	8.7	8.5	0.9
0-4	Subtotal.	5.9	2.5	2.5	-
	Male	9.7	4.8	4.8	-
	Female	1.8	-	-	-
5-14	Subtotal.	4.0	1.4	1.4	0.3
	Male	6.1	1.7	1.7	0.6
	Female	1.8	1.2	1.2	-
15-24	Subtotal.	22.9	20.1	19.6	1.0
	Male	32.9	28.5	28.0	1.5
	Female	12.2	11.1	10.6	0.5
25-44	Subtotal.	19.2	10.0	9.8	4.5
	Male	29.6	14.7	14.2	7.4
	Female	9.1	5.5	5.5	1.8
45-64	Subtotal.	31.7	17.0	16.4	1.9
	Male	47.5	24.8	23.9	3.1
	Female	16.6	9.6	9.3	0.9
65-74	Subtotal.	77.8	36.6	35.1	-
	Male	109.6	49.1	47.5	-
	Female	50.0	25.7	24.3	-
75-84	Subtotal.	107.2	43.9	41.3	1.3
	Male	144.6	63.4	58.3	2.5
	Female	68.4	23.7	23.7	-
85+	Subtotal.	252.4	87.6	82.4	-
	Male	298.2	106.5	95.8	-
	Female	209.5	69.8	69.8	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other	
deaths	138	8	25	108
	103	6	16	74
	35	2	9	34
	1	-	-	3
	-	-	-	3
	1	-	-	-
	2	-	4	2
	1	-	4	2
	1	-	-	-
	1	1	2	3
	1	1	2	2
	-	-	-	1
	25	2	3	11
	23	1	2	7
	2	1	1	4
	49	2	8	26
	38	1	5	20
	11	1	3	6
	26	2	4	22
	19	2	2	14
	7	-	2	8
	23	1	4	20
	16	1	1	13
	7	-	3	7
	11	-	-	21
	5	-	-	13
	6	-	-	8
(0/0000)	5.2	0.3	0.9	4.1
	7.8	0.5	1.2	5.6
	2.6	0.2	0.7	2.6
	0.8	-	-	2.5
	-	-	-	4.8
	1.8	-	-	-
	0.6	-	1.2	0.6
	0.6	-	2.2	1.1
	0.6	-	-	-
	0.3	0.3	0.5	0.8
	0.5	0.5	1.0	1.0
	-	-	-	0.5
	2.8	0.2	0.3	1.2
	5.3	0.2	0.5	1.6
	0.4	0.2	0.2	0.9
	7.3	0.3	1.2	3.9
	11.7	0.3	1.5	6.1
	3.2	0.3	0.9	1.7
	19.8	1.5	3.1	16.8
	31.1	3.3	3.3	22.9
	10.0	-	2.9	11.4
	29.7	1.3	5.2	25.8
	40.6	2.5	2.5	33.0
	18.4	-	7.9	18.4
	56.7	-	-	108.2
	53.2	-	-	138.4
	59.9	-	-	79.8



Annex 9 No. of Deaths and Crude Death Rates from Accident
Tainan City

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	617	384	369	16
	Male	426	256	245	15
	Female	191	128	124	1
0-4	Subtotal.	7	3	3	-
	Male	3	-	-	-
	Female	4	3	3	-
5-14	Subtotal.	12	6	6	-
	Male	7	2	2	-
	Female	5	4	4	-
15-24	Subtotal.	59	54	52	-
	Male	39	35	33	-
	Female	20	19	19	-
25-44	Subtotal.	123	78	75	8
	Male	98	61	59	7
	Female	25	17	16	1
45-64	Subtotal.	169	105	102	7
	Male	125	69	66	7
	Female	44	36	36	-
65-74	Subtotal.	90	61	58	-
	Male	51	32	31	-
	Female	39	29	27	-
75-84	Subtotal.	129	70	66	1
	Male	87	52	49	1
	Female	42	18	17	-
85+	Subtotal.	28	7	7	-
	Male	16	5	5	-
	Female	12	2	2	-
		Death rate			
Total	Subtotal.	32.9	20.5	19.7	0.9
	Male	45.1	27.1	25.9	1.6
	Female	20.5	13.8	13.3	0.1
0-4	Subtotal.	9.6	4.1	4.1	-
	Male	7.9	-	-	-
	Female	11.5	8.6	8.6	-
5-14	Subtotal.	5.8	2.9	2.9	-
	Male	6.5	1.9	1.9	-
	Female	5.1	4.1	4.1	-
15-24	Subtotal.	22.8	20.9	20.1	-
	Male	29.2	26.2	24.7	-
	Female	16.0	15.2	15.2	-
25-44	Subtotal.	20.2	12.8	12.3	1.3
	Male	32.0	19.9	19.3	2.3
	Female	8.3	5.6	5.3	0.3
45-64	Subtotal.	33.0	20.5	19.9	1.4
	Male	48.4	26.7	25.5	2.7
	Female	17.4	14.2	14.2	-
65-74	Subtotal.	75.1	50.9	48.4	-
	Male	90.6	56.8	55.1	-
	Female	61.4	45.6	42.5	-
75-84	Subtotal.	165.3	89.7	84.6	1.3
	Male	236.6	141.4	133.3	2.7
	Female	101.7	43.6	41.2	-
85+	Subtotal.	147.4	36.8	36.8	-
	Male	199.8	62.4	62.4	-
	Female	109.2	18.2	18.2	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
108	7	37	65
72	4	34	45
36	3	3	20
-	-	1	3
-	-	1	2
-	-	-	1
-	1	4	1
-	-	4	1
-	1	-	-
-	-	3	2
-	-	3	1
-	-	-	1
14	1	6	16
12	-	5	13
2	1	1	3
27	2	12	16
23	2	11	13
4	-	1	3
19	1	4	5
11	1	4	3
8	-	-	2
38	1	6	13
21	1	5	7
17	-	1	6
10	1	1	9
5	-	1	5
5	1	-	4
(0/0000)			
5.8	0.4	2.0	3.5
7.6	0.4	3.6	4.8
3.9	0.3	0.3	2.2
-	-	1.4	4.1
-	-	2.6	5.3
-	-	-	2.9
-	0.5	1.9	0.5
-	-	3.7	0.9
-	1.0	-	-
-	-	1.2	0.8
-	-	2.2	0.7
-	-	-	0.8
2.3	0.2	1.0	2.6
3.9	-	1.6	4.2
0.7	0.3	0.3	1.0
5.3	0.4	2.3	3.1
8.9	0.8	4.3	5.0
1.6	-	0.4	1.2
15.9	0.8	3.3	4.2
19.5	1.8	7.1	5.3
12.6	-	-	3.1
48.7	1.3	7.7	16.7
57.1	2.7	13.6	19.0
41.2	-	2.4	14.5
52.6	5.3	5.3	47.4
62.4	-	12.5	62.4
45.5	9.1	-	36.4



Annex 9 No. of Deaths and Crude Death Rates from Accident
Koahsiung City

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	777	454	356	23
	Male	566	326	254	20
	Female	211	128	102	3
0-4	Subtotal.	6	3	1	-
	Male	4	1	-	-
	Female	2	2	1	-
5-14	Subtotal.	12	4	4	-
	Male	8	2	2	-
	Female	4	2	2	-
15-24	Subtotal.	90	74	57	1
	Male	68	57	45	1
	Female	22	17	12	-
25-44	Subtotal.	179	120	94	14
	Male	153	101	79	12
	Female	26	19	15	2
45-64	Subtotal.	245	142	108	8
	Male	186	93	71	7
	Female	59	49	37	1
65-74	Subtotal.	103	57	46	-
	Male	71	40	31	-
	Female	32	17	15	-
75-84	Subtotal.	107	48	41	-
	Male	62	29	24	-
	Female	45	19	17	-
85+	Subtotal.	35	6	5	-
	Male	14	3	2	-
	Female	21	3	3	-
		Death rate			
Total	Subtotal.	28.0	16.4	12.8	0.8
	Male	40.7	23.4	18.2	1.4
	Female	15.3	9.3	7.4	0.2
0-4	Subtotal.	5.5	2.7	0.9	-
	Male	7.0	1.8	-	-
	Female	3.8	3.8	1.9	-
5-14	Subtotal.	3.9	1.3	1.3	-
	Male	5.0	1.2	1.2	-
	Female	2.7	1.3	1.3	-
15-24	Subtotal.	24.1	19.8	15.2	0.3
	Male	35.0	29.4	23.2	0.5
	Female	12.2	9.5	6.7	-
25-44	Subtotal.	19.2	12.9	10.1	1.5
	Male	32.7	21.6	16.9	2.6
	Female	5.6	4.1	3.2	0.4
45-64	Subtotal.	31.9	18.5	14.1	1.0
	Male	49.6	24.8	18.9	1.9
	Female	15.1	12.5	9.4	0.3
65-74	Subtotal.	61.7	34.2	27.6	-
	Male	90.6	51.0	39.6	-
	Female	36.2	19.2	16.9	-
75-84	Subtotal.	115.0	51.6	44.1	-
	Male	128.7	60.2	49.8	-
	Female	100.3	42.3	37.9	-
85+	Subtotal.	153.2	26.3	21.9	-
	Male	123.5	26.5	17.6	-
	Female	182.4	26.1	26.1	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
136	5	47	112
105	3	38	74
31	2	9	38
-	-	2	1
-	-	2	1
-	-	-	-
2	-	5	1
1	-	4	1
1	-	1	-
3	-	3	9
3	-	2	5
-	-	1	4
18	1	14	12
18	-	11	11
-	1	3	1
47	1	19	28
43	1	16	26
4	-	3	2
27	1	2	16
18	1	2	10
9	-	-	6
29	1	1	28
18	-	1	14
11	1	-	14
10	1	1	17
4	1	-	6
6	-	1	11
(0/0000)			
4.9	0.2	1.7	4.0
7.5	0.2	2.7	5.3
2.2	0.1	0.7	2.8
-	-	1.8	0.9
-	-	3.5	1.8
-	-	-	-
0.6	-	1.6	0.3
0.6	-	2.5	0.6
0.7	-	0.7	-
0.8	-	0.8	2.4
1.5	-	1.0	2.6
-	-	0.6	2.2
1.9	0.1	1.5	1.3
3.8	-	2.4	2.4
-	0.2	0.6	0.2
6.1	0.1	2.5	3.7
11.5	0.3	4.3	6.9
1.0	-	0.8	0.5
16.2	0.6	1.2	9.6
23.0	1.3	2.6	12.8
10.2	-	-	6.8
31.2	1.1	1.1	30.1
37.4	-	2.1	29.1
24.5	2.2	-	31.2
43.8	4.4	4.4	74.4
35.3	8.8	-	52.9
52.1	-	8.7	95.6



Annex 9 No. of Deaths and Crude Death Rates from Accident
Ilan County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	202	125	115	1
	Male	135	87	78	1
	Female	67	38	37	-
0-4	Subtotal.	1	1	1	-
	Male	1	1	1	-
	Female	-	-	-	-
5-14	Subtotal.	3	3	3	-
	Male	1	1	1	-
	Female	2	2	2	-
15-24	Subtotal.	16	15	15	-
	Male	13	12	12	-
	Female	3	3	3	-
25-44	Subtotal.	41	24	22	1
	Male	28	16	14	1
	Female	13	8	8	-
45-64	Subtotal.	52	34	30	-
	Male	34	19	16	-
	Female	18	15	14	-
65-74	Subtotal.	34	22	20	-
	Male	22	16	14	-
	Female	12	6	6	-
75-84	Subtotal.	39	20	19	-
	Male	27	17	16	-
	Female	12	3	3	-
85+	Subtotal.	16	6	5	-
	Male	9	5	4	-
	Female	7	1	1	-
		Death rate			
Total	Subtotal.	43.8	27.1	24.9	0.2
	Male	57.4	37.0	33.2	0.4
	Female	29.7	16.8	16.4	-
0-4	Subtotal.	5.5	5.5	5.5	-
	Male	10.5	10.5	10.5	-
	Female	-	-	-	-
5-14	Subtotal.	5.6	5.6	5.6	-
	Male	3.6	3.6	3.6	-
	Female	7.8	7.8	7.8	-
15-24	Subtotal.	24.0	22.5	22.5	-
	Male	37.5	34.6	34.6	-
	Female	9.3	9.3	9.3	-
25-44	Subtotal.	28.6	16.7	15.3	0.7
	Male	37.9	21.7	19.0	1.4
	Female	18.6	11.5	11.5	-
45-64	Subtotal.	43.8	28.7	25.3	-
	Male	56.4	31.5	26.5	-
	Female	30.9	25.7	24.0	-
65-74	Subtotal.	99.8	64.6	58.7	-
	Male	133.7	97.2	85.1	-
	Female	68.2	34.1	34.1	-
75-84	Subtotal.	187.1	96.0	91.2	-
	Male	267.6	168.5	158.6	-
	Female	111.6	27.9	27.9	-
85+	Subtotal.	302.4	113.4	94.5	-
	Male	396.7	220.4	176.3	-
	Female	231.6	33.1	33.1	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
31	1	13	31
21	1	10	15
10	-	3	16
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
1	-	-	-
1	-	-	-
-	-	-	-
6	-	5	5
5	-	4	2
1	-	1	3
6	1	5	6
5	1	5	4
1	-	-	2
5	-	-	7
3	-	-	3
2	-	-	4
8	-	3	8
5	-	1	4
3	-	2	4
5	-	-	5
2	-	-	2
3	-	-	3
(0/0000)			
6.7	0.2	2.8	6.7
8.9	0.4	4.3	6.4
4.4	-	1.3	7.1
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
1.5	-	-	-
2.9	-	-	-
-	-	-	-
4.2	-	3.5	3.5
6.8	-	5.4	2.7
1.4	-	1.4	4.3
5.1	0.8	4.2	5.1
8.3	1.7	8.3	6.6
1.7	-	-	3.4
14.7	-	-	20.6
18.2	-	-	18.2
11.4	-	-	22.7
38.4	-	14.4	38.4
49.6	-	9.9	39.6
27.9	-	18.6	37.2
94.5	-	-	94.5
88.1	-	-	88.1
99.3	-	-	99.3



Annex 9 No. of Deaths and Crude Death Rates from Accident
Taoyuan County

Age		Accidents			
		Transport accidents		Accidental poisoning by and exposure to noxious substances	Number of
		Motor vehicle traffic accidents			
Total	Subtotal.	504	281	266	
	Male	364	196	186	10
	Female	140	85	80	6
0-4	Subtotal.	8	1	1	-
	Male	6	1	1	-
	Female	2	-	-	-
5-14	Subtotal.	11	6	6	-
	Male	11	6	6	-
	Female	-	-	-	-
15-24	Subtotal.	57	48	46	3
	Male	42	36	34	2
	Female	15	12	12	1
25-44	Subtotal.	125	72	69	10
	Male	95	55	53	7
	Female	30	17	16	3
45-64	Subtotal.	124	74	67	2
	Male	87	43	39	1
	Female	37	31	28	1
65-74	Subtotal.	63	36	34	-
	Male	41	19	18	-
	Female	22	17	16	-
75-84	Subtotal.	80	36	36	-
	Male	56	28	28	-
	Female	24	8	8	-
85+	Subtotal.	36	8	7	1
	Male	26	8	7	-
	Female	10	-	-	1
		Death rate			
Total	Subtotal.	25.3	14.1	13.4	0.8
	Male	36.2	19.5	18.5	1.0
	Female	14.2	8.6	8.1	0.6
0-4	Subtotal.	8.3	1.0	1.0	-
	Male	11.8	2.0	2.0	-
	Female	4.3	-	-	-
5-14	Subtotal.	4.0	2.2	2.2	-
	Male	7.7	4.2	4.2	-
	Female	-	-	-	-
15-24	Subtotal.	19.6	16.5	15.8	1.0
	Male	27.6	23.7	22.4	1.3
	Female	10.8	8.6	8.6	0.7
25-44	Subtotal.	18.4	10.6	10.2	1.5
	Male	28.2	16.3	15.7	2.1
	Female	8.8	5.0	4.7	0.9
45-64	Subtotal.	25.5	15.2	13.8	0.4
	Male	36.6	18.1	16.4	0.4
	Female	14.9	12.5	11.3	0.4
65-74	Subtotal.	71.8	41.0	38.7	-
	Male	103.1	47.8	45.3	-
	Female	45.8	35.4	33.3	-
75-84	Subtotal.	134.1	60.3	60.3	-
	Male	157.9	79.0	79.0	-
	Female	99.2	33.1	33.1	-
85+	Subtotal.	224.7	49.9	43.7	6.2
	Male	293.4	90.3	79.0	-
	Female	139.7	-	-	14.0

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
101	5	32	69
80	4	27	47
21	1	5	22
2	-	3	2
1	-	2	2
1	-	1	-
-	-	5	-
-	-	5	-
-	-	-	-
3	-	1	2
2	-	1	1
1	-	-	1
19	1	8	15
14	-	6	13
5	1	2	2
24	1	7	16
22	1	6	14
2	-	1	2
15	2	5	5
12	2	5	3
3	-	-	2
28	-	2	14
21	-	1	6
7	-	1	8
10	1	1	15
8	1	1	8
2	-	-	7
(0/0000)			
5.1	0.3	1.6	3.5
8.0	0.4	2.7	4.7
2.1	0.1	0.5	2.2
2.1	-	3.1	2.1
2.0	-	3.9	3.9
2.2	-	2.2	-
-	-	1.8	-
-	-	3.5	-
-	-	-	-
1.0	-	0.3	0.7
1.3	-	0.7	0.7
0.7	-	-	0.7
2.8	0.1	1.2	2.2
4.2	-	1.8	3.9
1.5	0.3	0.6	0.6
4.9	0.2	1.4	3.3
9.3	0.4	2.5	5.9
0.8	-	0.4	0.8
17.1	2.3	5.7	5.7
30.2	5.0	12.6	7.5
6.2	-	-	4.2
46.9	-	3.4	23.5
59.2	-	2.8	16.9
28.9	-	4.1	33.1
62.4	6.2	6.2	93.6
90.3	11.3	11.3	90.3
27.9	-	-	97.8



Annex 9 No. of Deaths and Crude Death Rates from Accident
Hsinchu County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	196	105	102	11
	Male	142	80	77	6
	Female	54	25	25	5
0-4	Subtotal.	5	-	-	-
	Male	5	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	4	1	1	1
	Male	3	1	1	1
	Female	1	-	-	-
15-24	Subtotal.	37	34	33	-
	Male	31	28	27	-
	Female	6	6	6	-
25-44	Subtotal.	41	26	26	5
	Male	33	21	21	2
	Female	8	5	5	3
45-64	Subtotal.	51	21	21	4
	Male	41	15	15	3
	Female	10	6	6	1
65-74	Subtotal.	24	11	11	1
	Male	12	7	7	-
	Female	12	4	4	1
75-84	Subtotal.	23	10	8	-
	Male	13	7	5	-
	Female	10	3	3	-
85+	Subtotal.	11	2	2	-
	Male	4	1	1	-
	Female	7	1	1	-
		Death rate			
Total	Subtotal.	38.3	20.5	19.9	2.1
	Male	53.9	30.3	29.2	2.3
	Female	21.8	10.1	10.1	2.0
0-4	Subtotal.	16.8	-	-	-
	Male	32.0	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	5.8	1.5	1.5	1.5
	Male	8.3	2.8	2.8	2.8
	Female	3.1	-	-	-
15-24	Subtotal.	52.5	48.2	46.8	-
	Male	84.6	76.4	73.6	-
	Female	17.7	17.7	17.7	-
25-44	Subtotal.	24.1	15.3	15.3	2.9
	Male	38.4	24.4	24.4	2.3
	Female	9.5	6.0	6.0	3.6
45-64	Subtotal.	44.0	18.1	18.1	3.5
	Male	67.5	24.7	24.7	4.9
	Female	18.2	10.9	10.9	1.8
65-74	Subtotal.	74.8	34.3	34.3	3.1
	Male	75.0	43.7	43.7	-
	Female	74.7	24.9	24.9	6.2
75-84	Subtotal.	115.0	50.0	40.0	-
	Male	127.7	68.8	49.1	-
	Female	101.9	30.6	30.6	-
85+	Subtotal.	205.7	37.4	37.4	-
	Male	165.6	41.4	41.4	-
	Female	238.7	34.1	34.1	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
24	2	20	34
21	2	13	20
3	-	7	14
-	2	1	2
-	2	1	2
-	-	-	-
1	-	-	1
-	-	-	1
1	-	-	-
1	-	2	-
1	-	2	-
-	-	-	-
5	-	2	3
5	-	2	3
-	-	-	-
9	-	8	9
8	-	7	8
1	-	1	1
3	-	3	6
3	-	-	2
-	-	3	4
4	-	3	6
3	-	1	2
1	-	2	4
1	-	1	7
1	-	-	2
-	-	1	5
(0/0000)			
4.7	0.4	3.9	6.6
8.0	0.8	4.9	7.6
1.2	-	2.8	5.6
-	6.7	3.4	6.7
-	12.8	6.4	12.8
-	-	-	-
1.5	-	-	1.5
-	-	-	2.8
3.1	-	-	-
1.4	-	2.8	-
2.7	-	5.5	-
-	-	-	-
2.9	-	1.2	1.8
5.8	-	2.3	3.5
-	-	-	-
7.8	-	6.9	7.8
13.2	-	11.5	13.2
1.8	-	1.8	1.8
9.4	-	9.4	18.7
18.7	-	-	12.5
-	-	18.7	24.9
20.0	-	15.0	30.0
29.5	-	9.8	19.6
10.2	-	20.4	40.7
18.7	-	18.7	130.9
41.4	-	-	82.8
-	-	34.1	170.5



Annex 9 No. of Deaths and Crude Death Rates from Accident
Miaoli County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	256	146	137	8
	Male	180	104	97	4
	Female	76	42	40	4
0-4	Subtotal.	5	2	2	-
	Male	2	1	1	-
	Female	3	1	1	-
5-14	Subtotal.	3	2	2	-
	Male	3	2	2	-
	Female	-	-	-	-
15-24	Subtotal.	27	25	23	-
	Male	19	17	15	-
	Female	8	8	8	-
25-44	Subtotal.	60	36	34	5
	Male	47	28	27	2
	Female	13	8	7	3
45-64	Subtotal.	64	34	33	1
	Male	46	19	18	1
	Female	18	15	15	-
65-74	Subtotal.	44	29	26	2
	Male	33	22	20	1
	Female	11	7	6	1
75-84	Subtotal.	31	16	15	-
	Male	20	13	12	-
	Female	11	3	3	-
85+	Subtotal.	22	2	2	-
	Male	10	2	2	-
	Female	12	-	-	-
		Death rate			
Total	Subtotal.	45.6	26.0	24.4	1.4
	Male	61.7	35.7	33.3	1.4
	Female	28.2	15.6	14.8	1.5
0-4	Subtotal.	20.6	8.2	8.2	-
	Male	15.7	7.9	7.9	-
	Female	25.9	8.6	8.6	-
5-14	Subtotal.	4.5	3.0	3.0	-
	Male	8.6	5.8	5.8	-
	Female	-	-	-	-
15-24	Subtotal.	33.4	30.9	28.5	-
	Male	45.3	40.6	35.8	-
	Female	20.5	20.5	20.5	-
25-44	Subtotal.	34.5	20.7	19.6	2.9
	Male	51.3	30.6	29.5	2.2
	Female	15.8	9.7	8.5	3.6
45-64	Subtotal.	45.3	24.0	23.3	0.7
	Male	61.7	25.5	24.2	1.3
	Female	26.9	22.4	22.4	-
65-74	Subtotal.	108.3	71.4	64.0	4.9
	Male	162.2	108.1	98.3	4.9
	Female	54.3	34.5	29.6	4.9
75-84	Subtotal.	113.9	58.8	55.1	-
	Male	154.4	100.4	92.7	-
	Female	77.1	21.0	21.0	-
85+	Subtotal.	306.6	27.9	27.9	-
	Male	332.2	66.4	66.4	-
	Female	288.0	-	-	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
45	3	8	46
32	3	7	30
13	-	1	16
-	-	-	3
-	-	-	1
-	-	-	2
-	-	1	-
-	-	1	-
-	-	-	-
-	-	1	1
-	-	1	1
-	-	-	-
8	2	2	7
6	2	2	7
2	-	-	-
17	1	2	9
15	1	2	8
2	-	-	1
9	-	1	3
6	-	1	3
3	-	-	-
6	-	1	8
3	-	-	4
3	-	1	4
5	-	-	15
2	-	-	6
3	-	-	9
(0/0000)			
8.0	0.5	1.4	8.2
11.0	1.0	2.4	10.3
4.8	-	0.4	5.9
-	-	-	12.4
-	-	-	7.9
-	-	-	17.3
-	-	1.5	-
-	-	2.9	-
-	-	-	-
-	-	1.2	1.2
-	-	2.4	2.4
-	-	-	-
4.6	1.2	1.2	4.0
6.6	2.2	2.2	7.6
2.4	-	-	-
12.0	0.7	1.4	6.4
20.1	1.3	2.7	10.7
3.0	-	-	1.5
22.2	-	2.5	7.4
29.5	-	4.9	14.7
14.8	-	-	-
22.0	-	3.7	29.4
23.2	-	-	30.9
21.0	-	7.0	28.0
69.7	-	-	209.0
66.4	-	-	199.3
72.0	-	-	216.0



Annex 9 No. of Deaths and Crude Death Rates from Accident
Changhua County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	438	275	262	8
	Male	329	208	198	8
	Female	109	67	64	-
0-4	Subtotal.	6	1	1	-
	Male	2	1	1	-
	Female	4	-	-	-
5-14	Subtotal.	7	4	4	-
	Male	5	3	3	-
	Female	2	1	1	-
15-24	Subtotal.	55	48	47	-
	Male	46	40	39	-
	Female	9	8	8	-
25-44	Subtotal.	102	70	67	6
	Male	91	59	56	6
	Female	11	11	11	-
45-64	Subtotal.	108	60	57	1
	Male	86	45	42	1
	Female	22	15	15	-
65-74	Subtotal.	70	50	49	-
	Male	40	28	28	-
	Female	30	22	21	-
75-84	Subtotal.	61	34	30	1
	Male	42	27	25	1
	Female	19	7	5	-
85+	Subtotal.	29	8	7	-
	Male	17	5	4	-
	Female	12	3	3	-
		Death rate			
Total	Subtotal.	33.4	21.0	20.0	0.6
	Male	48.9	30.9	29.4	1.2
	Female	17.1	10.5	10.0	-
0-4	Subtotal.	10.3	1.7	1.7	-
	Male	6.5	3.3	3.3	-
	Female	14.4	-	-	-
5-14	Subtotal.	4.4	2.5	2.5	-
	Male	6.0	3.6	3.6	-
	Female	2.6	1.3	1.3	-
15-24	Subtotal.	28.8	25.1	24.6	-
	Male	46.0	40.0	39.0	-
	Female	9.9	8.8	8.8	-
25-44	Subtotal.	24.4	16.7	16.0	1.4
	Male	41.9	27.2	25.8	2.8
	Female	5.5	5.5	5.5	-
45-64	Subtotal.	33.2	18.4	17.5	0.3
	Male	51.0	26.7	24.9	0.6
	Female	14.0	9.6	9.6	-
65-74	Subtotal.	79.6	56.8	55.7	-
	Male	93.4	65.4	65.4	-
	Female	66.5	48.8	46.5	-
75-84	Subtotal.	108.8	60.6	53.5	1.8
	Male	167.2	107.5	99.5	4.0
	Female	61.4	22.6	16.1	-
85+	Subtotal.	213.8	59.0	51.6	-
	Male	346.9	102.0	81.6	-
	Female	138.5	34.6	34.6	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
60	6	22	67
47	4	17	45
13	2	5	22
-	-	1	4
-	-	-	1
-	-	1	3
-	-	2	1
-	-	2	-
-	-	-	1
1	-	2	4
-	-	2	4
1	-	-	-
6	-	7	13
6	-	7	13
-	-	-	-
23	2	6	16
22	2	4	12
1	-	2	4
8	4	3	5
6	2	1	3
2	2	2	2
13	-	1	12
6	-	1	7
7	-	-	5
9	-	-	12
7	-	-	5
2	-	-	7
(0/0000)			
4.6	0.5	1.7	5.1
7.0	0.6	2.5	6.7
2.0	0.3	0.8	3.5
-	-	1.7	6.8
-	-	-	3.3
-	-	3.6	10.8
-	-	1.3	0.6
-	-	2.4	-
-	-	-	1.3
0.5	-	1.0	2.1
-	-	2.0	4.0
1.1	-	-	-
1.4	-	1.7	3.1
2.8	-	3.2	6.0
-	-	-	-
7.1	0.6	1.8	4.9
13.1	1.2	2.4	7.1
0.6	-	1.3	2.6
9.1	4.5	3.4	5.7
14.0	4.7	2.3	7.0
4.4	4.4	4.4	4.4
23.2	-	1.8	21.4
23.9	-	4.0	27.9
22.6	-	-	16.1
66.3	-	-	88.5
142.9	-	-	102.0
23.1	-	-	80.8



Annex 9 No. of Deaths and Crude Death Rates from Accident
Nantou County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	214	112	108	5
	Male	159	85	82	4
	Female	55	27	26	1
0-4	Subtotal.	2	1	1	-
	Male	1	-	-	-
	Female	1	1	1	-
5-14	Subtotal.	1	1	1	-
	Male	1	1	1	-
	Female	-	-	-	-
15-24	Subtotal.	19	16	15	2
	Male	14	12	11	1
	Female	5	4	4	1
25-44	Subtotal.	50	26	25	3
	Male	42	22	22	3
	Female	8	4	3	-
45-64	Subtotal.	59	37	35	-
	Male	48	28	26	-
	Female	11	9	9	-
65-74	Subtotal.	35	16	16	-
	Male	20	10	10	-
	Female	15	6	6	-
75-84	Subtotal.	29	11	11	-
	Male	24	9	9	-
	Female	5	2	2	-
85+	Subtotal.	19	4	4	-
	Male	9	3	3	-
	Female	10	1	1	-
		Death rate			
Total	Subtotal.	40.5	21.2	20.4	0.9
	Male	58.4	31.2	30.1	1.5
	Female	21.5	10.5	10.1	0.4
0-4	Subtotal.	9.8	4.9	4.9	-
	Male	9.4	-	-	-
	Female	10.2	10.2	10.2	-
5-14	Subtotal.	1.7	1.7	1.7	-
	Male	3.2	3.2	3.2	-
	Female	-	-	-	-
15-24	Subtotal.	25.3	21.3	19.9	2.7
	Male	35.9	30.8	28.2	2.6
	Female	13.8	11.0	11.0	2.8
25-44	Subtotal.	31.1	16.2	15.6	1.9
	Male	50.0	26.2	26.2	3.6
	Female	10.4	5.2	3.9	-
45-64	Subtotal.	41.7	26.2	24.8	-
	Male	64.9	37.9	35.2	-
	Female	16.3	13.4	13.4	-
65-74	Subtotal.	88.5	40.5	40.5	-
	Male	103.9	51.9	51.9	-
	Female	74.0	29.6	29.6	-
75-84	Subtotal.	113.6	43.1	43.1	-
	Male	198.8	74.6	74.6	-
	Female	37.1	14.9	14.9	-
85+	Subtotal.	308.8	65.0	65.0	-
	Male	354.6	118.2	118.2	-
	Female	276.7	27.7	27.7	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
50	-	11	36
36	-	10	24
14	-	1	12
-	-	-	1
-	-	-	1
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	1
-	-	-	1
-	-	-	-
9	-	4	8
6	-	4	7
3	-	-	1
12	-	4	6
11	-	4	5
1	-	-	1
15	-	1	3
8	-	-	2
7	-	1	1
9	-	2	7
8	-	2	5
1	-	-	2
5	-	-	10
3	-	-	3
2	-	-	7
(0/0000)			
9.5	-	2.1	6.8
13.2	-	3.7	8.8
5.5	-	0.4	4.7
-	-	-	4.9
-	-	-	9.4
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	1.3
-	-	-	2.6
-	-	-	-
5.6	-	2.5	5.0
7.1	-	4.8	8.3
3.9	-	-	1.3
8.5	-	2.8	4.2
14.9	-	5.4	6.8
1.5	-	-	1.5
37.9	-	2.5	7.6
41.6	-	-	10.4
34.5	-	4.9	4.9
35.2	-	7.8	27.4
66.3	-	16.6	41.4
7.4	-	-	14.9
81.3	-	-	162.5
118.2	-	-	118.2
55.3	-	-	193.7



Annex 9 No. of Deaths and Crude Death Rates from Accident
Yunlin County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	329	208	204	5
	Male	257	158	155	5
	Female	72	50	49	-
0-4	Subtotal.	6	2	1	-
	Male	5	1	-	-
	Female	1	1	1	-
5-14	Subtotal.	5	2	2	-
	Male	5	2	2	-
	Female	-	-	-	-
15-24	Subtotal.	27	22	22	-
	Male	22	18	18	-
	Female	5	4	4	-
25-44	Subtotal.	74	43	43	3
	Male	63	36	36	3
	Female	11	7	7	-
45-64	Subtotal.	96	56	54	2
	Male	81	44	42	2
	Female	15	12	12	-
65-74	Subtotal.	55	40	39	-
	Male	41	31	31	-
	Female	14	9	8	-
75-84	Subtotal.	52	36	36	-
	Male	33	22	22	-
	Female	19	14	14	-
85+	Subtotal.	14	7	7	-
	Male	7	4	4	-
	Female	7	3	3	-
		Death rate			
Total	Subtotal.	45.7	28.9	28.3	0.7
	Male	68.3	42.0	41.2	1.3
	Female	20.9	14.5	14.2	-
0-4	Subtotal.	20.2	6.7	3.4	-
	Male	31.8	6.4	-	-
	Female	7.2	7.2	7.2	-
5-14	Subtotal.	6.1	2.4	2.4	-
	Male	11.6	4.6	4.6	-
	Female	-	-	-	-
15-24	Subtotal.	29.2	23.8	23.8	-
	Male	45.8	37.5	37.5	-
	Female	11.3	9.0	9.0	-
25-44	Subtotal.	33.0	19.2	19.2	1.3
	Male	52.5	30.0	30.0	2.5
	Female	10.6	6.7	6.7	-
45-64	Subtotal.	52.1	30.4	29.3	1.1
	Male	80.4	43.7	41.7	2.0
	Female	18.0	14.4	14.4	-
65-74	Subtotal.	90.4	65.7	64.1	-
	Male	140.0	105.9	105.9	-
	Female	44.3	28.5	25.3	-
75-84	Subtotal.	136.0	94.1	94.1	-
	Male	199.9	133.3	133.3	-
	Female	87.4	64.4	64.4	-
85+	Subtotal.	159.9	79.9	79.9	-
	Male	234.4	134.0	134.0	-
	Female	121.3	52.0	52.0	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
41	6	18	51
33	3	17	41
8	3	1	10
-	-	2	2
-	-	2	2
-	-	-	-
-	1	2	-
-	1	2	-
-	-	-	-
2	1	-	2
2	-	-	2
-	1	-	-
11	1	3	13
9	-	3	12
2	1	-	1
17	2	6	13
15	1	6	13
2	1	-	-
6	-	3	6
3	-	2	5
3	-	1	1
3	1	2	10
2	1	2	6
1	-	-	4
2	-	-	5
2	-	-	1
-	-	-	4
(0/0000)			
5.7	0.8	2.5	7.1
8.8	0.8	4.5	10.9
2.3	0.9	0.3	2.9
-	-	6.7	6.7
-	-	12.7	12.7
-	-	-	-
-	1.2	2.4	-
-	2.3	4.6	-
-	-	-	-
2.2	1.1	-	2.2
4.2	-	-	4.2
-	2.3	-	-
4.9	0.4	1.3	5.8
7.5	-	2.5	10.0
1.9	1.0	-	1.0
9.2	1.1	3.3	7.1
14.9	1.0	6.0	12.9
2.4	1.2	-	-
9.9	-	4.9	9.9
10.2	-	6.8	17.1
9.5	-	3.2	3.2
7.8	2.6	5.2	26.1
12.1	6.1	12.1	36.4
4.6	-	-	18.4
22.8	-	-	57.1
67.0	-	-	33.5
-	-	-	69.3



Annex 9 No. of Deaths and Crude Death Rates from Accident
Chaiyi City

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	260	161	152	8
	Male	191	117	111	6
	Female	69	44	41	2
0-4	Subtotal.	3	3	3	-
	Male	1	1	1	-
	Female	2	2	2	-
5-14	Subtotal.	5	4	4	-
	Male	3	2	2	-
	Female	2	2	2	-
15-24	Subtotal.	19	17	17	-
	Male	15	13	13	-
	Female	4	4	4	-
25-44	Subtotal.	59	36	33	3
	Male	45	25	24	2
	Female	14	11	9	1
45-64	Subtotal.	69	43	41	4
	Male	55	31	29	4
	Female	14	12	12	-
65-74	Subtotal.	45	29	28	-
	Male	29	19	19	-
	Female	16	10	9	-
75-84	Subtotal.	39	25	22	-
	Male	31	23	20	-
	Female	8	2	2	-
85+	Subtotal.	21	4	4	1
	Male	12	3	3	-
	Female	9	1	1	1
		Death rate			
Total	Subtotal.	47.7	29.5	27.9	1.5
	Male	67.1	41.1	39.0	2.1
	Female	26.5	16.9	15.7	0.8
0-4	Subtotal.	14.1	14.1	14.1	-
	Male	9.0	9.0	9.0	-
	Female	19.7	19.7	19.7	-
5-14	Subtotal.	8.8	7.0	7.0	-
	Male	10.0	6.7	6.7	-
	Female	7.4	7.4	7.4	-
15-24	Subtotal.	26.7	23.9	23.9	-
	Male	40.8	35.4	35.4	-
	Female	11.6	11.6	11.6	-
25-44	Subtotal.	35.6	21.7	19.9	1.8
	Male	50.9	28.3	27.2	2.3
	Female	18.1	14.2	11.6	1.3
45-64	Subtotal.	47.6	29.7	28.3	2.8
	Male	69.1	38.9	36.4	5.0
	Female	21.4	18.4	18.4	-
65-74	Subtotal.	97.7	62.9	60.8	-
	Male	132.1	86.6	86.6	-
	Female	66.3	41.4	37.3	-
75-84	Subtotal.	123.1	78.9	69.4	-
	Male	219.7	163.0	141.8	-
	Female	45.5	11.4	11.4	-
85+	Subtotal.	285.3	54.3	54.3	13.6
	Male	426.3	106.6	106.6	-
	Female	198.0	22.0	22.0	22.0

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
38	5	13	35
30	3	12	23
8	2	1	12
-	-	-	-
-	-	-	-
-	1	-	-
-	1	-	-
-	-	-	-
-	-	1	1
-	-	1	1
-	-	-	-
8	1	4	7
7	1	4	6
1	-	-	1
9	-	5	8
8	-	5	7
1	-	-	1
8	1	1	6
6	-	1	3
2	1	-	3
6	2	1	5
4	1	1	2
2	1	-	3
7	-	1	8
5	-	-	4
2	-	1	4
(0/0000)			
7.0	0.9	2.4	6.4
10.5	1.1	4.2	8.1
3.1	0.8	0.4	4.6
-	-	-	-
-	-	-	-
-	-	-	-
-	1.8	-	-
-	3.3	-	-
-	-	-	-
-	-	1.4	1.4
-	-	2.7	2.7
-	-	-	-
4.8	0.6	2.4	4.2
7.9	1.1	4.5	6.8
1.3	-	-	1.3
6.2	-	3.5	5.5
10.0	-	6.3	8.8
1.5	-	-	1.5
17.4	2.2	2.2	13.0
27.3	-	4.6	13.7
8.3	4.1	-	12.4
18.9	6.3	3.2	15.8
28.4	7.1	7.1	14.2
11.4	5.7	-	17.1
95.1	-	13.6	108.7
177.6	-	-	142.1
44.0	-	22.0	88.0



Annex 9 No. of Deaths and Crude Death Rates from Accident
Pingtung County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	385	280	271	10
	Male	288	214	206	6
	Female	97	66	65	4
0-4	Subtotal.	5	4	4	-
	Male	3	2	2	-
	Female	2	2	2	-
5-14	Subtotal.	6	4	4	-
	Male	4	3	3	-
	Female	2	1	1	-
15-24	Subtotal.	43	41	40	-
	Male	34	32	31	-
	Female	9	9	9	-
25-44	Subtotal.	95	73	70	8
	Male	76	58	56	4
	Female	19	15	14	4
45-64	Subtotal.	110	82	79	2
	Male	88	66	63	2
	Female	22	16	16	-
65-74	Subtotal.	49	36	34	-
	Male	33	24	22	-
	Female	16	12	12	-
75-84	Subtotal.	61	35	35	-
	Male	40	25	25	-
	Female	21	10	10	-
85+	Subtotal.	16	5	5	-
	Male	10	4	4	-
	Female	6	1	1	-
		Death rate			
Total	Subtotal.	43.8	31.9	30.9	1.1
	Male	63.7	47.4	45.6	1.3
	Female	22.8	15.5	15.3	0.9
0-4	Subtotal.	15.4	12.3	12.3	-
	Male	17.6	11.7	11.7	-
	Female	12.9	12.9	12.9	-
5-14	Subtotal.	6.1	4.1	4.1	-
	Male	7.8	5.8	5.8	-
	Female	4.2	2.1	2.1	-
15-24	Subtotal.	35.5	33.8	33.0	-
	Male	54.4	51.2	49.6	-
	Female	15.3	15.3	15.3	-
25-44	Subtotal.	34.4	26.4	25.3	2.9
	Male	52.7	40.2	38.8	2.8
	Female	14.4	11.4	10.6	3.0
45-64	Subtotal.	46.0	34.3	33.0	0.8
	Male	71.4	53.6	51.1	1.6
	Female	19.0	13.8	13.8	-
65-74	Subtotal.	77.2	56.7	53.6	-
	Male	106.2	77.3	70.8	-
	Female	49.4	37.0	37.0	-
75-84	Subtotal.	159.8	91.7	91.7	-
	Male	217.5	135.9	135.9	-
	Female	106.2	50.6	50.6	-
85+	Subtotal.	185.5	58.0	58.0	-
	Male	258.4	103.4	103.4	-
	Female	126.2	21.0	21.0	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
53	-	12	30
38	-	10	20
15	-	2	10
-	-	-	1
-	-	-	1
-	-	-	-
-	-	2	-
-	-	1	-
-	-	1	-
-	-	1	1
-	-	1	1
-	-	-	-
5	-	4	5
5	-	4	5
-	-	-	-
14	-	2	10
12	-	2	6
2	-	-	4
9	-	1	3
6	-	-	3
3	-	1	-
17	-	2	7
10	-	2	3
7	-	-	4
8	-	-	3
5	-	-	1
3	-	-	2
(0/0000)			
6.0	-	1.4	3.4
8.4	-	2.2	4.4
3.5	-	0.5	2.3
-	-	-	3.1
-	-	-	5.9
-	-	-	-
-	-	2.0	-
-	-	1.9	-
-	-	2.1	-
-	-	0.8	0.8
-	-	1.6	1.6
-	-	-	-
1.8	-	1.4	1.8
3.5	-	2.8	3.5
-	-	-	-
5.9	-	0.8	4.2
9.7	-	1.6	4.9
1.7	-	-	3.4
14.2	-	1.6	4.7
19.3	-	-	9.7
9.3	-	3.1	-
44.5	-	5.2	18.3
54.4	-	10.9	16.3
35.4	-	-	20.2
92.7	-	-	34.8
129.2	-	-	25.8
63.1	-	-	42.1



Annex 9 No. of Deaths and Crude Death Rates from Accident
Taitung County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	175	93	87	4
	Male	125	70	64	1
	Female	50	23	23	3
0-4	Subtotal.	3	2	2	-
	Male	2	1	1	-
	Female	1	1	1	-
5-14	Subtotal.	1	1	-	-
	Male	1	1	-	-
	Female	-	-	-	-
15-24	Subtotal.	13	11	11	-
	Male	11	9	9	-
	Female	2	2	2	-
25-44	Subtotal.	53	36	35	1
	Male	41	28	27	1
	Female	12	8	8	-
45-64	Subtotal.	50	23	20	2
	Male	32	16	13	-
	Female	18	7	7	2
65-74	Subtotal.	23	8	7	1
	Male	17	6	5	-
	Female	6	2	2	1
75-84	Subtotal.	23	11	11	-
	Male	17	8	8	-
	Female	6	3	3	-
85+	Subtotal.	9	1	1	-
	Male	4	1	1	-
	Female	5	-	-	-
		Death rate			
Total	Subtotal.	75.6	40.2	37.6	1.7
	Male	103.0	57.7	52.8	0.8
	Female	45.3	20.9	20.9	2.7
0-4	Subtotal.	30.7	20.5	20.5	-
	Male	39.0	19.5	19.5	-
	Female	21.6	21.6	21.6	-
5-14	Subtotal.	3.8	3.8	-	-
	Male	7.3	7.3	-	-
	Female	-	-	-	-
15-24	Subtotal.	41.9	35.5	35.5	-
	Male	67.4	55.1	55.1	-
	Female	13.6	13.6	13.6	-
25-44	Subtotal.	73.2	49.7	48.4	1.4
	Male	104.7	71.5	69.0	2.6
	Female	36.1	24.1	24.1	-
45-64	Subtotal.	80.9	37.2	32.4	3.2
	Male	99.4	49.7	40.4	-
	Female	60.8	23.7	23.7	6.8
65-74	Subtotal.	140.1	48.7	42.6	6.1
	Male	218.9	77.3	64.4	-
	Female	69.3	23.1	23.1	11.6
75-84	Subtotal.	213.5	102.1	102.1	-
	Male	313.4	147.5	147.5	-
	Female	112.2	56.1	56.1	-
85+	Subtotal.	305.4	33.9	33.9	-
	Male	250.2	62.5	62.5	-
	Female	370.9	-	-	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
35	4	16	23
26	2	10	16
9	2	6	7
-	-	1	-
-	-	1	-
-	-	-	-
-	-	-	-
-	-	-	-
-	1	1	-
-	1	1	-
-	-	-	-
5	-	4	7
4	-	2	6
1	-	2	1
15	2	4	4
12	1	2	1
3	1	2	3
4	1	5	4
4	-	3	4
-	1	2	-
8	-	1	3
5	-	1	3
3	-	-	-
3	-	-	5
1	-	-	2
2	-	-	3
(0/0000)			
15.1	1.7	6.9	9.9
21.4	1.6	8.2	13.2
8.2	1.8	5.4	6.3
-	-	10.2	-
-	-	19.5	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	3.2	3.2	-
-	6.1	6.1	-
-	-	-	-
6.9	-	5.5	9.7
10.2	-	5.1	15.3
3.0	-	6.0	3.0
24.3	3.2	6.5	6.5
37.3	3.1	6.2	3.1
10.1	3.4	6.8	10.1
24.4	6.1	30.4	24.4
51.5	-	38.6	51.5
-	11.6	23.1	-
74.3	-	9.3	27.8
92.2	-	18.4	55.3
56.1	-	-	-
101.8	-	-	169.7
62.5	-	-	125.1
148.4	-	-	222.6



Annex 9 No. of Deaths and Crude Death Rates from Accident
Hwalien County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	212	101	90	6
	Male	151	76	66	3
	Female	61	25	24	3
0-4	Subtotal.	5	-	-	1
	Male	1	-	-	-
	Female	4	-	-	1
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	8	5	5	-
	Male	4	3	3	-
	Female	4	2	2	-
25-44	Subtotal.	47	28	27	2
	Male	39	24	23	1
	Female	8	4	4	1
45-64	Subtotal.	76	38	35	2
	Male	56	26	24	1
	Female	20	12	11	1
65-74	Subtotal.	28	12	8	-
	Male	25	11	7	-
	Female	3	1	1	-
75-84	Subtotal.	32	15	13	-
	Male	17	10	8	-
	Female	15	5	5	-
85+	Subtotal.	16	3	2	1
	Male	9	2	1	1
	Female	7	1	1	-
		Death rate			
Total	Subtotal.	62.4	29.7	26.5	1.8
	Male	86.1	43.3	37.6	1.7
	Female	37.1	15.2	14.6	1.8
0-4	Subtotal.	37.0	-	-	7.4
	Male	14.2	-	-	-
	Female	62.0	-	-	15.5
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	17.1	10.7	10.7	-
	Male	16.6	12.4	12.4	-
	Female	17.6	8.8	8.8	-
25-44	Subtotal.	44.3	26.4	25.4	1.9
	Male	69.8	43.0	41.2	1.8
	Female	15.9	8.0	8.0	2.0
45-64	Subtotal.	82.4	41.2	37.9	2.2
	Male	119.3	55.4	51.1	2.1
	Female	44.1	26.5	24.3	2.2
65-74	Subtotal.	121.9	52.3	34.8	-
	Male	233.0	102.5	65.2	-
	Female	24.5	8.2	8.2	-
75-84	Subtotal.	212.9	99.8	86.5	-
	Male	213.8	125.8	100.6	-
	Female	211.9	70.6	70.6	-
85+	Subtotal.	366.4	68.7	45.8	22.9
	Male	366.9	81.5	40.8	40.8
	Female	365.7	52.2	52.2	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
38	-	19	48
29	-	13	30
9	-	6	18
-	-	2	2
-	-	1	-
-	-	1	2
-	-	-	-
-	-	-	-
1	-	-	2
-	-	-	1
1	-	-	1
7	-	5	5
7	-	3	4
-	-	2	1
10	-	7	19
9	-	5	15
1	-	2	4
8	-	3	5
7	-	3	4
1	-	-	1
6	-	2	9
3	-	1	3
3	-	1	6
6	-	-	6
3	-	-	3
3	-	-	3
(0/0000)			
11.2	-	5.6	14.1
16.5	-	7.4	17.1
5.5	-	3.6	10.9
-	-	14.8	14.8
-	-	14.2	-
-	-	15.5	31.0
-	-	-	-
-	-	-	-
-	-	-	-
2.1	-	-	4.3
-	-	-	4.1
4.4	-	-	4.4
6.6	-	4.7	4.7
12.5	-	5.4	7.2
-	-	4.0	2.0
10.8	-	7.6	20.6
19.2	-	10.6	31.9
2.2	-	4.4	8.8
34.8	-	13.1	21.8
65.2	-	28.0	37.3
8.2	-	-	8.2
39.9	-	13.3	59.9
37.7	-	12.6	37.7
42.4	-	14.1	84.8
137.4	-	-	137.4
122.3	-	-	122.3
156.7	-	-	156.7



Annex 9 No. of Deaths and Crude Death Rates from Accident
Penghu County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
		Motor vehicle traffic accidents		Number of	
Total	Subtotal.	34	9	7	1
	Male	23	5	3	-
	Female	11	4	4	1
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	2	1	1	-
	Male	2	1	1	-
	Female	-	-	-	-
15-24	Subtotal.	3	1	1	-
	Male	1	-	-	-
	Female	2	1	1	-
25-44	Subtotal.	8	2	2	1
	Male	6	1	1	-
	Female	2	1	1	1
45-64	Subtotal.	9	3	1	-
	Male	7	2	-	-
	Female	2	1	1	-
65-74	Subtotal.	7	1	1	-
	Male	5	1	1	-
	Female	2	-	-	-
75-84	Subtotal.	2	-	-	-
	Male	2	-	-	-
	Female	-	-	-	-
85+	Subtotal.	3	1	1	-
	Male	-	-	-	-
	Female	3	1	1	-
		Death rate			
Total	Subtotal.	35.2	9.3	7.2	1.0
	Male	46.3	10.1	6.0	-
	Female	23.4	8.5	8.5	2.1
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	20.7	10.4	10.4	-
	Male	39.6	19.8	19.8	-
	Female	-	-	-	-
15-24	Subtotal.	22.7	7.6	7.6	-
	Male	14.9	-	-	-
	Female	30.7	15.4	15.4	-
25-44	Subtotal.	25.7	6.4	6.4	3.2
	Male	37.0	6.2	6.2	-
	Female	13.4	6.7	6.7	6.7
45-64	Subtotal.	36.5	12.2	4.1	-
	Male	53.8	15.4	-	-
	Female	17.1	8.6	8.6	-
65-74	Subtotal.	101.8	14.5	14.5	-
	Male	148.1	29.6	29.6	-
	Female	57.1	-	-	-
75-84	Subtotal.	35.5	-	-	-
	Male	74.9	-	-	-
	Female	-	-	-	-
85+	Subtotal.	194.3	64.8	64.8	-
	Male	-	-	-	-
	Female	323.3	107.8	107.8	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other	
deaths	4	-	9	11
	3	-	6	9
	1	-	3	2
	-	-	-	-
	-	-	-	-
	-	-	1	-
	-	-	1	-
	-	-	-	-
	-	-	-	2
	-	-	-	1
	-	-	-	1
	-	-	2	3
	-	-	2	3
	-	-	-	-
	2	-	2	2
	1	-	2	2
	1	-	-	-
	1	-	3	2
	1	-	1	2
	-	-	2	-
	1	-	-	1
	1	-	-	1
	-	-	-	-
	-	-	1	1
	-	-	-	-
	-	-	1	1
	-	-	-	-
	-	-	1	1
(0/0000)	4.1	-	9.3	11.4
	6.0	-	12.1	18.1
	2.1	-	6.4	4.3
	-	-	-	-
	-	-	-	-
	-	-	10.4	-
	-	-	19.8	-
	-	-	-	-
	-	-	-	15.1
	-	-	-	14.9
	-	-	-	15.4
	-	-	6.4	9.6
	-	-	12.3	18.5
	-	-	-	-
	8.1	-	8.1	8.1
	7.7	-	15.4	15.4
	8.6	-	-	-
	14.5	-	43.6	29.1
	29.6	-	29.6	59.2
	-	-	57.1	-
	17.7	-	-	17.7
	37.4	-	-	37.4
	-	-	-	-
	-	-	64.8	64.8
	-	-	-	-
	-	-	107.8	107.8



Annex 9 No. of Deaths and Crude Death Rates from Accident
Keelung City

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	98	39	33	5
	Male	73	30	26	4
	Female	25	9	7	1
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	3	-	-	1
	Male	3	-	-	1
	Female	-	-	-	-
15-24	Subtotal.	8	6	4	-
	Male	6	5	3	-
	Female	2	1	1	-
25-44	Subtotal.	21	12	11	1
	Male	17	10	9	-
	Female	4	2	2	1
45-64	Subtotal.	27	8	8	3
	Male	22	7	7	3
	Female	5	1	1	-
65-74	Subtotal.	12	5	4	-
	Male	7	3	3	-
	Female	5	2	1	-
75-84	Subtotal.	21	7	5	-
	Male	13	4	3	-
	Female	8	3	2	-
85+	Subtotal.	6	1	1	-
	Male	5	1	1	-
	Female	1	-	-	-
		Death rate			
Total	Subtotal.	25.4	10.1	8.5	1.3
	Male	37.5	15.4	13.4	2.1
	Female	13.1	4.7	3.7	0.5
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	7.0	-	-	2.3
	Male	13.4	-	-	4.5
	Female	-	-	-	-
15-24	Subtotal.	14.8	11.1	7.4	-
	Male	21.4	17.8	10.7	-
	Female	7.7	3.8	3.8	-
25-44	Subtotal.	17.0	9.7	8.9	0.8
	Male	27.0	15.9	14.3	-
	Female	6.6	3.3	3.3	1.6
45-64	Subtotal.	24.7	7.3	7.3	2.7
	Male	40.4	12.8	12.8	5.5
	Female	9.1	1.8	1.8	-
65-74	Subtotal.	50.4	21.0	16.8	-
	Male	64.8	27.8	27.8	-
	Female	38.5	15.4	7.7	-
75-84	Subtotal.	145.2	48.4	34.6	-
	Male	184.0	56.6	42.5	-
	Female	108.2	40.6	27.1	-
85+	Subtotal.	143.0	23.8	23.8	-
	Male	237.6	47.5	47.5	-
	Female	47.8	-	-	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
31	4	9	10
23	3	8	5
8	1	1	5
-	-	-	-
-	-	-	-
-	1	1	-
-	1	1	-
-	-	-	-
1	1	-	-
1	-	-	-
-	1	-	-
6	-	1	1
6	-	1	-
-	-	-	1
8	2	4	2
4	2	4	2
4	-	-	-
5	-	-	2
3	-	-	1
2	-	-	1
7	-	3	4
6	-	2	1
1	-	1	3
4	-	-	1
3	-	-	1
1	-	-	-
(0/0000)			
8.0	1.0	2.3	2.6
11.8	1.5	4.1	2.6
4.2	0.5	0.5	2.6
-	-	-	-
-	-	-	-
-	-	-	-
-	2.3	2.3	-
-	4.5	4.5	-
-	-	-	-
1.8	1.8	-	-
3.6	-	-	-
-	3.8	-	-
4.8	-	0.8	0.8
9.5	-	1.6	-
-	-	-	1.6
7.3	1.8	3.7	1.8
7.3	3.7	7.3	3.7
7.3	-	-	-
21.0	-	-	8.4
27.8	-	-	9.3
15.4	-	-	7.7
48.4	-	20.7	27.7
84.9	-	28.3	14.2
13.5	-	13.5	40.6
95.3	-	-	23.8
142.6	-	-	47.5
47.8	-	-	-



Annex 9 No. of Deaths and Crude Death Rates from Accident
Hsinchu City

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	77	37	33	13
	Male	53	25	21	8
	Female	24	12	12	5
0-4	Subtotal.	1	-	-	-
	Male	1	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	2	1	1	1
	Male	2	1	1	1
	Female	-	-	-	-
15-24	Subtotal.	8	6	6	2
	Male	5	4	4	1
	Female	3	2	2	1
25-44	Subtotal.	21	7	6	6
	Male	18	6	5	5
	Female	3	1	1	1
45-64	Subtotal.	22	12	12	2
	Male	15	7	7	-
	Female	7	5	5	2
65-74	Subtotal.	9	4	2	1
	Male	5	3	1	-
	Female	4	1	1	1
75-84	Subtotal.	10	6	5	1
	Male	6	3	2	1
	Female	4	3	3	-
85+	Subtotal.	4	1	1	-
	Male	1	1	1	-
	Female	3	-	-	-
		Death rate			
Total	Subtotal.	18.6	8.9	8.0	3.1
	Male	25.8	12.2	10.2	3.9
	Female	11.5	5.8	5.8	2.4
0-4	Subtotal.	4.1	-	-	-
	Male	7.8	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	3.6	1.8	1.8	1.8
	Male	6.9	3.4	3.4	3.4
	Female	-	-	-	-
15-24	Subtotal.	14.6	11.0	11.0	3.7
	Male	17.8	14.2	14.2	3.6
	Female	11.3	7.5	7.5	3.8
25-44	Subtotal.	14.8	4.9	4.2	4.2
	Male	26.1	8.7	7.3	7.3
	Female	4.1	1.4	1.4	1.4
45-64	Subtotal.	22.5	12.3	12.3	2.0
	Male	31.1	14.5	14.5	-
	Female	14.1	10.1	10.1	4.0
65-74	Subtotal.	43.0	19.1	9.6	4.8
	Male	54.1	32.5	10.8	-
	Female	34.2	8.5	8.5	8.5
75-84	Subtotal.	74.0	44.4	37.0	7.4
	Male	88.9	44.4	29.6	14.8
	Female	59.1	44.3	44.3	-
85+	Subtotal.	92.6	23.2	23.2	-
	Male	43.1	43.1	43.1	-
	Female	150.3	-	-	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
10	1	7	9
8	-	7	5
2	1	-	4
-	-	1	-
-	-	1	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
5	-	3	-
4	-	3	-
1	-	-	-
2	-	2	4
2	-	2	4
-	-	-	-
2	-	1	1
1	-	1	-
1	-	-	1
1	-	-	2
1	-	-	1
-	-	-	1
-	1	-	2
-	-	-	-
-	1	-	2
(0/0000)			
2.4	0.2	1.7	2.2
3.9	-	3.4	2.4
1.0	0.5	-	1.9
-	-	4.1	-
-	-	7.8	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
3.5	-	2.1	-
5.8	-	4.4	-
1.4	-	-	-
2.0	-	2.0	4.1
4.1	-	4.1	8.3
-	-	-	-
9.6	-	4.8	4.8
10.8	-	10.8	-
8.5	-	-	8.5
7.4	-	-	14.8
14.8	-	-	14.8
-	-	-	14.8
-	23.2	-	46.3
-	-	-	-
-	50.1	-	100.2



Annex 9 No. of Deaths and Crude Death Rates from Accident
Chiayi City

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	81	47	46	4
	Male	58	33	33	3
	Female	23	14	13	1
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	2	1	1	-
	Male	1	-	-	-
	Female	1	1	1	-
15-24	Subtotal.	4	4	4	-
	Male	3	3	3	-
	Female	1	1	1	-
25-44	Subtotal.	14	6	6	3
	Male	12	6	6	2
	Female	2	-	-	1
45-64	Subtotal.	23	17	16	1
	Male	20	14	14	1
	Female	3	3	2	-
65-74	Subtotal.	18	11	11	-
	Male	8	5	5	-
	Female	10	6	6	-
75-84	Subtotal.	14	6	6	-
	Male	9	3	3	-
	Female	5	3	3	-
85+	Subtotal.	6	2	2	-
	Male	5	2	2	-
	Female	1	-	-	-
		Death rate			
Total	Subtotal.	29.7	17.2	16.8	1.5
	Male	43.1	24.5	24.5	2.2
	Female	16.6	10.1	9.4	0.7
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	5.3	2.6	2.6	-
	Male	5.1	-	-	-
	Female	5.5	5.5	5.5	-
15-24	Subtotal.	10.5	10.5	10.5	-
	Male	15.3	15.3	15.3	-
	Female	5.5	5.5	5.5	-
25-44	Subtotal.	16.1	6.9	6.9	3.5
	Male	28.7	14.3	14.3	4.8
	Female	4.4	-	-	2.2
45-64	Subtotal.	32.9	24.3	22.9	1.4
	Male	58.8	41.2	41.2	2.9
	Female	8.3	8.3	5.6	-
65-74	Subtotal.	106.3	65.0	65.0	-
	Male	104.8	65.5	65.5	-
	Female	107.6	64.5	64.5	-
75-84	Subtotal.	136.6	58.5	58.5	-
	Male	186.7	62.2	62.2	-
	Female	92.1	55.3	55.3	-
85+	Subtotal.	227.1	75.7	75.7	-
	Male	401.3	160.5	160.5	-
	Female	71.6	-	-	-

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
17	-	2	11
14	-	2	6
3	-	-	5
-	-	-	-
-	-	-	-
-	-	1	-
-	-	1	-
-	-	-	-
-	-	-	-
-	-	-	-
2	-	1	2
2	-	1	1
-	-	-	1
4	-	-	1
4	-	-	1
-	-	-	-
3	-	-	4
1	-	-	2
2	-	-	2
7	-	-	1
6	-	-	-
1	-	-	1
1	-	-	3
1	-	-	2
-	-	-	1
(0/0000)			
6.2	-	0.7	4.0
10.4	-	1.5	4.5
2.2	-	-	3.6
-	-	-	-
-	-	-	-
-	-	2.6	-
-	-	5.1	-
-	-	-	-
-	-	-	-
-	-	-	-
2.3	-	1.2	2.3
4.8	-	2.4	2.4
-	-	-	2.2
5.7	-	-	1.4
11.8	-	-	2.9
-	-	-	-
17.7	-	-	23.6
13.1	-	-	26.2
21.5	-	-	21.5
68.3	-	-	9.8
124.5	-	-	-
18.4	-	-	18.4
37.9	-	-	113.6
80.3	-	-	160.5
-	-	-	71.6



Annex 9 No. of Deaths and Crude Death Rates from Accident
Kinmen County

Age		Accidents				Number of
		Transport accidents			Accidental poisoning by and exposure to noxious substances	
		Motor vehicle traffic accidents				
Total	Subtotal.	26	10	8	-	
	Male	18	7	5	-	
	Female	8	3	3	-	
0-4	Subtotal.	-	-	-	-	
	Male	-	-	-	-	
	Female	-	-	-	-	
5-14	Subtotal.	-	-	-	-	
	Male	-	-	-	-	
	Female	-	-	-	-	
15-24	Subtotal.	4	2	1	-	
	Male	4	2	1	-	
	Female	-	-	-	-	
25-44	Subtotal.	3	2	2	-	
	Male	3	2	2	-	
	Female	-	-	-	-	
45-64	Subtotal.	9	3	2	-	
	Male	6	2	1	-	
	Female	3	1	1	-	
65-74	Subtotal.	4	1	1	-	
	Male	3	1	1	-	
	Female	1	-	-	-	
75-84	Subtotal.	4	1	1	-	
	Male	2	-	-	-	
	Female	2	1	1	-	
85+	Subtotal.	2	1	1	-	
	Male	-	-	-	-	
	Female	2	1	1	-	
Death rate						
Total	Subtotal.	27.2	10.5	8.4	-	
	Male	36.6	14.2	10.2	-	
	Female	17.2	6.5	6.5	-	
0-4	Subtotal.	-	-	-	-	
	Male	-	-	-	-	
	Female	-	-	-	-	
5-14	Subtotal.	-	-	-	-	
	Male	-	-	-	-	
	Female	-	-	-	-	
15-24	Subtotal.	29.2	14.6	7.3	-	
	Male	58.0	29.0	14.5	-	
	Female	-	-	-	-	
25-44	Subtotal.	9.8	6.5	6.5	-	
	Male	19.2	12.8	12.8	-	
	Female	-	-	-	-	
45-64	Subtotal.	33.4	11.1	7.4	-	
	Male	42.0	14.0	7.0	-	
	Female	23.7	7.9	7.9	-	
65-74	Subtotal.	61.7	15.4	15.4	-	
	Male	85.2	28.4	28.4	-	
	Female	33.8	-	-	-	
75-84	Subtotal.	107.7	26.9	26.9	-	
	Male	115.5	-	-	-	
	Female	100.9	50.4	50.4	-	
85+	Subtotal.	152.3	76.2	76.2	-	
	Male	-	-	-	-	
	Female	232.0	116.0	116.0	-	

and Adverse Effects by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Falls	Accidents caused by fire and flames	Accidental drowning and submersion	Other
deaths			
6	1	7	2
3	-	6	2
3	1	1	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	1	1
-	-	1	1
-	-	-	-
-	-	1	-
-	-	1	-
2	-	3	1
1	-	2	1
1	-	1	-
1	1	1	-
1	-	1	-
-	1	-	-
2	-	1	-
1	-	1	-
1	-	-	-
1	-	-	-
-	-	-	-
1	-	-	-
(0/0000)			
6.3	1.0	7.3	2.1
6.1	-	12.2	4.1
6.5	2.2	2.2	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	7.3	7.3
-	-	14.5	14.5
-	-	-	-
-	-	3.3	-
-	-	6.4	-
-	-	-	-
7.4	-	11.1	3.7
7.0	-	14.0	7.0
7.9	-	7.9	-
15.4	15.4	15.4	-
28.4	-	28.4	-
-	33.8	-	-
53.9	-	26.9	-
57.8	-	57.8	-
50.4	-	-	-
76.2	-	-	-
-	-	-	-
116.0	-	-	-



Annex 9 No. of Deaths and Crude Death Rates from Accident
Lienjiang County

Age		Accidents			
		Transport accidents			Accidental poisoning by and exposure to noxious substances
			Motor vehicle traffic accidents		
		Number of			
Total	Subtotal.	3	-	-	1
	Male	3	-	-	1
	Female	-	-	-	-
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
25-44	Subtotal.	2	-	-	1
	Male	2	-	-	1
	Female	-	-	-	-
45-64	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
65-74	Subtotal.	1	-	-	-
	Male	1	-	-	-
	Female	-	-	-	-
75-84	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
85+	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
		Death rate			
Total	Subtotal.	30.2	-	-	10.1
	Male	52.2	-	-	17.4
	Female	-	-	-	-
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
25-44	Subtotal.	60.7	-	-	30.3
	Male	102.2	-	-	51.1
	Female	-	-	-	-
45-64	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
65-74	Subtotal.	206.6	-	-	-
	Male	344.8	-	-	-
	Female	-	-	-	-
75-84	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
85+	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-

Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	3,889	663	1,222	1,224
	Male	2,639	421	888	899
	Female	1,250	242	334	325
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	6	-	2	1
	Male	4	-	2	1
	Female	2	-	-	-
15-24	Subtotal.	176	7	84	44
	Male	123	5	56	35
	Female	53	2	28	9
25-44	Subtotal.	1,413	144	674	332
	Male	948	92	479	249
	Female	465	52	195	83
45-64	Subtotal.	1,408	257	410	468
	Male	988	174	315	346
	Female	420	83	95	122
65-74	Subtotal.	466	133	38	185
	Male	294	82	26	124
	Female	172	51	12	61
75-84	Subtotal.	325	99	14	147
	Male	215	55	10	107
	Female	110	44	4	40
85+	Subtotal.	95	23	-	47
	Male	67	13	-	37
	Female	28	10	-	10
Total	Subtotal.	16.8	2.9	5.3	5.3
	Male	22.7	3.6	7.6	7.7
	Female	10.9	2.1	2.9	2.8
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	0.2	-	0.1	0.0
	Male	0.3	-	0.1	0.1
	Female	0.2	-	-	-
15-24	Subtotal.	5.5	0.2	2.6	1.4
	Male	7.4	0.3	3.4	2.1
	Female	3.4	0.1	1.8	0.6
25-44	Subtotal.	18.6	1.9	8.9	4.4
	Male	24.9	2.4	12.6	6.6
	Female	12.3	1.4	5.1	2.2
45-64	Subtotal.	22.8	4.2	6.6	7.6
	Male	32.3	5.7	10.3	11.3
	Female	13.5	2.7	3.0	3.9
65-74	Subtotal.	33.6	9.6	2.7	13.3
	Male	45.1	12.6	4.0	19.0
	Female	23.3	6.9	1.6	8.3
75-84	Subtotal.	38.1	11.6	1.6	17.2
	Male	50.7	13.0	2.4	25.2
	Female	25.6	10.3	0.9	9.3
85+	Subtotal.	41.2	10.0	-	20.4
	Male	61.1	11.9	-	33.8
	Female	23.1	8.3	-	8.3

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
221	16	73	374	96	
105	14	53	186	73	
116	2	20	188	23	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	3	-	
-	-	-	1	-	
-	-	-	2	-	
3	-	2	33	3	
1	-	1	22	3	
2	-	1	11	-	
53	10	17	150	33	
25	8	10	65	20	
28	2	7	85	13	
93	6	26	102	46	
42	6	20	47	38	
51	-	6	55	8	
40	-	15	46	9	
19	-	10	25	8	
21	-	5	21	1	
26	-	10	24	5	
14	-	10	15	4	
12	-	-	9	1	
6	-	3	16	-	
4	-	2	11	-	
2	-	1	5	-	
Death rate (0/0000)					
1.0	0.1	0.3	1.6	0.4	
0.9	0.1	0.5	1.6	0.6	
1.0	0.0	0.2	1.6	0.2	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	0.1	-	
-	-	-	0.1	-	
-	-	-	0.2	-	
0.1	-	0.1	1.0	0.1	
0.1	-	0.1	1.3	0.2	
0.1	-	0.1	0.7	-	
0.7	0.1	0.2	2.0	0.4	
0.7	0.2	0.3	1.7	0.5	
0.7	0.1	0.2	2.2	0.3	
1.5	0.1	0.4	1.7	0.7	
1.4	0.2	0.7	1.5	1.2	
1.6	-	0.2	1.8	0.3	
2.9	-	1.1	3.3	0.6	
2.9	-	1.5	3.8	1.2	
2.9	-	0.7	2.9	0.1	
3.0	-	1.2	2.8	0.6	
3.3	-	2.4	3.5	0.9	
2.8	-	-	2.1	0.2	
2.6	-	1.3	6.9	-	
3.7	-	1.8	10.0	-	
1.7	-	0.8	4.1	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	668	53	273	193
	Male	441	34	194	137
	Female	227	19	79	56
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	2	-	1	-
	Male	1	-	1	-
	Female	1	-	-	-
15-24	Subtotal.	34	-	17	8
	Male	25	-	13	7
	Female	9	-	4	1
25-44	Subtotal.	285	15	157	63
	Male	180	9	107	42
	Female	105	6	50	21
45-64	Subtotal.	241	25	89	75
	Male	159	14	65	55
	Female	82	11	24	20
65-74	Subtotal.	54	5	6	25
	Male	39	5	5	17
	Female	15	-	1	8
75-84	Subtotal.	39	6	3	15
	Male	29	4	3	12
	Female	10	2	-	3
85+	Subtotal.	13	2	-	7
	Male	8	2	-	4
	Female	5	-	-	3
Total	Subtotal.	17.2	1.4	7.0	5.0
	Male	22.8	1.8	10.0	7.1
	Female	11.6	1.0	4.0	2.9
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	0.5	-	0.2	-
	Male	0.4	-	0.4	-
	Female	0.5	-	-	-
15-24	Subtotal.	6.2	-	3.1	1.5
	Male	8.8	-	4.6	2.5
	Female	3.4	-	1.5	0.4
25-44	Subtotal.	21.2	1.1	11.7	4.7
	Male	26.9	1.3	16.0	6.3
	Female	15.5	0.9	7.4	3.1
45-64	Subtotal.	22.4	2.3	8.3	7.0
	Male	31.0	2.7	12.7	10.7
	Female	14.6	2.0	4.3	3.6
65-74	Subtotal.	28.8	2.7	3.2	13.4
	Male	44.7	5.7	5.7	19.5
	Female	15.0	-	1.0	8.0
75-84	Subtotal.	39.1	6.0	3.0	15.0
	Male	56.4	7.8	5.8	23.3
	Female	20.6	4.1	-	6.2
85+	Subtotal.	43.7	6.7	-	23.5
	Male	52.3	13.1	-	26.2
	Female	34.6	-	-	20.8

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
New Taipei City

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
34	4	12	85	14	
13	4	8	41	10	
21	-	4	44	4	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	1	-	
-	-	-	-	-	
-	-	-	1	-	
1	-	-	7	1	
1	-	-	3	1	
-	-	-	4	-	
9	3	2	32	4	
2	3	1	13	3	
7	-	1	19	1	
15	1	7	24	5	
4	1	5	11	4	
11	-	2	13	1	
3	-	3	10	2	
2	-	2	7	1	
1	-	1	3	1	
6	-	-	7	2	
4	-	-	5	1	
2	-	-	2	1	
-	-	-	4	-	
-	-	-	2	-	
-	-	-	2	-	
Death rate (0/0000)					
0.9	0.1	0.3	2.2	0.4	
0.7	0.2	0.4	2.1	0.5	
1.1	-	0.2	2.3	0.2	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	0.2	-	
-	-	-	-	-	
-	-	-	0.5	-	
0.2	-	-	1.3	0.2	
0.4	-	-	1.1	0.4	
-	-	-	1.5	-	
0.7	0.2	0.1	2.4	0.3	
0.3	0.4	0.1	1.9	0.4	
1.0	-	0.1	2.8	0.1	
1.4	0.1	0.7	2.2	0.5	
0.8	0.2	1.0	2.1	0.8	
2.0	-	0.4	2.3	0.2	
1.6	-	1.6	5.3	1.1	
2.3	-	2.3	8.0	1.1	
1.0	-	1.0	3.0	1.0	
6.0	-	-	7.0	2.0	
7.8	-	-	9.7	1.9	
4.1	-	-	4.1	2.1	
-	-	-	13.5	-	
-	-	-	13.1	-	
-	-	-	13.9	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	329	16	101	113
	Male	212	10	70	80
	Female	117	6	31	33
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	1	-	-	1
	Male	1	-	-	1
	Female	-	-	-	-
15-24	Subtotal.	15	-	7	4
	Male	8	-	4	2
	Female	7	-	3	2
25-44	Subtotal.	100	2	52	22
	Male	62	1	34	17
	Female	38	1	18	5
45-64	Subtotal.	116	5	33	40
	Male	73	3	24	26
	Female	43	2	9	14
65-74	Subtotal.	47	6	7	18
	Male	32	4	7	11
	Female	15	2	-	7
75-84	Subtotal.	33	2	2	17
	Male	22	1	1	12
	Female	11	1	1	5
85+	Subtotal.	17	1	-	11
	Male	14	1	-	11
	Female	3	-	-	-
Total	Subtotal.	12.6	0.6	3.9	4.3
	Male	16.8	0.8	5.5	6.3
	Female	8.7	0.4	2.3	2.4
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	0.4	-	-	0.4
	Male	0.7	-	-	0.7
	Female	-	-	-	-
15-24	Subtotal.	4.8	-	2.2	1.3
	Male	4.9	-	2.5	1.2
	Female	4.6	-	2.0	1.3
25-44	Subtotal.	12.4	0.2	6.4	2.7
	Male	16.4	0.3	9.0	4.5
	Female	8.8	0.2	4.2	1.2
45-64	Subtotal.	15.0	0.6	4.3	5.2
	Male	20.1	0.8	6.6	7.2
	Female	10.5	0.5	2.2	3.4
65-74	Subtotal.	26.7	3.4	4.0	10.2
	Male	40.7	5.1	8.9	14.0
	Female	15.4	2.0	-	7.2
75-84	Subtotal.	29.0	1.8	1.8	14.9
	Male	38.6	1.8	1.8	21.1
	Female	19.3	1.8	1.8	8.8
85+	Subtotal.	42.5	2.5	-	27.5
	Male	66.6	4.8	-	52.3
	Female	15.8	-	-	-

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Taipei City

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
24	1	10	55	9	
13	1	7	26	5	
11	-	3	29	4	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
1	-	-	3	-	
-	-	-	2	-	
1	-	-	1	-	
3	1	2	15	3	
2	1	1	5	1	
1	-	1	10	2	
10	-	5	19	4	
6	-	4	8	2	
4	-	1	11	2	
4	-	2	9	1	
2	-	1	6	1	
2	-	1	3	-	
5	-	1	5	1	
3	-	1	3	1	
2	-	-	2	-	
1	-	-	4	-	
-	-	-	2	-	
1	-	-	2	-	
Death rate (0/0000)					
0.9	0.0	0.4	2.1	0.3	
1.0	0.1	0.6	2.1	0.4	
0.8	-	0.2	2.1	0.3	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
0.3	-	-	1.0	-	
-	-	-	1.2	-	
0.7	-	-	0.7	-	
0.4	0.1	0.2	1.9	0.4	
0.5	0.3	0.3	1.3	0.3	
0.2	-	0.2	2.3	0.5	
1.3	-	0.6	2.5	0.5	
1.7	-	1.1	2.2	0.6	
1.0	-	0.2	2.7	0.5	
2.3	-	1.1	5.1	0.6	
2.5	-	1.3	7.6	1.3	
2.0	-	1.0	3.1	-	
4.4	-	0.9	4.4	0.9	
5.3	-	1.8	5.3	1.8	
3.5	-	-	3.5	-	
2.5	-	-	10.0	-	
-	-	-	9.5	-	
5.3	-	-	10.6	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	379	69	135	110
	Male	255	43	98	76
	Female	124	26	37	34
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	1	-	-	-
	Male	1	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	20	1	10	4
	Male	15	1	8	2
	Female	5	-	2	2
25-44	Subtotal.	149	17	75	30
	Male	98	9	57	18
	Female	51	8	18	12
45-64	Subtotal.	154	33	48	47
	Male	103	23	32	33
	Female	51	10	16	14
65-74	Subtotal.	34	11	2	17
	Male	21	6	1	12
	Female	13	5	1	5
75-84	Subtotal.	19	6	-	11
	Male	15	3	-	10
	Female	4	3	-	1
85+	Subtotal.	2	1	-	1
	Male	2	1	-	1
	Female	-	-	-	-
Total	Subtotal.	14.3	2.6	5.1	4.2
	Male	19.4	3.3	7.4	5.8
	Female	9.4	2.0	2.8	2.6
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	0.3	-	-	-
	Male	0.6	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	5.1	0.3	2.5	1.0
	Male	7.4	0.5	3.9	1.0
	Female	2.6	-	1.1	1.1
25-44	Subtotal.	16.8	1.9	8.5	3.4
	Male	22.5	2.1	13.1	4.1
	Female	11.3	1.8	4.0	2.7
45-64	Subtotal.	23.0	4.9	7.2	7.0
	Male	31.6	7.1	9.8	10.1
	Female	14.9	2.9	4.7	4.1
65-74	Subtotal.	25.9	8.4	1.5	13.0
	Male	34.4	9.8	1.6	19.6
	Female	18.6	7.1	1.4	7.1
75-84	Subtotal.	24.5	7.8	-	14.2
	Male	38.0	7.6	-	25.4
	Female	10.5	7.9	-	2.6
85+	Subtotal.	10.3	5.2	-	5.2
	Male	21.3	10.6	-	10.6
	Female	-	-	-	-

Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age		Suicide and self-inflicted			
		poisoning by solid or liquid substances	poisoning by other gases and vapors	injury by hanging, strangulation and suffocation	
Total	Subtotal.	321	67	83	104
	Male	224	42	64	76
	Female	97	25	19	28
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	1	-	-	-
	Male	-	-	-	-
	Female	1	-	-	-
15-24	Subtotal.	10	-	3	5
	Male	8	-	3	4
	Female	2	-	-	1
25-44	Subtotal.	101	16	48	16
	Male	71	11	34	12
	Female	30	5	14	4
45-64	Subtotal.	120	27	31	41
	Male	90	18	26	30
	Female	30	9	5	11
65-74	Subtotal.	53	13	1	23
	Male	34	6	1	18
	Female	19	7	-	5
75-84	Subtotal.	27	8	-	15
	Male	17	6	-	9
	Female	10	2	-	6
85+	Subtotal.	9	3	-	4
	Male	4	1	-	3
	Female	5	2	-	1
Total	Subtotal.	17.1	3.6	4.4	5.5
	Male	23.7	4.4	6.8	8.0
	Female	10.4	2.7	2.0	3.0
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	0.5	-	-	-
	Male	-	-	-	-
	Female	1.0	-	-	-
15-24	Subtotal.	3.9	-	1.2	1.9
	Male	6.0	-	2.2	3.0
	Female	1.6	-	-	0.8
25-44	Subtotal.	16.6	2.6	7.9	2.6
	Male	23.2	3.6	11.1	3.9
	Female	9.9	1.7	4.6	1.3
45-64	Subtotal.	23.5	5.3	6.1	8.0
	Male	34.8	7.0	10.1	11.6
	Female	11.9	3.6	2.0	4.3
65-74	Subtotal.	44.2	10.8	0.8	19.2
	Male	60.4	10.7	1.8	32.0
	Female	29.9	11.0	-	7.9
75-84	Subtotal.	34.6	10.3	-	19.2
	Male	46.2	16.3	-	24.5
	Female	24.2	4.8	-	14.5
85+	Subtotal.	47.4	15.8	-	21.1
	Male	49.9	12.5	-	37.5
	Female	45.5	18.2	-	9.1

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Tainan City

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
26	1	9	24	7	
16	1	6	12	7	
10	-	3	12	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	1	-	
-	-	-	-	-	
-	-	-	1	-	
1	-	-	1	-	
-	-	-	1	-	
1	-	-	-	-	
8	-	3	10	-	
6	-	2	6	-	
2	-	1	4	-	
7	1	3	4	6	
5	1	2	2	6	
2	-	1	2	-	
7	-	2	7	-	
4	-	2	3	-	
3	-	-	4	-	
3	-	-	-	1	
1	-	-	-	1	
2	-	-	-	-	
-	-	1	1	-	
-	-	-	-	-	
-	-	1	1	-	
Death rate (0/0000)					
1.4	0.1	0.5	1.3	0.4	
1.7	0.1	0.6	1.3	0.7	
1.1	-	0.3	1.3	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	0.5	-	
-	-	-	-	-	
-	-	-	1.0	-	
0.4	-	-	0.4	-	
-	-	-	0.7	-	
0.8	-	-	-	-	
1.3	-	0.5	1.6	-	
2.0	-	0.7	2.0	-	
0.7	-	0.3	1.3	-	
1.4	0.2	0.6	0.8	1.2	
1.9	0.4	0.8	0.8	2.3	
0.8	-	0.4	0.8	-	
5.8	-	1.7	5.8	-	
7.1	-	3.6	5.3	-	
4.7	-	-	6.3	-	
3.8	-	-	-	1.3	
2.7	-	-	-	2.7	
4.8	-	-	-	-	
-	-	5.3	5.3	-	
-	-	-	-	-	
-	-	9.1	9.1	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age			Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation
Total	Subtotal.	508	66	158	165
	Male	341	38	117	123
	Female	167	28	41	42
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	28	-	12	7
	Male	19	-	6	6
	Female	9	-	6	1
25-44	Subtotal.	182	18	83	38
	Male	123	10	62	32
	Female	59	8	21	6
45-64	Subtotal.	171	20	50	62
	Male	117	13	39	43
	Female	54	7	11	19
65-74	Subtotal.	63	11	9	28
	Male	37	5	6	21
	Female	26	6	3	7
75-84	Subtotal.	55	15	4	28
	Male	39	9	4	20
	Female	16	6	-	8
85+	Subtotal.	9	2	-	2
	Male	6	1	-	1
	Female	3	1	-	1
Total	Subtotal.	18.3	2.4	5.7	6.0
	Male	24.5	2.7	8.4	8.8
	Female	12.1	2.0	3.0	3.0
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	7.5	-	3.2	1.9
	Male	9.8	-	3.1	3.1
	Female	5.0	-	3.3	0.6
25-44	Subtotal.	19.6	1.9	8.9	4.1
	Male	26.3	2.1	13.3	6.8
	Female	12.7	1.7	4.5	1.3
45-64	Subtotal.	22.3	2.6	6.5	8.1
	Male	31.2	3.5	10.4	11.5
	Female	13.8	1.8	2.8	4.8
65-74	Subtotal.	37.8	6.6	5.4	16.8
	Male	47.2	6.4	7.7	26.8
	Female	29.4	6.8	3.4	7.9
75-84	Subtotal.	59.1	16.1	4.3	30.1
	Male	80.9	18.7	8.3	41.5
	Female	35.7	13.4	-	17.8
85+	Subtotal.	39.4	8.8	-	8.8
	Male	52.9	8.8	-	8.8
	Female	26.1	8.7	-	8.7

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Koahsiung City

Unit : Person · 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
31	2	3	68	15	
15	1	2	33	12	
16	1	1	35	3	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	7	2	
-	-	-	5	2	
-	-	-	2	-	
8	1	3	26	5	
3	-	2	11	3	
5	1	1	15	2	
12	1	-	18	8	
5	1	-	9	7	
7	-	-	9	1	
4	-	-	11	-	
2	-	-	3	-	
2	-	-	8	-	
4	-	-	4	-	
3	-	-	3	-	
1	-	-	1	-	
3	-	-	2	-	
2	-	-	2	-	
1	-	-	-	-	
Death rate (0/0000)					
1.1	0.1	0.1	2.5	0.5	
1.1	0.1	0.1	2.4	0.9	
1.2	0.1	0.1	2.5	0.2	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	1.9	0.5	
-	-	-	2.6	1.0	
-	-	-	1.1	-	
0.9	0.1	0.3	2.8	0.5	
0.6	-	0.4	2.4	0.6	
1.1	0.2	0.2	3.2	0.4	
1.6	0.1	-	2.3	1.0	
1.3	0.3	-	2.4	1.9	
1.8	-	-	2.3	0.3	
2.4	-	-	6.6	-	
2.6	-	-	3.8	-	
2.3	-	-	9.0	-	
4.3	-	-	4.3	-	
6.2	-	-	6.2	-	
2.2	-	-	2.2	-	
13.1	-	-	8.8	-	
17.6	-	-	17.6	-	
8.7	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age		Suicide and self-inflicted poisoning by solid or liquid substances			
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	93	19	24	34
	Male	63	13	19	22
	Female	30	6	5	12
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
25-44	Subtotal.	28	4	10	11
	Male	21	3	7	9
	Female	7	1	3	2
45-64	Subtotal.	43	10	12	15
	Male	29	6	10	10
	Female	14	4	2	5
65-74	Subtotal.	13	2	2	4
	Male	7	2	2	1
	Female	6	-	-	3
75-84	Subtotal.	7	2	-	4
	Male	4	1	-	2
	Female	3	1	-	2
85+	Subtotal.	2	1	-	-
	Male	2	1	-	-
	Female	-	-	-	-
Total	Subtotal.	20.2	4.1	5.2	7.4
	Male	26.8	5.5	8.1	9.4
	Female	13.3	2.7	2.2	5.3
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
25-44	Subtotal.	19.5	2.8	7.0	7.7
	Male	28.5	4.1	9.5	12.2
	Female	10.0	1.4	4.3	2.9
45-64	Subtotal.	36.3	8.4	10.1	12.6
	Male	48.1	10.0	16.6	16.6
	Female	24.0	6.9	3.4	8.6
65-74	Subtotal.	38.2	5.9	5.9	11.7
	Male	42.5	12.2	12.2	6.1
	Female	34.1	-	-	17.0
75-84	Subtotal.	33.6	9.6	-	19.2
	Male	39.6	9.9	-	19.8
	Female	27.9	9.3	-	18.6
85+	Subtotal.	37.8	18.9	-	-
	Male	88.1	44.1	-	-
	Female	-	-	-	-

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
 Ilan County

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
9	-	2	4	1	
4	-	2	2	1	
5	-	-	2	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	1	2	-	
-	-	1	1	-	
-	-	-	1	-	
4	-	-	1	1	
2	-	-	-	1	
2	-	-	1	-	
5	-	-	-	-	
2	-	-	-	-	
3	-	-	-	-	
-	-	1	-	-	
-	-	1	-	-	
-	-	-	-	-	
-	-	-	1	-	
-	-	-	1	-	
-	-	-	-	-	
Death rate (0/0000)					
2.0	-	0.4	0.9	0.2	
1.7	-	0.9	0.9	0.4	
2.2	-	-	0.9	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	0.7	1.4	-	
-	-	1.4	1.4	-	
-	-	-	1.4	-	
3.4	-	-	0.8	0.8	
3.3	-	-	-	1.7	
3.4	-	-	1.7	-	
14.7	-	-	-	-	
12.2	-	-	-	-	
17.0	-	-	-	-	
-	-	4.8	-	-	
-	-	9.9	-	-	
-	-	-	-	-	
-	-	-	18.9	-	
-	-	-	44.1	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age			Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation
Total	Subtotal.	292	36	117	87
	Male	194	18	88	63
	Female	98	18	29	24
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	17	2	8	4
	Male	12	1	7	3
	Female	5	1	1	1
25-44	Subtotal.	121	7	66	29
	Male	81	5	47	24
	Female	40	2	19	5
45-64	Subtotal.	113	15	41	35
	Male	79	8	33	25
	Female	34	7	8	10
65-74	Subtotal.	29	8	2	14
	Male	15	4	1	7
	Female	14	4	1	7
75-84	Subtotal.	6	3	-	2
	Male	3	-	-	2
	Female	3	3	-	-
85+	Subtotal.	6	1	-	3
	Male	4	-	-	2
	Female	2	1	-	1
Total	Subtotal.	14.7	1.8	5.9	4.4
	Male	19.3	1.8	8.8	6.3
	Female	9.9	1.8	2.9	2.4
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	5.8	0.7	2.7	1.4
	Male	7.9	0.7	4.6	2.0
	Female	3.6	0.7	0.7	0.7
25-44	Subtotal.	17.8	1.0	9.7	4.3
	Male	24.0	1.5	13.9	7.1
	Female	11.7	0.6	5.5	1.5
45-64	Subtotal.	23.2	3.1	8.4	7.2
	Male	33.2	3.4	13.9	10.5
	Female	13.7	2.8	3.2	4.0
65-74	Subtotal.	33.0	9.1	2.3	15.9
	Male	37.7	10.1	2.5	17.6
	Female	29.2	8.3	2.1	14.6
75-84	Subtotal.	10.1	5.0	-	3.4
	Male	8.5	-	-	5.6
	Female	12.4	12.4	-	-
85+	Subtotal.	37.4	6.2	-	18.7
	Male	45.1	-	-	22.6
	Female	27.9	14.0	-	14.0

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Taoyuan County

Unit : Person · 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
15	1	1	26	9	
6	1	1	11	6	
9	-	-	15	3	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	3	-	
-	-	-	1	-	
-	-	-	2	-	
3	1	-	10	5	
-	1	-	2	2	
3	-	-	8	3	
9	-	1	9	3	
4	-	1	5	3	
5	-	-	4	-	
2	-	-	2	1	
1	-	-	1	1	
1	-	-	1	-	
-	-	-	1	-	
-	-	-	1	-	
1	-	-	1	-	
1	-	-	1	-	
-	-	-	-	-	
Death rate (0/0000)					
0.8	0.1	0.1	1.3	0.5	
0.6	0.1	0.1	1.1	0.6	
0.9	-	-	1.5	0.3	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	1.0	-	
-	-	-	0.7	-	
-	-	-	1.4	-	
0.4	0.1	-	1.5	0.7	
-	0.3	-	0.6	0.6	
0.9	-	-	2.3	0.9	
1.9	-	0.2	1.9	0.6	
1.7	-	0.4	2.1	1.3	
2.0	-	-	1.6	-	
2.3	-	-	2.3	1.1	
2.5	-	-	2.5	2.5	
2.1	-	-	2.1	-	
-	-	-	1.7	-	
-	-	-	2.8	-	
-	-	-	-	-	
6.2	-	-	6.2	-	
11.3	-	-	11.3	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age		Suicide and self-inflicted			
		poisoning by solid or liquid substances	poisoning by other gases and vapors	injury by hanging, strangulation and suffocation	
Total	Subtotal.	97	20	27	31
	Male	67	15	18	24
	Female	30	5	9	7
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	1	-	1	-
	Male	1	-	1	-
	Female	-	-	-	-
15-24	Subtotal.	8	1	3	2
	Male	6	1	1	2
	Female	2	-	2	-
25-44	Subtotal.	38	5	16	11
	Male	25	4	11	8
	Female	13	1	5	3
45-64	Subtotal.	27	6	4	12
	Male	19	3	3	10
	Female	8	3	1	2
65-74	Subtotal.	12	6	1	1
	Male	9	6	1	-
	Female	3	-	-	1
75-84	Subtotal.	6	2	2	1
	Male	2	1	1	-
	Female	4	1	1	1
85+	Subtotal.	5	-	-	4
	Male	5	-	-	4
	Female	-	-	-	-
Total	Subtotal.	18.9	3.9	5.3	6.1
	Male	25.4	5.7	6.8	9.1
	Female	12.1	2.0	3.6	2.8
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	1.5	-	1.5	-
	Male	2.8	-	2.8	-
	Female	-	-	-	-
15-24	Subtotal.	11.3	1.4	4.3	2.8
	Male	16.4	2.7	2.7	5.5
	Female	5.9	-	5.9	-
25-44	Subtotal.	22.4	2.9	9.4	6.5
	Male	29.1	4.7	12.8	9.3
	Female	15.5	1.2	6.0	3.6
45-64	Subtotal.	23.3	5.2	3.5	10.4
	Male	31.3	4.9	4.9	16.5
	Female	14.5	5.4	1.8	3.6
65-74	Subtotal.	37.4	18.7	3.1	3.1
	Male	56.2	37.5	6.2	-
	Female	18.7	-	-	6.2
75-84	Subtotal.	30.0	10.0	10.0	5.0
	Male	19.6	9.8	9.8	-
	Female	40.7	10.2	10.2	10.2
85+	Subtotal.	93.5	-	-	74.8
	Male	207.0	-	-	165.6
	Female	-	-	-	-

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Hsinchu County

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
9	1	1	7	1	
6	1	-	2	1	
3	-	1	5	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	2	-	
-	-	-	2	-	
-	-	-	-	-	
1	1	1	3	-	
1	1	-	-	-	
-	-	1	3	-	
4	-	-	1	-	
3	-	-	-	-	
1	-	-	1	-	
2	-	-	1	1	
1	-	-	-	1	
1	-	-	1	-	
1	-	-	-	-	
1	-	-	-	-	
1	-	-	-	-	
1	-	-	-	-	
1	-	-	-	-	
-	-	-	-	-	
Death rate (0/0000)					
1.8	0.2	0.2	1.4	0.2	
2.3	0.4	-	0.8	0.4	
1.2	-	0.4	2.0	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	2.8	-	
-	-	-	5.5	-	
-	-	-	-	-	
0.6	0.6	0.6	1.8	-	
1.2	1.2	-	-	-	
-	-	1.2	3.6	-	
3.5	-	-	0.9	-	
4.9	-	-	-	-	
1.8	-	-	1.8	-	
6.2	-	-	3.1	3.1	
6.2	-	-	-	6.2	
6.2	-	-	6.2	-	
5.0	-	-	-	-	
-	-	-	-	-	
10.2	-	-	-	-	
18.7	-	-	-	-	
41.4	-	-	-	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	114	35	26	36
	Male	82	20	23	29
	Female	32	15	3	7
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	7	1	4	1
	Male	5	1	3	1
	Female	2	-	1	-
25-44	Subtotal.	40	6	17	9
	Male	35	6	15	9
	Female	5	-	2	-
45-64	Subtotal.	39	14	5	17
	Male	31	11	5	14
	Female	8	3	-	3
65-74	Subtotal.	12	5	-	4
	Male	6	1	-	2
	Female	6	4	-	2
75-84	Subtotal.	13	7	-	4
	Male	4	1	-	2
	Female	9	6	-	2
85+	Subtotal.	3	2	-	1
	Male	1	-	-	1
	Female	2	2	-	-
Total	Subtotal.	20.3	6.2	4.6	6.4
	Male	28.1	6.9	7.9	9.9
	Female	11.9	5.6	1.1	2.6
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	8.7	1.2	4.9	1.2
	Male	11.9	2.4	7.2	2.4
	Female	5.1	-	2.6	-
25-44	Subtotal.	23.0	3.5	9.8	5.2
	Male	38.2	6.6	16.4	9.8
	Female	6.1	-	2.4	-
45-64	Subtotal.	27.6	9.9	3.5	12.0
	Male	41.6	14.8	6.7	18.8
	Female	12.0	4.5	-	4.5
65-74	Subtotal.	29.5	12.3	-	9.8
	Male	29.5	4.9	-	9.8
	Female	29.6	19.7	-	9.9
75-84	Subtotal.	47.8	25.7	-	14.7
	Male	30.9	7.7	-	15.4
	Female	63.1	42.1	-	14.0
85+	Subtotal.	41.8	27.9	-	13.9
	Male	33.2	-	-	33.2
	Female	48.0	48.0	-	-

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Miaoli County

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
5	-	4	7	1	
2	-	3	5	-	
3	-	1	2	1	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	1	-	-	
-	-	-	-	-	
-	-	1	-	-	
2	-	-	6	-	
1	-	-	4	-	
1	-	-	2	-	
1	-	1	-	1	
-	-	1	-	-	
1	-	-	-	1	
1	-	1	1	-	
1	-	1	1	-	
-	-	-	-	-	
1	-	1	-	-	
-	-	1	-	-	
1	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
Death rate (0/0000)					
0.9	-	0.7	1.2	0.2	
0.7	-	1.0	1.7	-	
1.1	-	0.4	0.7	0.4	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	1.2	-	-	
-	-	-	-	-	
-	-	2.6	-	-	
1.2	-	-	3.5	-	
1.1	-	-	4.4	-	
1.2	-	-	2.4	-	
0.7	-	0.7	-	0.7	
-	-	1.3	-	-	
1.5	-	-	-	1.5	
2.5	-	2.5	2.5	-	
4.9	-	4.9	4.9	-	
-	-	-	-	-	
3.7	-	3.7	-	-	
-	-	7.7	-	-	
7.0	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age		Suicide and self-inflicted			
		poisoning by solid or liquid substances	poisoning by other gases and vapors	injury by hanging, strangulation and suffocation	
Total	Subtotal.	194	58	38	68
	Male	135	36	28	56
	Female	59	22	10	12
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	8	-	5	3
	Male	7	-	4	3
	Female	1	-	1	-
25-44	Subtotal.	56	9	20	16
	Male	35	4	15	13
	Female	21	5	5	3
45-64	Subtotal.	74	24	10	28
	Male	53	16	8	24
	Female	21	8	2	4
65-74	Subtotal.	31	12	3	10
	Male	25	10	1	8
	Female	6	2	2	2
75-84	Subtotal.	21	11	-	9
	Male	13	6	-	6
	Female	8	5	-	3
85+	Subtotal.	4	2	-	2
	Male	2	-	-	2
	Female	2	2	-	-
Total	Subtotal.	14.8	4.4	2.9	5.2
	Male	20.1	5.4	4.2	8.3
	Female	9.3	3.5	1.6	1.9
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	4.2	-	2.6	1.6
	Male	7.0	-	4.0	3.0
	Female	1.1	-	1.1	-
25-44	Subtotal.	13.4	2.2	4.8	3.8
	Male	16.1	1.8	6.9	6.0
	Female	10.4	2.5	2.5	1.5
45-64	Subtotal.	22.8	7.4	3.1	8.6
	Male	31.4	9.5	4.7	14.2
	Female	13.4	5.1	1.3	2.6
65-74	Subtotal.	35.2	13.6	3.4	11.4
	Male	58.4	23.3	2.3	18.7
	Female	13.3	4.4	4.4	4.4
75-84	Subtotal.	37.4	19.6	-	16.0
	Male	51.7	23.9	-	23.9
	Female	25.8	16.1	-	9.7
85+	Subtotal.	29.5	14.7	-	14.7
	Male	40.8	-	-	40.8
	Female	23.1	23.1	-	-

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Changhua County

Unit : Person · 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
11	-	4	10	5	
6	-	3	3	3	
5	-	1	7	2	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
2	-	-	6	3	
1	-	-	1	1	
1	-	-	5	2	
6	-	3	3	-	
2	-	2	1	-	
4	-	1	2	-	
2	-	1	1	2	
2	-	1	1	2	
-	-	-	-	-	
1	-	-	-	-	
1	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
Death rate (0/0000)					
0.8	-	0.3	0.8	0.4	
0.9	-	0.4	0.4	0.4	
0.8	-	0.2	1.1	0.3	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
0.5	-	-	1.4	0.7	
0.5	-	-	0.5	0.5	
0.5	-	-	2.5	1.0	
1.8	-	0.9	0.9	-	
1.2	-	1.2	0.6	-	
2.6	-	0.6	1.3	-	
2.3	-	1.1	1.1	2.3	
4.7	-	2.3	2.3	4.7	
-	-	-	-	-	
1.8	-	-	-	-	
4.0	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age		Suicide and self-inflicted			
		poisoning by solid or liquid substances	poisoning by other gases and vapors	injury by hanging, strangulation and suffocation	
Total	Subtotal.	96	28	19	32
	Male	70	22	13	23
	Female	26	6	6	9
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	1	-	1	-
	Male	-	-	-	-
	Female	1	-	1	-
25-44	Subtotal.	31	6	10	10
	Male	23	6	7	6
	Female	8	-	3	4
45-64	Subtotal.	39	14	7	14
	Male	29	10	6	10
	Female	10	4	1	4
65-74	Subtotal.	11	4	1	2
	Male	6	3	-	2
	Female	5	1	1	-
75-84	Subtotal.	12	4	-	5
	Male	10	3	-	4
	Female	2	1	-	1
85+	Subtotal.	2	-	-	1
	Male	2	-	-	1
	Female	-	-	-	-
Total	Subtotal.	18.2	5.3	3.6	6.1
	Male	25.7	8.1	4.8	8.4
	Female	10.1	2.3	2.3	3.5
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	1.3	-	1.3	-
	Male	-	-	-	-
	Female	2.8	-	2.8	-
25-44	Subtotal.	19.3	3.7	6.2	6.2
	Male	27.4	7.1	8.3	7.1
	Female	10.4	-	3.9	5.2
45-64	Subtotal.	27.6	9.9	5.0	9.9
	Male	39.2	13.5	8.1	13.5
	Female	14.8	5.9	1.5	5.9
65-74	Subtotal.	27.8	10.1	2.5	5.1
	Male	31.2	15.6	-	10.4
	Female	24.7	4.9	4.9	-
75-84	Subtotal.	47.0	15.7	-	19.6
	Male	82.8	24.9	-	33.1
	Female	14.9	7.4	-	7.4
85+	Subtotal.	32.5	-	-	16.3
	Male	78.8	-	-	39.4
	Female	-	-	-	-

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Nantou County

Unit : Person · 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
6	-	3	6	2	
2	-	3	5	2	
4	-	-	1	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	5	-	
-	-	-	4	-	
-	-	-	1	-	
2	-	-	-	2	
1	-	-	-	2	
1	-	-	-	-	
4	-	-	-	-	
1	-	-	-	-	
3	-	-	-	-	
-	-	3	-	-	
-	-	3	-	-	
-	-	-	-	-	
-	-	-	1	-	
-	-	-	1	-	
-	-	-	-	-	
Death rate (0/0000)					
1.1	-	0.6	1.1	0.4	
0.7	-	1.1	1.8	0.7	
1.6	-	-	0.4	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	3.1	-	
-	-	-	4.8	-	
-	-	-	1.3	-	
1.4	-	-	-	1.4	
1.4	-	-	-	2.7	
1.5	-	-	-	-	
10.1	-	-	-	-	
5.2	-	-	-	-	
14.8	-	-	-	-	
-	-	11.7	-	-	
-	-	24.9	-	-	
-	-	-	-	-	
-	-	-	16.3	-	
-	-	-	39.4	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age		Suicide and self-inflicted			
		poisoning by solid or liquid substances	poisoning by other gases and vapors	injury by hanging, strangulation and suffocation	
Total	Subtotal.	122	40	34	38
	Male	85	25	26	27
	Female	37	15	8	11
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	4	2	2	-
	Male	3	1	2	-
	Female	1	1	-	-
25-44	Subtotal.	39	6	19	10
	Male	26	3	14	7
	Female	13	3	5	3
45-64	Subtotal.	44	17	12	12
	Male	34	11	9	11
	Female	10	6	3	1
65-74	Subtotal.	18	8	-	8
	Male	13	5	-	6
	Female	5	3	-	2
75-84	Subtotal.	14	6	1	6
	Male	8	4	1	3
	Female	6	2	-	3
85+	Subtotal.	3	1	-	2
	Male	1	1	-	-
	Female	2	-	-	2
Total	Subtotal.	16.9	5.6	4.7	5.3
	Male	22.6	6.6	6.9	7.2
	Female	10.8	4.4	2.3	3.2
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	4.3	2.2	2.2	-
	Male	6.2	2.1	4.2	-
	Female	2.3	2.3	-	-
25-44	Subtotal.	17.4	2.7	8.5	4.5
	Male	21.7	2.5	11.7	5.8
	Female	12.5	2.9	4.8	2.9
45-64	Subtotal.	23.9	9.2	6.5	6.5
	Male	33.7	10.9	8.9	10.9
	Female	12.0	7.2	3.6	1.2
65-74	Subtotal.	29.6	13.1	-	13.1
	Male	44.4	17.1	-	20.5
	Female	15.8	9.5	-	6.3
75-84	Subtotal.	36.6	15.7	2.6	15.7
	Male	48.5	24.2	6.1	18.2
	Female	27.6	9.2	-	13.8
85+	Subtotal.	34.3	11.4	-	22.8
	Male	33.5	33.5	-	-
	Female	34.7	-	-	34.7

Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	134	32	42	42
	Male	102	26	32	32
	Female	32	6	10	10
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	3	-	2	1
	Male	2	-	1	1
	Female	1	-	1	-
25-44	Subtotal.	46	9	22	8
	Male	36	8	16	7
	Female	10	1	6	1
45-64	Subtotal.	46	8	17	16
	Male	40	7	15	15
	Female	6	1	2	1
65-74	Subtotal.	16	9	1	6
	Male	9	6	-	3
	Female	7	3	1	3
75-84	Subtotal.	19	6	-	7
	Male	12	5	-	3
	Female	7	1	-	4
85+	Subtotal.	4	-	-	4
	Male	3	-	-	3
	Female	1	-	-	1
Total	Subtotal.	24.6	5.9	7.7	7.7
	Male	35.8	9.1	11.2	11.2
	Female	12.3	2.3	3.8	3.8
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	4.2	-	2.8	1.4
	Male	5.4	-	2.7	2.7
	Female	2.9	-	2.9	-
25-44	Subtotal.	27.7	5.4	13.3	4.8
	Male	40.8	9.1	18.1	7.9
	Female	12.9	1.3	7.7	1.3
45-64	Subtotal.	31.7	5.5	11.7	11.0
	Male	50.2	8.8	18.8	18.8
	Female	9.2	1.5	3.1	1.5
65-74	Subtotal.	34.7	19.5	2.2	13.0
	Male	41.0	27.3	-	13.7
	Female	29.0	12.4	4.1	12.4
75-84	Subtotal.	60.0	18.9	-	22.1
	Male	85.1	35.4	-	21.3
	Female	39.8	5.7	-	22.8
85+	Subtotal.	54.3	-	-	54.3
	Male	106.6	-	-	106.6
	Female	22.0	-	-	22.0

Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	193	61	50	54
	Male	135	39	37	44
	Female	58	22	13	10
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	9	-	3	3
	Male	6	-	1	3
	Female	3	-	2	-
25-44	Subtotal.	71	10	27	22
	Male	50	6	19	18
	Female	21	4	8	4
45-64	Subtotal.	67	20	19	19
	Male	51	16	16	15
	Female	16	4	3	4
65-74	Subtotal.	23	15	1	5
	Male	12	7	1	3
	Female	11	8	-	2
75-84	Subtotal.	18	12	-	5
	Male	11	6	-	5
	Female	7	6	-	-
85+	Subtotal.	5	4	-	-
	Male	5	4	-	-
	Female	-	-	-	-
Total	Subtotal.	22.0	6.9	5.7	6.1
	Male	29.9	8.6	8.2	9.7
	Female	13.6	5.2	3.1	2.3
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	7.4	-	2.5	2.5
	Male	9.6	-	1.6	4.8
	Female	5.1	-	3.4	-
25-44	Subtotal.	25.7	3.6	9.8	8.0
	Male	34.7	4.2	13.2	12.5
	Female	15.9	3.0	6.1	3.0
45-64	Subtotal.	28.0	8.4	7.9	7.9
	Male	41.4	13.0	13.0	12.2
	Female	13.8	3.4	2.6	3.4
65-74	Subtotal.	36.2	23.6	1.6	7.9
	Male	38.6	22.5	3.2	9.7
	Female	33.9	24.7	-	6.2
75-84	Subtotal.	47.2	31.4	-	13.1
	Male	59.8	32.6	-	27.2
	Female	35.4	30.3	-	-
85+	Subtotal.	58.0	46.4	-	-
	Male	129.2	103.4	-	-
	Female	-	-	-	-

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Pingtung County

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
6	-	3	12	7	
1	-	3	6	5	
5	-	-	6	2	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	3	-	
-	-	-	2	-	
-	-	-	1	-	
2	-	1	6	3	
1	-	1	3	2	
1	-	-	3	1	
3	-	1	1	4	
-	-	1	-	3	
3	-	-	1	1	
1	-	1	-	-	
-	-	1	-	-	
1	-	-	-	-	
-	-	-	1	-	
-	-	-	1	-	
-	-	-	1	-	
-	-	-	1	-	
-	-	-	-	-	
Death rate (0/0000)					
0.7	-	0.3	1.4	0.8	
0.2	-	0.7	1.3	1.1	
1.2	-	-	1.4	0.5	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	2.5	-	
-	-	-	3.2	-	
-	-	-	1.7	-	
0.7	-	0.4	2.2	1.1	
0.7	-	0.7	2.1	1.4	
0.8	-	-	2.3	0.8	
1.3	-	0.4	0.4	1.7	
-	-	0.8	-	2.4	
2.6	-	-	0.9	0.9	
1.6	-	1.6	-	-	
-	-	3.2	-	-	
3.1	-	-	-	-	
-	-	-	2.6	-	
-	-	-	-	-	
-	-	-	5.1	-	
-	-	-	11.6	-	
-	-	-	25.8	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	55	24	9	14
	Male	35	15	6	11
	Female	20	9	3	3
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	2	-	1	-
	Male	1	-	-	-
	Female	1	-	1	-
25-44	Subtotal.	24	9	5	8
	Male	16	5	4	6
	Female	8	4	1	2
45-64	Subtotal.	15	7	3	2
	Male	9	5	2	2
	Female	6	2	1	-
65-74	Subtotal.	9	6	-	1
	Male	7	5	-	1
	Female	2	1	-	-
75-84	Subtotal.	3	1	-	2
	Male	1	-	-	1
	Female	2	1	-	1
85+	Subtotal.	2	1	-	1
	Male	1	-	-	1
	Female	1	1	-	-
Total	Subtotal.	23.7	10.4	3.9	6.0
	Male	28.8	12.4	4.9	9.1
	Female	18.1	8.2	2.7	2.7
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	6.4	-	3.2	-
	Male	6.1	-	-	-
	Female	6.8	-	6.8	-
25-44	Subtotal.	33.2	12.4	6.9	11.1
	Male	40.9	12.8	10.2	15.3
	Female	24.1	12.0	3.0	6.0
45-64	Subtotal.	24.3	11.3	4.9	3.2
	Male	28.0	15.5	6.2	6.2
	Female	20.3	6.8	3.4	-
65-74	Subtotal.	54.8	36.5	-	6.1
	Male	90.1	64.4	-	12.9
	Female	23.1	11.6	-	-
75-84	Subtotal.	27.8	9.3	-	18.6
	Male	18.4	-	-	18.4
	Female	37.4	18.7	-	18.7
85+	Subtotal.	67.9	33.9	-	33.9
	Male	62.5	-	-	62.5
	Female	74.2	74.2	-	-

Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age			Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation
Total	Subtotal.	79	23	20	25
	Male	50	14	10	21
	Female	29	9	10	4
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	2	-	2	-
	Male	-	-	-	-
	Female	2	-	2	-
25-44	Subtotal.	26	3	12	7
	Male	16	1	7	7
	Female	10	2	5	-
45-64	Subtotal.	27	7	5	10
	Male	20	6	3	8
	Female	7	1	2	2
65-74	Subtotal.	9	6	-	3
	Male	6	4	-	2
	Female	3	2	-	1
75-84	Subtotal.	11	5	1	4
	Male	6	2	-	4
	Female	5	3	1	-
85+	Subtotal.	4	2	-	1
	Male	2	1	-	-
	Female	2	1	-	1
Total	Subtotal.	23.2	6.8	5.9	7.4
	Male	28.5	8.0	5.7	12.0
	Female	17.6	5.5	6.1	2.4
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	4.3	-	4.3	-
	Male	-	-	-	-
	Female	8.8	-	8.8	-
25-44	Subtotal.	24.5	2.8	11.3	6.6
	Male	28.6	1.8	12.5	12.5
	Female	19.9	4.0	10.0	-
45-64	Subtotal.	29.3	7.6	5.4	10.8
	Male	42.6	12.8	6.4	17.0
	Female	15.4	2.2	4.4	4.4
65-74	Subtotal.	39.2	26.1	-	13.1
	Male	55.9	37.3	-	18.6
	Female	24.5	16.3	-	8.2
75-84	Subtotal.	73.2	33.3	6.7	26.6
	Male	75.5	25.2	-	50.3
	Female	70.6	42.4	14.1	-
85+	Subtotal.	91.6	45.8	-	22.9
	Male	81.5	40.8	-	-
	Female	104.5	52.2	-	52.2

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Hwalien County

Unit : Person · 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
4	1	1	3	2	
1	1	1	-	2	
3	-	-	3	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
2	-	-	2	-	
1	-	-	-	-	
1	-	-	2	-	
2	1	-	-	2	
-	1	-	-	2	
2	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	1	-	
-	-	-	-	-	
-	-	-	1	-	
-	-	1	-	-	
-	-	1	-	-	
-	-	-	-	-	
Death rate (0/0000)					
1.2	0.3	0.3	0.9	0.6	
0.6	0.6	0.6	-	1.1	
1.8	-	-	1.8	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
1.9	-	-	1.9	-	
1.8	-	-	-	-	
2.0	-	-	4.0	-	
2.2	1.1	-	-	2.2	
-	2.1	-	-	4.3	
4.4	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	6.7	-	
-	-	-	-	-	
-	-	-	14.1	-	
-	-	22.9	-	-	
-	-	40.8	-	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	13	2	1	5
	Male	9	1	-	3
	Female	4	1	1	2
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	1	-	-	1
	Male	-	-	-	-
	Female	1	-	-	1
25-44	Subtotal.	6	-	1	3
	Male	4	-	-	2
	Female	2	-	1	1
45-64	Subtotal.	1	1	-	-
	Male	1	1	-	-
	Female	-	-	-	-
65-74	Subtotal.	4	1	-	1
	Male	3	-	-	1
	Female	1	1	-	-
75-84	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
85+	Subtotal.	1	-	-	-
	Male	1	-	-	-
	Female	-	-	-	-
Total	Subtotal.	13.5	2.1	1.0	5.2
	Male	18.1	2.0	-	6.0
	Female	8.5	2.1	2.1	4.3
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	7.6	-	-	7.6
	Male	-	-	-	-
	Female	15.4	-	-	15.4
25-44	Subtotal.	19.3	-	3.2	9.6
	Male	24.7	-	-	12.3
	Female	13.4	-	6.7	6.7
45-64	Subtotal.	4.1	4.1	-	-
	Male	7.7	7.7	-	-
	Female	-	-	-	-
65-74	Subtotal.	58.2	14.5	-	14.5
	Male	88.8	-	-	29.6
	Female	28.6	28.6	-	-
75-84	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
85+	Subtotal.	64.8	-	-	-
	Male	162.3	-	-	-
	Female	-	-	-	-

Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	92	7	28	29
	Male	69	5	24	20
	Female	23	2	4	9
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	2	-	1	-
	Male	2	-	1	-
	Female	-	-	-	-
25-44	Subtotal.	31	-	16	7
	Male	24	-	13	4
	Female	7	-	3	3
45-64	Subtotal.	33	2	11	7
	Male	24	1	10	5
	Female	9	1	1	2
65-74	Subtotal.	12	3	-	7
	Male	6	2	-	3
	Female	6	1	-	4
75-84	Subtotal.	11	2	-	6
	Male	10	2	-	6
	Female	1	-	-	-
85+	Subtotal.	3	-	-	2
	Male	3	-	-	2
	Female	-	-	-	-
Total	Subtotal.	23.8	1.8	7.2	7.5
	Male	35.4	2.6	12.3	10.3
	Female	12.0	1.0	2.1	4.7
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	3.7	-	1.8	-
	Male	7.1	-	3.6	-
	Female	-	-	-	-
25-44	Subtotal.	25.0	-	12.9	5.7
	Male	38.2	-	20.7	6.4
	Female	11.5	-	4.9	4.9
45-64	Subtotal.	30.1	1.8	10.0	6.4
	Male	44.0	1.8	18.3	9.2
	Female	16.4	1.8	1.8	3.6
65-74	Subtotal.	50.4	12.6	-	29.4
	Male	55.5	18.5	-	27.8
	Female	46.2	7.7	-	30.8
75-84	Subtotal.	76.1	13.8	-	41.5
	Male	141.5	28.3	-	84.9
	Female	13.5	-	-	-
85+	Subtotal.	71.5	-	-	47.7
	Male	142.6	-	-	95.1
	Female	-	-	-	-

Self-Harm (Suicide) by Age Group, Gender, Mortality List and Locale
Keelung City

Unit : Person / 0/0000

Suicide and self-inflicted injury					
Suicide and self-inflicted injury by submersion (drowning)	Suicide and self-inflicted injury by firearms, air guns and explosives	Suicide and self-inflicted injury by cutting and piercing instruments	Suicide and self-inflicted injuries by jumping from high place	Other	
Number of deaths					
6	-	5	14	3	
3	-	3	11	3	
3	-	2	3	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	1	-	
-	-	-	1	-	
-	-	-	-	-	
1	-	2	4	1	
1	-	1	4	1	
-	-	1	-	-	
3	-	2	6	2	
1	-	1	4	2	
2	-	1	2	-	
1	-	-	1	-	
-	-	-	1	-	
1	-	-	-	-	
1	-	-	2	-	
1	-	-	1	-	
-	-	-	1	-	
-	-	1	-	-	
-	-	1	-	-	
-	-	-	-	-	
Death rate (0/0000)					
1.6	-	1.3	3.6	0.8	
1.5	-	1.5	5.6	1.5	
1.6	-	1.0	1.6	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	-	-	
-	-	-	1.8	-	
-	-	-	3.6	-	
-	-	-	-	-	
0.8	-	1.6	3.2	0.8	
1.6	-	1.6	6.4	1.6	
-	-	1.6	-	-	
2.7	-	1.8	5.5	1.8	
1.8	-	1.8	7.3	3.7	
3.6	-	1.8	3.6	-	
4.2	-	-	4.2	-	
-	-	-	9.3	-	
7.7	-	-	-	-	
6.9	-	-	13.8	-	
14.2	-	-	14.2	-	
-	-	-	13.5	-	
-	-	23.8	-	-	
-	-	47.5	-	-	
-	-	-	-	-	



Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	61	5	18	24
	Male	39	4	9	18
	Female	22	1	9	6
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	3	-	2	-
	Male	2	-	1	-
	Female	1	-	1	-
25-44	Subtotal.	23	1	9	9
	Male	13	1	4	6
	Female	10	-	5	3
45-64	Subtotal.	22	2	5	10
	Male	17	2	4	7
	Female	5	-	1	3
65-74	Subtotal.	7	1	2	1
	Male	1	-	-	1
	Female	6	1	2	-
75-84	Subtotal.	6	1	-	4
	Male	6	1	-	4
	Female	-	-	-	-
85+	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
Total	Subtotal.	14.8	1.2	4.4	5.8
	Male	19.0	1.9	4.4	8.8
	Female	10.6	0.5	4.3	2.9
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	5.5	-	3.7	-
	Male	7.1	-	3.6	-
	Female	3.8	-	3.8	-
25-44	Subtotal.	16.2	0.7	6.3	6.3
	Male	18.9	1.5	5.8	8.7
	Female	13.7	-	6.8	4.1
45-64	Subtotal.	22.5	2.0	5.1	10.2
	Male	35.2	4.1	8.3	14.5
	Female	10.1	-	2.0	6.1
65-74	Subtotal.	33.4	4.8	9.6	4.8
	Male	10.8	-	-	10.8
	Female	51.3	8.5	17.1	-
75-84	Subtotal.	44.4	7.4	-	29.6
	Male	88.9	14.8	-	59.2
	Female	-	-	-	-
85+	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-

Annex 10 No. of Deaths and Crude Death Rates from Intentional


Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	39	2	13	16
	Male	24	1	8	11
	Female	15	1	5	5
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
25-44	Subtotal.	12	1	5	3
	Male	7	-	4	2
	Female	5	1	1	1
45-64	Subtotal.	14	-	7	5
	Male	8	-	4	2
	Female	6	-	3	3
65-74	Subtotal.	7	1	-	5
	Male	5	1	-	4
	Female	2	-	-	1
75-84	Subtotal.	5	-	1	2
	Male	3	-	-	2
	Female	2	-	1	-
85+	Subtotal.	1	-	-	1
	Male	1	-	-	1
	Female	-	-	-	-
Total	Subtotal.	14.3	0.7	4.8	5.9
	Male	17.8	0.7	5.9	8.2
	Female	10.8	0.7	3.6	3.6
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
25-44	Subtotal.	13.8	1.2	5.8	3.5
	Male	16.7	-	9.6	4.8
	Female	11.1	2.2	2.2	2.2
45-64	Subtotal.	20.0	-	10.0	7.2
	Male	23.5	-	11.8	5.9
	Female	16.7	-	8.3	8.3
65-74	Subtotal.	41.3	5.9	-	29.5
	Male	65.5	13.1	-	52.4
	Female	21.5	-	-	10.8
75-84	Subtotal.	48.8	-	9.8	19.5
	Male	62.2	-	-	41.5
	Female	36.8	-	18.4	-
85+	Subtotal.	37.9	-	-	37.9
	Male	80.3	-	-	80.3
	Female	-	-	-	-

Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances	Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation	
Total	Subtotal.	9	-	5	4
	Male	7	-	4	3
	Female	2	-	1	1
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	2	-	1	1
	Male	2	-	1	1
	Female	-	-	-	-
25-44	Subtotal.	3	-	3	-
	Male	2	-	2	-
	Female	1	-	1	-
45-64	Subtotal.	2	-	1	1
	Male	2	-	1	1
	Female	-	-	-	-
65-74	Subtotal.	2	-	-	2
	Male	1	-	-	1
	Female	1	-	-	1
75-84	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
85+	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
Total	Subtotal.	9.4	-	5.2	4.2
	Male	14.2	-	8.1	6.1
	Female	4.3	-	2.2	2.2
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	14.6	-	7.3	7.3
	Male	29.0	-	14.5	14.5
	Female	-	-	-	-
25-44	Subtotal.	9.8	-	9.8	-
	Male	12.8	-	12.8	-
	Female	6.7	-	6.7	-
45-64	Subtotal.	7.4	-	3.7	3.7
	Male	14.0	-	7.0	7.0
	Female	-	-	-	-
65-74	Subtotal.	30.9	-	-	30.9
	Male	28.4	-	-	28.4
	Female	33.8	-	-	33.8
75-84	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
85+	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-

Annex 10 No. of Deaths and Crude Death Rates from Intentional

Age					
		Suicide and self-inflicted poisoning by solid or liquid substances		Suicide and self-inflicted poisoning by other gases and vapors	Suicide and self-inflicted injury by hanging, strangulation and suffocation
Total	Subtotal.	1	-	1	-
	Male	-	-	-	-
	Female	1	-	1	-
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
25-44	Subtotal.	1	-	1	-
	Male	-	-	-	-
	Female	1	-	1	-
45-64	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
65-74	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
75-84	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
85+	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
Total	Subtotal.	10.1	-	10.1	-
	Male	-	-	-	-
	Female	23.9	-	23.9	-
0-4	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
5-14	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
15-24	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
25-44	Subtotal.	30.3	-	30.3	-
	Male	-	-	-	-
	Female	74.7	-	74.7	-
45-64	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
65-74	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
75-84	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-
85+	Subtotal.	-	-	-	-
	Male	-	-	-	-
	Female	-	-	-	-



(II) Brief Statistical Works of Cause of Death



**TAIWAN R.O.C. STANDARD
CERTIFICATE OF DEATH**

Registration No.(dept. use only)

TO BE FILLED OUT BY ISSUER		
1. DECEDENT'S NAME (<i>First, Middle, Last</i>)	2. SEX <input type="checkbox"/> Male <input type="checkbox"/> Female	3. IDENTIFICATION NUMBER
4. REGISTERED PERMANENT RESIDENCE (<i>Street and number, city, town, country</i>)		
5a. DATE OF BIRTH (<i>Month, Day, Year</i>)	5b. TIME OF BIRTH (<i>For death within one week after birth</i>) <input type="checkbox"/> AM Hour Minutes <input type="checkbox"/> PM _____	
6a. DATE OF DEATH (<i>Month, Day, Year</i>)	6b. TIME OF DEATH <input type="checkbox"/> AM Hour Minutes <input type="checkbox"/> PM _____	
7a. LOCATION OF DEATH (<i>Street and number, city, town, country</i>)	7b. PLACE OF DEATH <input type="checkbox"/> Hospital <input type="checkbox"/> Clinic <input type="checkbox"/> Midwifery Center <input type="checkbox"/> Own Residence <input type="checkbox"/> Others	
8. MANNER OF DEATH <input type="checkbox"/> Death from Illness or Natural Death <input type="checkbox"/> Accident <input type="checkbox"/> Suicide <input type="checkbox"/> Homicide <input type="checkbox"/> Could not be Determined		
9a. KIND OF BUSINESS/INDUSTRY	9b. DECEDENT'S USUAL OCCUPATION	
10. MARITAL STATUS <input type="checkbox"/> Never Married <input type="checkbox"/> Married <input type="checkbox"/> Divorced <input type="checkbox"/> Widowed <input type="checkbox"/> Unknown		
11. CAUSE OF DEATH (<i>Enter the diseases, injuries, or complications that caused the death. Do not enter the mode dying, such as heart failure or respiratory arrest.</i>)		Approximate Interval between Onset and Death
<p>PART I. IMMEDIATE CAUSE (<i>Final disease or condition resulting in death</i>)</p> <p style="margin-left: 40px;">a. _____</p> <p style="margin-left: 80px;">DUE TO (OR AS A CONSEQUENCE OF) :</p> <p style="margin-left: 40px;">b. _____</p> <p style="margin-left: 80px;">DUE TO (OR AS B CONSEQUENCE OF) :</p> <p style="margin-left: 40px;">c. _____</p> <p style="margin-left: 80px;">DUE TO (OR AS C CONSEQUENCE OF) :</p> <p style="margin-left: 40px;">d. _____</p> <p><i>Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury that initiated events resulting in death) LAST</i></p>		
PART II. <i>Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.</i>		
<p>THIS IS TO CERTIFY THAT THE ABOVE STATEMENT IS TRUE.</p> <p>Name and License Number of Certifying Physician:</p> <p>Name and Practice License Number of Hospital (Clinic):</p> <p>Medical Care Institution Code:</p> <p>Address of Hospital (Clinic):</p> <p>Date Signed (Month, Day, Year) :</p>		<p><input type="checkbox"/> Internet transmission (Pursuant to Article 14 of the Household Registration Law and Article 4 of the Regulations for Death Information Notification)</p>

(III) Key Terminology



Key Terminology

The statistical results for underlying causes of death are based on the code of cause of death from the International Classification of Diseases and Death, 10th Edition (ICD10) released by the World Health Organization (WHO); all causes of death are referred to as underlying causes of death.

1. Underlying Causes of Death

The cause of death stated on death certificate refers to all diseases causing death, the sickness condition, or related to death or accidents or violent environments causing these injuries.

Cause of death coefficient refers to (a) diseases or injuries which trigger a string of symptoms directly causing death; (b) accidental or violent environment causing fatal injuries.

2. Death among Pregnant Women

Death among pregnant women refers to deaths occurring among women during the pregnancy period or within 42 days of the termination of pregnancy, regardless of the length of pregnancy or position of pregnancy, or death caused by any reason related to the pregnancy or those made severe by the pregnancy. However, it does not include death caused by accidents or occasional reasons.

Death rate among pregnant women = $\frac{\text{number of deaths among pregnant women}}{\text{number of living infants}} * 100,000$

3. Infant Mortality Rate

Infant mortality rate refers to the number of deaths occurring in infants within the first year of life.

Infant mortality rate = $\frac{\text{number of dead infants}}{\text{number of living infants}} * 1,000$

4. Newborn Mortality Rate

Newborn mortality rate refers to the number of deaths occurring among newborns before the 4th week (28 days) of life.

Newborn mortality rate = $\frac{\text{number of deaths among newborns}}{\text{number of living newborns}} * 1,000$

5. Death Rate According to Age

Death rate according to age = $\frac{\text{number of deaths according to age}}{\text{number of people within the age group}} * 100,000$

6. Standardized Death Rate

Standardized death rate = $\frac{\sum (\text{death rate according to age} * \text{population of age category of standard group})}{\text{total population of standard group}}$

7. Annual Increase of Death Rate

Annual rate of increase in deaths = (death rate on that year – death rate last year) / death rate last year * 100

8. Contribution (influence) rate of underlying causes of death

Contribution (influence) rate = comparison of increase or decrease of deaths from underlying causes of this year and last year / number of deaths from all underlying causes last year * 100

9. Potential Years of Life Lost (PYLL)

Potential years of life lost (PYLL) = $\Sigma(70 - \text{age at the time of death})$

10. Average Years of Life Lost (AYLL)

Average Years of Life Lost (AYLL) = potential years of life lost / number of deaths



2010 Statistics of Causes of Death R.O.C.

Note:

1. These books are free to the interested scholars and organizations. We would welcome your publications in exchange and comments.

If you have any require, please sent to:

Division of Statistics
Department of Health
The Executive Yuan

Rm. 301, 3F., No.3, Beiping W. Rd.,
Zhongzheng Dist., Taipei City 100,
Taiwan (R.O.C.)

2. If you would like to order these two books, please contact the following address:

Government Bookstore:

1F., No.209, Songjiang Rd., Zhongshan Dist.,
Taipei City 104, Taiwan R. O. C.

TEL : +866-2-2518-0207



Department of Health, Executive Yuan,
Republic of China (TAIWAN)
<http://www.doh.gov.tw>

ISSN 1992-2450



9 771992 245007

GPN:2009502599

定價：新台幣350元