New
Psychoactive
Substances
In Indonesia

Riza Sarasvita Hans Dharma Indonesia

Introduction

- National Narcotics Board of Indonesia (NNB) found 44 NPS are used in Indonesia
- Ministry of Health, Republic of Indonesia (MoH-RI) is mandated by Narcotics Law No. 35/2009 to make any amendment of substances list if necessary
- 18 of 44 NPS have been regulated in Ministry of Health Regulation No. 13/2014
- The remainings are still need thorough review before including all of them into Law's attachment (MoH-RI)

18 NPS that have been included in MoH regulation No. 13/2014

1. Methylone (MDMC)

2. Mephedrone

3. Pentedrone

4. 4-MEC

5. MDPV

6. Ethcathinone

7. MPHP

8. JWH-018

9. XLR-11

10. DMA

11.5-APB

12.6-APB

13.PMMA

14.2C-B

15.DOC

16.25I-NBOMe

17.25B-NBOMe

18.25C-NBOMe

Others that have not been regulated

- Cathinone & Cathine (khat plant); ethylone, buphefrone
- ✓ Syntetic cannabinoid: 5-Fluoro AKB 48, MAM 2201
- Phenthylamine derivative: 4-APB
- ✓ Piperazine derivatives: BZP, Mcpp, TFMPP, a-mt
- ✓ Kratom
- ✓ Ketamine; Methoxetamin
- ✓ Tryptamine derivative: 5-MeO-MiPT

How the users get the NPS?

- ✓ Mostly online
- Casual shops
- Friends / peers
- Dealer / trafficker (small percentage)

Current situation

- First phenomenal NPS case was found in 2013, when a prominent Indonesia actor was caught due to cathynone (methylone) use
- By law he was finally released from criminal justice system because the substance involved was not listed in the Narcotic Law
- \$ince that case, more cases were reported

Current situation

- Mostly used NPS in a recreational or instrumental mode (mood booster)
- Many of them are middle-up class worker with excessive working hours
- Lack of awareness and proper information about NPS and its treatment (intervention) management among treatment staff

What we need for prevention?

- Government regulation for online business
- ✓ Parental control on children's internet usage, children's time spent
- Regulation on balanced working hours for workers (artist, pilot, truck/bus driver, shift workers)
- Emphasis on physical activities for young children and teenagers

What we need in treatment setting?

- Categories of each NPS to help clinical staff in developing individual treatment (intervention) plan
- ✓ Include NPS issues into training modules / curriculum for addiction professionals.
- Need thorough documentation on history of drug use:
 - Popular names, types
 - Effects and route of administration
 - Pattern of usage

What we need in treatment setting? (cont'd)

- Emphasis on brief intervention
- Develop harm reduction strategies to minimize harmful effect

Thank You