

Time to act on mental hea... otal cost o 50% New sickness and disab claims in OECD countries You Tube

國際關注 心理健康/精神衛生議題 重要策略

- □張武修教授
- □衛福部台北醫院、國家衛生研究院
- □陽明、台大、北醫大、高醫大、元培
- □歐盟與日內瓦顧問組長四年
- □ 教授顧問 印尼、越南、馬來西亞、泰國、哈薩克、羅馬尼亞、法國、美國
- □ 2個國際組織發起人/副主席,秘書長
- □ 1個國際組織獎(2017.5)

https://www.youtube.com/watch?v=NF4D9aEW6fw

<iframe width="640" height="360" src="https://www.youtube.com/embed/NF4D9aEW6fw" frameborder="0" allowfullscreen></iframe>

Mental health of human race?




















Smartphone Users and Penetration Worldwide, 2014-2020

billions, % of mobile phone users and % change




Note: individuals of any age who own at least one smartphone and use the smartphone(s) at least once per month

Source: eMarketer, April 2016

207605 www.eMarketer.com

Top 25 Mobile Apps by Unique Visitors (000)

Source: comScore Mobile Metrix, U.S., Age 18+, June 2014



United Nations University

RESEARCH V

ARTICLES


PUBLICATIONS

EXPERTS

ADMISSIONS >

Home > Media Relations > Press Releases

Greater Access to Cell Phones Than Toilets in India: UN







6 in 10 smartphone users believe that ingestible pills and chips under the skin will be used to interact with objects in the next 5 years






Implanted chip for unlocking doors

Implanted chip for transactions

Figure 2: Occasions when wearable devices are worn across the day



Two out of five users feel naked when they don't have their wearables on, whilst around a quarter even sleep with them



Source: Ericsson ConsumerLab, Wearable Technology and the Internet of Things, 2016 Base: Smartphone users using smartwatches or fitness bands




Smartphone users say they are likely to wear more than 5 wearable devices beyond 2020

Mental health in the 21st Century

- ☐ Isolation, connection?
- **□** Fragmentataion?
- **□** Behavior changes
- Individualism
- ☐ Freedom, democracy, peace?







Mental health of human race?



2010: 10,863

2000: 5,207

2000 - 5,207 items

1990: 2,577

1990 - 2,577 items

2017: 15,038

2017 - 15,038 item







US National Library of Medicine National Institutes of Health

1966: 555






Contribution of neuropsychiatric conditions to the global burden of disability-adjusted life-years (DALYs; years lived with disability plus years of life lost)



Baxter, George Patton, Kate M. Scott, Louisa Degenhardt, Harvey A. Whiteford



Stigma - we've got it mapped

time to change

let's end mental health discrimination www.time-to-change.org.uk

Regulations that stigmatise people with mental health problems around the world

UNITED KINGDOM



Until recently, laws prevented people with mental health problems from carrying out jury service or becoming a company director. This was only overturned in July 2013.

LITHUANIA



Some people with long term mental health problems are unable to own their own home.

JAPAN





A sign outside a museum in Japan reads 'Those with mental disease are declined to enter the museum'.

In some areas, certain leisure facilities imposed restrictions on those with mental health problems, forbidding them to use the fitness centre.

Anti-stigma campaigns



New Zealand Like Minds Like Mine mentalhealth.org.nz










2009 Sweden Hjarnkoll


















ASIA




Three major airlines in asia refused to allow passengers with mental health conditions on to a flight unless they were accompanied by a psychiatrist.






http://www.time-to-change.org.uk/news/global-meeting-anti-stigma-programme-londo...



The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement. © WHO 2013. All rights reserved. Data Source: Global and regional estimates of violence against women. WHO, 2013.



心事誰人知?



The mental health workforce gap in low- and middle-income countries: a needs-based approach Bulletin of the World Health Organization 2011;89:184-194.

discovered a positioning system, an "inner GPS" in the brain



The Nobel Prize in Physiology or Medicine 2014 John O'Keefe, May-Britt Moser, Edvard I. Moser

Share this: f 🚭 🔰 🛨 🔼 182







John O'Keefe - Facts




Photo: A. Mahmoud

John O'Keefe

Born: 18 November 1939, New York, NY, USA

Affiliation at the time of the award: University College, London, United Kingdom

Prize motivation: "for their discoveries of cells that constitute a positioning system in the brain"

Field: physiology, spatial behavior

Prize share: 1/2

May-Britt Moser - Facts



May-Britt Moser

Born: 4 January 1963, Fosnavåg, Norway

Affiliation at the time of the award: Norwegian University of Science and Technology (NTNU), Trondheim, Norway

Prize motivation: "for their discoveries of cells that constitute a positioning system in the brain"

Field: physiology, spatial behavior

Prize share: 1/4

Edvard I. Moser - Facts



Photo: A. Mahmoud

Edvard I. Moser

Born: 27 April 1962, Ålesund,

Norway

Affiliation at the time of the award: Norwegian University of Science and Technology (NTNU), Trondheim, Norway


Prize motivation: "for their discoveries of cells that constitute a positioning system in the brain"

Field: physiology, spatial behavior

Prize share: 1/4

how does the brain create a map of the space surrounding us how can we navigate our way through a complex environment?

Global mental health operates within the global health system





Problem claims: Costly disorders

"The global cost of mental health conditions in 2010 was estimated at US\$ 2.5 trillion, with the cost projected to surge to US\$ 6.0 trillion by 2030."

"Currently, high-income countries shoulder about 65% of the burden, which is not expected to change over the next 20 years."






Mortality and the Global Burden of Mental Disorders

- People with mental disorders have a mortality rate that is 2.2 times higher than the general population
- All cause mortality was elevated for psychoses, mood disorders, and anxiety
- All cause mortality for psychoses > anxiety, depression, and bipolar d/o
- Median of 10 years of potential life lost from all causes
- 8 million deaths a year are attributable to mental disorders

Problem claims: Poor mental health financing

Globally, spending on mental health is less than \$2 per person, per year and less than \$0.25 in low income countries

Mental health
expenditures per capita
are more than 200 times
greater in high income
countries
compared with low
income countries





Finding solutions around the globe: Task shifting/sharing for mental health

- Good examples in many low- and middle-income countries
 - India MANAS trial (Patel et al., 2010)
 - Pakistan Lady Health Workers (Rahman et al, 2008)
 - Uganda Group IPT for depression (Bolton et al, 2003)
 - Chile Treating depression in primary care (Araya et al, 2003)

Cognitive behaviour therapy-based intervention by community health workers for mothers with depression and their infants in rural Pakistan: a cluster-randomised controlled trial

Add Salaman, Akial Malik, Silvan Salambor Christopher Salamta, Francis Crossl

Summer

Infrast of Papalation. and the second district of Sideman, Shifteenida off (respect), Cowanol, SW resendazione, Neppropliati. Military of History Salar Property Salmond and Missellis inno served Binetecolity of Tell schools, Alektonically of Fredhald, Shadhald, SK in Advince the same through agreement Manage of Concedigations. Distribut, Published Chanda FOTO Page Street of Nankarous age and the sales and resemble to the last enterfreeting, Markettentier, 606. ron, and the desired Named divisions, Sidned of

to develop to the trustment of periodal depression is a public-builth priority because of its high prevalence and to develop to the trustment of periodal development. We integrated a cognitive behaviour therapy-based for trustment of the trustment of community-based primary health workers in rarid Publishes and amount the trustment of the intervention or numberal depression and infinite outcomes.

Nethorh We remémbly assigned 40 Union Conneil clusters in rural Remelpinds. Policities, in equal remelbers to intervention or control. Married westers agent 10–40 search in their third intracester of pergramery with permutal depression were eligible to participate. In the intervention group, petmary health workers were instead to deliver the psychological intervention, whereas in the control group untrational health workers made an equal mansher of violts in the depressed methods. The primary outcomes were influed weight and height at 5 months and 52 months, and accordary national was material depression. The interviewers were summar of what group the participants were assigned to. Analysis was by interviewer to tool. The analy is registered as 150 Th05216574.

Findings The terrelors of chaters per group was 20, with 463 modilers in the intervention group and 440 in the austral group. At 6 months, 27 (2016) of 402 and 231 (173) of 400 modilers in the interventions and control groups, respectively, not the critical related by 23, 250; C 2 ± 14 to ± 36, poil: 0000). These efficies were motorized at 12 months (211/402) 273() or 220/380 (1926), adjusted OB 0: 25, 95%, C 10: 25 to ± 30, poil: 0000). The differences to weight for age and height for age 2 mones for infinite in the two groups were not eigenficient at 5 months (-0.31 or -0.36, poil: 7 and -2: 03 or -2: 16, poil: 3 months (-0.31 or -0.36, poil: 3 and -3: 10 months (-0.30), poil: 0.000).



Global mental health stakeholders

- People with mental illness
- Families affected by mental illness
- Researchers/academics
- Mental health professionals
- Professional associations
- Advocacy organizations
- Funders
- Policymakers




TABLE

Results of WHO Child and Adolescent Mental Health Atlas

	High income	Low income®	
National policy	16/18	4/16	
Child and adolescent mental health program	14/18	0/16	
Epidemiological data	8/20	1/16	
Annual child and adolescent mental health survey	12/20	3/16	
Stigma as barrier to care	16/20	5/16	
Financing of services			
Consumer/family	0/20	6/16	
Tax-based/government	2/20	1/16	
International grants	10/20	2/16	
NGOs	4/20⁵	0/16	
Social services	4/19	0/16	
Medication available withoutbcost to family	8/20	3.3	

WHO, World Health Organization; NGO, non-governmental organization.




⁸ Based on information from 177 Member States.

Source: Mental health resources in the world. Initial results of Project Atlas (2001). Geneva, World Health Organization.

^{*} World Bank country categories.


^b Does not reflect emergency or disaster services. Adapted from Belfer ML, Saxena S. Lancet. 2006.11

- 21st Century Global Mental Health explores:
- Global Mental Health Epidemiology and Diagnostic Systems
- The Determinants of Health/Mental Health
- Populations' Health/Mental Health
- Evaluating and strengthening health/mental health systems
- Human Rights, Stigma, Mental Health Policy and the Media



UK'S MENTAL HEALTH CRISIS

POST YOUNG VOICES



only 5.5% of UK health research spending goes to mental health study. With one in four adults suffer with mental health issues, there is an obvious imbalance. The UK is in a mental health crisis. Millions of people all across the country suffer in some way with mental health issues.

In March 2017, Mental Health Foundation, in England, Scotland and Wales.

self-reported mental health problems, levels of positive and negative mental health in the population, and the actions people take to deal with the stressors in their lives.

2,290 interviews were completed, with 82% online and 18% by phone.

Key findings

- 65% experienced a mental health problem. 7/10 women, young adults aged 18-34 and people living alone.
- 13% living with high levels of positive mental health.
- >55 experiencing better mental health than average.
- >55 take positive steps to help themselves deal better with everyday life - including spending time with friends and family, going for a walk, spending more time on interests, getting enough sleep, eating healthily, and learning new things.
- >4/10 people have experienced depression
- >1/4 experienced panic attacks.
- 3/4 people the lowest household income experienced mental health problem, 6/10 the highest household income bracket.
- 85% out of work experienced a mental health problem, 2/3 in work, 50% have retired.



Conclusions

- Current levels of good mental health are disturbingly low.
- Collective mental health is deteriorating. Overall most of us report
 experiencing a mental health problem in our lifetime. However, young
 adults report this at a higher level, despite having had fewer years in their
 lives to experience this. While there may be an element which reflects a
 greater ease at acknowledging a mental health problem, nevertheless this
 suggests a real and emerging problem. It is possible that it is linked to
 greater insecurities in life expectations for work, relationships and homes.
 The reasons and solutions warrant investigation.
- The figures show that the experience of poor mental health, while touching every age and demographic, is not evenly distributed. If you are female, a young adult, on low income, living alone or in a large household, your risks of facing mental ill health are higher.

Keep up to date: Annual Review 2015 | Email updates | Email discussion list | Online updates | Case law | CPD scheme | Books | Jobs | Events

Follow MHLO: f y a

Share this page:





Mental Health Act 2007 Overview

The full text of the Act is available from this page: Mental Health Act 2007. See also: Mental Health Act 2007 Explanatory Notes.

The Mental Health Act 2007 was given Royal Assent on 19 July 2007. The main implementation date was 3 November 2008. See Mental Health Bill 2006 for some background information, and Mental Health Act 1983 Overview and Mental Capacity Act 2005 Overview for further details. Amendments made to the Mental Health Act 1983 and Mental Capacity Act 2005 by the 2007 Act are incorporated into the text on this site.

Contents

hide

- 1 The effect of the Act
 - 1.1 The amendments
 - 1.2 The Acts which are amended
- 2 Implementation of the Act
 - 2.1 Implementation plan
 - 2.2 Commencement orders
 - 2.3 Secondary legislation England & Wales
 - 2.4 Secondary legislation England
 - 2.5 Secondary legislation Wales
 - 2.6 Secondary legislation Scotland

✓ Mental health act http://www.mentalhealthlaw.co.uk/Mental_Health_Act_2007_Overview

Australia	Mental Health Act (2015)	
Austria	Health Quality Act(2004), 361st Federal Act on the Exercise of Psychotherapy (Psychotherapy Act)	
Canada	The Canada Health Act(2010), Brian's Law (Bill 68)	
China	中華人民共和國精神衛生法(2012)	
Germany	Gesetz zur Gleichstellung behinderter Menschen, The Preventive Health Care Act (2015)	
Hong Kong	香港精神衛生法 (2007)	
Japan	精神保障福址法(2016),健康促進法(2016)	
Singapore	新加坡精神衛生法 (2014)	
Switzerland	Swiss Federchenfal Law on Health Insurance, the Federal law on prevention and health promotion. (2010)	
USA	Mental Reform Act 2016, H.R.2646 - Helping Families in Mental Health Crisis Act of 2016	
UK	Mental Heal Act 2007, Mental Capacity Act 2005	

澳洲 2015



Federal Register of Legislation

GET LEGISLATION UPDATES

MY ACCOUNT

SEARCH

Q

TERMS GOVERNING THE USE OF THIS WEBSITE.

Home > Norfolk Island Legislation > In force >

Details: C2015Q00181

Mental Health Act 1996 (NI)

Other - C2015Q00181

In force - Latest Version

View Series

Act No. 28 of 1996

Other document - Other as made

This is an Act of the previous Norfolk Island Legislative Assembly that was continued in force under \$16 and 16A of the Norfolk Island Act 1979.

Administered by: Infrastructure and Regional

Development

Registered 07 Dec 2015

- 4. Interpretation
- 5. Persons not to be regarded as mentally dysfunctional

PART 2 — MENTAL HEALTH TRIBUNAL

- Mental Health Tribunal
- Powers
- 8. Membership
- Acting membership
- 10. Termination of appointment
- 11. Proceedings of the Tribunal
- 12. Appearance at proceedings
- Natural justice
- 14. Evidence
- 15. Admissibility of evidence in other proceedings
- Form of orders
- Obtaining reasons for decisions
- 17A. Reasons for decisions in respect of referrals by court under Criminal Law Act 1960
- Secrecy
- 19. Assistance for Tribunal
- Contempt of Tribunal

奧地利 2004



拿大 2010

ABOUT US NEWS AND EVENTS SHOPCMHA MEDIA EXTRANET Find Your Branch



· CONTACT US LOGIN F | SEARCH

MENTAL HEALTH

OUR WORK

GET INVOLVED

- Provincial Context
- + Public Policy
- + Capacity Building
- + Knowledge Exchange
- + E-QIP
 - Mental Health Works
- + Living Life to the Full
- + Talk Today

Mental Health and Addiction legislation

Mental Health Act 1990

The Mental Health Act sets out the criteria for voluntary, informal and involuntary admissions to specially designated psychiatric facilities, as well as for the management of psychiatric out-patients under Community Treatment Orders (CTO). The statute also requires the assessment of psychiatric patients' capacity to manage property following their admission to a psychiatric facility. The statute protects the rights of psychiatric patients by requiring that patients receive formal rights advice in certain circumstances and providing for the review of informal and involuntary admissions, capacity to manage property and CTOs before the Consent and Capacity Board.

Brian's Law (Bill 68)

Brian's Law amended the Mental Health Act in 2000. In particular, this legislation introduced community treatment orders and new criteria for involuntary commitment to psychiatric facilities. The latest amendment took place in 2010 under Bill 16, Creating the Foundation for Jobs and Growth Act, 2010.

Health Care Consent Act 1996 (amended 1998, 2000, 2002, 2004, 2006, 2010)

The Health Care Consent Act deals with

- · quidelines for informed consent for treatment, personal care services or admission to a long-term care facility
- the roles and responsibilities of substitute decision-makers



nttp://ontario.cmha.ca/public-policy/context/legislation/mental-health-and-addictionlegislation/

德國 2015



Press User Information Legal Notice Deutsch

Search term(s)

Ministry

Prevention

Long-term care

Health

Q

Prevention

You are here: → Prevention → The Preventive Health Care Act

The Preventive Health Care Act

The Act to Strengthen Health Promotion and Preventive Health Care (Preventive Health Care Act) took its last parliamentary hurdle on 10th July 2015 in the Bundesrat and an integral part of it entered into force on 25th July 2015.

Parliamentary State Secretary Ingrid Fischbach: "With the Preventive Health Care Act we are strengthening health promotion directly in the settings in which people live – in nursery schools, schools, in the workplace and in nursing homes. Furthermore, screening tests for children, young people and adults will be further developed and vaccination coverage improved. The aim of these efforts is to prevent disease before it can manifest itself."

The Preventive Health Care Act strengthens the basis for enhanced co-operation among the social security institutions, the Laender, and the local authorities in the areas of prevention and health promotion – for all age-groups and in multiple life settings. Indeed, the aim is to have prevention and health promotion gain ground in the places where persons live, learn and work. With the assistance of this law, early detection screening among children, young persons and adults will continue to be developed and important measures taken to close the vaccination gaps that exist in all age groups.

LINKS

Overview Prevention







Hong Kong Ordinances

You are here: HKLII >> Databases >> Hong Kong Ordinances >> CAP 136 MENTAL HEALTH ORDINANCE

Database Search | Name Search | Download (All Versions) | Download (Current Version) | Noteup | 中文版 | Help

CAP 136 MENTAL HEALTH ORDINANCE

- Cap 136 Long title
- Cap 136 Part I PRELIMINARY
- Cap 136 s 1 Short title
- Cap 136 s 2 Interpretation
- Cap 136 s 3 Declaration of mental hospitals
- Cap 136 s 4 Appointment of medical superintendents and assistant medical superintendents
- Cap 136 s 5 Appointment and duties of visitors
- Cap 136 s 6 Delegation
- Cap 136 Part II MANAGEMENT OF PROPERTY AND AFFAIRS OF MENTALLY INCAPACITATED PERSONS*
- Cap 136 s 7 Court may order inquiry
- Cap 136 s 8 Provision as to notice of inquiry
- Cap 136 s 9 Power to examine person alleged to be mentally incapacitated
- Cap 136 s 10 Questions to be decided by Court
- Cap 136 s 10A General functions of Court with respect to property and affairs of mentally incapacitated person
- Cap 136 s 10B Powers of Court as to mentally incapacitated person's property and affairs
- Cap 136 s 10C Supplementary provisions as to wills executed under section 10B
- Cap 136 s 10D Court's powers in cases of emergency
- Cap 136 s 10E Preservation of interests in mentally incapacitated person's property
- Cap 136 s 11 Appointment of committees
- Cap 136 s 12 Powers of management of estate of mentally incapacitated person
- Cap 136 s 13 Powers of Registrar
- Cap 136 s 14 What relatives may attend proceedings
- Cap 136 s 15 Orders may be made on petition



華人民共和國 2012



中央政府门户网站 www.gov.cn 2012年10月26日 20时28分

「字体・大 打印太市 学研察口」

新华社北京10月26日电

中华人民共和国主席令

第六十二号

《中华人民共和国精神卫生法》已由中华人民共和国第十一届全国人民代表 大会常务委员会第二十九次会议于2012年10月26日通过,现予公布, 自2013年5月1日起施行。

中华人民共和国主席 胡锦涛

2012年10月26日

新华社北京10月26日电

中华人民共和国精神卫生法

(2012年10月26日第十一届全国人民代表大会常务委员会第二十九次 会议通过)

目录

日本 2016



Q 調べたい語句を入力してく kkg 文字リイズの変更 標準 大 特大

o サイトマップ o リンク o このサイトに対するご意見

知ることからはじめよう

みんなのメンタルヘルス(総合サイト) こころの健康や病気、支援やサービスに関するウェブサイト

国の政策と方向性

専門的な情報

| ホーム > 国の政策と方向性 > 精神保健福祉法について

国の政策と方向性

精神保健医療福祉の 改革ビジョン

○ 精神障害者の地域移

精神保健福祉法につ いて

○ 精神保健福祉士につ いて

こころの健康対策 ~うつ病~

こころの健康対策 ~PTSD~

こころの健康対策 ~薬物依存症~

自殺対策について

医療計画

精神保健福祉法(正式名称:「精神保健及び精神障害者福 祉に関する法律」) について

○ 目的

↓ 折りたたむ

精神保健福祉法は、

- 精神障害者の医療及び保護を行うこと
- 障害者総合支援法とともに、精神障害者の社会復帰の促進、自立と社会経済活動 への参加の促進のために必要な援助を行うこと
- 精神疾患の発生の予防や、国民の精神的健康の保持及び増進に努めること

によって、精神障害者の福祉の増進及び国民の精神保健の向上を図ることを目的と した法律です。

○ 制定の経緯

◆ 折りたたむ

戦前の状況

明治初期までは、精神病の治療はほとんどが加持祈祷に頼っており、精神保健の法 的規制はありませんでしたが、明治8年にわが国に精神病院が初めて設置され(当初 は「癲狂院」と呼ばれていた)、医学校でも精神病学が教えられるなど、この時期 に、わが国に精神医学の基礎が形づくられました。



新加坡 2014



Mental Health (Care and Treatment) Bill

Bill No. 11/2008.

Read the first time on 21st July 2008.

MENTAL HEALTH (CARE AND TREATMENT) ACT 2008

(No. of 2008)

ARRANGEMENT OF SECTIONS

PART I

PRELIMINARY

Section

- 1. Short title and commencement
- 2. Interpretation

PART II

ADMISSION AND DETENTION OF MENTALLY DISORDERED PERSONS IN PSYCHIATRIC INSTITUTIONS

- 3. Designated psychiatric institutions
- 4. Management of psychiatric institutions
- 5. Inspection by visitors
- 6. Admission for treatment
- 7. Apprehension of mentally disordered person
- 8. Ill-treatment or neglect of mentally disordered person
- 9. Mentally disordered person may be referred to psychiatric institution
- 10. General provisions as to admission and detention for treatment
- 11. Prohibition
- 12. Discharge by principal officer or psychiatrist
- 13. Visitors to apply for Magistrate's order of detention
- 14. Discharge by visitors
- 15. Temporary absence from psychiatric institution
- 16. Removal of patient from one psychiatric institution to another
- 17. Removal of patient from Singapore
- 18. Contents of order
- 19. Return to Singapore
- 20. Application for order for payment of cost of maintenance


http://www.parliament.gov.sg/sites/default/files/080011.pdf

瑞士 2010









http://www.spectra-online.ch/en/spectra/topics/the-federal-law-on-prevention-and-health-promotion-377-10.html

THE INCIDENT IN THE United States

Congress Is on the Verge of Passing a Landmark Mental Health Bill

July 8, 2016, 3:45 PM EDT Share icons




Representative Tim Murphy, a Republican from Pennsylvania Bloomberg via Getty Images

The legislation passed the House in a near-unanimous vote.


Soon after the 2012 massacre of 20 schoolchildren and six adults in Newtown, Conn., advocacy groups called for nationwide reforms on two major issues: gun violence prevention and mental health care.

After the 2012 massacre of 20 schoolchildren and six adults in Newtown, Conn., advocacy groups called for nationwide reforms on two major issues: gun violence prevention and mental health care.



美國 2016

















Introduced: Mar 15, 2016

Status: Reported by Committee on Mar 16, 2016

The committees assigned to this bill sent it to the House or Senate as a whole for consideration on March 16, 2016.

Sponsor:



Lamar Alexander Senior Senator from Tennessee Republican



Read Text »


Last Updated: Apr 26, 2016

Length: 316 pages

Mental Reform Act 2016. https://www.govtrack.us/congress/bills/ 114/s2680/text/is

H.R.2646 - Helping Families in Mental Health Crisis Act of 2016

114th Congress (2015-2016) | Get alerts



H.R.2646 - Helping Families in Mental Health Crisis Act of 2016 https://www.congress.gov/bill/114th-congress/house-bill/2646

WHO



states: "Health is a state of complete physical, mental and social well-heing and not















Search

	Data	Media centre	Publications	Countries	Programmes	Governance	About WHO	
		Me	dia centre)				
Media centre		Me	ntal healt	h: streng	thening o	ur respons	se	
News		Fact sheet Updated April 2016						
Events								
Fact sheets		Key	Key facts					
Features		• N	Mental health is more than the absence of mental disorders.					
► Commentaries			 Mental health is an integral part of health; indeed, there is no health without mental health. 					
Multimedia			 Mental health is determined by a range of socioeconomic, biological and environmental factors. 					
Contacts			 Cost-effective public health and intersectoral strategies and interventions exist to promote, protect and restore mental health. 					
		Men	tal health is an i	ntegral and es	sential compone	nt of health. The	WHO constitutio	

♣ Share

Print

Features

China: Improving home care for dementia patients February 2014

More features about mental health

Publications

mhGAP Intervention guide for mental, neurological and substance use disorders





Mental health promotion and mental disorder prevention across European Member States: a collection of country stories EU













Who: China to Improve home care for dementia patients

Sign up for WHO updates









Print











Health topics

Media centre

Publications

Countries

Programmes

Governance

About WHO

Share

Search

China: Improving home care for dementia patients

February 2014

When she was 71, Sun Yuhua started to lose her memory. She kept forgetting what she had just said or done. She would repeat the same question again and again and fail to remember the answer. Worst of all, she could no longer manage to perform simple household chores.

Yuhua knew that all this was happening, but could not bring herself to go to a doctor. Fortunately, her husband was more ready to seek help. Zhensheng heard about a caregiver support group for dementia sufferers, and was finally able to persuade Yuhua to make an appointment with a memory clinic.

Dementia is a progressive brain disorder that makes it increasingly difficult to remember things, think clearly and communicate with others. It is one of the major causes of disability and dependency among older people worldwide. An estimated 9.19 million people in China suffer from the disorder, more than any other country in the world.



Xiong Bin

Related links


Fact sheet on dementia

WHO's work on dementia

China health information

More about on dementia

World Federation on Mental Health



About

Who We Are

WFMH is an international membership organization founded in 1948 to advance, among all peoples and nations, the prevention of mental and emotional disorders, the proper treatment and care of those with such disorders, and the promotion of mental health. The

Federation through its members and contacts in more than 100 countries on six continents, has responded to international mental

Grand Challenges in Global Mental Health







About Members Activities Resources Media Announcements Funding Discussion





國際關注之心理健康或精神衛生議題及重要策略



穩定建構人與人,家庭,社區,社群,國家,

環境,手機,天地的關係?

