

第十八章 症狀、徵候與臨床和實驗室〔檢驗〕的異常發現， 他處未歸類者 (R00-R99)

Chapter XVIII Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

本章包含症狀、徵候、臨床或其他診察處置異常結果，以及界定不明的病況，而其他章節未歸類其診斷者。

相當確定可標示為特定診斷之症狀與徵候時，須歸類列屬於其他章節分類項之範圍。一般來說，列在本章節的分類項，即包括一些界定較不明確的病況與症狀，未對病例個案作必要的診察以確立最後診斷時，其可能同時列屬於兩種或以上的疾病，或兩種或以上的系統。實際上，本章節所有分類項之範圍可視為一些其他未特定者、病因不明或暫時性(過渡性)者，可以參照英文字母索引來查詢症狀或徵候所屬章節。本章以(.8)之殘餘細分類碼來代表不易歸類他處之其他相關聯症狀。

在R00至R99分類項範圍之病況、徵候或症狀，包含下列各種情況者：

- (a)經診察所有事證後，無法下特定具體診斷之個案；
- (b)出現於就診初期、病程短暫，且病因無法確認之徵候或症狀；
- (c)只有暫時性診斷，未回診而無法作進一步診察或醫療照護之個案；
- (d)診斷確立之前，須轉介他處進一步診察或治療之個案；
- (e)因故無法給予更確切診斷之個案；
- (f)提供特定症狀輔助性之資料訊息，代表著醫療照護中個人權益之重要問題者。

This chapter includes symptoms, signs, abnormal results of clinical or other investigative procedures, and ill-defined conditions regarding which no diagnosis classifiable elsewhere is recorded.

Signs and symptoms that point rather definitely to a given diagnosis have been assigned to a category in other chapters of the classification. In general, categories in this chapter include the less well-defined conditions and symptoms that, without the necessary study of the case to establish a final diagnosis, point perhaps equally to two or more diseases or to two or more systems of the body. Practically all categories in the chapter could be designated "not otherwise specified", "unknown etiology" or "transient". The Alphabetical Index should be consulted to determine which symptoms and signs are to be allocated here and which to other chapters. The residual subcategories, numbered .8, are generally provided for other relevant symptoms that cannot be allocated elsewhere in the classification.

The conditions and signs or symptoms included in categories R00-R99 consist of: (a) cases for which no more specific diagnosis can be made even after all the facts bearing on the case have been investigated; (b) signs or symptoms existing at the time of initial encounter that proved to be transient and whose causes could not be determined; (c) provisional diagnoses in a patient who failed to return for further investigation or care; (d) cases referred elsewhere for investigation or treatment before the diagnosis was made; (e) cases in which a more precise diagnosis was not available for any other reason; (f) certain symptoms, for which supplementary information is provided, that

represent important problems in medical care in their own right.

排除：母體產前篩檢的異常發現 (O28.-)

源於周產期之病況 (P00-P96)

Excludes: abnormal findings on antenatal screening of mother (O28.-)
certain conditions originating in the perinatal period (P00-P96)

本章包含下列各節(組群)：

This chapter contains the following blocks:

R00-R09 涉及循環和呼吸系統的症狀及徵候

R00-R09 Symptoms and signs involving the circulatory and respiratory systems

R10-R19 涉及消化系統和腹部的症狀及徵候

R10-R19 Symptoms and signs involving the digestive system and abdomen

R20-R23 涉及皮膚和皮下組織的症狀及徵候

R20-R23 Symptoms and signs involving the skin and subcutaneous tissue

R25-R29 涉及神經和肌肉骨骼系統的症狀及徵候

R25-R29 Symptoms and signs involving the nervous and musculoskeletal systems

R30-R39 涉及泌尿系統的症狀和徵候

R30-R39 Symptoms and signs involving the urinary system

R40-R46 涉及認知、知覺、情緒狀態和行為的症狀及徵候

R40-R46 Symptoms and signs involving cognition, perception, emotional state and behaviour

R47-R49 涉及言語和語音[發聲]的症狀及徵候

R47-R49 Symptoms and signs involving speech and voice

R50-R69 一般(整體、廣泛)症狀和徵候

R50-R69 General symptoms and signs

R70-R79 血液檢查異常發現，未有診斷者

R70-R79 Abnormal findings on examination of blood, without diagnosis

R80-R82 尿液檢查異常發現，未有診斷者

R80-R82 Abnormal findings on examination of urine, without diagnosis

R83-R89 其他體液、身體物質和組織檢查異常發現，未有診斷者

R83-R89 Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis

R90-R94 診斷性影像和功(機)能檢查異常發現，未有診斷者

R90-R94 Abnormal findings on diagnostic imaging and in function studies, without diagnosis

R95-R99 界定不明和未知原因[死因]的死亡

R95-R99 Ill-defined and unknown causes of mortality

**涉及循環和呼吸系統的症狀及徵候
(R00-R09)**

**Symptoms and signs involving the circulatory and respiratory systems
(R00-R09)**

R00 心搏(跳)異常

排除：源於周產期者 (P29.1)

特定的心律不整 (I47-I49)

R00.0 心搏(跳)過速，未特定者

心搏(跳)過快

R00.1 心搏(跳)過緩，未特定者

心搏(跳)過慢

若為藥物所引起者，可使用附加的外
因編碼(第二十章)，以確認藥物。

R00.2 心悸

察覺心搏(跳)

R00.8 其他及未特定的心搏(跳)異常**R01 心雜音及其他心音**

排除：源於周產期者 (P29.8)

R01.0 良性及無害性心雜音

功(機)能性心雜音

R01.1 心雜音，未特定者

心嘈音，其他未特定者

R01.2 其他心音

心(敲擊)濁音，增強或減弱

胸前(胸口)摩擦音

R02 壞疽，他處未歸類者

排除：下列(所致)的壞疽：

- 粥樣(狀)硬化 (I70.2)
- 糖尿病(E10 - E14 分類項中第
4 碼共同為 .5 者)
- 其他周邊血管疾病 (I73.-)

特定部位的壞疽—參照英文
字母索引

氣疽(氣性壞疽) (A48.0)

壞疽性膿皮症 (L88)

**R03 異常血壓(值)，未伴有(或未合併)
診斷者****R00 Abnormalities of heart beat**

Excludes: abnormalities originating in the
perinatal period (P29.1)
specified arrhythmias (I47-I49)

R00.0 Tachycardia, unspecified

Rapid heart beat

R00.1 Bradycardia, unspecified

Slow heart beat

Use additional external cause code (Chapter
XX), if desired, to identify drug, if drug-
induced.

R00.2 Palpitations

Awareness of heart beat

**R00.8 Other and unspecified abnormalities of
heart beat****R01 Cardiac murmurs and other cardiac
sounds**

Excludes: those originating in the perinatal
period (P29.8)

R01.0 Benign and innocent cardiac murmurs

Functional cardiac murmur

R01.1 Cardiac murmur, unspecified

Cardiac bruit NOS

R01.2 Other cardiac sounds

Cardiac dullness, increased or decreased

Precordial friction

R02 Gangrene, not elsewhere classified

Excludes: gangrene in:

- atherosclerosis (I70.2)
- diabetes mellitus (E10-E14 with
common fourth character .5)
- other peripheral vascular diseases
(I73.-)

gangrene of certain specified
sites—see Alphabetical Index
gas gangrene (A48.0)

pyoderma gangrenosum (L88)

**R03 Abnormal blood-pressure reading,
without diagnosis**

R03.0 血壓(值)上升，未伴有(或未合併)高血壓診斷者

註：本分類項用於病患未曾正式作成高血壓之診斷，而有單一之血壓(值)升高或是單獨(孤立)性偶發性血壓升高者。

R03.1 非特定的低血壓(值)

排除：低血壓 (I95.-)

- 神經源性直立(姿勢)性低血壓 (G90.3)

母體低血壓症候群 (O26.5)

R04 呼吸道出血

R04.0 鼻出血

鼻出血

鼻流血[流鼻血]

R04.1 咽喉出血

排除：咳(咯)血 (R04.2)

R04.2 咳(咯)血

痰帶血

出血性咳嗽

R04.8 呼吸道其他部位出血

肺出血，其他未特定者

排除：周產期肺出血 (P26.-)

R04.9 呼吸道出血，未特定者

R05 咳嗽

排除：出血性咳嗽 (R04.2)

心因性咳嗽 (F45.3)

R06 呼吸異常

排除：(下列)呼吸的：

- 停止 (R09.2)
- (下列)窘迫(症候群)：
 - 成人 (J80)
 - 新生兒 (P22.-)

R03.0 Elevated blood-pressure reading, without diagnosis of hypertension

Note: This category is to be used to record an episode of elevated blood pressure in a patient in whom no formal diagnosis of hypertension has been made, or as an isolated incidental finding.

R03.1 Nonspecific low blood-pressure reading

Excludes: hypotension (I95.-)

- neurogenic orthostatic (G90.3)

maternal hypotension syndrome (O26.5)

R04 Haemorrhage from respiratory passages

R04.0 Epistaxis

Haemorrhage from nose

Nosebleed

R04.1 Haemorrhage from throat

Excludes: haemoptysis (R04.2)

R04.2 Haemoptysis

Blood-stained sputum

Cough with haemorrhage

R04.8 Haemorrhage from other sites in respiratory passages

Pulmonary haemorrhage NOS

Excludes: perinatal pulmonary haemorrhage (P26.-)

R04.9 Haemorrhage from respiratory passages, unspecified

R05 Cough

Excludes: cough with haemorrhage (R04.2)
psychogenic cough (F45.3)

R06 Abnormalities of breathing

Excludes: respiratory:

- arrest (R09.2)
- distress (syndrome) (of):
 - adult (J80)
 - newborn (P22.-)

- 衰竭 (J96.-)
- 新生兒 (P28.5)

R06.0 呼吸困難

端坐(直立)性呼吸

呼吸短促

排除：新生兒短暫性呼吸急促 (P22.1)

R06.1 喘鳴

排除：先天性喉喘鳴 (Q31.4)

(喘鳴性)喉部痙攣 (J38.5)

R06.2 哮鳴

R06.3 週期性呼吸

Cheyne-Stokes (二氏)(式)呼吸

R06.4 過度換氣

排除：心因性過度換氣 (F45.3)

R06.5 用口呼吸

打鼾

排除：口乾，其他未特定者 (R68.2)

R06.6 打嗝

排除：心因性打嗝 (F45.3)

R06.7 (打)噴嚏

R06.8 其他及未特定的呼吸異常

呼吸暫停，其他未特定者

短暫性呼吸停止(摒氣發作)

哽塞[噎塞]感

嘆息

排除：(下列)呼吸暫停：

- 新生兒 (P28.4)
- 睡眠 (G47.3)
- 新生兒(原發性) (P28.3)

R07 咽喉及胸(部)疼痛

排除：吞嚥困難 (R13)

流行性肌痛(症) (B33.0)

下列疼痛：

- 乳房 (N64.4)
- 頸 (M54.2)

(急性)咽喉痛，其他未特定者 (J02.9)

R07.0 咽喉痛

- failure (J96.-)
- of newborn (P28.5)

R06.0 Dyspnoea

Orthopnoea

Shortness of breath

Excludes: transient tachypnoea of newborn (P22.1)

R06.1 Stridor

Excludes: congenital laryngeal stridor (Q31.4)
laryngismus (stridulus) (J38.5)

R06.2 Wheezing

R06.3 Periodic breathing

Cheyne-Stokes breathing

R06.4 Hyperventilation

Excludes: psychogenic hyperventilation (F45.3)

R06.5 Mouth breathing

Snoring

Excludes: dry mouth NOS (R68.2)

R06.6 Hiccough

Excludes: psychogenic hiccough (F45.3)

R06.7 Sneezing

R06.8 Other and unspecified abnormalities of breathing

Apnoea NOS

Breath-holding (spells)

Choking sensation

Sighing

Excludes: apnoea(of):

- newborn (P28.4)
- sleep (G47.3)
- newborn (primary)(P28.3)

R07 Pain in throat and chest

Excludes: dysphagia (R13)

epidemic myalgia (B33.0)

pain in:

- breast (N64.4)
- neck (M54.2)

sore throat (acute) NOS (J02.9)

R07.0 Pain in throat

R07.1 呼吸時胸痛

疼痛性呼吸

R07.2 前胸(胸口)疼痛**R07.3 其他胸痛**

前胸壁疼痛，其他未特定者

R07.4 胸(部疼)痛，未特定者**R07.1 Chest pain on breathing**

Painful respiration

R07.2 Precordial pain**R07.3 Other chest pain**

Anterior chest-wall pain NOS

R07.4 Chest pain, unspecified**R09 涉及循環及呼吸系統的其他症狀及徵候****排除：**(下列)呼吸的

- 窘迫(症候群)：
- 成人 (J80)
- 新生兒 (P22.-)
- 呼吸衰竭 (J96.-)
- 新生兒 (P28.5)

R09.0 窒息(絕息)**排除：**(下列原因所致的)窒息(絕息)：

- 出生 (P21.-)
- 一氧化碳[CO] (T58)
- 呼吸道異物 (T17,-)
- 子宮內 (P20.-)
- 創傷性 (T71)

R09.1 胸(肋)膜炎**排除：**伴有(合併或併發)積水的胸(肋)膜炎 (J90)**R09.2 呼吸停止**

心肺衰竭

R09.3 痰異常

痰(液) { 異常的：

- 量
- 顏色
- 異味

過多(量)

排除：痰帶血 (R04.2)**R09.8 涉及循環及呼吸系統其他特定的症狀及徵候****R09 Other symptoms and signs involving the circulatory and respiratory systems****Excludes:** respiratory:

- distress (syndrome)(of):
- adult (J80)
- newborn (P22.-)
- failure (J96.-)
- newborn (P28.5)

R09.0 Asphyxia**Excludes:** asphyxia (due to):

- birth (P21.-)
- carbon monoxide (T58)
- foreign body in respiratory tract (T17.-)
- intrauterine (P20.-)
- traumatic (T71)

R09.1 Pleurisy**Excludes:** pleurisy with effusion (J90)**R09.2 Respiratory arrest**

Cardiorespiratory failure

R09.3 Abnormal sputum

Abnormal: {

- amount
- colour
- odour

Excessive } (of) sputum

Excludes: blood-stained sputum (R04.2)**R09.8 Other specified symptoms and signs involving the circulatory and respiratory systems**

(動脈性)嘈音

胸(部)：

- 異常敲擊音
- 摩擦音
- 鼓音

囉音

弱脈

Bruit (arterial)

Chest:

- abnormal percussion
- friction sounds
- tympany

Rales

Weak pulse

涉及消化系統和腹部的症狀及徵候 (R10-R19)

排除：胃腸出血 (K92.0-K92.2)

- 新生兒 (P54.0-P54.3)

腸(道)阻塞 (K56.-)

- 新生兒 (P76.-)

幽門痙攣 (K31.3)

- 先天性或嬰兒性 (Q40.0)

涉及泌尿系統的症狀及徵候 (R30-R39)

可歸因於生殖器官的症狀：

- 女性 (N94.-)
- 男性 (N48-N50)

Symptoms and signs involving the digestive system and abdomen (R10-R19)

Excludes: gastrointestinal haemorrhage (K92.0-K92.2)

- newborn (P54.0-P54.3)

intestinal obstruction (K56.-)

- newborn (P76.-)

Pylorospasm (K31.3)

- Congenital or infantile (Q40.0)

symptoms and signs involving the urinary
system (R30-R39)

Symptoms referable to genital organs:

- female (N94.-)
- male (N48-N50)

R10 腹部及骨盆(腔)疼痛

排除：背痛 (M54.-)

(胃腸)氣脹及有關病況 (R14)

腎絞痛 (N23)

R10 Abdominal and pelvic pain

Excludes: dorsalgia (M54.-)

flatulence and related conditions
(R14)

renal colic (N23)

R10.0 腹部急症

(全身性)(局部性)(伴有或合併或併發)腹
部僵硬的)嚴重腹痛

R10.1 局限(局部)性上腹痛

上腹痛

R10.2 骨盆(腔)及會陰疼痛

R10.3 侷限於下腹其他部位的疼痛

R10.4 其他及未特定的腹痛

腹部壓痛，其他未特定者

(下列)腸絞痛：

- 其他未特定者

R10.0 Acute abdomen

Severe abdominal pain (generalized) (localized)
(with abdominal rigidity)

R10.1 Pain localized to upper abdomen

Epigastric pain

R10.2 Pelvic and perineal pain

R10.3 Pain localized to other parts of lower abdomen

R10.4 Other and unspecified abdominal pain

Abdominal tenderness NOS

Colic:

- NOS

• 嬰兒型

• infantile

R11 噁心及嘔吐

排除：吐血 (K92.0)

• 新生兒 (P54.0)

(下列)嘔吐：

• 過度(嘔吐)，於妊娠期(所致者)
(O21.-)

• 胃腸手術後 (K91.0)

• 新生兒 (P92.0)

• 心因性，其他未特定者
(F50.5)

R11 Nausea and vomiting

Excludes: haematemesis (K92.0)

• neonatal (P54.0)

vomiting (of) :

• excessive, in pregnancy (O21.-)

• following gastrointestinal surgery
(K91.0)

• newborn (P92.0)

• psychogenic NOS (F50.5)

R12 心(胸)口灼熱(感)

排除：消化不良 (K30)

R12 Heartburn

Excludes: dyspepsia (K30)

R13 吞嚥困難

吞嚥(動作)困難

R13 Dysphagia

Difficulty in swallowing

R14 胃腸脹氣及有關病況

(氣源性)腹部鼓脹

腫脹

噯氣

氣脹痛

(腹部)(腸道)鼓脹感

排除：心因性吞氣(症) (F45.3)

R14 Flatulence and related conditions

Abdominal distension (gaseous)

Bloating

Eructation

Gas pain

Tympanites (abdominal)(intestinal)

Excludes: psychogenic aerophagy (F45.3)

R15 大便失禁

遺糞症，其他未特定者

排除：源於非器質性者 (F98.1)

R15 Faecal incontinence

Encopresis NOS

Excludes: that of nonorganic origin (F98.1)

R16 肝脾腫大，他處未歸類者

R16.0 肝腫大，他處未歸類者

肝腫大，其他未特定者

R16.1 脾腫大，他處未歸類者

脾腫大，其他未特定者

R16.2 肝腫大伴有(合併或併發)脾腫大，他處未歸類者

肝脾腫大，其他未特定者

R16 Hepatomegaly and splenomegaly, not elsewhere classified

R16.0 Hepatomegaly, not elsewhere classified

Hepatomegaly NOS

R16.1 Splenomegaly, not elsewhere classified

Splenomegaly NOS

R16.2 Hepatomegaly with splenomegaly, not elsewhere classified

Hepatosplenomegaly NOS

R17 未特定的黃疸

排除：新生兒黃疸 (P55, P57-P59)

R18 腹水**R19 涉及消化系統及腹部的其他症狀及徵候**

排除：腹部急症 (R10.0)

R19.0 腹(腔)內及骨盆腔的腫脹、腫塊及小腫塊

(下列)瀰漫性或廣泛性腫脹或腫塊：

- 腹(腔)內，其他未特定者
- 骨盆(腔)，其他未特定者
- 臍部

排除：(氣源性)腹部鼓脹 (R14)

腹水 (R18)

R19.1 腸音異常

腸音消失

過度活動性腸音

R19.2 可見性腸蠕動

蠕動過度

R19.3 腹部僵硬

排除：伴有(合併或併發)嚴重腹痛者 (R10.0)

R19.4 排便習慣改變

排除：便秘 (K59.0)

功(機)能性腹瀉 (K59.1)

R19.5 其他大便異常

大便顏色異常

大便量多、膨鬆

大便含黏液

排除：黑便(症) (K92.1)

- 新生兒 (P54.1)

R19.6 口異味(口臭)**R19.8 涉及消化系統及腹部其他特定的症狀及徵候**

涉及皮膚和皮下組織的症狀及徵候 (R20-R23)

R17 Unspecified jaundice

Excludes: neonatal jaundice (P55, P57-P59)

R18 Ascites**R19 Other symptoms and signs involving the digestive system and abdomen**

Excludes: acute abdomen (R10.0)

R19.0 Intra-abdominal and pelvic swelling, mass and lump

Diffuse or generalized swelling or mass:

- intra-abdominal NOS
- pelvic NOS
- umbilical

Excludes: abdominal distension (gaseous)(R14)
ascites (R18)

R19.1 Abnormal bowel sounds

Absent bowel sounds

Hyperactive bowel sounds

R19.2 Visible peristalsis

Hyperperistalsis

R19.3 Abdominal rigidity

Excludes: that with severe abdominal pain (R10.0)

R19.4 Change in bowel habit

Excludes: constipation (K59.0)

functional diarrhoea (K59.1)

R19.5 Other faecal abnormalities

Abnormal stool colour

Bulky stools

Mucus in stools

Excludes: melaena (K92.1)

- neonatal (P54.1)

R19.6 Halitosis**R19.8 Other specified symptoms and signs involving the digestive system and abdomen**

Symptoms and signs involving the skin and subcutaneous tissue (R20-R23)

R20 皮膚感覺障礙(失調、紊亂、偏差)

排除：解離性感覺麻木及感覺喪失 (F44.6)
心因性障礙(失調、紊亂、偏差) (F45.8)

R20.0 皮膚感覺喪失**R20.1 皮膚感覺減低****R20.2 皮膚感覺異常(失調)**

蟻行感

針刺感

皮膚麻刺感

排除：肢端感覺異常 (I73.8)

R20.3 感覺增昇[過於敏感]**R20.8 其他及未特定的皮膚感覺障礙(失調、紊亂、偏差)****R21 紅疹及其他非特定的皮疹****R22 皮膚及皮下組織局部腫脹、腫塊及小塊**

包含：(局部性)(表淺性)皮下(小)結節

排除：診斷性影像檢查的異常發現 (R90-R93)

淋巴結腫大 (R59.-)

局部性肥胖(脂肪貯積) (E65)

(下列)腫塊或小腫塊：

• 乳房 (N63)

• 腹(腔)內或骨盆(腔) (R19.0)

水腫 (R60.-)

(下列)腫脹：

• 腹(腔)內或骨盆(腔) (R19.0)

• 關節 (M25.4)

R22.0 局部腫脹、腫塊及小腫塊，頭部**R22.1 局部腫脹、腫塊及小腫塊，頸部****R22.2 局部腫脹、腫塊及小腫塊，軀幹****R22.3 局部腫脹、腫塊及小腫塊，上肢****R20 Disturbances of skin sensation**

Excludes: dissociative anaesthesia and sensory loss (F44.6)
psychogenic disturbances (F45.8)

R20.0 Anaesthesia of skin**R20.1 Hypoaesthesia of skin****R20.2 Paraesthesia of skin**

Formication

Pins and needles

Tingling skin

Excludes: acroparaesthesia (I73.8)

R20.3 Hyperaesthesia**R20.8 Other and unspecified disturbances of skin sensation****R21 Rash and other nonspecific skin eruption****R22 Localized swelling, mass and lump of skin and subcutaneous tissue**

Includes: subcutaneous nodules (localized) (superficial)

Excludes: abnormal findings on diagnostic imaging (R90-R93)

enlarged lymph nodes (R59.-)

localized adiposity (E65)

mass and lump:

• breast (N63)

• intra-abdominal or pelvic (R19.0)

Oedema (R60.-)

swelling (of):

• intra-abdominal or pelvic (R19.0)

• joint (M25.4)

R22.0 Localized swelling, mass and lump, head**R22.1 Localized swelling, mass and lump, neck****R22.2 Localized swelling, mass and lump, trunk****R22.3 Localized swelling, mass and lump, upper limb**

- R22.4 局部腫脹、腫塊及小腫塊，下肢
- R22.7 局部腫脹、腫塊及小腫塊，多處部位
- R22.9 局部腫脹、腫塊及小腫塊，未特定者

R23 其他皮膚改變

R23.0 發紺

排除：肢端發紺 (I73.8)

新生兒發紺發作 (P28.2)

R23.1 蒼白

皮膚濕冷

R23.2 潮紅

過度臉紅

排除：停經及女性更年期狀態 (N95.1)

R23.3 自發性瘀斑

出血斑(點)

排除：胎兒及新生兒瘀斑 (P54.5)

紫斑(症) (D69.-)

R23.4 皮膚質地改變

皮膚 { 脫屑
硬結
鱗屑

排除：表皮增厚，其他未特定者 (L85.9)

R23.8 其他及未特定的皮膚改變

涉及神經系統和肌肉骨骼系統的症狀及徵候 (R25-R29)

R25 異常不自主運動

排除：特定性運動疾患(障礙) (G20-G26)

刻板性(重覆性)運動疾患(障礙、失調) (F98.4)

抽動疾患(障礙) (F95.-)

R25.0 異常頭部運動

R25.1 震顫，未特定者

R22.4 Localized swelling, mass and lump, lower limb

R22.7 Localized swelling, mass and lump, multiple sites

R22.9 Localized swelling, mass and lump, unspecified

R23 Other skin changes

R23.0 Cyanosis

Excludes: acrocyanosis (I73.8)

cyanotic attacks of newborn (P28.2)

R23.1 Pallor

Clammy skin

R23.2 Flushing

Excessive blushing

Excludes: menopausal and female climacteric states (N95.1)

R23.3 Spontaneous ecchymoses

Petechiae

Excludes: ecchymoses in fetus and newborn (P54.5)

purpura (D69.-)

R23.4 Changes in skin texture

Desquamation }
Induration } of skin
Scaling }

Excludes: epidermal thickening NOS (L85.9)

R23.8 Other and unspecified skin changes

Symptoms and signs involving the nervous and musculoskeletal systems (R25-R29)

R25 Abnormal involuntary movements

Excludes: specific movement disorders (G20-G26)

stereotyped movement disorders

(F98.4)

tic disorders (F95.-)

R25.0 Abnormal head movements

R25.1 Tremor, unspecified

排除：舞蹈症，其他未特定者 (G25.5)

(下列)震顫：

- 本態性 (G25.0)
- 歇斯底里性 (F44.4)
- 意向性 (G25.2)

R25.2 痛性痙攣及痙攣

排除：腕足痙攣 (R29.0)

嬰兒型痙攣 (G40.4)

R25.3 肌束抽動

顫搐、牽動，其他未特定者

R25.8 其他及未特定的異常不自主運動

Excludes: chorea NOS(G25.5)

tremor:

- essential (G25.0)
- hysterical (F44.4)
- intention (G25.2)

R25.2 Cramp and spasm

Excludes: carpopedal spasm (R29.0)

infantile spasms (G40.4)

R25.3 Fasciculation

Twitching NOS

R25.8 Other and unspecified abnormal involuntary movements

R26 步態及運動性(活動力)異常

排除：(下列)共濟失調：

- 其他未特定者 (R27.0)
 - 遺傳性 (G11.-)
 - 運動性(梅毒性) (A52.1)
- (下身癱瘓麻痺或截癱之)不活動性症候群 (M62.3)

R26.0 共濟失調性步態

蹣跚性步態

R26.1 麻痺性步態

痙攣性步態

R26.2 走動困難，他處未歸類者

R26.8 其他及未特定的步態及運動性(活動力)異常

足部(走動)不穩定，其他未特定者

R26 Abnormalities of gait and mobility

Excludes: ataxia:

- NOS (R27.0)
 - hereditary (G11.-)
 - locomotor (syphilitic)(A52.1)
- immobility syndrome (paraplegic) (M62.3)

R26.0 Ataxic gait

Staggering gait

R26.1 Paralytic gait

Spastic gait

R26.2 Difficulty in walking, not elsewhere classified

R26.8 Other and unspecified abnormalities of gait and mobility

Unsteadiness on feet NOS

R27 其他協同(協調)缺乏(症)

排除：共濟失調性步態 (R26.0)

遺傳性共濟失調 (G11.-)

眩暈，其他未特定者 (R42)

R27.0 共濟失調，未特定者

R27.8 其他及未特定的協同(協調)缺乏(症)

R27 Other lack of coordination

Excludes: ataxic gait (R26.0)

hereditary ataxia (G11.-)

vertigo NOS (R42)

R27.0 Ataxia, unspecified

R27.8 Other and unspecified lack of coordination

R29 涉及神經及肌肉骨骼系統的其他症狀及徵候

R29 Other symptoms and signs involving the nervous and musculoskeletal systems

R29.0 強直性痙攣

腕足痙攣

排除：(下列)強直性痙攣：

- 歇斯底里性 (F44.5)
- 新生兒 (P71.3)
- 副甲狀腺性 (E20.9)
- 甲狀腺切除後 (E89.2)

R29.1 假性腦膜炎**R29.2 異常反射****排除：**異常瞳孔反射 (H57.0)

過度作嘔反射 (J39.2)

血管迷走性反應或暈厥 (R55)

R29.3 異常姿態**R29.4 彈響髖(關節)****排除：**先天性髖(關節)變形 (Q65.-)**R29.8 涉及神經及肌肉骨骼系統其他及未特定的症狀及徵候****R29.0 Tetany**

Carpopedal spasm

Excludes: tetany:

- hysterical (F44.5)
- neonatal (P71.3)
- parathyroid (E20.9)
- post-thyroidectomy (E89.2)

R29.1 Meningismus**R29.2 Abnormal reflex****Excludes:** abnormal pupillary reflex (H57.0)

hyperactive gag reflex (J39.2)

vasovagal reaction or syncope (R55)

R29.3 Abnormal posture**R29.4 Clicking hip****Excludes:** congenital deformities of hip (Q65.-)**R29.8 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems****涉及泌尿系統的症狀和徵候 (R30-R39)****R30 排尿(小便)疼痛****排除：**心因性疼痛 (F45.3)**R30.0 排尿(小便)困難**

尿急(絞)痛

R30.1 膀胱裏急後重**R30.9 排尿(小便)疼痛，未特定者**

排尿(小便)疼痛，其他未特定者

R31 未特定的血尿**排除：**復(再)發性或持續性的血尿 (N02.-)**R32 未特定的尿失禁**

遺尿(症)，其他未特定者

排除：非器質性遺尿(症) (F98.0)

壓力性及其他特定的尿失禁 (N39.3-N39.4)

Symptoms and signs involving the urinary system (R30-R39)**R30 Pain associated with micturition****Excludes:** psychogenic pain (F45.3)**R30.0 Dysuria**

Strangury

R30.1 Vesical tenesmus**R30.9 Painful micturition, unspecified**

Painful urination NOS

R31 Unspecified haematuria**Excludes:** recurrent or persistent haematuria (N02.-)**R32 Unspecified urinary incontinence**

Enuresis NOS

Excludes: nonorganic enuresis (F98.0)

stress incontinence and other specified urinary incontinence (N39.3-N39.4)

R33 尿滯(瀰)留**R34 無尿及少尿**

排除：併發於(下列)：

- 流產或異位妊娠[子宮外孕]或葡萄胎妊娠 (O00-O07, O08.4)
- 妊娠、生產及產褥期 (O26.8, O90.4)

R35 多尿

頻尿

夜尿

排除：心因性多尿 (F45.3)

R36 尿道分泌物

陰莖分泌物

尿道液漏

R39 涉及泌尿系統的其他症狀及徵候**R39.0 尿外滲****R39.1 其他的排尿(小便)困難**

排(解)尿遲滯感

尿流不順

尿流開叉

R39.2 腎外因素性尿毒症

腎前性尿毒症

R39.8 涉及泌尿系統其他及未特定的症狀及徵候**涉及認知、知覺、情緒狀態和行為的症狀及徵候 (R40-R46)**

排除：構成某種精神[心智]疾患(障礙)型式成分之病況 (F00-F99)

R40 嗜眠、靜呆及昏迷

排除：(下列)昏迷：

- 糖尿病性(E10 - E14 分類項中第 4 碼共同為 .0 者)
- 肝性 (K72.-)

R33 Retention of urine**R34 Anuria and oliguria**

Excludes: that complicating:

- abortion or ectopic or molar pregnancy (O00-O07, O08.4)
- pregnancy, childbirth and the puerperium (O26.8, O90.4)

R35 Polyuria

Frequency of micturition

Nocturia

Excludes: psychogenic polyuria (F45.3)

R36 Urethral discharge

Penile discharge

Urethrorrhoea

R39 Other symptoms and signs involving the urinary system**R39.0 Extravasation of urine****R39.1 Other difficulties with micturition**

Hesitancy of micturition

Poor urinary stream

Splitting of urinary stream

R39.2 Extrarenal uraemia

Prerenal uraemia

R39.8 Other and unspecified symptoms and signs involving the urinary system**Symptoms and signs involving cognition, perception, emotional state and behaviour (R40-R46)**

Excludes: those constituting part of a pattern of mental disorder (F00-F99)

R40 Somnolence, stupor and coma

Excludes: coma:

- diabetic (E10-E14 with common fourth character .0)
- hepatic (K72.-)

- (非糖尿病性)低血糖性昏迷 (E15)
- 新生兒性 (P91.5)
- 尿毒性 (N19)

R40.0 嗜眠

嗜睡

R40.1 靜呆

半昏迷

排除：(下列)靜呆：

- 緊張性 (F20.2)
- 憂鬱性 F31-F33)
- 解離性 (F44.2)
- 躁性 (F30.2)

R40.2 昏迷，未特定者

無意識狀態，其他未特定者

R41 涉及認知功能、察覺能力的其他症狀及徵候

排除：解離性[轉化]疾患(障礙) (F44.-)

R41.0 定向力不良(障礙、失調、異常)，未特定者

意識混亂，其他未特定者

排除：心因性定向力不良(障礙、失調、異常) (F44.8)

R41.1 順行性失憶(症)

R41.2 逆行性失憶(症)

R41.3 其他失憶(症)

失憶(症)，其他未特定者

排除：失憶症候群：

- 使用精神作用物質所致者 (F10 – F19 分類項中第 4 碼共同為 .6 者)
 - 器質性 (F04)
- 短暫性整體失憶(症) (G45.4)

R41.8 涉及認知功能、察覺能力其他及未特定的症狀及徵候

R42 頭暈及目眩(眼花)

頭輕飄感(頭暈)

- hypoglycaemic (nondiabetic) (E15)

- neonatal (P91.5)

- uraemic (N19)

R40.0 Somnolence

Drowsiness

R40.1 Stupor

Semicoma

Excludes: stupor:

- catatonic (F20.2)
- depressive (F31-F33)
- dissociative (F44.2)
- manic (F30.2)

R40.2 Coma, unspecified

Unconsciousness NOS

R41 Other symptoms and signs involving cognitive functions and awareness

Excludes: dissociative [conversion] disorders (F44.-)

R41.0 Disorientation, unspecified

Confusion NOS

Excludes: psychogenic disorientation (F44.8)

R41.1 Anterograde amnesia

R41.2 Retrograde amnesia

R41.3 Other amnesia

Amnesia NOS

Excludes: amnesic syndrome:

- due to psychoactive substance use (F10-F19 with common fourth character .6)
 - organic (F04)
- transient global amnesia (G45.4)

R41.8 Other and unspecified symptoms and signs involving cognitive functions and awareness

R42 Dizziness and giddiness

Light-headedness

眩暈，其他未特定者

排除：眩暈症候群 (H81.-)

Vertigo NOS

Excludes: vertiginous syndromes (H81.-)

R43 嗅覺及味覺障礙(失調、紊亂、偏差)

R43.0 嗅覺喪失

R43.1 嗅覺倒錯

R43.2 味覺倒錯

R43.8 其他及未特定的嗅覺及味覺障礙(失調、紊亂、偏差)

嗅覺及味覺的混合性(型)障礙(失調、紊亂、偏差)

R43 Disturbances of smell and taste

R43.0 Anosmia

R43.1 Parosmia

R43.2 Parageusia

R43.8 Other and unspecified disturbances of smell and taste

Mixed disturbance of smell and taste

R44 涉及一般(整體、廣泛)感覺及知覺的其他症狀及徵候

排除：皮膚感覺障礙(失調、紊亂、偏差) (R20.-)

R44.0 聽幻覺

R44.1 視幻覺

R44.2 其他幻覺

R44.3 幻覺，未特定者

R44.8 涉及一般(整體、廣泛)感覺及知覺之其他及未特定的症狀及徵候

R44 Other symptoms and signs involving general sensations and perceptions

Excludes: disturbances of skin sensation (R20.-)

R44.0 Auditory hallucinations

R44.1 Visual hallucinations

R44.2 Other hallucinations

R44.3 Hallucinations, unspecified

R44.8 Other and unspecified symptoms and signs involving general sensations and perceptions

R45 涉及情緒狀態的症狀及徵候

R45.0 神經質(易趨於緊張)

精神緊張

R45.1 不安及激動

R45.2 不悅感

憂慮，其他未特定者

R45.3 墮落及淡漠

R45.4 急躁及氣憤

R45.5 敵意

R45.6 身體暴力侵犯

R45.7 情緒震憾及壓力狀態，未特定者

R45.8 涉及情緒狀態的其他症狀及徵候

R45 Symptoms and signs involving emotional state

R45.0 Nervousness

Nervous tension

R45.1 Restlessness and agitation

R45.2 Unhappiness

Worries NOS

R45.3 Demoralization and apathy

R45.4 Irritability and anger

R45.5 Hostility

R45.6 Physical violence

R45.7 State of emotional shock and stress, unspecified

R45.8 Other symptoms and signs involving emotional state

R46 涉及外觀及行為的症狀及徵候

R46 Symptoms and signs involving appearance and behaviour

- R46.0 個人(人身)衛生不良
- R46.1 個人外觀怪異
- R46.2 奇特及無法解釋的行為
- R46.3 活動力過度
- R46.4 遲緩及反應不良
排除：靜呆 (R40.1)
- R46.5 懷疑及明顯規避
- R46.6 伴隨壓力事件的不當關心及專注
- R46.7 過份囉嗦(嘮叨)及瑣碎使得接觸(交往)理由模糊
- R46.8 其他涉及外觀及行為的症狀及徵候

- R46.0 Very low level of personal hygiene
- R46.1 Bizarre personal appearance
- R46.2 Strange and inexplicable behaviour
- R46.3 Overactivity
- R46.4 Slowness and poor responsiveness
Excludes: stupor (R40.1)
- R46.5 Suspiciousness and marked evasiveness
- R46.6 Undue concern and preoccupation with stressful events
- R46.7 Verbosity and circumstantial detail obscuring reason for contact
- R46.8 Other symptoms and signs involving appearance and behaviour

涉及言語和語音[發聲]的症狀及徵候 (R47-R49) Symptoms and signs involving speech and voice (R47-R49)

- R47** 言語障礙(失調、紊亂、偏差)，他處未歸類者
排除：自閉(症) (F84.0-F84.1)
言語急促混雜 (F98.6)
特定的語言發展性疾患(障礙、失調、異常) (F80.-)
口吃[結結巴巴] (F98.5)

- R47.0 言語困難及失語(症)
排除：進行性單獨(孤立)性失語(症) (G31.0)
- R47.1 構音不良及構音不能
- R47.8 其他及未特定的言語障礙(失調、紊亂、偏差)

- R48** 讀字困難及其他識別機(功)能不良(障礙、失調、異常)，他處未歸類者
排除：特定的學業技巧發展性疾患(障礙) (F81.-)
- R48.0 讀字困難及讀字不能[失讀症]
- R48.1 認識不能[失識症]
- R48.2 運用不能[失用症]
- R48.8 其他及未特定的象徵性功能不良(障礙、失調、異常)
計算不能

- R47** Speech disturbances, not elsewhere classified
Excludes: autism (F84.0-F84.1)
cluttering (F98.6)
specific developmental disorders of speech and language (F80.-)
stuttering [stammering] (F98.5)

- R47.0 Dysphasia and aphasia
Excludes: progressive isolated aphasia (G31.0)
- R47.1 Dysarthria and anarthria
- R47.8 Other and unspecified speech disturbances

- R48** Dyslexia and other symbolic dysfunctions, not elsewhere classified
Excludes: specific developmental disorders of scholastic skills (F81.-)
- R48.0 Dyslexia and alexia
- R48.1 Agnosia
- R48.2 Apraxia
- R48.8 Other and unspecified symbolic dysfunctions
Acalculia

書寫不能

Agraphia

R49 語音[發聲]障礙(失調、紊亂、偏差)

排除：心因性語音[發聲]障礙(失調、紊亂、偏差) (F44.4)

R49.0 發聲不良(困難)

沙啞

R49.1 發聲不能

失聲

R49.2 鼻音過重及鼻音過輕

R49.8 其他及未特定的語音[發聲]障礙(失調、紊亂、偏差)

語音[發聲]改變，其他未特定者

R49 Voice disturbances

Excludes: psychogenic voice disturbance (F44.4)

R49.0 Dysphonia

Hoarseness

R49.1 Aphonía

Loss of voice

R49.2 Hypernasality and hyponasality

R49.8 Other and unspecified voice disturbances

Change in voice NOS

一般(整體、廣泛)症狀和徵候 (R50-R69)

General symptoms and signs (R50-R69)

R50 不明熱

排除：(於下列之)不明熱：

• 產程[臨產]性 (O75.2)

• 新生兒 (P81.9)

產褥期發熱，其他未特定者 (O86.4)

R50.0 發熱伴有(合併或併發)寒顫

發燒伴有(合併或併發)僵直

R50.1 持續性發熱

R50.9 發熱，未特定者

過度發熱，其他未特定者

發熱，其他未特定者

排除：麻醉所致的惡性體溫過高 (T88.3)

R50 Fever of unknown origin

Excludes: fever of unknown origin (during)(in):

• labour (O75.2)

• newborn (P81.9)

puerperal pyrexia NOS (O86.4)

R50.0 Fever with chills

Fever with rigors

R50.1 Persistent fever

R50.9 Fever, unspecified

Hyperpyrexia NOS

Pyrexia NOS

Excludes: malignant hyperthermia due to anaesthesia (T88.3)

R51 頭痛

顏面疼痛，其他未特定者

排除：非典型顏面疼痛 (G50.1)
偏頭痛及其他頭痛症候群 (G43-G44)
三叉神經痛 (G50.0)

R51 Headache

Facial pain NOS

Excludes: atypical facial pain (G50.1)

migraine and other headache

syndromes (G43-G44)

trigeminal neuralgia (G50.0)

R52 疼痛，他處未歸類者

R52 Pain, not elsewhere classified

包含：非屬任何器官或身體區段(部位)
的疼痛

排除：慢性疼痛人格症候群 (F62.8)

頭痛 (R51)

(下列)疼痛：

- 腹(部) (R10.-)
- 背(部) (M54.9)
- 乳房 (N64.4)
- 胸(部) (R07.1-R07.4)
- 耳 (H92.0)
- 眼 (H57.1)
- 關節 (M25.5)
- 肢體 (M79.6)
- 腰(部) (M54.5)
- 骨盆(腔)及會陰 (R10.2)
- 心因性 (F45.4)
- 肩(部) (M75.8)
- 脊椎(柱) (M54.-)
- 咽喉 (R07.0)
- 舌 (K14.6)
- 牙(齒)、(牙)齒 (K08.8)

腎絞痛 (N23)

Includes: pain not referable to any one organ or
body region

Excludes: chronic pain personality syndrome
(F62.8)

headache (R51)

pain (in):

- abdomen (R10.-)
- back (M54.9)
- breast (N64.4)
- chest (R07.1-R07.4)
- ear (H92.0)
- eye (H57.1)
- joint (M25.5)
- limb (M79.6)
- lumbar region (M54.5)
- pelvic and perineal (R10.2)
- psychogenic (F45.4)
- shoulder (M75.8)
- spine (M54.-)
- throat (R07.0)
- tongue (K14.6)
- tooth (K08.8)

renal colic (N23)

R52.0 急性疼痛

R52.1 慢性頑劣性疼痛

R52.2 其他慢性疼痛

R52.9 疼痛，未特定者

全身性疼痛，其他未特定者

R52.0 Acute pain

R52.1 Chronic intractable pain

R52.2 Other chronic pain

R52.9 Pain, unspecified

Generalized pain NOS

R53 不適及疲勞倦怠

無力(感)，其他未特定者

(下列)虛弱：

- 其他未特定者
- 慢性
- 緊張性(神經性)

全身體能衰退

嗜睡

疲倦

排除：(下列)虛弱：

R53 Malaise and fatigue

Asthenia NOS

Debility:

- NOS
- chronic
- nervous

General physical deterioration

Lethargy

Tiredness

Excludes: debility:

- 先天性 (P96.9)
 - 老年(衰老)性 (R54)
- (下列所致的)耗竭及疲勞倦怠：
- 格鬥 (F43.0)
 - 過度用力 (F73.3)
 - 暴露 (T73.2)
 - 熱 (T67.-)
 - 神經衰弱 (F48.0)
 - 妊娠 (O26.8)
 - 老年(衰老)性無力(感) (R54)
- 疲勞症候群 (F48.0)
- 病毒(感染)後 (G93.3)

- congenital (P96.9)
 - senile (R54)
- exhaustion and fatigue (due to)(in):
- combat (F43.0)
 - excessive exertion (T73.3)
 - exposure (T73.2)
 - heat (T67.-)
 - neurasthenia (F48.0)
 - pregnancy (O26.8)
 - senile asthenia (R54)
- fatigue syndrome (F48.0)
- postviral (G93.3)

R54 衰老／老邁／老年

未提及精神病(症) } 老年
(障礙)的 } 衰老或老邁

老年(衰老)性：

- 無力(感)
- 虛弱

排除：老年期精神病(症)(障礙) (F03)

R54 Senility

Old age } without mention of
Senescence } psychosis

Senile:

- asthenia
- debility

Excludes: senile psychosis (F03)

R55 暈厥及虛脫

短暫性意識喪失

暈倒(厥)

排除：神經循環性虛弱(無力) (F45.3)

姿勢(直立)性低血壓 (I95.1)

- 神經性 (G90.3)

(下列)休克：

- 其他未特定者 (R57.9)
- 心(臟)源性 (R57.0)
- 併發或繼發於：
 - 流產或異位妊娠[子宮外孕]
或葡萄胎妊娠
(O00-O07, O08.3)
 - 產程[臨產]及分娩 (O75.1)
- 手術後 (T81.1)

Stokes-Adams (二氏)發作 (I45.9)

暈厥：

- 頸動脈竇 (G90.0)
- 熱 (T67.1)
- 心因性 (F48.8)

R55 Syncope and collapse

Blackout

Fainting

Excludes: neurocirculatory asthenia (F45.3)

orthostatic hypotension (I95.1)

- neurogenic (G90.3)

shock:

- NOS (R57.9)
- cardiogenic (R57.0)
- complicating or following:
 - abortion or ectopic or molar
pregnancy (O00-O07, O08.3)

- labour and delivery (O75.1)

- postoperative (T81.1)

Stokes-Adams attack (I45.9)

syncope:

- carotid sinus (G90.0)
- heat (T67.1)
- psychogenic (F48.8)

無意識狀態，其他未特定者
(R40.2)

unconsciousness NOS (R40.2)

R56 抽搐(驚厥、全身痙攣)，他處未歸類者

排除：(下列)抽搐(驚厥、全身痙攣)及發作：

- 解離性 (F44.5)
- 癲癇 (G40-G41)
- 新生兒 (P90)

R56.0 熱性抽搐(驚厥、全身痙攣)

R56.8 其他及未特定的抽搐(驚厥、全身痙攣)

(抽搐)發作，其他未特定者

(抽搐性、驚厥性、全身痙攣性)發作，其他未特定者

R56 Convulsions, not elsewhere classified

Excludes: convulsions and seizures (in):

- dissociative (F44.5)
- epilepsy (G40-G41)
- newborn (P90)

R56.0 Febrile convulsions

R56.8 Other and unspecified convulsions

Fit NOS

Seizure (convulsive) NOS

R57 休克，他處未歸類者

排除：(下列所致之)休克

- 麻醉 (T88.2)
- 過敏性(下列所致者)：
 - 其他未特定者 (T78.2)
 - 不良(有害、負向)食物反應 (T78.0)
 - 血清 (T80.5)
- 併發於或繼發於流產或異位妊娠[子宮外孕]或葡萄胎妊娠 (O03-O07, O08.3)
- 電的 (T75.4)
- 雷(閃)電性 (T75.0)
- 產科的 (O75.1)
- 手術後 (T81.1)
- 精神性 (F43.0)
- 敗血性 (A41.9)
- 創傷性 (T79.4)

(中)毒性休克症候群 (A48.3)

R57.0 心(臟)源性休克

R57.1 低血容性休克

R57.8 其他休克

內毒素性休克

R57.9 休克，未特定者

R57 Shock, not elsewhere classified

Excludes: shock (due to):

- anaesthesia (T88.2)
- anaphylactic (due to):
 - NOS (T78.2)
 - adverse food reaction (T78.0)
- serum (T80.5)
- complicating or following abortion or ectopic or molar pregnancy (O00-O07, O08.3)
- electric (T75.4)
- lightning (T75.0)
- obstetric (O75.1)
- postoperative (T81.1)
- psychic (F43.0)
- septic (A41.9)
- traumatic (T79.4)

toxic shock syndrome (A48.3)

R57.0 Cardiogenic shock

R57.1 Hypovolaemic shock

R57.8 Other shock

Endotoxic shock

R57.9 Shock, unspecified

周邊循環衰竭，其他未特定者

Failure of peripheral circulation NOS

R58 出血，他處未歸類者

出血，其他未特定者

R58 Haemorrhage, not elsewhere classified

Haemorrhage NOS

R59 淋巴結腫大

包含：腺體腫脹

排除：淋巴腺炎：

- 其他未特定者 (I88.9)
- 急性 (L04.-)
- 慢性 (I88.1)
- (急性)(慢性)腸系膜的 (I88.0)

R59 Enlarged lymph nodes

Includes: swollen glands

Excludes: lymphadenitis:

- NOS (I88.9)
- acute (L04.-)
- chronic (I88.1)
- mesenteric (acute) (chronic) (I88.0)

R59.0 局部(性)淋巴結腫大

R59.1 全身(性)淋巴結腫大

淋巴腺病變，其他未特定者

排除：人類免疫缺乏病毒[HIV]疾病(所致的)(持續性)全身性淋巴腺病變 (B23.1)

R59.9 淋巴結腫大，未特定者

R59.0 Localized enlarged lymph nodes

R59.1 Generalized enlarged lymph nodes

Lymphadenopathy NOS

Excludes: HIV disease resulting in (persistent) generalized lymphadenopathy (B23.1)

R59.9 Enlarged lymph nodes, unspecified

R60 水腫，他處未歸類者

排除：腹水 (R18)

胎兒水腫，其他未特定者 (P83.2)

水胸 (J94.8)

(下列)水腫：

- 血管神經性 (T78.3)
- 腦性 (G93.6)
 - 生產傷害所致者 (P11.0)
- 妊娠性 (O12.0)
- 遺傳性 (Q82.0)
- 喉 (J38.4)
- 營養不良 (E40-E46)
- 鼻咽 (J39.2)
- 新生兒 (P83.3)
- 咽 (J39.2)
- 肺 (J81)

R60.0 局部(局限)性水腫

R60.1 全身(性)水腫

R60 Oedema, not elsewhere classified

Excludes: ascites (R18)

hydrops fetalis NOS (P83.2)

hydrothorax (J94.8)

oedema (of):

- angioneurotic (T78.3)
- cerebral (G93.6)
 - due to birth injury (P11.0)
- gestational (O12.0)
- hereditary (Q82.0)
- larynx (J38.4)
- malnutrition (E40-E46)
- nasopharynx (J39.2)
- newborn (P83.3)
- pharynx (J39.2)
- pulmonary (J81)

R60.0 Localized oedema

R60.1 Generalized oedema

R60.9 水腫，未特定者

體液滯(瀦)留，其他未特定者

R60.9 Oedema, unspecified

Fluid retention NOS

R61 多汗症

R61.0 局部(局限)性多汗症

R61.1 廣泛性多汗症

R61.9 多汗症，未特定者

過度出汗

夜間出(盜)汗

R61 Hyperhidrosis

R61.0 Localized hyperhidrosis

R61.1 Generalized hyperhidrosis

R61.9 Hyperhidrosis, unspecified

Excessive sweating

Night sweats

R62 缺乏正常所預期的生理發育(展)

排除：青春期延遲 (E30.0)

R62.0 (生長)發育(展)指標延遲

延遲達到預期的生理發育(展)階段

(下列)延遲：

- 學語(開始講話)年齡
- 學步(開始走路)年齡

R62.8 其他缺乏正常所預期的生理發育(展)

(下列)不良(不能、無法)：

- 增加體重
- 成長發育(展)茁壯

幼稚型，其他未特定者

缺乏生長[生長不足]

身體生長發育(展)遲緩

排除：人類免疫缺乏病毒[HIV]疾病(所致)的不能(無法)成長發育(展)茁壯 (B22.2)
營養不良所致的身體生長發育(展)遲滯 (E45)

R62.9 缺乏正常所預期的生理發育(展)，未特定者

R62 Lack of expected normal physiological development

Excludes: delayed puberty (E30.0)

R62.0 Delayed milestone

Delayed attainment of expected physiological developmental stage

Late:

- talker
- walker

R62.8 Other lack of expected normal physiological development

Failure to:

- gain weight
- thrive

Infantilism NOS

Lack of growth

Physical retardation

Excludes: HIV disease resulting in failure to thrive (B22.2)

physical retardation due to malnutrition (E45)

R62.9 Lack of expected normal physiological development, unspecified

R63 有關食物及液體攝取(入)的症狀及徵候

排除：暴食症，其他未特定者 (F50.2)

非源自器質性的進(飲)食疾患 (F50.-)

營養不良 (E40-E46)

R63 Symptoms and signs concerning food and fluid intake

Excludes: bulimia NOS (F50.2)

eating disorders of nonorganic origin (F50.-)

malnutrition (E40-E46)

R63.0 厭食

喪失食慾

排除：神經性厭食症 (F50.0)

非源自器質性的食慾喪失
(F50.8)

R63.1 劇渴

過度口渴

R63.2 多食

過度進(飲)食

營養過度，其他未特定者

R63.3 餵食困難及處理不當

餵食問題，其他未特定者

排除：新生兒餵食問題 (P92.-)

非源自器質性的嬰兒餵食疾患
(F98.2)

R63.4 體重異常減輕**R63.5 體重異常增加**

排除：妊娠期體重過度增加 (O26.0)

肥胖(症) (E66.-)

R63.8 有關食物及液體攝取(入)的其他症狀及徵候**R64 惡病體質(體質耗盡)**

排除：人類免疫缺乏病毒[HIV]疾病(所致)的耗損性症候群 (B22.2)

惡性惡病體質 (C80)

營養性消瘦 (E41)

R68 其他一般(整體、廣泛)性症狀及徵候**R68.0 低體溫[體溫過低]，(與)環境低溫無關者**

排除：(下列所致的)體溫過低：

- (意外的)其他未特定者 (T68)
- 麻醉 (T88.5)
- 環境低溫 (T68)
- 新生兒 (P80.-)

R68.1 嬰兒期特有的非特定症狀

嬰兒過度哭鬧

R63.0 Anorexia

Loss of appetite

Excludes: anorexia nervosa (F50.0)

loss of appetite of nonorganic origin
(F50.8)

R63.1 Polydipsia

Excessive thirst

R63.2 Polyphagia

Excessive eating

Hyperalimentation NOS

R63.3 Feeding difficulties and mismanagement

Feeding problem NOS

Excludes: feeding problems of newborn (P92.-)

infant feeding disorder of
nonorganic origin (F98.2)

R63.4 Abnormal weight loss**R63.5 Abnormal weight gain**

Excludes: excessive weight gain in pregnancy
(O26.0)

obesity (E66.-)

R63.8 Other symptoms and signs concerning food and fluid intake**R64 Cachexia**

Excludes: HIV disease resulting in wasting
syndrome (B22.2)

malignant cachexia (C80)

nutritional marasmus (E41)

R68 Other general symptoms and signs**R68.0 Hypothermia, not associated with low environmental temperature**

Excludes: hypothermia (due to)(of):

- NOS (accidental) (T68)
- anaesthesia (T88.5)
- low environmental temperature
(T68)
- newborn (P80.-)

R68.1 Nonspecific symptoms peculiar to infancy

Excessive crying of infant

激躁性嬰兒

排除：新生兒腦興奮激躁 (P91.3)
出牙症候群 (K00.7)

R68.2 口乾，未特定者

排除：下列所致的口乾：

- 脫水 (E86)
- 乾燥症候群[Sjögren (氏)] (M35.0)

唾液腺分泌減少(不足) (K11.7)

R68.3 杵狀指

杵狀(指)甲

排除：先天性杵狀指 (Q68.1)

R68.8 其他特定的一般(整體、廣泛)性症狀及徵候

R69 不明及未特定的罹病原因(或病因)

(身體)生病不適，其他未特定者
未診斷之疾病，未侵及(未侵犯、未涉及)特定之部位或系統者

血液檢查異常發現，未有診斷者 (R70-R79)

排除：(下列)異常：

- 母體產前篩檢 (O28.-)
- (血液)凝固 (D65-D68)
- 脂肪類 (E78.-)
- 血小板及凝血球 (D69.-)
- 歸類於他處的白血球 (D70-D72)

歸類於他處的診斷性異常發現—參照
英文字母索引

胎兒、新生兒的出血及血液(學)疾患
(P50-P61)

R70 紅血球沈降率[ESR]升高及血漿黏滯性異常

R70.0 紅血球沈降率[ESR]升高

R70.1 血漿黏滯性異常

Irritable infant

Excludes: neonatal cerebral irritability (P91.3)
teething syndrome (K00.7)

R68.2 Dry mouth, unspecified

Excludes: dry mouth due to:

- dehydration (E86)
- sicca syndrome [Sjögren] (M35.0)

salivary gland hyposecretion (K11.7)

R68.3 Clubbing of fingers

Clubbing of nails

Excludes: congenital clubfinger (Q68.1)

R68.8 Other specified general symptoms and signs

R69 Unknown and unspecified causes of morbidity

Illness NOS

Undiagnosed disease, not specified as to the site or system involved

Abnormal findings on examination of blood, without diagnosis (R70-R79)

Excludes: abnormalities (of)(on):

- antenatal screening of mother (O28.-)
- coagulation (D65-D68)
- lipids (E78.-)
- platelets and thrombocytes (D69.-)
- white blood cells classified elsewhere (D70-D72)

diagnostic abnormal findings classified elsewhere—see Alphabetical Index

haemorrhagic and haematological disorders of fetus and newborn (P50-P61)

R70 Elevated erythrocyte sedimentation rate and abnormality of plasma viscosity

R70.0 Elevated erythrocyte sedimentation rate

R70.1 Abnormal plasma viscosity

R71 紅血球異常

異常紅血球：

- (組織學)形態[(組織)形態學]，其他未特定者
- 容積，其他未特定者

紅血球大小不一

異型紅血球症[紅血球形狀不一]

排除：貧血 (D50-D64)

紅血球增生(增多、增殖)症：

- (家族性)良性 (D75.0)
- 新生兒 (P61.1)
- 續發性 (D75.1)
- 真性 (D45)

R72 白血球異常，他處未歸類者

異常之白血球分類計數，其他未特定者

排除：白血球增多(症) (D72.8)

R73 血糖(值)上升

排除：糖尿病 (E10-E14)

- 於妊娠、生產及產褥期(所致者) (O24.-)

新生兒疾患 (P70.0-P70.2)

(外科)手術後低胰島素血症 (E89.1)

R73.0 葡萄糖耐受試驗異常

(下列)糖尿病：

- 化學性
- 潛伏性

葡萄糖耐受不良[葡萄糖不耐](症)

糖尿病前期

R73.9 高血糖，未特定者

R74 血清酶值異常

R74.0 轉胺酶及乳酸脫氫酶[LDH]值升高

R74.8 其他血清酶值異常

R71 Abnormality of red blood cells

Abnormal red-cell:

- morphology NOS
- volume NOS

Anisocytosis

Poikilocytosis

Excludes: anaemias (D50-D64)

polycythaemia:

- benign (familial)(D75.0)
- neonatorum (P61.1)
- secondary (D75.1)
- vera (D45)

R72 Abnormality of white blood cells, not elsewhere classified

Abnormal leukocyte differential NOS

Excludes: leukocytosis (D72.8)

R73 Elevated blood glucose level

Excludes: diabetes mellitus (E10-E14)

- in pregnancy, childbirth and the puerperium (O24.-)

neonatal disorders (P70.0-P70.2)

postsurgical hypoinsulinaemia (E89.1)

R73.0 Abnormal glucose tolerance test

Diabetes:

- chemical
- latent

Impaired glucose tolerance

Prediabetes

R73.9 Hyperglycaemia, unspecified

R74 Abnormal serum enzyme levels

R74.0 Elevation of levels of transaminase and lactic acid dehydrogenase [LDH]

R74.8 Abnormal levels of other serum enzymes

下列血清酶值異常：

- 酸性磷酸酶[ACP]
- 鹼性磷酸酶[ALP]
- 澱粉酶[amylase]
- 脂肪酶[三醯甘油脂肪酶]

R74.9 未特定的血清酶值異常

R75 人類免疫缺乏病毒[HIV]的實驗室證據

嬰兒之非結論性人類免疫缺乏病毒[HIV]
試驗發現

排除：無症狀性人類免疫缺乏病毒
[HIV]感染狀態 (Z21)

人類免疫缺乏病毒[HIV]疾病
(B20-B24)

R76 其他血清免疫學(檢查)異常發現

R76.0 抗體效價上升

排除：同種免疫，妊娠期 (O36.0-O36.1)
• 影響胎兒或新生兒 (P55.-)

R76.1 結核菌素試驗異常反應

Mantoux 試驗異常結果

R76.2 梅毒血清(學)試驗偽(假)陽性反應

Wassermann (氏)反應偽(假)陽性反應

R76.8 其他特定的血清免疫(學)檢查異常發現

免疫球蛋白值上升，其他未特定者

R76.9 血清免疫(學)檢查異常發現，未特定者

R77 血漿蛋白其他異常

排除：血漿蛋白(新陳)代謝(性)疾患
(E88.0)

R77.0 白蛋白異常

R77.1 球蛋白異常

高免疫球蛋白血症，其他未特定者

R77.2 甲(α -)胎兒蛋白異常

Abnormal level of:

- acid phosphatase
- alkaline phosphatase
- amylase
- lipase [triacylglycerol lipase]

R74.9 Abnormal level of unspecified serum enzyme

R75 Laboratory evidence of human immunodeficiency virus [HIV]

Nonconclusive HIV-test finding in infants

Excludes: asymptomatic human
immunodeficiency virus [HIV]
infection status (Z21)
human immunodeficiency virus
[HIV] disease (B20-B24)

R76 Other abnormal immunological findings in serum

R76.0 Raised antibody titre

Excludes: isoimmunization, in pregnancy
(O36.0-O36.1)
• affecting fetus or newborn (P55.-)

R76.1 Abnormal reaction to tuberculin test

Abnormal result of Mantoux test

R76.2 False-positive serological test for syphilis

False-positive Wassermann reaction

R76.8 Other specified abnormal immunological findings in serum

Raised level of immunoglobulins NOS

R76.9 Abnormal immunological finding in serum, unspecified

R77 Other abnormalities of plasma proteins

Excludes: disorders of plasma-protein
metabolism (E88.0)

R77.0 Abnormality of albumin

R77.1 Abnormality of globulin

Hyperglobulinaemia NOS

R77.2 Abnormality of alphafetoprotein

R77.8 其他特定的血漿蛋白異常

R77.9 血漿蛋白異常，未特定者

R78 藥物及其他物質的(含量)發現，
常態血液中不應出現者

排除：使用精神作用物質所致之精神
[心智]及行為疾患(障礙)
(F10-F19)

R78.0 血液中酒精的(含量)發現

必要時，可使用附加的外因編碼
(Y90.-)，以詳細考量酒精含量(值)。

R78.1 血液中鴉片類藥物(含量)的發現

R78.2 血液中的古柯鹼(含量)的發現

R78.3 血液中迷幻(藥)劑(含量)的發現

R78.4 血液中依賴(成癮)傾向其他藥物(含
量)的發現

R78.5 血液中影響精神(作用)藥物(含量)的
發現

R78.6 血液中類固醇劑(含量)的發現

R78.7 血液中重金屬異常含量值的發現

R78.8 血液中其他特定物質(含量)的發
現，而常態血液中不應發現者
血液中鋰鹽異常含量值的發現

R78.9 血液中未特定物質(含量)的發現，而
常態血液中不應發現者

R79 血液化學的其他異常發現

排除：液體、電解質或酸鹼平衡異常
(E86-E87)
無症狀性高尿酸血症 (E79.0)

高血糖，其他未特定者 (R73.9)

低血糖，其他未特定者 (E16.2)

• 新生兒的 (P70.3-P70.4)

特定之(檢查)發現供標示下列疾
患：

• 胺基酸(新陳)代謝 (E70-E72)

R77.8 Other specified abnormalities of plasma
proteins

R77.9 Abnormality of plasma protein,
unspecified

R78 Findings of drugs and other
substances, not normally found in
blood

Excludes: mental and behavioural disorders
due to psychoactive substance use
(F10-F19)

R78.0 Finding of alcohol in blood

Use additional external cause code
(Y90.-), if desired, for detail regarding
alcohol level.

R78.1 Finding of opiate drug in blood

R78.2 Finding of cocaine in blood

R78.3 Finding of hallucinogen in blood

R78.4 Finding of other drugs of addictive
potential in blood

R78.5 Finding of psychotropic drug in blood

R78.6 Finding of steroid agent in blood

R78.7 Finding of abnormal level of heavy
metals in blood

R78.8 Finding of other specified substances,
not normally found in blood
Finding of abnormal level of lithium in blood

R78.9 Finding of unspecified substance, not
normally found in blood

R79 Other abnormal findings of blood
chemistry

Excludes: abnormality of fluid, electrolyte or
acid-base balance (E86-E87)
asymptomatic hyperuricaemia
(E79.0)
hyperglycaemia NOS (R73.9)
hypoglycaemia NOS (E16.2)
• neonatal (P70.3-P70.4)
specific findings indicating disorder
of:
• amino-acid metabolism (E70-E72)

- 碳水化合物(新陳)代謝 (E73-E74)
- 脂質(新陳)代謝 (E75)

- carbohydrate metabolism (E73-E74)
- lipid metabolism (E75.-)

R79.0 血液中礦物質含量(值)異常

下列血中含量(值)異常：

- 鈷
- 銅
- 鐵
- 鎂
- 礦物質，他處未歸類者
- 鋅

排除：鋰鹽含量(值)異常 (R78.8)
礦物質(新陳)代謝(性)疾患 (E83.-)
新生兒低鎂血症 (P71.2)
營養性礦物質缺乏(症) (E58-E61)

R79.8 血液化學其他特定的異常發現

血液氣體含量(值)異常

R79.9 血液化學異常發現，未特定者

R79.0 Abnormal level of blood mineral

Abnormal blood level of:

- cobalt
- copper
- iron
- magnesium
- mineral NEC
- zinc

Excludes: abnormal level of lithium (R78.8)
disorders of mineral metabolism (E83.-)
neonatal hypomagnesaemia (P71.2)
nutritional mineral deficiency (E58-E61)

R79.8 Other specified abnormal findings of blood chemistry

Abnormal blood-gas level

R79.9 Abnormal finding of blood chemistry, unspecified

尿液檢查異常發現，未有診斷者 (R80-R82)

排除：母體產前篩檢的異常發現 (O28.-)

歸類他處的診斷性異常發現—參照英文字母索引

特定發現可供標示下列疾患：

- 胺基酸(新陳)代謝 (E70-E72)
- 碳水化合物(新陳)代謝 (E73-E74)

Abnormal findings on examination of urine, without diagnosis (R80-R82)

Excludes: abnormal findings on antenatal screening of mother (O28.-)
diagnostic abnormal findings classified elsewhere—see Alphabetical Index
specific findings indicating disorder of:
• amino-acid metabolism (E70-E72)
• carbohydrate metabolism (E73-E74)

R80 獨發(孤立)性蛋白尿

白蛋白尿，其他未特定者

Bence-Jones (二氏)蛋白尿

蛋白尿，其他未特定者

排除：(下列)蛋白尿：

- 妊娠性 (O12.1)

R80 Isolated proteinuria

Albuminuria NOS

Bence Jones proteinuria

Proteinuria NOS

Excludes: proteinuria:

- gestational (O12.1)

- 獨發(孤立)性，伴有(合併或併發)特定的(組織)形態學病灶 (N06.-)
- 姿勢(直立)性 (N39.2)
- 持續性 (N39.1)

- isolated, with specified morphological lesion (N06.-)
- orthostatic (N39.2)
- persistent (N39.1)

R81 糖尿

排除：腎性糖尿 (E74.8)

R81 Glycosuria

Excludes: renal glycosuria (E74.8)

R82 尿中其他異常發現

排除：血尿 (R31)

R82 Other abnormal findings in urine

Excludes: haematuria (R31)

R82.0 乳糜尿

排除：血絲蟲性乳糜尿(症) (B74.-)

R82.0 Chyluria

Excludes: filarial chyluria (B74.-)

R82.1 肌球蛋白尿

R82.1 Myoglobinuria

R82.2 膽汁尿

R82.2 Biliuria

R82.3 血紅素尿

R82.3 Haemoglobinuria

排除：(下列)血紅素尿：

Excludes: haemoglobinuria:

- 外因所致的溶血，他處未歸類者 (D59.6)
- 陣發性夜間(血紅素尿) [Marchiafava-Micheli (二氏)] (D59.5)

- due to haemolysis from external causes NEC (D59.6)
- paroxysmal nocturnal [Marchiafava-Micheli] (D59.5)

R82.4 丙酮尿

酮尿

R82.4 Acetonuria

Ketonuria

R82.5 尿中藥物、藥劑及生物性物質(製劑、製品、材料)含量增升

下列尿中含量增升：

- 兒茶酚胺
- 糞卟乙酸
- 17-酮固醇
- 類固醇

R82.5 Elevated urine levels of drugs, medicaments and biological substances

Elevated urine levels of:

- catecholamines
- indoleacetic acid
- 17-ketosteroids
- steroids

R82.6 尿中主要非醫藥源物質含量(值)異常

尿中重金屬含量(值)異常

R82.6 Abnormal urine levels of substances chiefly nonmedicinal as to source

Abnormal urine level of heavy metals

R82.7 尿中微生物(學)檢查異常

陽性培養結果發現

R82.7 Abnormal findings on microbiological examination of urine

Positive culture findings

R82.8 尿中細胞學及組織學檢查的異常發現

R82.8 Abnormal findings on cytological and histological examination of urine

R82.9 尿中其他及未特定的異常發現

尿中含細胞及圓柱體

R82.9 Other and unspecified abnormal findings in urine

Cells and casts in urine

晶體尿(症)

Crystalluria

黑尿(症)

Melanuria

其他體液、身體物質和組織檢查異常發現，未有診斷者 (R83-R89)

排除：下列異常發現：

- 母體產前篩檢 (O28.-)
- 下列檢查：
 - 血液，未有診斷者 (R70-R79)
 - 尿液，未有診斷者 (R80-R82)

歸類他處的診斷性異常發現—參照英文字母索引

下列第4碼細分類項適用於 R83-R89 之分類項者：

- .0 酶含量(值)異常
- .1 激素(荷爾蒙)含量(值)異常
- .2 其他藥物、藥劑及生物性物質(製劑、製品、材料)含量(值)異常
- .3 非醫藥源物質含量(值)異常
- .4 免疫學異常發現
- .5 微生物學異常發現
陽性培養發現
- .6 細胞學異常發現
子宮頸抹片異常發現
- .7 組織學異常發現
- .8 其他異常發現
染色體異常發現
- .9 未特定的異常發現

R83 腦脊髓液異常發現

R84 呼吸器官及胸腔檢體異常發現

下列之異常發現：

- 支氣管清洗物(液)
- 鼻分泌液

Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis (R83-R89)

Excludes: abnormal findings on:

- antenatal screening of mother (O28.-)
- examination of:
 - blood, without diagnosis (R70-R79)
 - urine, without diagnosis (R80-R82)

diagnostic abnormal findings classified elsewhere—see Alphabetical Index

The following fourth-character subdivisions are for use with categories R83-R89:

- .0 Abnormal level of enzymes
- .1 Abnormal level of hormones
- .2 Abnormal level of other drugs, medicaments and biological substances
- .3 Abnormal level of substances chiefly nonmedicinal as to source
- .4 Abnormal immunological findings
- .5 Abnormal microbiological findings
Positive culture findings
- .6 Abnormal cytological findings
Abnormal Papanicolaou smear
- .7 Abnormal histological findings
- .8 Other abnormal findings
Abnormal chromosomal findings
- .9 Unspecified abnormal finding

R83 Abnormal findings in cerebrospinal fluid

R84 Abnormal findings in specimens from respiratory organs and thorax

Abnormal findings in:

- bronchial washings
- nasal secretions

- 肺(肋)膜積水
- 痰(液)
- 咽喉刷檢

排除：痰帶血 (R04.2)

- pleural fluid
- sputum
- throat scrapings

Excludes: blood-stained sputum (R04.2)

R85 消化器官及腹腔檢體異常發現

下列異常發現：

- 腹膜液
- 唾液

排除：大便異常 (R19.5)

R85 Abnormal findings in specimens from digestive organs and abdominal cavity

Abnormal findings in:

- peritoneal fluid
- saliva

Excludes: faecal abnormalities (R19.5)

R86 男性生殖器官檢體異常發現

下列異常發現：

- 前列腺[攝護腺]分泌物(液)
- 精液，貯精囊液

異常精子

排除：無精子(症) (N46)

精子過少或不足(症) (N46)

R86 Abnormal findings in specimens from male genital organs

Abnormal findings in:

- prostatic secretions
- semen, seminal fluid

Abnormal spermatozoa

Excludes: azoospermia (N46)

oligospermia (N46)

R87 女性生殖器官檢體異常發現

下列分泌液及抹片異常發現：

- 子宮頸
- 陰道
- 外陰

排除：原位癌 (D05-D07.3)

異常增生(殖)：

- 子宮頸 (N87.-)
- 陰道 (N89.0-N89.3)
- 外陰 (N90.-N90.3)

R87 Abnormal findings in specimens from female genital organs

Abnormal findings in secretions and smears

from:

- cervix uteri
- vagina
- vulva

Excludes: carcinoma in situ (D05-D07.3)

dysplasia of:

- cervix uteri (N87.-)
- vagina (N89.0-N89.3)
- vulva (N90.0-N90.3)

R89 其他器官、系統及組織檢體異常發現

下列異常發現：

- 乳頭流出物(液)
- 滑(液)膜液
- 傷口泌出物(液)

R89 Abnormal findings in specimens from other organs, systems and tissues

Abnormal findings in:

- nipple discharge
- synovial fluid
- wound secretions

診斷性影像和功(機)能檢查異常發現, 未有診斷者 (R90-R94)

包含：下列診斷性影像非特定的異常發現

- 電腦斷層掃描檢查[CAT scan]
- 磁共振影像檢查[MRI]、核磁共振檢查[NMR]
- 正子斷層掃描檢查[PET scan]
- 測溫儀檢查
- 超音波檢查[超音波(圖)]
- 放射線[X-光]檢查

排除：母體產前篩檢的異常發現 (O28.-)

歸類他處的診斷性異常發現—參照英文字母索引

R90 中樞神經系統診斷性影像異常發現

R90.0 顱內佔位性病灶

R90.8 其他中樞神經系統診斷性影像異常發現
腦(部)超音波異常

R91 肺診斷性影像異常發現

錢幣形病灶，其他未特定者
肺腫塊，其他未特定者

R92 乳房診斷性影像異常發現

R93 其他身體構造診斷性影像異常發現

R93.0 顱骨及頭部診斷性影像異常發現，他處未歸類者
排除：顱內佔位性病灶 (R90.0)

R93.1 心臟及冠狀脈管循環診斷性影像異常發現
(下列)異常的：
• 心臟超音波(圖)，未特定者

Abnormal findings on diagnostic imaging and in function studies, without diagnosis (R90-R94)

Includes: nonspecific abnormal findings on diagnostic imaging by:

- computerized axial tomography [CAT scan]
- magnetic resonance imaging [MRI][NMR]
- positron emission tomography [PET scan]
- thermography
- ultrasound [echogram]
- X-ray examination

Excludes: abnormal findings on antenatal screening of mother (O28.-)

diagnostic abnormal findings classified elsewhere—see Alphabetical Index

R90 Abnormal findings on diagnostic imaging of central nervous system

R90.0 Intracranial space-occupying lesion

R90.8 Other abnormal findings on diagnostic imaging of central nervous system
Abnormal echoencephalogram

R91 Abnormal findings on diagnostic imaging of lung

Coin lesion NOS

Lung mass NOS

R92 Abnormal findings on diagnostic imaging of breast

R93 Abnormal findings on diagnostic imaging of other body structures

R93.0 Abnormal findings on diagnostic imaging of skull and head, not elsewhere classified
Excludes: intracranial space-occupying lesion (R90.0)

R93.1 Abnormal findings on diagnostic imaging of heart and coronary circulation
Abnormal:
• echocardiogram NOS

• 心臟造影或陰影

• heart shadow

R93.2 肝及膽道診斷性影像異常發現

膽囊影像未顯現

R93.3 消化道其他部位診斷性影像異常發現

R93.4 泌尿器官診斷性影像異常發現

(下列器官)充盈缺陷：

- 膀胱
- 腎
- 輸尿管

排除：腎肥大(增大、肥厚) (N28.8)

R93.5 腹(部)其他區段(部位)診斷性影像異常發現，含腹膜後[後腹腔]

R93.6 肢體診斷性影像異常發現

排除：皮膚及皮下組織異常發現
(R93.8)

R93.7 肌肉骨骼系統其他部位診斷性影像異常發現

排除：顱骨診斷性影像異常發現
(R93.0)

R93.8 其他特定身體構造診斷性影像異常發現

皮膚及皮下組織放射線[X-光]檢查異常發現
肺縱隔移位

R94 功(機)能檢查異常結果

包含：下列異常結果：

- 放射性核種[放射性同位素]攝入(吸收)性檢查
- 閃爍攝影檢查

R94.0 中樞神經系統功(機)能檢查異常結果

腦波圖[EEG]異常

R94.1 周邊神經系統及特殊感覺功(機)能檢查異常結果

R93.2 Abnormal findings on diagnostic imaging of liver and biliary tract

Nonvisualization of gallbladder

R93.3 Abnormal findings on diagnostic imaging of other parts of digestive tract

R93.4 Abnormal findings on diagnostic imaging of urinary organs

Filling defect of:

- bladder
- kidney
- ureter

Excludes: hypertrophy of kidney (N28.8)

R93.5 Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum

R93.6 Abnormal findings on diagnostic imaging of limbs

Excludes: abnormal finding in skin and subcutaneous tissue (R93.8)

R93.7 Abnormal findings on diagnostic imaging of other parts of musculoskeletal system

Excludes: abnormal findings on diagnostic imaging of skull (R93.0)

R93.8 Abnormal findings on diagnostic imaging of other specified body structures

Abnormal radiological finding in skin and subcutaneous tissue
Mediastinal shift

R94 Abnormal results of function studies

Includes: abnormal results of:

- radionuclide [radioisotope] uptake studies
- scintigraphy

R94.0 Abnormal results of function studies of central nervous system

Abnormal electroencephalogram [EEG]

R94.1 Abnormal results of function studies of peripheral nervous system and special senses

(下列)異常的：

- 肌電圖[EMG]
- 眼肌電圖[EOG]
- 視網膜電圖[ERG]
- 神經刺激反應
- 視覺激電(激發電位)圖[VEP]

Abnormal:

- electromyogram [EMG]
- electro-oculogram [EOG]
- electroretinogram [ERG]
- response to nerve stimulation
- visually evoked potential [VEP]

R94.2 肺功(機)能檢查異常結果

(下列)減少或降低：

- 肺換氣量
- 肺活量

R94.2 Abnormal results of pulmonary function studies

Reduced:

- ventilatory capacity
- vital capacity

R94.3 心臟血管功(機)能檢查異常結果

(下列)異常的：

- 心電圖[ECG][EKG]
- 心臟(內)電(氣)生理檢查
- 心音圖
- 向量心電圖

R94.3 Abnormal results of cardiovascular function studies

Abnormal:

- electrocardiogram [ECG][EKG]
- electrophysiological intracardiac studies
- phonocardiogram
- vectorcardiogram

R94.4 腎功(機)能檢查異常結果

腎功(機)能試驗異常

R94.5 肝功(機)能檢查異常結果

R94.6 甲狀腺功(機)能檢查異常結果

R94.7 其他內分泌功(機)能檢查異常結果

排除：葡萄糖耐受試驗異常 (R73.0)

R94.8 其他器官及系統功(機)能檢查的異常結果

(下列)異常的：

- 基礎代謝率[BMR]
- 膀胱功(機)能試驗
- 脾(臟)功(機)能試驗

R94.4 Abnormal results of kidney function studies

Abnormal renal function test

R94.5 Abnormal results of liver function studies

R94.6 Abnormal results of thyroid function studies

R94.7 Abnormal results of other endocrine function studies

Excludes: abnormal glucose tolerance test (R73.0)

R94.8 Abnormal results of function studies of other organs and systems

Abnormal:

- basal metabolic rate [BMR]
- bladder function test
- splenic function test

界定不明和未知原因[死因]的死亡 (R95-R99)

排除：未特定原因(病因)的胎兒死亡 (P95)

產科的死亡[死因]，其他未特定者 (O95)

Ill-defined and unknown causes of mortality (R95-R99)

Excludes: fetal death of unspecified cause (P95)

obstetric death NOS (O95)

R95 嬰兒猝死症候群[SIDS]

R96 其他猝死，原因(病因)不明

排除：(下列)突發性：

- 心臟猝死，如此描述者 (I46.1)
- 嬰兒死亡症候群 (R95)

R96.0 即時或瞬間死亡

R96.1 死亡發生於症狀開始後的 24 小時內，他處未解釋者

已知非因暴力或即時(瞬間)發生的死亡，但無法發現其死亡原因[死因]

未伴有(未合併或未併發)疾病徵候的死亡

R98 無他人在場的死亡

發現屍體但卻未發現原因[死因]的死亡情況

發現時已死亡

R99 其他界定不明及未特定原因(病因)的死亡

死亡，其他未特定者

不明原因(病因)的死亡

R95 Sudden infant death syndrome[SIDS]

R96 Other sudden death, cause unknown

Excludes: sudden:

- cardiac death, so described (I46.1)
- infant death syndrome (R95)

R96.0 Instantaneous death

R96.1 Death occurring less than 24 hours from onset of symptoms, not otherwise explained

Death known not to be violent or instantaneous for which no cause can be discovered

Death without sign of disease

R98 Unattended death

Death in circumstances where the body of the deceased was found and no cause could be discovered

Found dead

R99 Other ill-defined and unspecified causes of mortality

Death NOS

Unknown cause of mortality