

第十五章 妊娠、生產與產褥期 (O00-O99)

Chapter XV Pregnancy, childbirth and the puerperium (O00-O99)

排除：人類免疫缺乏病毒疾病 [HIV]
(B20-B24)
傷害、中毒與外因造成的其他影響[結果] (S00-T98)

產褥期相關的精神[心智]及行為
疾患(障礙、病症) (F53.-)
產科破傷風 (A34)
產後腦垂腺壞死 (E23.0)

產褥期軟骨症 (M83.0)

下列之監督：

- 高危險妊娠 (Z35.-)
- 正常妊娠 (Z34.-)

Excludes: human immunodeficiency virus [HIV]
disease (B20-B24)
injury, poisoning and certain other
consequences of external causes
(S00-T98)
mental and behavioural disorders
associated with the puerperium (F53.-)
obstetrical tetanus (A34)
postpartum necrosis of pituitary gland
(E23.0)
puerperal osteomalacia (M83.0)
supervision of:
• high-risk pregnancy (Z35.-)
• normal pregnancy (Z34.-)

本章包含下列各節(組群)：

This chapter contains the following blocks:

O00-O08 伴有(合併或併發)流產後果的妊娠
O10-O16 妊娠、生產和產褥期的水腫、蛋白尿及高血壓性疾患
O20-O29 主要與妊娠有關的其他母體疾患
O30-O48 與胎兒、羊膜腔和可能分娩問題有關的母體(醫療)照護
O60-O75 產程[臨產]和分娩的併發症
O80-O84 分娩
O85-O92 主要與產褥期有關的併發症
O95-O99 其他產科病況，他處未歸類者

O00-O08 Pregnancy with abortive outcome
O10-O16 Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium
O20-O29 Other maternal disorders predominantly related to pregnancy
O30-O48 Maternal care related to the fetus and amniotic cavity and possible delivery problems
O60-O75 Complications of labour and delivery
O80-O84 Delivery
O85-O92 Complications predominantly related to the puerperium
O95-O99 Other obstetric conditions, not elsewhere classified

**伴有(合併或併發)流產後果的妊娠
(O00-O08)**

**Pregnancy with abortive outcome
(O00-O08)**

排除：一個或以上胎兒流產後的繼續多胞胎妊娠
(O31.1)

O00 異位妊娠[子宮外孕]

包含：破裂的異位妊娠[子宮外孕]

必要時，可使用附加的診斷編碼

O08.-，以確認任何相關的併發症。

O00.0 腹腔妊娠

排除：腹腔內妊娠活產兒的分娩

(O83.3)

腹腔妊娠活產兒的母體(醫療)

照護 (O36.7)

O00.1 輸卵管妊娠

輸卵管妊娠

妊娠所致的輸卵管破裂

輸卵管內流產

O00.2 卵巢妊娠

O00.8 其他異位妊娠[子宮外孕]

(下列)妊娠：

- 子宮頸
- 子宮角
- 韌帶內
- 子宮壁

O00.9 異位妊娠[子宮外孕]，未特定者

O01 葡萄胎

必要時，可使用附加的診斷編碼

O08.-，以確認任何相關的併發症。

排除：惡性葡萄胎 (D39.2)

O01.0 典型葡萄胎

完全葡萄胎

O01.1 不完全及部份葡萄胎

Excludes: continuing pregnancy in multiple gestation
after abortion of one fetus or more (O31.1)

O00 Ectopic pregnancy

Includes: ruptured ectopic pregnancy

Use additional code from category O08.-, if
desired, to identify any associated
complication.

O00.0 Abdominal pregnancy

Excludes: delivery of viable fetus in abdominal
pregnancy (O83.3)
maternal care for viable fetus in
abdominal pregnancy (O36.7)

O00.1 Tubal pregnancy

Fallopian pregnancy

Rupture of (fallopian) tube due to pregnancy

Tubal abortion

O00.2 Ovarian pregnancy

O00.8 Other ectopic pregnancy

Pregnancy:

- cervical
- cornual
- intraligamentous
- mural

O00.9 Ectopic pregnancy, unspecified

O01 Hydatidiform mole

Use additional code from category O08.-, if
desired, to identify any associated
complication.

Excludes: malignant hydatidiform mole (D39.2)

O01.0 Classical hydatidiform mole

Complete hydatidiform mole

O01.1 Incomplete and partial hydatidiform mole

O01.9 葡萄胎，未特定者

滋養層疾病，其他未特定者

胞囊狀胎塊，其他未特定者

O01.9 Hydatidiform mole, unspecified

Trophoblastic disease NOS

Vesicular mole NOS

O02 受孕的其他異常產物(組織)

必要時，可使用附加的診斷編碼

O08.-，以確認任何相關的併發症。

排除：紙樣胎(兒)[壓扁胎(兒)] (O31.0)

O02.0 萎縮卵及非葡萄狀胎塊

(下列)胎塊：

- 肉樣的
- 肉的
- 子宮內，其他未特定者

病態性[病理性]卵

O02 Other abnormal products of conception

Use additional code from category O08.-, if desired, to identify any associated complication.

Excludes: papyraceous fetus (O31.0)

O02.0 Blighted ovum and nonhydatidiform mole

Mole:

- carneous
- fleshy
- intrauterine NOS

Pathological ovum

O02.1 滯留流產[死胎未出]

伴有(合併或併發)死胎滯留的胎兒早期死亡

排除：(下列)滯留流產伴有(合併或併發)：

- 萎縮卵 (O02.0)
- 胎塊：
 - 葡萄狀 (O01.-)
 - 非葡萄狀 (O02.0)

O02.1 Missed abortion

Early fetal death with retention of dead fetus.

Excludes: missed abortion with:

- blighted ovum (O02.0)
- mole:
 - hydatidiform (O01.-)
 - nonhydatidiform (O02.0)

O02.8 其他特定異常的受孕產物(組織)

排除：(下列)伴有(合併或併發)：

- 萎縮卵 (O02.0)
- 胎塊：
 - 葡萄狀 (O01.-)
 - 非葡萄狀 (O02.0)

O02.8 Other specified abnormal products of conception

Excludes: those with:

- blighted ovum(O02.0)
- mole:
 - hydatidiform (O01.-)
 - nonhydatidiform (O02.0)

O02.9 受孕的異常產物(組織)，未特定者

O02.9 Abnormal product of conception, unspecified

下列併用於 O03-O06 分類項的第四碼細

分類：

註：包含流產後受孕產物(組織)滯留的不完全流產。

- .0 不完全性，併發生殖道及骨盆腔感染(症)
伴有(合併或併發)O08.0 所列屬之病況
- .1 不完全性，併發延遲或過量出血
伴有(合併或併發)O08.1 所列屬之病況
- .2 不完全性，併發栓塞
伴有(合併或併發)O08.2 所列屬之病況
- .3 不完全性，伴有(或合併)其他及未特定的併發症
伴有(合併或併發)O08.3-O08.9 所列屬之病況
- .4 不完全性，未伴有(或未合併)併發症
- .5 完全或未特定性，併發生殖道及骨盆腔感染(症)
伴有(合併或併發)O08.0 所列屬之病況
- .6 完全或未特定性，併發延遲或過量出血
伴有(合併或併發)O08.1 所列屬之病況
- .7 完全或未特定性，併發栓塞
伴有(合併或併發)O08.2 所列屬之病況
- .8 完全或未特定性，伴有(或合併)其他及未特定的併發症
伴有(合併或併發)O08.3-O08.9 所列屬之病況
- .9 完全或未特定性，未伴有(或未合併)併發症

O03 自發(性)流產

[參照以上的細分類]

包 含：流產

The following fourth-character subdivisions are for use with categories O03-O06:

Note: Incomplete abortion includes retained products of conception following abortion.

- .0 Incomplete, complicated by genital tract and pelvic infection
With conditions in O08.0
- .1 Incomplete, complicated by delayed or excessive haemorrhage
With conditions in O08.1
- .2 Incomplete, complicated by embolism
With conditions in O08.2
- .3 Incomplete, with other and unspecified complications
With conditions in O08.3-O08.9
- .4 Incomplete, without complication
- .5 Complete or unspecified, complicated by genital tract and pelvic infection
With conditions in O08.0
- .6 Complete or unspecified, complicated by delayed or excessive haemorrhage
With conditions in O08.1
- .7 Complete or unspecified, complicated by embolism
With conditions in O08.2
- .8 Complete or unspecified, with other and unspecified complications
With conditions in O08.3-O08.9
- .9 Complete or unspecified, without complication

O03 Spontaneous abortion

[See above for subdivisions]

Includes: miscarriage

O04 醫療(性)流產

[參照以上的細分類]

包 含：(下列)終止妊娠：

- 合法的
 - 治療性
- 治療性流產

O05 其他流產

[參照以上的細分類]

O06 未特定的流產

[參照以上的細分類]

包 含：人工流產，其他未特定者**O07 企圖(性)流產失敗****包 含：**企圖人工引產失敗**排 除：**不完全流產 (O03-O06)**O07.0 醫療(性)流產失敗，併發生殖道及骨盆腔感染(症)**

伴有(合併或併發)O08.0 所列屬之病況

O07.1 醫療(性)流產失敗，併發延遲或過量出血

伴有(合併或併發)O08.1 所列屬之病況

O07.2 醫療(性)流產失敗，併發栓塞

伴有(合併或併發)O08.2 所列屬之病況

O07.3 醫療(性)流產失敗，伴有(或合併)其他及未特定的併發症

伴有(合併或併發)O08.3-O08.9 所列屬之病況

O07.4 醫療(性)流產失敗，未伴有(或未合併)併發症

醫療性流產失敗，其他未特定者

O07.5 其他及未特定的企圖(性)流產失敗，併發生殖道及骨盆腔感染(症)

伴有(合併或併發)O08.0 所列屬之病況

O04 Medical abortion

[See above for subdivisions]

Includes: termination of pregnancy:

- legal
 - therapeutic
- therapeutic abortion

O05 Other abortion

[See above for subdivisions]

O06 Unspecified abortion

[See above for subdivisions]

Includes: induced abortion NOS**O07 Failed attempted abortion****Includes:** failure of attempted induction of abortion**Excludes:** incomplete abortion (O03-O06)**O07.0 Failed medical abortion, complicated by genital tract and pelvic infection**

With conditions in O08.0

O07.1 Failed medical abortion, complicated by delayed or excessive haemorrhage

With conditions in O08.1

O07.2 Failed medical abortion, complicated by embolism

With conditions in O08.2

O07.3 Failed medical abortion, with other and unspecified complications

With conditions in O08.3-O08.9

O07.4 Failed medical abortion, without complication

Failed medical abortion NOS

O07.5 Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection

With conditions in O08.0

O07.6 其他及未特定的企圖(性)流產失敗，併發延遲或過量出血

伴有(合併或併發)O08.1 所列屬之病況

O07.7 其他及未特定的企圖(性)流產失敗，併發栓塞

伴有(合併或併發)O08.2 所列屬之病況

O07.8 其他及未特定的企圖(性)流產失敗，伴有(或合併)其他及未特定的併發症

伴有(合併或併發)O08.3-O08.9 所列屬之病況

O07.9 其他及未特定的企圖性流產失敗，未伴有(或未合併)併發症
企圖(性)流產失敗，其他未特定者

O08 流產、異位妊娠[子宮外孕]及葡萄胎妊娠後的併發症

註：這些編碼主要是提供罹病之編碼，使用這些分類項應參照本書第一卷(WHO原第二卷)的罹病編碼準則及指引。

O08.0 流產、異位妊娠[子宮外孕]及葡萄胎妊娠後的生殖道及骨盆腔感染(症)

子宮內膜炎
卵巢炎
子宮旁(組織)炎
骨盆腔腹膜炎
輸卵管炎
輸卵管卵巢炎
敗血症
敗血性休克
菌血症

可歸類在 O00-O07
病況之後發生者

排除：敗血性或敗血膿毒血性栓塞

(O08.2)

泌尿道[尿路]感染(症) (O08.8)

O07.6 Other and unspecified failed attempted abortion, complicated by delayed or excessive haemorrhage

With conditions in O08.1

O07.7 Other and unspecified failed attempted abortion, complicated by embolism

With conditions in O08.2

O07.8 Other and unspecified failed attempted abortion, with other and unspecified complications

With conditions in O08.3-O08.9

O07.9 Other and unspecified failed attempted abortion, without complication

Failed attempted abortion NOS

O08 Complications following abortion and ectopic and molar pregnancy

Note: This code is provided primarily for morbidity coding. For use of this category reference should be made to the morbidity coding rules and guidelines in Volume 2.

O08.0 Genital tract and pelvic infection following abortion and ectopic and molar pregnancy

Endometritis
Oophoritis
Parametritis
Pelvic peritonitis
Salpingitis
Salpingo-oophoritis
Sepsis
Septic shock
Septicaemia

following conditions
classifiable to
O00-O07

Excludes: septic or septicopyaemic embolism

(O08.2)

urinary tract infection (O08.8)

**O08.1 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的延遲或過量出血**

無纖維蛋白原血症
脫纖維蛋白症候群
血管內凝血

可歸類在 **O00-O07**
病況之後發生者

**O08.1 Delayed or excessive haemorrhage
following abortion and ectopic and
molar pregnancy**

Afibrinogenaemia
Defibrination syndrome
Intravascular coagulation

following
conditions
classifiable to
O00-O07

**O08.2 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的栓塞**

(下列)栓塞：

- 其他未特定者
- 空氣
- 羊水
- 血塊
- 肺的
- 膿(毒)血性
- 敗血性或敗血
膿(毒)血性
- 肥皂(泡沫)

可歸類在 **O00-
O07** 病況之後
發生者

**O08.2 Embolism following abortion and
ectopic and molar pregnancy**

Embolism:

- NOS
- air
- amniotic fluid
- blood-clot
- pulmonary
- pyaemic
- septic or
septicopyaemic
- soap

following
conditions
classifiable to
O00-O07

**O08.3 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的休克**

循環性虛脫
(手術後)休克

可歸類在 **O00-O07**
病況之後發生者

排除：敗血性休克 (O08.0)

**O08.3 Shock following abortion and ectopic
and molar pregnancy**

Circulatory collapse
Shock (postoperative)

following conditions
classifiable to
O00-O07

Excludes: septic shock (O08.0)

**O08.4 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的腎衰竭**

少尿(症)
腎的：

- (急性)衰竭
- 關閉[閉尿]
- 腎小管壞死

尿毒症

可歸類在 **O00-O07**
病況之後發生者

**O08.4 Renal failure following abortion and
ectopic and molar pregnancy**

Oliguria
Renal:

- failure(acute)
- shutdown
- tubular necrosis

Uraemia

following conditions
classifiable to O00-O07

**O08.5 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的(新陳)代謝(性)疾患**

可歸類在 **O00-O07** 病況後的電解質不
平衡(失衡)

**O08.5 Metabolic disorders following abortion
and ectopic and molar pregnancy**

Electrolyte imbalance following conditions
classifiable to O00-O07

**O08.6 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的骨盆腔器官及組織損傷**

(下列)裂傷、穿孔、撕裂或化學性損傷：

- 膀胱
 - 腸
 - 闊韌帶
 - 子宮頸
 - 尿道周圍組織
 - 子宮
- 可歸類 **O00-O07**
病況之後發生者

**O08.7 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的其他靜脈併發症**

**O08.8 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的其他併發症**

- 心跳停止(停搏)
 - 尿路感染(症)
- 可歸類在 **O00-O07**
病況之後發生者

**O08.9 流產、異位妊娠[子宮外孕]及葡萄胎
妊娠後的併發症，未特定者**

可歸類在 **O00-O07** 病況之後未特定的
併發症

**妊娠、生產和產褥期的水腫、蛋白尿及
高血壓性疾患 (O10-O16)**

**O10 既存的高血壓併發於妊娠、生產
及產褥期**

包 含：伴有(合併或併發)既存蛋白尿所
列屬之病況

**O08.6 Damage to pelvic organs and tissues
following abortion and ectopic and
molar pregnancy**

Laceration, perforation, tear or chemical damage
of:

- bladder
 - bowel
 - broad ligament
 - cervix
 - periurethral tissue
 - uterus
- following
conditions
classifiable
to O00-O07

**O08.7 Other venous complications following
abortion and ectopic and molar
pregnancy**

**O08.8 Other complications following abortion
and ectopic and molar pregnancy**

- Cardiac arrest
 - Urinary tract infection
- following conditions
classifiable to
O00-O07

**O08.9 Complication following abortion and
ectopic and molar pregnancy,
unspecified**

Unspecified complication following
conditions classifiable to O00-O07

**Oedema, proteinuria and hypertensive
disorders in pregnancy, childbirth and the
puerperium (O10-O16)**

**O10 Pre-existing hypertension
complicating pregnancy, childbirth
and the puerperium**

Includes: the listed conditions with pre-existing
proteinuria

排除：伴有(合併或併發)增加或加重的
蛋白尿 (O11)

**O10.0 既存的本態性高血壓併發於妊娠、
生產及產褥期**

I10 中所列屬之任何病況，特定為妊
娠、生產及產褥期產科照護的理由

**O10.1 既存的高血壓性心臟疾病併發於妊
娠、生產及產褥期**

I11.- 中所列屬之任何病況，特定為妊
娠、生產及產褥期產科照護的理
由

**O10.2 既存的高血壓性腎臟疾病併發於妊
娠、生產及產褥期**

I12.- 中所列屬之任何病況，特定為妊
娠、生產及產褥期產科照護的理
由者

**O10.3 既存的高血壓性心臟及腎臟疾病併
發於妊娠、生產及產褥期**

I13.- 中所列屬之任何病況，特定為妊
娠、生產及產褥期產科照護之理
由

**O10.4 既存的血管性高血壓併發於妊娠、
生產及產褥期**

I15.- 中所列屬之任何病況，特定為妊
娠、生產及產褥期產科照護之理
由

**O10.9 未特定既存的高血壓併發於妊娠、
生產或產褥期**

**O11 既存的高血壓性疾患伴有(合併
或併發)加重的蛋白尿**

Excludes: that with increased or superimposed
proteinuria (O11)

**O10.0 Pre-existing essential hypertension
complicating pregnancy, childbirth and
the puerperium**

Any condition in I10 specified as a reason
for obstetric care during pregnancy,
childbirth or the puerperium

**O10.1 Pre-existing hypertensive heart disease
complicating pregnancy, childbirth and
the puerperium**

Any condition in I11.- specified as a reason
for obstetric care during pregnancy,
childbirth or the puerperium

**O10.2 Pre-existing hypertensive renal disease
complicating pregnancy, childbirth and
the puerperium**

Any condition in I12.- specified as a reason
for obstetric care during pregnancy,
childbirth or the puerperium

**O10.3 Pre-existing hypertensive heart and
renal disease complicating pregnancy,
childbirth and the puerperium**

Any condition in I13.- specified as a reason
for obstetric care during pregnancy,
childbirth or the puerperium

**O10.4 Pre-existing secondary hypertension
complicating pregnancy, childbirth and
the puerperium**

Any condition in I15.- specified as a reason
for obstetric care during pregnancy,
childbirth or the puerperium

**O10.9 Unspecified pre-existing hypertension
complicating pregnancy, childbirth and
the puerperium**

**O11 Pre-existing hypertensive disorder
with superimposed proteinuria**

O10.-所列屬之病況併發蛋白尿增加

疊積(或加重)的子癇前症

Conditions in O10.- complicated by
increased proteinuria

Superimposed pre-eclampsia

O12 未伴有(未合併或未併發)高血壓
的妊娠性水腫及蛋白尿

O12.0 妊娠性水腫

O12.1 妊娠性蛋白尿

O12.2 伴有(合併或併發)蛋白尿的妊娠性
水腫

O12 Gestational [pregnancy-induced]
oedema and proteinuria without
hypertension

O12.0 Gestational oedema

O12.1 Gestational proteinuria

O12.2 Gestational oedema with proteinuria

O13 未伴有(未合併或未併發)明顯蛋
白尿的妊娠性高血壓

妊娠性高血壓，其他未特定者

輕度子癇前症

O13 Gestational [pregnancy-induced]
hypertension without significant
proteinuria

Gestational hypertension NOS

Mild pre-eclampsia

O14 伴有(合併或併發)明顯蛋白尿的
妊娠性高血壓

排除：疊積(或加重)的子癇前症 (O11)

O14.0 中度子癇前症

O14.1 重度子癇前症

O14.9 子癇前症，未特定者

O14 Gestational [pregnancy-induced]
hypertension with significant
proteinuria

Excludes: superimposed pre-eclampsia (O11)

O14.0 Moderate pre-eclampsia

O14.1 Severe pre-eclampsia

O14.9 Pre-eclampsia, unspecified

O15 子癇

包含：伴隨 O10-O14 及 O16 所列屬
病況之痙攣(抽搐)

O15.0 妊娠子癇症

O15.1 產程[臨產]子癇症

O15.2 產褥期子癇症

O15.9 子癇症，未特定期間者
子癇症，其他未特定者

O15 Eclampsia

Includes: convulsions following conditions in
O10-O14 and O16

O15.0 Eclampsia in pregnancy

O15.1 Eclampsia in labour

O15.2 Eclampsia in the puerperium

O15.9 Eclampsia, unspecified as to time period
Eclampsia NOS

O16 未特定的母體高血壓

妊娠短暫性高血壓

O16 Unspecified maternal hypertension

Transient hypertension of pregnancy

主要與妊娠有關的其他母體疾患

(O20-O29)

註：O24.-及O25分類項所列屬之病況，即使發生於生產或產褥期亦屬之。

排除：(下列)關於母體之：

- 胎兒、羊膜腔及可能分娩問題有關之母體(醫療)照護 (O30-O48)
- 歸類於他處的母體疾病，但併發於妊娠、產程[臨產]、分娩及產褥期 (O98-O99)

O20 早期妊娠出血

排除：伴有(合併或併發)流產後果的妊娠 (O00-O08)

O20.0 瀕臨(迫切)流產

特定瀕臨(迫切)流產所致的出血

O20.8 其他早期妊娠出血

O20.9 早期妊娠出血，未特定者

O21 妊娠期過度嘔吐(孕吐)

O21.0 輕度妊娠嘔吐

發生於妊娠 22 週之內或未特定的妊娠嘔吐

O21.1 妊娠嘔吐伴有(合併或併發)(新陳)代謝(性)障礙(失調、紊亂、偏差)

發生於妊娠 22 週之內之妊娠嘔吐，且伴有(合併或併發)(新陳)代謝(性)障礙(失調、紊亂、偏差)，例如：

- 碳水化合物耗竭
- 脫水
- 電解質不平衡(失衡)

O21.2 妊娠晚期嘔吐

Other maternal disorders predominantly related to pregnancy (O20-O29)

Note: Categories O24.- and O25 include the listed conditions even if they occur during childbirth or the puerperium.

Excludes: maternal:

- care related to the fetus and amniotic cavity and possible delivery problems (O30-O48)
- diseases classifiable elsewhere but complicating pregnancy, labour and delivery, and the puerperium (O98-O99)

O20 Haemorrhage in early pregnancy

Excludes: pregnancy with abortive outcome (O00-O08)

O20.0 Threatened abortion

Haemorrhage specified as due to threatened abortion

O20.8 Other haemorrhage in early pregnancy

O20.9 Haemorrhage in early pregnancy, unspecified

O21 Excessive vomiting in pregnancy

O21.0 Mild hyperemesis gravidarum

Hyperemesis gravidarum, mild or unspecified, starting before the end of the 22nd week of gestation

O21.1 Hyperemesis gravidarum with metabolic disturbance

Hyperemesis gravidarum, starting before the end of the 22nd week of gestation, with metabolic disturbance such as:

- carbohydrate depletion
- dehydration
- electrolyte imbalance

O21.2 Late vomiting of pregnancy

妊娠 22 週後的過度嘔吐

O21.8 併發於妊娠的其他嘔吐

歸類於他處疾病而併發於妊娠的嘔吐

必要時，可使用附加的診斷編碼，
以確認原因(或病因)。

O21.9 妊娠嘔吐，未特定者

O22 妊娠期靜脈併發症

排除：產科的肺栓塞 (O88.-)

所列病況為下列之併發症：

- 流產、異位妊娠[子宮外孕]
或葡萄胎妊娠
(O00-O07, O08.7)
- 生產及產褥期 (O87.-)

O22.0 妊娠期下肢靜脈曲張

妊娠期靜脈曲張，其他未特定者

O22.1 妊娠期生殖器靜脈曲張

會陰的
陰道的
外陰的

} 妊娠靜脈曲張

O22.2 妊娠期表淺性血栓靜脈炎

妊娠期下肢血栓靜脈炎

O22.3 妊娠期深部靜脈血栓形成

產前的深部靜脈血栓形成

O22.4 妊娠期痔瘡

O22.5 妊娠期大腦靜脈血栓形成

妊娠期腦部靜脈竇血栓形成

Excessive vomiting starting after 22
completed weeks of gestation

O21.8 Other vomiting complicating pregnancy

Vomiting due to diseases classified
elsewhere, complicating pregnancy

Use additional code, if desired, to identify
cause.

O21.9 Vomiting of pregnancy, unspecified

O22 Venous complications in pregnancy

Excludes : obstetric pulmonary embolism
(O88.-)

the listed conditions as
complications of:

- abortion or ectopic or molar
pregnancy (O00-O07, O08.7)
- childbirth and the puerperium
(O87.-)

O22.0 Varicose veins of lower extremity in pregnancy

Varicose veins NOS in pregnancy

O22.1 Genital varices in pregnancy

Perineal
Vaginal
Vulval

} varices in pregnancy

O22.2 Superficial thrombophlebitis in pregnancy

Thrombophlebitis of legs in pregnancy

O22.3 Deep phlebothrombosis in pregnancy

Deep-vein thrombosis, antepartum

O22.4 Haemorrhoids in pregnancy

O22.5 Cerebral venous thrombosis in pregnancy

Cerebrovenous sinus thrombosis in pregnancy

O22.8 妊娠期其他靜脈併發症

O22.9 妊娠期靜脈併發症，未特定者

(下列)妊娠期的：

- 靜脈炎，其他未特定者
- 靜脈病變，其他未特定者
- 血栓形成，其他未特定者

O23 妊娠期生殖泌尿道感染(症)

O23.0 妊娠期腎臟感染(症)

O23.1 妊娠期膀胱感染(症)

O23.2 妊娠期尿道感染(症)

O23.3 妊娠期泌尿道[尿路]其他部位感染(症)

O23.4 妊娠期未特定的泌尿道[尿路]感染(症)

O23.5 妊娠期生殖道感染(症)

O23.9 妊娠期其他及未特定的生殖泌尿道感染(症)

妊娠期生殖泌尿道感染(症)，其他未特定者

O24 妊娠期糖尿病

包 含：生產期及產褥期(所致)者

O24.0 既存的糖尿病，胰島素依賴型

O24.1 既存的糖尿病，非胰島素依賴型

O24.2 既存與營養不良有關的糖尿病

O24.3 既存的糖尿病，未特定者

O24.4 發生於妊娠期的糖尿病

妊娠型糖尿病，其他未特定者

O24.9 妊娠期糖尿病，未特定者

O22.8 Other venous complications in pregnancy

O22.9 Venous complication in pregnancy, unspecified

Gestational：

- phlebitis NOS
- phlebopathy NOS
- thrombosis NOS

O23 Infections of genitourinary tract in pregnancy

O23.0 Infections of kidney in pregnancy

O23.1 Infections of bladder in pregnancy

O23.2 Infections of urethra in pregnancy

O23.3 Infections of other parts of urinary tract in pregnancy

O23.4 Unspecified infection of urinary tract in pregnancy

O23.5 Infections of the genital tract in pregnancy

O23.9 Other and unspecified genitourinary tract infection in pregnancy

Genitourinary tract infection in pregnancy NOS

O24 Diabetes mellitus in pregnancy

Includes：in childbirth and the puerperium

O24.0 Pre-existing diabetes mellitus, insulin-dependent

O24.1 Pre-existing diabetes mellitus, non-insulin-dependent

O24.2 Pre-existing malnutrition-related diabetes mellitus

O24.3 Pre-existing diabetes mellitus, unspecified

O24.4 Diabetes mellitus arising in pregnancy
Gestational diabetes mellitus NOS

O24.9 Diabetes mellitus in pregnancy, unspecified

O25 妊娠期營養不良

生產期及產褥期的營養不良

O25 Malnutrition in pregnancy

Malnutrition in childbirth and the puerperium

**O26 主要與妊娠有關其他病況的母體
(醫療)照護****O26 Maternal care for other conditions
predominantly related to pregnancy****O26.0 妊娠期體重過度增加**

排除：妊娠性水腫 (O12.0, O12.2)

O26.0 Excessive weight gain in pregnancy

Excludes : gestational oedema (O12.0, O12.2)

O26.1 妊娠期體重增加不足**O26.1 Low weight gain in pregnancy****O26.2 習慣性流產者的妊娠(醫療)照護**

排除：(下列)習慣性流產：

- 伴有(合併或併發)近期流產
(O03-O06)
- 未伴有(未合併或未併發)近
期妊娠 (N96)

O26.2 Pregnancy care of habitual aborter

Excludes : habitual aborter:

- with current abortion(O03-O06)
- without current pregnancy (N96)

O26.3 妊娠期中子宮內避孕器[IUD]滯留**O26.3 Retained intrauterine contraceptive
device in pregnancy****O26.4 妊娠期疱疹****O26.4 Herpes gestationis****O26.5 母體低血壓症候群**

仰臥低血壓症候群

O26.5 Maternal hypotension syndrome

Supine hypotensive syndrome

O26.6 妊娠、生產及產褥期肝疾患**O26.6 Liver disorders in pregnancy, childbirth
and the puerperium**

排除：產程[臨產]及分娩後的肝腎症候
群 (O90.4)

Excludes: hepatorenal syndrome following
labour and delivery (O90.4)

**O26.7 妊娠、生產及產褥期恥骨聯合的不
全脫位(白)****O26.7 Subluxation of symphysis (pubis)in
pregnancy, childbirth and the
puerperium**

排除：生產中恥骨聯合的創傷性分離
(O71.6)

Excludes : traumatic separation of symphysis
(pubis) during childbirth (O71.6)

O26.8 其他特定的妊娠有關病況**O26.8 Other specified pregnancy-related
conditions**

妊娠有關的 { 耗損(竭)及疲勞
周邊神經炎
腎疾病

Exhaustion and fatigue } pregnancy-related
Peripheral neuritis }
Renal disease }

O26.9 妊娠有關病況，未特定者**O26.9 Pregnancy-related condition,
unspecified**

O28 母體產前篩檢的異常發現

排除：歸類於他處的診斷發現—請參照
英文字索引
胎兒、羊膜腔及分娩可能發生問題有關的母體(醫療)照護
(O30-O48)

O28.0 母體產前篩檢的異常血液(學)發現

O28.1 母體產前篩檢的異常生化(學)發現

O28.2 母體產前篩檢的異常細胞(學)發現

O28.3 母體產前篩檢的異常超音波發現

O28.4 母體產前篩檢的異常放射線(學)[X-光]發現

O28.5 母體產前篩檢的異常染色體或基因發現

O28.8 母體產前篩檢的其他異常發現

O28.9 母體產前篩檢的異常發現，未特定者

O29 妊娠期麻醉併發症

包含：妊娠期間使用全身或局部麻醉(藥)劑、止痛(藥)劑其他鎮靜藥(劑)所致的母體併發症

排除：下列期間麻醉所致的併發症：

- 流產、異位妊娠[子宮外孕]或葡萄胎妊娠 (O00-O08)
- 產程[臨產]及分娩 (O74.-)
- 產褥期 (O89.-)

O28 Abnormal findings on antenatal screening of mother

Excludes: diagnostic findings classified elsewhere—see Alphabetical Index
maternal care related to the fetus and amniotic cavity and possible delivery problems (O30-O48)

O28.0 Abnormal haematological finding on antenatal screening of mother

O28.1 Abnormal biochemical finding on antenatal screening of mother

O28.2 Abnormal cytological finding on antenatal screening of mother

O28.3 Abnormal ultrasonic finding on antenatal screening of mother

O28.4 Abnormal radiological finding on antenatal screening of mother

O28.5 Abnormal chromosomal and genetic finding on antenatal screening of mother

O28.8 Other abnormal findings on antenatal screening of mother

O28.9 Abnormal finding on antenatal screening of mother, unspecified

O29 Complications of anaesthesia during pregnancy

Includes: maternal complications arising from the administration of a general or local anaesthetic, analgesic or other sedation during pregnancy

Excludes: complications of anaesthesia during:

- abortion or ectopic or molar pregnancy (O00-O08)
- labour and delivery (O74.-)
- puerperium (O89.-)

O29.0 妊娠期間麻醉所致的肺併發症

吸入性肺炎
胃內容物吸入或分泌物
之吸入，其他未特定者
Mendelson (氏)症候群
肺的壓力(性)萎(塌)陷

} 妊娠期間麻
醉所致者

O29.1 妊娠期間麻醉所致的心臟併發症

心臟：
• 停止
• 衰竭

} 妊娠期間麻醉所致者

O29.2 妊娠期間麻醉所致的中樞神經系統併發症

妊娠期間麻醉所致的腦部缺氧

O29.3 妊娠期間局部麻醉所致的毒性反應

O29.4 妊娠期間脊椎及硬膜外麻醉所致的頭痛

O29.5 妊娠期間脊椎及硬膜外麻醉所致的其他併發症

O29.6 妊娠期間的插管失敗或困難

O29.8 妊娠期間麻醉所致的其他併發症

O29.9 妊娠期間麻醉所致的併發症，未特定者

胎兒、羊膜腔和可能分娩問題有關的母
體(醫療)照護 (O30-O48)

O29.0 Pulmonary complications of anaesthesia during pregnancy

Aspiration pneumonitis
Inhalation of stomach
contents or secretions
NOS
Mendelson's syndrome
Pressure collapse of lung

} due to anaesthesia
during
pregnancy

O29.1 Cardiac complications of anaesthesia during pregnancy

Cardiac :
• arrest
• failure

} due to anaesthesia
during pregnancy

O29.2 Central nervous system complications of anaesthesia during pregnancy

Cerebral anoxia due to anaesthesia during
pregnancy

O29.3 Toxic reaction to local anaesthesia during pregnancy

O29.4 Spinal and epidural anaesthesia-induced headache during pregnancy

O29.5 Other complications of spinal and epidural anaesthesia during pregnancy

O29.6 Failed or difficult intubation during pregnancy

O29.8 Other complications of anaesthesia during pregnancy

O29.9 Complication of anaesthesia during pregnancy, unspecified

Maternal care related to the fetus and
amniotic cavity and possible delivery
problems (O30-O48)

O30 多胎妊娠

排除：特指多胎妊娠的併發症 (O31.-)

O30.0 雙胎妊娠

O30.1 三胎妊娠

O30.2 四胎妊娠

O30.8 其他多胎妊娠

O30.9 多胎妊娠，未特定者

多胎妊娠，其他未特定者

O31 特指多胎妊娠的併發症

排除：連體嬰導致胎頭骨盆比例不稱 (O33.7)

多胞胎中第二個胎兒及以上的
延遲分娩 (O63.2)

一個或以上胎兒的先露異常[胎
位不正] (O32.5)

伴有(合併或併發)阻礙性產程
[臨產] (O64-O66)

O31.0 紙樣胎(兒)

壓扁胎(兒)

O31.1 一個或以上胎兒流產後的繼續妊娠

O31.2 一個或以上胎兒子宮內死亡後的繼續妊娠

O31.8 特指多胎妊娠的其他併發症

O32 已知或疑似胎兒胎位不正(先露異常)的母體(醫療)照護

包含：所列病況作為母體觀察、住院或其他產科照護，或作為產程[臨產]開始前剖腹(術)生產理由

排除：所列病況伴有(合併或併發)阻礙性產程[臨產] (O64.-)

O30 Multiple gestation

Excludes : complications specific to multiple gestation (O31.-)

O30.0 Twin pregnancy

O30.1 Triplet pregnancy

O30.2 Quadruplet pregnancy

O30.8 Other multiple gestation

O30.9 Multiple gestation, unspecified

Multiple pregnancy NOS

O31 Complications specific to multiple gestation

Excludes : conjoined twins causing disproportion (O33.7)

delayed delivery of second twin,
triplet, etc. (O63.2)

malpresentation of one fetus or more (O32.5)

with obstructed labour (O64-O66)

O31.0 Papyraceous fetus

Fetus compressus

O31.1 Continuing pregnancy after abortion of one fetus or more

O31.2 Continuing pregnancy after intrauterine death of one fetus or more

O31.8 Other complications specific to multiple gestation

O32 Maternal care for known or suspected malpresentation of fetus

Includes: the listed conditions as a reason for observation, hospitalization or other obstetric care of the mother, or for caesarean section before onset of labour

Excludes: the listed conditions with obstructed labour (O64.-)

O32.0 不穩定胎位的母體(醫療)照護

O32.1 臀位(先露)的母體(醫療)照護

O32.2 橫位及斜位(先露)的母體(醫療)照護

產位(先露)：

- 斜位
- 橫位

O32.3 臉(面)、額及額位(先露)的母體(醫療)照護

O32.4 足月時胎頭過高的母體(醫療)照護
胎頭進入骨盆緣失敗

O32.5 多胎妊娠伴有(合併或併發)一個或以上胎兒先露異常的母體(醫療)照護

O32.6 複合胎位先露的母體(醫療)照護

O32.8 其他胎兒胎位不正(先露異常)的(母體)醫療照護

O32.9 胎兒先露異常的母體(醫療)照護，未特定者

O33 已知或疑似胎頭骨盆比例不稱的母體(醫療)照護

包 含：所列病況作為母體觀察、住院或其他產科照護，或作為產程[臨產]開始前剖腹(術)分娩的理由

排 除：所列病況伴有(合併或併發)阻礙性產程[臨產] (O65-O66)

O33.0 母體骨盆變形所致胎頭骨盆比例不稱的母體(醫療)照護

骨盆變形的所致胎頭骨盆比例不稱，其他未特定者

O32.0 Maternal care for unstable lie

O32.1 Maternal care for breech presentation

O32.2 Maternal care for transverse and oblique lie

Presentation :

- oblique
- transverse

O32.3 Maternal care for face, brow and chin presentation

O32.4 Maternal care for high head at term
Failure of head to enter pelvic brim

O32.5 Maternal care for multiple gestation with malpresentation of one fetus or more

O32.6 Maternal care for compound presentation

O32.8 Maternal care for other malpresentation of fetus

O32.9 Maternal care for malpresentation of fetus, unspecified

O33 Maternal care for known or suspected disproportion

Includes: the listed conditions as a reason for observation, hospitalization or other obstetric care of the mother, or for caesarean section before onset of labour

Excludes: the listed conditions with obstructed labour (O65-O66)

O33.0 Maternal care for disproportion due to deformity of maternal pelvic bones

Pelvic deformity causing disproportion NOS

O33.1 一般性骨盆狹窄所致胎頭骨盆比例不稱的母體(醫療)照護

其他未特定骨盆狹窄所致胎頭骨盆比例不稱

O33.2 母體骨盆(腔)入口狹窄所致胎頭骨盆比例不稱的母體(醫療)照護

(骨盆腔)入口狹窄所致的胎頭骨盆比例不稱

O33.3 骨盆(腔)出口狹窄所致胎頭骨盆比例不稱的母體(醫療)照護

中骨盆(腔)狹窄 } 導致胎頭骨盆比例
骨盆(腔)出口狹窄 } 不稱

O33.4 源自母體及胎兒混合胎頭骨盆比例不稱的母體(醫療)照護

O33.5 不尋常大胎兒所致胎頭骨盆比例不稱的母體(醫療)照護

伴有(或合併)正常形態胎兒而源自胎兒的胎頭骨盆比例不稱
胎兒之胎頭骨盆比例不稱，其他未特定者

O33.6 水腦胎兒所致胎頭骨盆比例不稱的母體(醫療)照護

O33.7 其他胎兒變形所致胎頭骨盆比例不稱的母體(醫療)照護

連體嬰
(下列)胎兒的：
• 腹水
• 水腫
• 脊膜脊髓膨出
• 薦骨畸胎瘤
• 腫瘤
} 導致胎頭骨盆比例不稱

O33.8 源自其他導致胎頭骨盆比例不稱的母體(醫療)照護

O33.9 胎頭骨盆比例不稱的母體(醫療)照護，未特定者

胎頭骨盆比例不稱，其他未特定者

O33.1 Maternal care for disproportion due to generally contracted pelvis

Contracted pelvis NOS causing disproportion

O33.2 Maternal care for disproportion due to inlet contraction of pelvis

Inlet contraction (pelvis) causing disproportion

O33.3 Maternal care for disproportion due to outlet contraction of pelvis

Mid-cavity contraction (pelvis) } causing
Outlet contraction (pelvis) } disproportion

O33.4 Maternal care for disproportion of mixed maternal and fetal origin

O33.5 Maternal care for disproportion due to unusually large fetus

Disproportion of fetal origin with normally formed fetus
Fetal disproportion NOS

O33.6 Maternal care for disproportion due to hydrocephalic fetus

O33.7 Maternal care for disproportion due to other fetal deformities

Conjoined twins
Fetal :
• ascites
• hydrops
• meningomyelocele
• sacral teratoma
• tumour
} causing disproportion

O33.8 Maternal care for disproportion of other origin

O33.9 Maternal care for disproportion, unspecified

Cephalopelvic disproportion NOS

胎頭骨盆比例不稱，其他未特定者

Fetopelvic disproportion NOS

O34 已知或疑似骨盆(腔)器官異常的母體(醫療)照護

包含：所列屬之病況作為母體觀察、住院或其他產科照護或作為產程[臨產]開始前剖腹(術)分娩的理由。

排除：所列病況伴有(合併或併發)阻礙性產程[臨產] (O65.5)

O34 Maternal care for known or suspected abnormality of pelvic organs

Includes: the listed conditions as a reason for observation, hospitalization or other obstetric care of the mother, or for caesarean section before onset of labour

Excludes: the listed conditions with obstructed labour (O65.5)

O34.0 先天性子宮畸形的母體(醫療)照護

下列母體(醫療)照護：

- 雙子宮
- 雙角子宮

O34.0 Maternal care for congenital malformation of uterus

Maternal care for :

- double uterus
- uterus bicornis

O34.1 子宮體腫瘤的母體(醫療)照護

下列母體(醫療)照護：

- 子宮體息肉
- 子宮纖維瘤

排除：子宮頸腫瘤的母體(醫療)照護 (O34.4)

O34.1 Maternal care for tumour of corpus uteri

Maternal care for :

- polyp of corpus uteri
- uterine fibroid

Excludes : maternal care for tumour of cervix (O34.4)

O34.2 先前(外科)手術所致子宮癍(疤)痕的母體(醫療)照護

先前剖腹(術)分娩所致癍(疤)痕的母體(醫療)照護

排除：前次剖腹(術)產後的陰道分娩，其他未特定者 (O75.7)

O34.2 Maternal care due to uterine scar from previous surgery

Maternal care for scar from previous caesarean section

Excludes: vaginal delivery following previous caesarean section NOS (O75.7)

O34.3 子宮頸功(機)能(閉鎖)不全的母體(醫療)照護

下列母體(醫療)照護：

- 環紮法
 - Shirodkar (氏)縫合
- } 提及或未提及子宮頸功(機)能(閉鎖)不全

O34.3 Maternal care for cervical incompetence

Maternal care for :

- cerclage
 - Shirodkar suture
- } with or without mention of cervical incompetence

O34.4 子宮頸其他異常的母體(醫療)照護

(下列)母體(醫療)照護：

- 子宮頸息肉
- 子宮頸先前的(外科)手術
- 子宮頸縮窄或狹窄
- 子宮頸腫瘤

O34.5 妊娠子宮其他異常的母體(醫療)照護

下列母體(醫療)照護：

- 妊娠子宮的
- | | |
|---|------|
| { | • 箱塞 |
| | • 脫垂 |
| | • 後屈 |

O34.6 陰道異常的母體(醫療)照護

下列母體(醫療)照護：

- 陰道先前的(外科)手術
- 陰道分隔
- (後天性)(先天性)陰道狹窄
- 陰道縮窄
- 陰道腫瘤

排除：妊娠期陰道靜脈曲張的母體(醫療)照護 (O22.1)

O34.7 外陰及會陰異常的母體(醫療)照護

(下列)母體(醫療)照護：

- 會陰纖維化
- 先前外陰或會陰(外科)手術
- 會陰僵硬
- 外陰腫瘤

排除：妊娠期外陰靜脈曲張的母體(醫療)照護 (O22.1)

O34.8 骨盆(腔)器官其他異常的母體(醫療)照護

下列母體(醫療)照護：

O34.4 Maternal care for other abnormalities of cervix

Maternal care for :

- polyp of cervix
- previous surgery to cervix
- stricture or stenosis of cervix
- tumour of cervix

O34.5 Maternal care for other abnormalities of gravid uterus

Maternal care for:

- | | | |
|---|-----------------|--------------------|
| { | • incarceration | } of gravid uterus |
| | • prolapse | |
| | • retroversion | |

O34.6 Maternal care for abnormality of vagina

Maternal care for :

- previous surgery to vagina
- septate vagina
- stenosis of vagina (acquired)(congenital)
- stricture of vagina
- tumour of vagina

Excludes: maternal care for vaginal varices in pregnancy (O22.1)

O34.7 Maternal care for abnormality of vulva and perineum

Maternal care for :

- fibrosis of perineum
- previous surgery to perineum or vulva
- rigid perineum
- tumour of vulva

Excludes: maternal care for perineal and vulval varices in pregnancy (O22.1)

O34.8 Maternal care for other abnormalities of pelvic organs

Maternal care for :

- 膀胱膨出
- (先前)骨盆(腔)底修補
- 腹部下垂
- 直腸膨出
- 骨盆(腔)底僵硬

- cystocele
- pelvic floor repair (previous)
- pendulous abdomen
- rectocele
- rigid pelvic floor

O34.9 骨盆(腔)器官異常的母體(醫療)照護，未特定者

O34.9 Maternal care for abnormality of pelvic organ, unspecified

O35 已知或疑似胎兒異常及損害的母體(醫療)照護

包含：胎兒所列屬之病況作為母體觀察、住院或其他產科照護，或作為終止妊娠的理由

排除：已知或疑似胎頭骨盆比例不稱的母體(醫療)照護 (O33.-)

O35.0 (疑似)胎兒中樞神經系統畸形的母體(醫療)照護

(下列疑似)胎兒病況的母體(醫療)照護：

- 無腦(症)
- 脊椎(柱)裂

排除：胎兒染色體異常 (O35.1)

O35.1 (疑似)胎兒染色體異常的母體(醫療)照護

O35.2 (疑似)胎兒遺傳疾病的母體(醫療)照護

排除：胎兒染色體異常 (O35.1)

O35.3 母親病毒性疾病(疑似)導致胎兒損害的母體(醫療)照護

(疑似)由母體導致胎兒損害的母體(醫療)照護：

- 巨細胞病毒感染(症)
- 風疹[德國麻疹]

O35.4 酒精(疑似)導致胎兒損害的母體(醫療)照護

O35 Maternal care for known or suspected fetal abnormality and damage

Includes: the listed conditions in the fetus as a reason for observation, hospitalization or other obstetric care of the mother, or for termination of pregnancy

Excludes: maternal care for known or suspected disproportion (O33.-)

O35.0 Maternal care for (suspected) central nervous system malformation in fetus

Maternal care for (suspected) fetal :

- anencephaly
- spina bifida

Excludes: chromosomal abnormality in fetus (O35.1)

O35.1 Maternal care for (suspected) chromosomal abnormality in fetus

O35.2 Maternal care for (suspected) hereditary disease in fetus

Excludes: chromosomal abnormality in fetus (O35.1)

O35.3 Maternal care for (suspected) damage to fetus from viral disease in mother

Maternal care for (suspected) damage to fetus from maternal :

- cytomegalovirus infection
- rubella

O35.4 Maternal care for (suspected) damage to fetus from alcohol

O35.5 藥物(疑似)導致胎兒損害的母體(醫療)照護

藥物依賴(或成癮)(疑似)導致胎兒損害的母體(醫療)照護

排除：藥物使用導致產程[臨產]及分娩中的胎兒窘迫 (O68.-)

O35.6 輻射(放射線)(疑似)導致胎兒損害的母體(醫療)照護

O35.7 其他醫療處置(疑似)導致胎兒損害的母體(醫療)照護

下列(疑似)導致胎兒損害的母體(醫療)照護：

- 羊膜穿刺(術)
- 活體組織檢查處置
- 血液(學)診察
- 子宮內避孕器裝置[IUD]
- 子宮內(外科)手術

O35.8 其他(疑似)胎兒異常及損害的母體(醫療)照護

(疑似)母體導致胎兒損害的母體(醫療)照護：

- 李士德菌(病)症
- 弓蟲(病)症

O35.9 (疑似)胎兒異常及損害的母體(醫療)照護，未特定者

O36 其他已知或疑似胎兒問題的母體(醫療)照護

包含：胎兒所列病況作為母體觀察、住院或產科照護，或作為終止妊娠的理由

排除：產程[臨產]及分娩併發的胎兒窘迫 (O68.-)
胎盤輸血症候群 (O43.0)

O35.5 Maternal care for (suspected) damage to fetus by drugs

Maternal care for (suspected) damage to fetus from drug addiction

Excludes : fetal distress in labour and delivery due to drug administration (O68.-)

O35.6 Maternal care for (suspected) damage to fetus by radiation

O35.7 Maternal care for (suspected) damage to fetus by other medical procedures

Maternal care for (suspected) damage to fetus by :

- amniocentesis
- biopsy procedures
- haematological investigation
- intrauterine contraceptive device
- intrauterine surgery

O35.8 Maternal care for other (suspected) fetal abnormality and damage

Maternal care for (suspected) damage to fetus from maternal:

- listeriosis
- toxoplasmosis

O35.9 Maternal care for (suspected) fetal abnormality and damage, unspecified

O36 Maternal care for other known or suspected fetal problems

Includes: the listed conditions in the fetus as a reason for observation, hospitalization or other obstetric care of the mother, or for termination of pregnancy

Excludes: labour and delivery complicated by fetal stress [distress] (O68.-)
placental transfusion syndromes (O43.0)

O36.0 Rh(血型)因子同種免疫的母體(醫療)照護
抗 D[Rh] 因子抗體
Rh(血型)因子不合(伴有、合併或併發胎兒水腫)

O36.1 其他同種免疫的母體(醫療)照護
ABO(血型)同種免疫
同種免疫(伴有、合併或併發有胎兒水腫)，其他未特定者

O36.2 胎兒水腫的母體(醫療)照護
(下列)胎兒水腫：
• 其他未特定者
• 非同種免疫相關者

O36.3 胎兒低氧徵候的母體(醫療)照護

O36.4 子宮內胎兒死亡的母體(醫療)照護
排除：滯留流產 (O02.1)

O36.5 胎兒生長不良的母體(醫療)照護
(下列)已知或疑似的母體(醫療)照護：
• 胎兒體重不足
• 胎盤功(機)能不足
• 胎兒身體過小

O36.6 胎兒生長過度的母體(醫療)照護
已知或疑似胎兒身體過大的母體(醫療)照護

O36.7 腹腔妊娠活產兒的母體(醫療)照護

O36.8 其他特定胎兒問題的母體(醫療)照護

O36.9 胎兒問題的母體(醫療)照護，未特定者

O40 羊水過多
羊水過多、羊膜水腫

O41 羊水及胎膜其他疾患

排除：早期破水[胎膜早破] (O42.-)

O36.0 Maternal care for rhesus isoimmunization
Anti-D[Rh] antibodies
Rh incompatibility (with hydrops fetalis)

O36.1 Maternal care for other isoimmunization
ABO isoimmunization
Isoimmunization NOS (with hydrops fetalis)

O36.2 Maternal care for hydrops fetalis
Hydrops fetalis：
• NOS
• not associated with isoimmunization

O36.3 Maternal care for signs of fetal hypoxia

O36.4 Maternal care for intrauterine death
Excludes: missed abortion (O02.1)

O36.5 Maternal care for poor fetal growth
Maternal care for known or suspected：
• light-for-dates
• placental insufficiency
• small-for-dates

O36.6 Maternal care for excessive fetal growth
Maternal care for known or suspected large-for-dates

O36.7 Maternal care for viable fetus in abdominal pregnancy

O36.8 Maternal care for other specified fetal problems

O36.9 Maternal care for fetal problem, unspecified

O40 Polyhydramnios
Hydramnios

O41 Other disorders of amniotic fluid and membranes
Excludes: premature rupture of membranes (O42.-)

O41.0 羊水過少

羊水過少未提及胎膜破裂

O41.1 羊膜囊及胎膜感染(症)

羊膜炎

絨毛羊膜炎

胎膜炎

胎盤炎

O41.8 其他特定羊水及胎膜的疾患

O41.9 羊水及胎膜疾患，未特定者

O42 早期破水[胎膜早破]

O42.0 早期破水[胎膜早破]，24 小時內開始產程[臨產]

O42.1 早期破水[胎膜早破]，24 小時後開始產程[臨產]

排除：伴隨(合併或併發)經治療而延遲的產程 (O42.2)

O42.2 早期破水[胎膜早破]，經治療而延遲的產程[臨產]

O42.9 早期破水[胎膜早破]，未特定者

O43 胎盤疾患

排除：胎盤功(機)能不全導致胎兒生長不良的母體(醫療)照護 (O36.5)
前置胎盤 (O44.-)
胎盤早期剝離 (O45.-)

O43.0 胎盤輸血症候群

(下列)輸血：

- 胎兒至母體
- 母體至胎兒
- 雙胞胎間

O41.0 Oligohydramnios

Oligohydramnios without mention of rupture of membranes

O41.1 Infection of amniotic sac and membranes

Amnionitis

Chorioamnionitis

Membranitis

Placentitis

O41.8 Other specified disorders of amniotic fluid and membranes

O41.9 Disorder of amniotic fluid and membranes, unspecified

O42 Premature rupture of membranes

O42.0 Premature rupture of membranes, onset of labour within 24 hours

O42.1 Premature rupture of membranes, onset of labour after 24 hours

Excludes: with labour delayed by therapy (O42.2)

O42.2 Premature rupture of membranes, labour delayed by therapy

O42.9 Premature rupture of membranes, unspecified

O43 Placental disorders

Excludes: maternal care for poor fetal growth due to placental insufficiency (O36.5)
placenta praevia (O44.-)
premature separation of placenta [abruptio placentae] (O45.-)

O43.0 Placental transfusion syndromes

Transfusion：

- fetomaternal
- maternofetal
- twin-to-twin

O43.1 胎盤畸形

異常胎盤，其他未特定者

廓狀胎盤

O43.8 其他胎盤疾患

(下列)胎盤：

- 功(機)能不良(障礙、失調、異常)
- 梗塞

O43.9 胎盤疾患，未特定者

O44 前置胎盤

O44.0 特定未伴有(未合併或未併發)出血的前置胎盤

未伴有(未合併或未併發)出血特定的低位
(著床)胎盤

O44.1 伴有(合併或併發)出血的前置胎盤

低位(著床)胎盤，其他未特定或伴有(合併或併發)出血

(下列)前置胎盤：

- 邊緣
 - 部份
 - 全部
- 其他未特定或伴有
(合併或併發)出血

排除：產程[臨產]及分娩併發前置血管
出血 (O69.4)

O45 胎盤早期剝離

O45.0 伴有(合併或併發)凝血缺陷的胎盤早期剝離

胎盤早期剝離伴有(合併或併發)下列相關的(過量)出血：

- 纖維蛋白原缺乏血症
- 散播性血管內凝血[DIC]症
- 高纖維蛋白分解(裂解、崩解)
- 低纖維蛋白原血症

O45.8 其他胎盤早期剝離

O43.1 Malformation of placenta

Abnormal placenta NOS

Circumvallate placenta

O43.8 Other placental disorders

Placental:

- dysfunction
- infarction

O43.9 Placental disorder, unspecified

O44 Placenta praevia

O44.0 Placenta praevia specified as without haemorrhage

Low implantation of placenta specified as
without haemorrhage

O44.1 Placenta praevia with haemorrhage

Low implantation of placenta, NOS or with
haemorrhage

Placenta praevia：

- marginal
 - partial
 - total
- NOS or with haemorrhage

Excludes: labour and delivery complicated by
haemorrhage from vasa praevia
(O69.4)

O45 Premature separation of placenta [abruptio placentae]

O45.0 Premature separation of placenta with coagulation defect

Abruptio placentae with (excessive)
haemorrhage associated with:

- afibrinogenaemia
- disseminated intravascular coagulation
- hyperfibrinolysis
- hypofibrinogenaemia

O45.8 Other premature separation of placenta

O45.9 胎盤早期剝離，未特定者

胎盤早期剝離，其他未特定者

O46 產前出血，他處未歸類者

~~排除~~：早期妊娠出血 (O20.-)

生產中出血，他處未歸類者

(O67.-)

前置胎盤 (O44.-)

胎盤早期剝離 (O45.-)

O46.0 伴有(合併或併發)凝血缺陷的產前出血

(與)下列相關的(過量)產前出血：

- 纖維蛋白原缺乏血症
- 散播性血管內凝血症[DIC]
- 高纖維蛋白分解(裂解、崩解)
- 低纖維蛋白原血症

O46.8 其他產前出血

O46.9 產前出血，未特定者

O47 假性產程[臨產]

O47.0 妊娠滿 37 週前的假性產程[臨產]

O47.1 妊娠滿 37 週或以後的假性產程[臨產]

O47.9 假性產程[臨產]，未特定者

O48 妊娠過長[過期妊娠]

超過預產期[過期]

超過足月[過月]

產程[臨產]和分娩的併發症 (O60-O75)

O45.9 Premature separation of placenta, unspecified

Abruptio placentae NOS

O46 Antepartum haemorrhage, not elsewhere classified

Excludes: haemorrhage in early pregnancy (O20.-)

intrapartum haemorrhage NEC

(O67.-)

placenta praevia (O44.-)

premature separation of placenta [abruptio placentae] (O45.-)

O46.0 Antepartum haemorrhage with coagulation defect

Antepartum haemorrhage (excessive) associated with:

- afibrinogenaemia
- disseminated intravascular coagulation
- hyperfibrinolysis
- hypofibrinogenaemia

O46.8 Other antepartum haemorrhage

O46.9 Antepartum haemorrhage, unspecified

O47 False labour

O47.0 False labour before 37 completed weeks of gestation

O47.1 False labour at or after 37 completed weeks of gestation

O47.9 False labour, unspecified

O48 Prolonged pregnancy

Post-dates

Post-term

Complications of labour and delivery (O60-O75)

O60 早產

妊娠滿 37 週前的(自發性)分娩

O61 引產失敗**O61.0 藥物引產失敗**

(下列)引產失敗：

- 催產素
- 前列腺素

O61.1 器械引產失敗

(下列)引產失敗：

- 機械性
- 外科(手術)性

O61.8 其他引產失敗**O61.9 引產失敗，未特定者****O62 產程力量[產力]異常****O62.0 原發性(子宮)收縮不足**

子宮頸擴張失敗

原發性子宮低張性功(機)能不良(障礙、失調、異常)

O62.1 續發性子宮無力

活動期產程[臨產]停頓

續發性子宮低張性功(機)能不良(障礙、失調、異常)

O62.2 其他子宮無力

子宮鬆弛

不連貫產程[*不連貫陣縮]

子宮低張性力功(機)能不良(障礙、失調、異常)，其他未特定者

不規律產程

(子宮)收縮不良

子宮無力，其他未特定者

O62.3 急產**O62.4 子宮過度收縮、不協調及收縮過長**

子宮收縮環難產

O60 Preterm delivery

Onset (spontaneous) of delivery before 37 completed weeks of gestation

O61 Failed induction of labour**O61.0 Failed medical induction of labour**

Failed induction (of labour) by:

- oxytocin
- prostaglandins

O61.1 Failed instrumental induction of labour

Failed induction (of labour) :

- mechanical
- surgical

O61.8 Other failed induction of labour**O61.9 Failed induction of labour, unspecified****O62 Abnormalities of forces of labour****O62.0 Primary inadequate contractions**

Failure of cervical dilatation

Primary hypotonic uterine dysfunction

O62.1 Secondary uterine inertia

Arrested active phase of labour

Secondary hypotonic uterine dysfunction

O62.2 Other uterine inertia

Atony of uterus

Desultory labour

Hypotonic uterine dysfunction NOS

Irregular labour

Poor contractions

Uterine inertia NOS

O62.3 Precipitate labour**O62.4 Hypertonic, incoordinate, and prolonged uterine contractions**

Contraction ring dystocia

不協調產程
 子宮葫蘆形收縮
 高張力性子宮功(機)能不良(障礙、失調、異常)
 不協調子宮活動
 僵直性收縮
 子宮難產，其他未特定者
排除：(胎兒的)(母體的)難產，其他未特定者 (O66.9)

Dyscoordinate labour
 Hour-glass contraction of uterus
 Hypertonic uterine dysfunction

 Incoordinate uterine action
 Tetanic contractions
 Uterine dystocia NOS
Excludes: dystocia (fetal) (maternal) NOS (O66.9)

O62.8 其他產程力量[產力]異常

O62.9 產程力量[產力]異常，未特定者

O62.8 Other abnormalities of forces of labour

O62.9 Abnormality of forces of labour, unspecified

O63 產程過長

O63.0 第 I 產程過長

O63.1 第 II 產程過長

O63.2 (雙胞胎、三胞胎...等多胞胎)第二個胎兒、第三個胎兒...等的延遲分娩

O63.9 產程過長，未特定者 產程過長，其他未特定者

O63 Long labour

O63.0 Prolonged first stage (of labour)

O63.1 Prolonged second stage (of labour)

O63.2 Delayed delivery of second twin, triplet, etc.

O63.9 Long labour, unspecified Prolonged labour NOS

O64 胎兒異位[胎位不正]或先露異常所致的阻礙性產程

O64.0 胎頭未完全旋轉的阻礙性產程

深部橫位阻滯
 下列持續(胎位)的阻礙性產程：
 • 枕髂位
 • 枕後位
 • 枕薦位
 • 枕橫位

O64.1 臀位所致的阻礙性產程

O64.2 臉(面)位(先露)所致的阻礙性產程

額位(先露)所致的阻礙性產程

O64 Obstructed labour due to malposition and malpresentation of fetus

O64.0 Obstructed labour due to incomplete rotation of fetal head

Deep transverse arrest
 Obstructed labour due to persistent (position) :
 • occipitoiliac
 • occipitoposterior
 • occipitosacral
 • occipitotransverse

O64.1 Obstructed labour due to breech presentation

O64.2 Obstructed labour due to face presentation

Obstructed labour due to chin presentation

O64.3 額位(先露)所致的阻礙性產程

O64.4 肩位(先露)所致的阻礙性產程

手臂脫垂

~~排除~~：嵌頓肩 (O66.0)

肩難產 (O66.0)

O64.5 複合先露所致的阻礙性產程

O64.8 其他胎位不正及先露異常的阻礙性產程

O64.9 胎位不正及先露異常的阻礙性產程，未特定者

O65 母體骨盆(腔)異常所致的阻礙性產程

O65.0 變形骨盆(腔)所致的阻礙性產程

O65.1 一般性骨盆(腔)縮小(或狹窄)所致的阻礙性產程

O65.2 骨盆(腔)入口縮小(或狹窄)所致的阻礙性產程

O65.3 骨盆(腔)出口及中腔縮小(或狹窄)所致的阻礙性產程

O65.4 胎頭骨盆比例不稱所致的阻礙性產程，未特定者

~~排除~~：胎兒異常所致的難產

(O66.2-O66.3)

O65.5 母體骨盆(腔)器官異常所致的阻礙性產程

O34.- 中列屬病況所致的阻礙性產程[臨產]

O65.8 其他母體骨盆(腔)異常所致的阻礙性產程

O65.9 母體骨盆(腔)異常所致的阻礙性產程，未特定者

O64.3 Obstructed labour due to brow presentation

O64.4 Obstructed labour due to shoulder presentation

Prolapsed arm

Excludes: impacted shoulders (O66.0)
shoulder dystocia (O66.0)

O64.5 Obstructed labour due to compound presentation

O64.8 Obstructed labour due to other malposition and malpresentation

O64.9 Obstructed labour due to malposition and malpresentation, unspecified

O65 Obstructed labour due to maternal pelvic abnormality

O65.0 Obstructed labour due to deformed pelvis

O65.1 Obstructed labour due to generally contracted pelvis

O65.2 Obstructed labour due to pelvic inlet contraction

O65.3 Obstructed labour due to pelvic outlet and mid-cavity contraction

O65.4 Obstructed labour due to fetopelvic disproportion, unspecified

Excludes: dystocia due to abnormality of fetus
(O66.2-O66.3)

O65.5 Obstructed labour due to abnormality of maternal pelvic organs

Obstructed labour due to conditions listed in
O34.-

O65.8 Obstructed labour due to other maternal pelvic abnormalities

O65.9 Obstructed labour due to maternal pelvic abnormality, unspecified

O66 其他的阻礙性產程**O66.0 肩難產所致的阻礙性產程**

箱頓肩

O66.1 雙胎交鎖所致的阻礙性產程**O66.2 特大胎兒所致的阻礙性產程****O66.3 其他胎兒異常所致的阻礙性產程**

下列所致的難產：

- 連體雙(胞)胎
- 胎兒的：
 - 腹水
 - 水腦
 - 腦膜脊髓膨出
 - 薦骨畸胎瘤
 - 腫瘤
 - 水腦胎兒

O66.4 產程嘗試失敗，未特定者

伴有(合併或併發)後繼性剖腹(術)分娩的
產程失敗嘗試

O66.5 真空吸引器及產鉗使用失敗，未特定者

吸杯或產鉗使用失敗，伴有(合併或併發)
後繼性分別使用產鉗或剖腹(術)的分
娩

O66.8 其他特定的阻礙性產程**O66.9 阻礙性產程，未特定者**

(下列)難產：

- 其他未特定者
- 胎兒的，其他未特定者
- 母體的，其他未特定者

O67 產程[臨產]及分娩併發生產中出血，他處未歸類者**O66 Other obstructed labour****O66.0 Obstructed labour due to shoulder dystocia**

Impacted shoulders

O66.1 Obstructed labour due to locked twins**O66.2 Obstructed labour due to unusually large fetus****O66.3 Obstructed labour due to other abnormalities of fetus**

Dystocia due to：

- conjoined twins
- fetal：
 - ascites
 - hydrops
 - meningomyelocele
 - sacral teratoma
 - tumour
 - hydrocephalic fetus

O66.4 Failed trial of labour, unspecified

Failed trial of labour with subsequent delivery
by caesarean section

O66.5 Failed application of vacuum extractor and forceps, unspecified

Failed application of ventouse or forceps, with
subsequent delivery by forceps or caesarean
section respectively

O66.8 Other specified obstructed labour**O66.9 Obstructed labour, unspecified**

Dystocia：

- NOS
- fetal NOS
- maternal NOS

O67 Labour and delivery complicated by intrapartum haemorrhage, not elsewhere classified

排除：產前出血，他處未歸類者
(O46.-)
前置胎盤 (O44.-)
產後出血 (O72.-)
胎盤早期剝離 (O45.-)

Excludes: antepartum haemorrhage NEC
(O46.-)
placenta praevia (O44.-)
postpartum haemorrhage (O72.-)
premature separation of placenta
[abruptio placentae] (O45.-)

O67.0 伴有(合併或併發)凝血缺陷的生產中出血

下列相關生產中的(過量)出血：

- 纖維蛋白原缺乏血症
- 散播性血管內凝血症[DIC]
- 高纖維蛋白分解(裂解、崩解)
- 低纖維蛋白血症

O67.8 其他生產中出血

過量生產中出血

O67.9 生產中出血，未特定者

O67.0 Intrapartum haemorrhage with coagulation defect

Intrapartum haemorrhage (excessive) associated with:

- afibrinogenemia
- disseminated intravascular coagulation
- hyperfibrinolysis
- hypofibrinogenemia

O67.8 Other intrapartum haemorrhage

Excessive intrapartum haemorrhage

O67.9 Intrapartum haemorrhage, unspecified

O68 產程[臨產]及分娩併發胎兒窘迫

包含：藥物使用所致的產程[臨產]及
分娩中胎兒窘迫

O68.0 產程[臨產]及分娩併發胎兒心(搏)率異常

(下列)胎兒的：

- 心跳(搏)過緩
- 心(搏)率不規律
- 心跳(搏)過速

排除：羊水中伴有(合併或併發)胎便
(O68.2)

O68.1 產程[臨產]及分娩併發羊水中胎便

排除：伴有(合併或併發)胎兒心(搏)率異常 (O68.2)

O68.2 產程[臨產]及分娩併發胎兒心(搏)率異常並伴有(合併或併發)羊水中胎便

O68 Labour and delivery complicated by fetal stress[distress]

Includes: fetal distress in labour or delivery
due to drug administration

O68.0 Labour and delivery complicated by fetal heart rate anomaly

Fetal :

- bradycardia
- heart rate irregularity
- tachycardia

Excludes: with meconium in amniotic fluid
(O68.2)

O68.1 Labour and delivery complicated by meconium in amniotic fluid

Excludes: with fetal heart rate anomaly (O68.2)

O68.2 Labour and delivery complicated by fetal heart rate anomaly with meconium in amniotic fluid

O68.3 產程[臨產]及分娩併發胎兒窘迫生化證據

(下列)異常胎兒的：

- 酸血症
- 酸鹼平衡

O68.8 產程[臨產]及分娩併發胎兒窘迫其他證據

胎兒窘迫證據：

- 心電圖的
- 超音波的

O68.9 產程[臨產]及分娩併發胎兒窘迫，未特定者

O69 產程[臨產]及分娩併發臍帶併發症

O69.0 產程[臨產]及分娩併發臍帶脫垂

O69.1 產程[臨產]及分娩併發臍帶繞頸並伴有(合併或併發)壓迫性

O69.2 產程[臨產]及分娩併發其他臍帶纏結

單羊膜囊中雙胞胎臍帶纏結

臍帶打結

O69.3 產程[臨產]及分娩併發臍帶過短

O69.4 產程[臨產]及分娩併發前置血管

前置血管出血

O69.5 產程[臨產]及分娩併發臍帶血管病灶(損害)

(下列)臍帶：

- 挫(瘀)傷
- 血腫

臍帶血管血栓形成

O68.3 Labour and delivery complicated by biochemical evidence of fetal stress

Abnormal fetal：

- acidaemia
- acid-base balance

O68.8 Labour and delivery complicated by other evidence of fetal stress

Evidence of fetal distress：

- electrocardiographic
- ultrasonic

O68.9 Labour and delivery complicated by fetal stress, unspecified

O69 Labour and delivery complicated by umbilical cord complications

O69.0 Labour and delivery complicated by prolapse of cord

O69.1 Labour and delivery complicated by cord around neck, with compression

O69.2 Labour and delivery complicated by other cord entanglement

Entanglement of cords of twins in

monoamniotic sac

Knot in cord

O69.3 Labour and delivery complicated by short cord

O69.4 Labour and delivery complicated by vasa praevia

Haemorrhage from vasa praevia

O69.5 Labour and delivery complicated by vascular lesion of cord

Cord:

- bruising
- haematoma

Thrombosis of umbilical vessels

O69.8 產程[臨產]及分娩併發其他臍帶併發症

O69.8 Labour and delivery complicated by other cord complications

O69.9 產程[臨產]及分娩併發臍帶併發症，未特定者

O69.9 Labour and delivery complicated by cord complication, unspecified

O70 分娩時會陰裂傷

包含：會陰切開因裂傷而延伸

排除：單獨產科的高位陰道裂傷
(O71.4)

O70 Perineal laceration during delivery

Includes: episiotomy extended by laceration

Excludes: obstetric high vaginal laceration alone (O71.4)

O70.0 分娩時會陰(第)一度裂傷

會陰裂傷、破裂或撕裂[且侵及(侵犯、傷及、涉及)下列]：

- 分娩時之
- 陰唇繫帶
 - 陰唇
 - 皮膚
 - 輕度
 - 陰道
 - 外陰

O70.0 First degree perineal laceration during delivery

Perineal laceration, rupture or tear (involving):

- fourchette
 - labia
 - skin
 - slight
 - vagina
 - vulva
- during delivery

O70.1 分娩時會陰(第)二度裂傷

如 **O70.0** 中之會陰裂傷、破裂或撕裂，且侵及(侵犯、傷及、涉及)(下列分娩時之)：

- 分娩時之
- 骨盆底
 - 會陰肌肉
 - 陰道肌肉

排除：影響到肛門括約肌 (O70.2)

O70.1 Second degree perineal laceration during delivery

Perineal laceration, rupture or tear as in O70.0, also involving :

- pelvic floor
 - perineal muscles
 - vaginal muscles
- during delivery

Excludes: that involving anal sphincter (O70.2)

O70.2 分娩時會陰(第)三度裂傷

如 **O70.0** 中之會陰裂傷、破裂或撕裂，且侵及(侵犯、傷及、涉及)(下列分娩時之)：

- 分娩時之
- 肛門括約肌
 - 直腸陰道中隔
 - 括約肌，其他未特定者

O70.2 Third degree perineal laceration during delivery

Perineal laceration, rupture or tear as in O70.1, also involving :

- anal sphincter
 - rectovaginal septum
 - sphincter NOS
- during delivery

排除：涉及到肛門或直腸黏膜 (O70.3)

Excludes: that involving anal or rectal mucosa (O70.3)

O70.3 分娩時會陰(第)四度裂傷

如 O70.0 中之會陰裂傷、破裂或撕裂，且
侵及(侵犯、傷及、涉及)(下列分娩時
之)：

分娩時之 {
• 肛門粘膜
• 直腸粘膜

O70.3 Fourth degree perineal laceration during delivery

Perineal laceration, rupture or tear as in O70.2,
also involving :

{
• anal mucosa
• rectal mucosa } during delivery

O70.9 分娩時會陰裂傷，未特定者

O70.9 Perineal laceration during delivery, unspecified

O71 其他產科創傷

包含：器械造成的損傷

Includes: damage from instruments

O71.0 產程[臨產]前子宮破裂

O71.0 Rupture of uterus before onset of labour

O71.1 產程[臨產]時子宮破裂

未述及發生於產程[臨產]前的子宮破裂

O71.1 Rupture of uterus during labour

Rupture of uterus not stated as occurring before
onset of labour

O71.2 產後子宮內翻

O71.2 Postpartum inversion of uterus

O71.3 子宮頸的生產裂傷

子宮頸環狀的脫離

O71.3 Obstetric laceration of cervix

Annular detachment of cervix

O71.4 單獨生產的高位陰道裂傷

陰道壁裂傷未提及會陰裂傷

O71.4 Obstetric high vaginal laceration alone

Laceration of vaginal wall without mention of
perineal laceration

排除：伴有(合併或併發)會陰裂傷
(O70.-)

Excludes: with perineal laceration (O70.-)

O71.5 骨盆腔器官的其他產科傷害

下列產科傷害：

- 膀胱
- 尿道

O71.5 Other obstetric injury to pelvic organs

Obstetric injury to :

- bladder
- urethra

O71.6 骨盆關節及韌帶的產科損傷

產科的 {
(恥骨)聯合軟骨撕脫
尾骨損害

O71.6 Obstetric damage to pelvic joints and ligaments

Avulsion of inner symphyseal
cartilage
Damage to coccyx } obstetric

恥骨聯合創傷性分離

Traumatic separation of
symphysis (pubis)

O71.7 骨盆(腔)產科血腫

下列產科血腫：

- 會陰
- 陰道
- 外陰

O71.7 Obstetric haematoma of pelvis

Obstetric haematoma of：

- perineum
- vagina
- vulva

O71.8 其他特定的產科創傷

O71.8 Other specified obstetric trauma

O71.9 產科創傷，未特定者

O71.9 Obstetric trauma, unspecified

O72 產後出血

包含：胎兒或嬰兒於分娩後的出血

O72 Postpartum haemorrhage

Includes: haemorrhage after delivery of fetus or
infant

O72.0 第三產程出血

(與)胎盤滯留、嵌陷或黏連相關的出血

O72.0 Third-stage haemorrhage

Haemorrhage associated with retained, trapped
or adherent placenta

滯留胎盤，其他未特定者

Retained placenta NOS

O72.1 其他即時性產後出血

胎盤產出後的出血

(子宮無力的)產後出血，其他未特定者

O72.1 Other immediate postpartum haemorrhage

Haemorrhage following delivery of placenta
Postpartum haemorrhage (atonic) NOS

O72.2 延遲性及續發性產後出血

(與)部份胎盤或胎膜滯留相關的出血

分娩後受胎產物滯留，其他未特定者

O72.2 Delayed and secondary postpartum haemorrhage

Haemorrhage associated with retained portions
of placenta or membranes
Retained products of conception NOS,
following delivery

O72.3 產後凝血缺陷

(下列)產後：

- 纖維蛋白原缺乏血症
- 纖維蛋白分解(裂解、崩解)

O72.3 Postpartum coagulation defects

Postpartum：

- afibrinogenaemia
- fibrinolysis

O73 胎盤及胎膜滯留，未伴有(未合併或未併發)出血

O73.0 胎盤滯留未伴有(未合併或未併發)出血

胎盤植入未伴有(未合併或未併發)出血

O73 Retained placenta and membranes, without haemorrhage

O73.0 Retained placenta without haemorrhage

Placenta accreta without haemorrhage

O73.1 部份胎盤及胎膜滯留，未伴有(未合併或未併發)出血
分娩後妊娠產物滯留，未伴有(未合併或未併發)出血

O73.1 Retained portions of placenta and membranes, without haemorrhage
Retained products of conception following delivery, without haemorrhage

O74 產程[臨產]及分娩時麻醉的併發症

包含：產程[臨產]及分娩時使用全身或局部麻醉(藥)劑，止痛(藥)劑或其他鎮靜(藥)劑所致的母體併發症

O74 Complications of anaesthesia during labour and delivery

Includes: maternal complications arising from the administration of a general or local anaesthetic, analgesic or other sedation during labour and delivery

O74.0 產程[臨產]及分娩時麻醉所致的吸入性肺炎

吸入胃內容物或分泌物，其他未特定者
Mendelson (氏)症候群

} 產程[臨產]及分娩時麻醉所致者

O74.0 Aspiration pneumonitis due to anaesthesia during labour and delivery

Inhalation of stomach contents or secretions NOS
Mendelson's syndrome

} due to anaesthesia during labour and delivery

O74.1 其他產程[臨產]及分娩時麻醉所致的肺併發症

產程[臨產]及分娩時麻醉所致的肺壓力性萎(塌)陷

O74.1 Other pulmonary complications of anaesthesia during labour and delivery

Pressure collapse of lung due to anaesthesia during labour and delivery

O74.2 產程[臨產]及分娩時麻醉所致的心臟併發症

(下列)心臟的：

• 停止
• 衰竭

} 產程[臨產]及分娩時麻醉所致者

O74.2 Cardiac complications of anaesthesia during labour and delivery

Cardiac：

• arrest
• failure

} due to anaesthesia during labour and delivery

O74.3 產程[臨產]及分娩時麻醉所致的中樞神經系統併發症

產程[臨產]及分娩時麻醉所致的大腦缺氧

O74.3 Central nervous system complications of anaesthesia during labour and delivery

Cerebral anoxia due to anaesthesia during labour and delivery

O74.4 產程[臨產]及分娩時局部麻醉所致的(中)毒性反應

O74.4 Toxic reaction to local anaesthesia during labour and delivery

O74.5 產程[臨產]及分娩時脊髓及硬膜外麻醉所致的頭痛

O74.5 Spinal and epidural anaesthesia-induced headache during labour and delivery

O74.6 產程[臨產]及分娩時脊髓及硬膜外
麻醉所致的其他併發症

O74.7 產程[臨產]及分娩時的插管失敗或
困難

O74.8 產程[臨產]及分娩時麻醉所致的其
他併發症

O74.9 產程[臨產]及分娩時麻醉所致的併
發症，未特定者

O75 產程[臨產]及分娩其他併發症，
他處未歸類者

排除：(下列)產褥期的：

- 感染(症) (O86.-)
- 敗血症 (O85)

O75.0 產程[臨產]及分娩時的母體窘迫

O75.1 產程[臨產]及分娩時或之後的休克

產科休克

O75.2 產程[臨產]發熱，他處未歸類者

O75.3 產程[臨產]其他感染(症)

產程[臨產]菌血症

O75.4 產科手術及醫療處置的其他併發症

(下列)心臟的：

• 停止	剖腹(術)分娩或其他產科手 術或醫療處置後，包 括其他未特定的分娩
• 衰竭	
(大)腦缺氧	

排除：產程[臨產]及分娩時麻醉的併
發症 (O74.-)

產科(手術的)傷口：

- 裂開 (O90.0-O90.1)
- 血腫 (O90.2)
- 感染(症) (O86.0)

O74.6 Other complications of spinal and
epidural anaesthesia during labour and
delivery

O74.7 Failed or difficult intubation during
labour and delivery

O74.8 Other complications of anaesthesia
during labour and delivery

O74.9 Complication of anaesthesia during
labour and delivery, unspecified

O75 Other complications of labour and
delivery, not elsewhere classified

Excludes：puerperal：

- infection (O86.-)
- sepsis (O85)

O75.0 Maternal distress during labour and
delivery

O75.1 Shock during or following labour and
delivery

Obstetric shock

O75.2 Pyrexia during labour, not elsewhere
classified

O75.3 Other infection during labour

Septicaemia during labour

O75.4 Other complications of obstetric surgery
and procedures

Cardiac：	following caesarean or other obstetric surgery or procedures, including delivery NOS
• arrest	
• failure	
Cerebral anoxia	

Excludes: complications of anaesthesia during
labour and delivery (O74.-)
obstetric (surgical) wound：

- disruption (O90.0-O90.1)
- haematoma (O90.2)
- infection (O86.0)

O75.5 人工破水後延遲分娩

O75.6 自動或未特定的破水後延遲分娩

排除：自動早期破水 (O42.-)

O75.7 前次剖腹(術)分娩後的陰道分娩

O75.8 產程[臨產]及分娩時其他特定的併發症

O75.9 產程[臨產]及分娩時的併發症，未特定者

分娩 (O80-O84)

註：O80-O84之編碼乃作為罹病編碼之目的。

當其他病況無法歸類在第十五章時，則本章節編碼可作為主要之罹病編碼，使用時應參照本書第一卷(WHO原第二卷)中罹病編碼準則及指引。

O80 單胎自然分娩

包含：在完全正常的病例使用最低限度或沒有輔助情況下分娩，伴有(合併或併發)或未伴有(未合併或未併發)會陰切開

O80.0 自然頭位分娩

O80.1 自然臀位分娩

O80.8 其他單胎自然分娩

O80.9 單胎自然分娩，未特定者
自然分娩，其他未特定者

O81 使用產鉗及真空吸引器的單胎分娩

排除：真空吸引器或產鉗使用失敗 (O66.5)

O81.0 下位產鉗分娩

O75.5 Delayed delivery after artificial rupture of membranes

O75.6 Delayed delivery after spontaneous or unspecified rupture of membranes

Excludes: spontaneous premature rupture of membranes (O42.-)

O75.7 Vaginal delivery following previous caesarean section

O75.8 Other specified complications of labour and delivery

O75.9 Complication of labour and delivery, unspecified

Delivery (O80-O84)

Note: Codes O80-O84 are provided for morbidity coding purposes. Codes from this block should be used for primary morbidity coding only if no other condition classifiable to Chapter XV is recorded. For use of these categories reference should be made to the morbidity coding rules and guidelines in Volume 2.

O80 Single spontaneous delivery

Includes: cases with minimal or no assistance, with or without episiotomy delivery in a completely normal case

O80.0 Spontaneous vertex delivery

O80.1 Spontaneous breech delivery

O80.8 Other single spontaneous delivery

O80.9 Single spontaneous delivery, unspecified
Spontaneous delivery NOS

O81 Single delivery by forceps and vacuum extractor

Excludes: failed application of vacuum extractor or forceps (O66.5)

O81.0 Low forceps delivery

- O81.1 中腔產鉗分娩
- O81.2 伴有(或合併)旋轉的中腔產鉗
- O81.3 其他及未特定的產鉗分娩
- O81.4 真空吸引器分娩
吸杯分娩
- O81.5 產鉗及真空吸引器合併使用的分娩
產鉗及吸杯分娩

O82 經剖腹(術)的單胎分娩

- O82.0 選擇性剖腹(術)分娩
重覆剖腹(術)分娩，其他未特定者
- O82.1 緊急剖腹(術)分娩
- O82.2 剖腹子宮切除(術)分娩
- O82.8 其他經剖腹(術)的單胎分娩
- O82.9 剖腹(術)分娩，未特定者

O83 其他經輔助的單胎分娩

- O83.0 臀位牽引(術)
- O83.1 其他經輔助的臀位分娩
臀位分娩，其他未特定者
- O83.2 經其他手法輔助的分娩
伴有(合併或併發)牽引的轉胎位術
- O83.3 腹腔內妊娠活產兒的分娩
- O83.4 破壞性分娩手術

鎖骨切斷術	}	促進分娩
頭顱切開術		
胚胎切開術		
- O83.8 其他特定的輔助單胎分娩
- O83.9 輔助單胎分娩，未特定者
輔助分娩，其他未特定者

O84 多胎分娩

必要時，可使用附加的診斷編碼 (O80-O83)，以確認每一個胎兒或嬰兒的分娩方法。

- O81.1 Mid-cavity forceps delivery
- O81.2 Mid-cavity forceps with rotation
- O81.3 Other and unspecified forceps delivery
- O81.4 Vacuum extractor delivery
Ventouse delivery
- O81.5 Delivery by combination of forceps and vacuum extractor
Forceps and ventouse delivery

O82 Single delivery by caesarean section

- O82.0 Delivery by elective caesarean section
Repeat caesarean section NOS
- O82.1 Delivery by emergency caesarean section
- O82.2 Delivery by caesarean hysterectomy
- O82.8 Other single delivery by caesarean section
- O82.9 Delivery by caesarean section, unspecified

O83 Other assisted single delivery

- O83.0 Breech extraction
- O83.1 Other assisted breech delivery
Breech delivery NOS
- O83.2 Other manipulation-assisted delivery
Version with extraction
- O83.3 Delivery of viable fetus in abdominal pregnancy
- O83.4 Destructive operation for delivery

Cleidotomy	}	to facilitate delivery
Craniotomy		
Embryotomy		
- O83.8 Other specified assisted single delivery
- O83.9 Assisted single delivery, unspecified
Assisted delivery NOS

O84 Multiple delivery

Use additional code (O80-O83), if desired, to indicate the method of delivery of each fetus or infant.

- O84.0** 多胎分娩，完全自然者
- O84.1** 多胎分娩，完全經由產鉗及真空吸引器者
- O84.2** 多胎分娩，完全經由剖腹(術)者
- O84.8** 其他多胎分娩
各種方法組合(合併、聯合)的多胎分娩
- O84.9** 多胎分娩，未特定者

主要與產褥期有關的併發症 (O85-O92)

註：O88.-、O91.-及O92.- 之分類項包含在此所列屬之病況，即使是發生在妊娠及生產時亦屬之。

排除：(與)產褥期相關精神[心智]及行為疾患(障礙、病症) (F53.-)

產科破傷風 (A34)
產褥期軟骨症 (M83.0)

O85 產褥期敗血症

(下列)產褥期的：

- 子宮內膜炎
- 發燒
- 腹膜炎
- 菌血症

必要時，可使用附加的診斷編碼 (B95-B97)，以確認感染原(因子)。

排除：產科膿血及敗血性栓塞 (O88.3)

產程[臨產]時菌血症 (O75.3)

O86 其他產褥期感染(症)

排除：產程[臨產]時感染(症) (O75.3)

O86.0 產科手術傷口感染(症)

(下列)受感染之：

產後的 {

- 剖腹(術)產傷口
- 會陰修補

- O84.0** Multiple delivery, all spontaneous
- O84.1** Multiple delivery, all by forceps and vacuum extractor
- O84.2** Multiple delivery, all by caesarean section
- O84.8** Other multiple delivery
Multiple delivery by combination of methods
- O84.9** Multiple delivery, unspecified

Complications predominantly related to the puerperium (O85-O92)

Note: Categories O88.-, O91.- and O92.- include the listed conditions even if they occur during pregnancy and childbirth.

Excludes: mental and behavioural disorders associated with the puerperium (F53.-)

obstetrical tetanus (A34)
puerperal osteomalacia (M83.0)

O85 Puerperal sepsis

Puerperal :

- endometritis
- fever
- peritonitis
- septicaemia

Use additional code (B95-B97), if desired, to identify infectious agent.

Excludes: obstetric pyaemic and septic embolism (O88.3)
septicaemia during labour (O75.3)

O86 Other puerperal infections

Excludes: infection during labour (O75.3)

O86.0 Infection of obstetric surgical wound

Infected:

{

- caesarean section wound
- perineal repair

} following delivery

O86.1 產後其他生殖道感染(症)

分娩後的 { 子宮頸炎
陰道炎

O86.2 分娩後泌尿道[尿路]感染(症)

分娩後歸類列屬於 N10-N12、N15.-、
N30.-、N34.-及 N39.0 中之病況

O86.3 分娩後其他生殖泌尿道感染(症)

分娩後生殖泌尿道感染(症)，其他未特定者

O86.4 分娩後不明原因(或病因)的發熱

(下列)產褥期的：

- 感染(症)，其他未特定者
- 發熱，其他未特定者

排除：產褥熱 (O85)

產程[臨產]時發熱 (O75.2)

O86.8 其他特定的產褥期感染(症)

O87 產褥期靜脈併發症

包含：產程[臨產]、分娩及產褥期

排除：產科栓塞 (O88.-)

妊娠期靜脈併發症 (O22.-)

O87.0 產褥期表淺性血栓靜脈炎

O87.1 產褥期深部靜脈血栓形成

深部靜脈血栓形成，生產後
骨盆腔血栓靜脈炎，生產後

O87.2 產褥期痔瘡

O87.3 產褥期腦靜脈血栓形成

O86.1 Other infection of genital tract following delivery

Cervicitis } following delivery
Vaginitis }

O86.2 Urinary tract infection following delivery

Conditions in N10-N12, N15.-, N30.-, N34.-,
N39.0 following delivery

O86.3 Other genitourinary tract infections following delivery

Puerperal genitourinary tract infection NOS

O86.4 Pyrexia of unknown origin following delivery

Puerperal :

- infection NOS
- pyrexia NOS

Excludes: puerperal fever (O85)

pyrexia during labour (O75.2)

O86.8 Other specified puerperal infections

O87 Venous complications in the puerperium

Includes: in labour, delivery and the puerperium

Excludes: obstetric embolism (O88.-)

venous complications in pregnancy
(O22.-)

O87.0 Superficial thrombophlebitis in the puerperium

O87.1 Deep phlebothrombosis in the puerperium

Deep-vein thrombosis, postpartum
Pelvic thrombophlebitis, postpartum

O87.2 Haemorrhoids in the puerperium

O87.3 Cerebral venous thrombosis in the puerperium

產褥期腦靜脈竇血栓形成

Cerebrovenous sinus thrombosis in the puerperium

O87.8 產褥期其他靜脈併發症

O87.8 Other venous complications in the puerperium

產褥期生殖器靜脈曲張

Genital varices in the puerperium

O87.9 產褥期靜脈併發症，未特定者

O87.9 Venous complication in the puerperium, unspecified

(下列)產褥期的：

Puerperal：

- 靜脈炎，其他未特定者
- 靜脈病變，其他未特定者
- 血栓形成，其他未特定者

- phlebitis NOS
- phlebopathy NOS
- thrombosis NOS

O88 產科栓塞

O88 Obstetric embolism

包 含：妊娠、生產及產褥期肺栓塞

Includes: pulmonary emboli in pregnancy, childbirth or the puerperium

排 除：栓塞併發於流產、異位妊娠[子宮外孕]或葡萄胎妊娠(O00-O07, O08.2)

Excludes: embolism complicating abortion or ectopic or molar pregnancy (O00-O07, O08.2)

O88.0 產科氣泡栓塞

O88.0 Obstetric air embolism

O88.1 羊水栓塞

O88.1 Amniotic fluid embolism

O88.2 產科(凝)血塊栓塞

O88.2 Obstetric blood-clot embolism

產科(肺)栓塞，其他未特定者

Obstetric (pulmonary) embolism NOS

產褥期(肺)栓塞，其他未特定者

Puerperal (pulmonary) embolism NOS

O88.3 產科膿血及敗血性栓塞

O88.3 Obstetric pyaemic and septic embolism

O88.8 其他產科栓塞

O88.8 Other obstetric embolism

產科脂肪栓塞

Obstetric fat embolism

O89 產褥期麻醉併發症

O89 Complications of anaesthesia during the puerperium

包 含：產褥期使用全身或局部麻醉(藥)劑、止痛(藥)劑或其他鎮靜藥(劑)所導致的母體併發症

Includes: maternal complications arising from the administration of a general or local anaesthetic, analgesic or other sedation during the puerperium

O89.0 產褥期麻醉所致的肺併發症

O89.0 Pulmonary complications of anaesthesia during the puerperium

吸入性肺炎

Aspiration pneumonitis

吸入胃內容物或分泌物

Inhalation of stomach

，其他未特定者

contents or secretions NOS

Mendelson (氏)症候群

Mendelson's syndrome

肺壓力性萎(塌)陷

Pressure collapse of lung

產褥期麻醉所致者

due to anaesthesia during the puerperium

O89.1 產褥期麻醉所致的心臟併發症

(下列)心臟的：

- 停止
 - 衰竭
- } 產褥期麻醉所致者

O89.2 產褥期麻醉所致の中樞神經系統併發症

產褥期麻醉所致的腦缺氧

O89.3 產褥期局部麻醉的毒性反應

O89.4 產褥期脊髓及硬膜外麻醉所致的頭痛

O89.5 產褥期的脊髓及硬膜外麻醉的其他併發症

O89.6 產褥期的插管失敗或困難

O89.8 產褥期麻醉的其他併發症

O89.9 產褥期麻醉的併發症，未特定者

O90 產褥期併發症，他處未歸類者

O90.0 剖腹(術)傷口裂開

O90.1 會陰產科傷口裂開

(下列)傷口裂開：

- 會陰切開
- 會陰裂傷

續發性會陰撕裂

O90.2 產科傷口血腫

O90.3 產褥期心肌病變

在 I42.- 中所列屬的病況

O90.4 生產後急性腎衰竭

O89.1 Cardiac complications of anaesthesia during the puerperium

Cardiac：

- arrest
 - failure
- } due to anaesthesia during the puerperium

O89.2 Central nervous system complications of anaesthesia during the puerperium

Cerebral anoxia due to anaesthesia during the puerperium

O89.3 Toxic reaction to local anaesthesia during the puerperium

O89.4 Spinal and epidural anaesthesia-induced headache during the puerperium

O89.5 Other complications of spinal and epidural anaesthesia during the puerperium

O89.6 Failed or difficult intubation during the puerperium

O89.8 Other complications of anaesthesia during the puerperium

O89.9 Complication of anaesthesia during the puerperium, unspecified

O90 Complications of the puerperium, not elsewhere classified

O90.0 Disruption of caesarean section wound

O90.1 Disruption of perineal obstetric wound

Disruption of wound of：

- episiotomy
- perineal laceration

Secondary perineal tear

O90.2 Haematoma of obstetric wound

O90.3 Cardiomyopathy in the puerperium

Conditions in I42.-

O90.4 Postpartum acute renal failure

產程[臨產]及分娩後的肝腎症候群

Hepatorenal syndrome following labour and delivery

O90.5 生產後甲狀腺炎

O90.5 Postpartum thyroiditis

O90.8 產褥期其他併發症，他處未歸類者

O90.8 Other complications of the puerperium, not elsewhere classified

胎盤息肉

Placental polyp

O90.9 產褥期併發症，未特定者

O90.9 Complication of the puerperium, unspecified

O91 (與)生產相關的乳房感染(症)

O91 Infections of breast associated with childbirth

包 含：妊娠、產褥期或授(哺)乳期所列屬的病況

Includes: the listed conditions during pregnancy, the puerperium or lactation

O91.0 (與)生產相關的乳頭感染(症)

O91.0 Infection of nipple associated with childbirth

(下列)乳頭膿瘍：

Abscess of nipple：

- 妊娠期
- 產褥期

- gestational
- puerperal

O91.1 (與)生產相關的乳房膿瘍

O91.1 Abscess of breast associated with childbirth

妊娠或產褥期 { 乳房膿瘍
含(化)膿性乳腺炎
乳暈下膿瘍

Mammary abscess
Purulent mastitis
Subareolar abscess } gestational or puerperal

O91.2 (與)生產相關的非含(化)膿性乳房炎

O91.2 Nonpurulent mastitis associated with childbirth

妊娠期或產褥期 { 乳房淋巴管炎
乳腺炎：
• 其他未特定者
• 間質性
• 實質性

Lymphangitis of breast
Mastitis：
• NOS
• interstitial
• parenchymatous } gestational or puerperal

O92 (與)生產相關的乳房及泌(哺)乳其他疾患

O92 Other disorders of breast and lactation associated with childbirth

包 含：妊娠、產褥期或授(哺)乳期所列屬的病況

Includes: the listed conditions during pregnancy, the puerperium or lactation

O92.0 (與)生產相關的乳頭凹陷

O92.1 (與)生產相關的乳頭破裂

妊娠或產褥期的乳頭裂隙

O92.2 (與)生產相關其他及未特定的乳房疾患

O92.3 無乳汁(症)

原發性無乳汁(症)

O92.4 泌乳過少

O92.5 抑制泌乳

(下列)無乳汁(症)：

- 選擇性
- 續發性
- 治療性

O92.6 乳溢(乳漏)

排除：(與)生產無關的乳溢(乳漏)
(N64.3)

O92.7 其他及未特定的泌乳疾患

產褥期乳腺囊腫

其他產科病況，他處未歸類者 (O95-O99)

註：O95-O97分類項之使用，應參照本書第一卷(WHO原第二卷)中罹病編碼準則及指引。

O95

未特定原因(或病因)的產科死亡

妊娠、產程[臨產]、分娩或產褥期時未特定原因(或病因)(所致)的母體死亡

O96

生產後 42 天至一年內任何產科原因(或病因)(所致)的母體死亡

O92.0 Retracted nipple associated with childbirth

O92.1 Cracked nipple associated with childbirth

Fissure of nipple, gestational or puerperal

O92.2 Other and unspecified disorders of breast associated with childbirth

O92.3 Agalactia

Primary agalactia

O92.4 Hypogalactia

O92.5 Suppressed lactation

Agalactia：

- elective
- secondary
- therapeutic

O92.6 Galactorrhoea

Excludes: galactorrhoea not associated with childbirth (N64.3)

O92.7 Other and unspecified disorders of lactation

Puerperal galactoceles

Other obstetric conditions, not elsewhere classified (O95-O99)

Note: For use of categories O95-O97 reference should be made to the mortality coding rules and guidelines in Volume 2.

O95

Obstetric death of unspecified cause

Maternal death from unspecified cause occurring during pregnancy, labour and delivery, or the puerperium

O96

Death from any obstetric cause occurring more than 42 days but less than one year after delivery

必要時，可使用附加的診斷編碼，以
確認產科死因。

**O97 直接產科原因(或病因)後遺症所
致的死亡**

發生於分娩後或分娩後一年以上任何
直接產科原因(或病因)所致的死
亡。

**O98 可歸類於他處的母體感染症及寄
生蟲疾病而併發於妊娠、生產及
產褥期**

包 含：所列屬病況當併發於妊娠狀態
時，可因妊娠而加重，或成
為產科照護的理由

必要時，可使用附加的診斷編碼(第一
章)，以確認特定狀況。

排 除：無症狀性人類免疫缺乏病毒[HIV]
感染狀態 (Z21)

人類免疫缺乏病毒[HIV]疾病
(B20-B24)

人類免疫缺乏病毒[HIV]的實驗室
(檢驗)證據 (R75)

產科破傷風 (A34)

產褥期：

- 感染(症) (O86.-)
- 敗血症 (O85.-)

因母體(醫療)照護的理由為已知
或懷疑影響胎兒的疾病
(O35-O36)

O98.0 結核病併發於妊娠、生產及產褥期

在 A15-A19 中所列屬之病況

Use additional code, if desired, to identify
obstetric cause of death.

**O97 Death from sequelae of direct
obstetric causes**

Death from any direct obstetric cause
occurring one year or more after delivery

**O98 Maternal infectious and parasitic
diseases classifiable elsewhere but
complicating pregnancy, childbirth
and the puerperium**

Includes: the listed conditions when
complicating the pregnant state,
when aggravated by the pregnancy,
or as a reason for obstetric care

Use additional code (Chapter I), if desired,
to identify specific condition.

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status
(Z21)

human immunodeficiency virus
[HIV] disease (B20-B24)

laboratory evidence of human
immunodeficiency virus [HIV]
(R75)

obstetrical tetanus (A34)

puerperal：

- infection (O86.-)
- sepsis (O85)

when the reason for maternal care is
that the disease is known or
suspected to have affected the
fetus (O35-O36)

**O98.0 Tuberculosis complicating pregnancy,
childbirth and the puerperium**

Conditions in A15-A19

O98.1 梅毒併發於妊娠、生產及產褥期

在 A50-A53 中所列屬之病況

O98.2 淋病併發於妊娠、生產及產褥期

在 A54.-中所列屬之病況

O98.3 主要由性傳播模式的其他感染症併發於妊娠、生產及產褥期

在 A55-A64 中所列屬之病況

O98.4 病毒性肝炎併發於妊娠、生產及產褥期

在 B15-B19 中所列屬之病況

O98.5 其他病毒性疾病併發於妊娠、生產及產褥期

在 A80-B09、B25-B34 中所列屬之病況

O98.6 原蟲性疾病併發於妊娠、生產及產褥期

在 B50-B64 中所列屬之病況

O98.8 其他母體的感染症及寄生蟲疾病併發於妊娠、生產及產褥期

O98.9 未特定的母體感染症及寄生蟲疾病併發於妊娠、生產及產褥期

O99 可歸類於他處的其他母體疾病而併發於妊娠、生產及產褥期

O98.1 Syphilis complicating pregnancy, childbirth and the puerperium

Conditions in A50-A53

O98.2 Gonorrhoea complicating pregnancy, childbirth and the puerperium

Conditions in A54.-

O98.3 Other infections with a predominantly sexual mode of transmission complicating pregnancy, childbirth and the puerperium

Conditions in A55-A64

O98.4 Viral hepatitis complicating pregnancy, childbirth and the puerperium

Conditions in B15-B19

O98.5 Other viral diseases complicating pregnancy, childbirth and the puerperium

Conditions in A80-B09, B25-B34

O98.6 Protozoal diseases complicating pregnancy, childbirth and the puerperium

Conditions in B50-B64

O98.8 Other maternal infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium

O98.9 Unspecified maternal infectious or parasitic disease complicating pregnancy, childbirth and the puerperium

O99 Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium

註：本分類項包含併發於妊娠狀態，可因妊娠而加重或作為產科照護的主要原因(或病因)，而且在英文字母索引中並未標示其為出於十五章中的特定分類項[*三或四碼]。

必要時，可使用附加的診斷編碼，以確認特定之病況。

排除：感染症及寄生蟲疾病 (O98.-)

傷害、中毒及外因造成的其他影響[結果] (S00-T98)

母體(醫療)照護的理由為已知或懷疑影響到胎兒的病況 (O35-O36)

O99.0 貧血併發於妊娠、生產及產褥期

在 D50-D64 中所列屬之病況

O99.1 血液及血液形成[造血]器官其他疾病和侵及(侵犯、涉及)免疫機轉的特定疾患，併發於妊娠、生產及產褥期

在 D65-D89 中所列屬之病況

排除：出血伴有(合併或併發)凝血缺陷 (O46.0, O67.0, O72.3)

O99.2 內分泌、營養及(新陳)代謝(性)疾病併發於妊娠、生產及產褥期

在 E00-E90 中所列屬之病況

排除：糖尿病 (O24.-)

營養不良 (O25)

生產後甲狀腺炎 (O90.5)

Note: This category includes conditions which complicate the pregnant state, are aggravated by the pregnancy or are a main reason for obstetric care and for which the Alphabetical Index does not indicate a specific rubric in Chapter XV.

Use additional code, if desired, to identify specific condition.

Excludes: infectious and parasitic diseases (O98.-)

injury, poisoning and certain other consequences of external causes (S00-T98)

when the reason for maternal care is that the condition is known or suspected to have affected the fetus (O35-O36)

O99.0 Anaemia complicating pregnancy, childbirth and the puerperium

Conditions in D50-D64

O99.1 Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, childbirth and the puerperium

Conditions in D65-D89

Excludes: haemorrhage with coagulation defects (O46.0, O67.0, O72.3)

O99.2 Endocrine, nutritional and metabolic diseases complicating pregnancy, childbirth and the puerperium

Conditions in E00-E90

Excludes: diabetes mellitus (O24.-)

malnutrition (O25)

postpartum thyroiditis (O90.5)

O99.3 精神[心智]疾患及神經系統疾病併發於妊娠、生產及產褥期

在 F00-F99 及 G00-G99 中所列屬之病況

排除：產後憂鬱症 (F53.0)

妊娠有關的周邊神經炎 (O26.8)

產褥期精神病(症) (F53.1)

O99.4 循環系統疾病併發於妊娠、生產及產褥期

在 I00-I99 中所列屬之病況

排除：產褥期心肌病變 (O90.3)

高血壓性疾患 (O10-O16)

產科栓塞 (O88.-)

於下列時期所生之靜脈併發症

及大腦靜脈竇血栓形成：

- 產程[臨產]、生產及產褥期 (O87.-)
- 妊娠 (O22.-)

O99.5 呼吸系統疾病併發於妊娠、生產及產褥期

在 J00-J99 中所列屬之病況

O99.6 消化系統疾病併發於妊娠、生產及產褥期

在 K00-K93 中所列屬之病況

排除：妊娠、生產及產褥期的肝疾患 (O26.6)

O99.7 皮膚及皮下組織疾病併發於妊娠、生產及產褥期

在 L00-L99 中所列屬之病況

排除：妊娠期疱疹 (O26.4)

O99.3 Mental disorders and diseases of the nervous system complicating pregnancy, childbirth and the puerperium

Conditions in F00-F99 and G00-G99

Excludes: postnatal depression (F53.0)

pregnancy-related peripheral neuritis (O26.8)

puerperal psychosis (F53.1)

O99.4 Diseases of the circulatory system complicating pregnancy, childbirth and the puerperium

Conditions in I00-I99

Excludes: cardiomyopathy in the puerperium (O90.3)

hypertensive disorders (O10-O16)

obstetric embolism (O88.-)

venous complications and

cerebrovenous sinus thrombosis in:

- labour, childbirth and the puerperium (O87.-)
- pregnancy (O22.-)

O99.5 Diseases of the respiratory system complicating pregnancy, childbirth and the puerperium

Conditions in J00-J99

O99.6 Diseases of the digestive system complicating pregnancy, childbirth and the puerperium

Conditions in K00-K93

Excludes: liver disorders in pregnancy, childbirth and the puerperium (O26.6)

O99.7 Diseases of the skin and subcutaneous tissue complicating pregnancy, childbirth and the puerperium

Conditions in L00-L99

Excludes: herpes gestationis (O26.4)

O99.8 其他特定的疾病及病況併發於妊娠、生產及產褥期

可歸類於 **O99.0-O99.7** 分類項範圍之組合
(合併、聯合)性病況

在 **C00-D48**、**H00-H95**、**M00-M99**、
N00-N99 及 **Q00-Q99** 中所列屬之病況

排除：妊娠期生殖泌尿道感染(症)

(O23.-)

分娩後生殖泌尿道感染(症)

(O86.0-O86.3)

已知或懷疑母體骨盆腔器官異

常的母體(醫療)照護 (O34.-)

產後急性腎衰竭 (O90.4)

O99.8 Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium

Combination of conditions classifiable to
O99.0-O99.7

Conditions in C00-D48, H00-H95, M00-M99,
N00-N99, and Q00-Q99

Excludes: genitourinary infections in pregnancy

(O23.-)

infection of genitourinary tract

following delivery (O86.0-O86.3)

maternal care for known or suspected

abnormality of maternal pelvic

organs (O34.-)

postpartum acute renal failure

(O90.4)