

第十六章 源於周產期的病況 (P00-P96)

Chapter XVI Certain conditions originating in the perinatal period (P00-P96)

包含：源於周產期之病況，即使後來死亡或罹病

排除：先天性畸形、變形與染色體異常 (Q00-Q99)

內分泌、營養與(新陳)代謝(性)疾病 (E00-E90)

傷害、中毒與外因造成的其他影響 [結果] (S00-T98)

腫瘤 (C00-D48)

新生兒破傷風 (A33)

Includes: conditions that have their origin in the perinatal period even though death or morbidity occurs later

Excludes: congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

endocrine, nutritional and metabolic diseases (E00-E90)

injury, poisoning and certain other consequences of external causes (S00-T98)

neoplasms (C00-D48)

tetanus neonatorum (A33)

本章包含下列各節(組群)：

This chapter contains the following blocks:

P00-P04 胎兒及新生兒受母體因素和妊娠、產程[臨產]及分娩併發症的影響

P00-P04 Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery

P05-P08 妊娠期長短和胎兒生長有關的疾病

P05-P08 Disorders related to length of gestation and fetal growth

P10-P15 生產創傷

P10-P15 Birth trauma

P20-P29 特發於周產期的呼吸和心臟血管疾患

P20-P29 Respiratory and cardiovascular disorders specific to the perinatal period

P35-P39 特發於周產期的感染(症)

P35-P39 Infections specific to the perinatal period

P50-P61 胎兒及新生兒的出血和血液疾患

P50-P61 Haemorrhagic and haematological disorders of fetus and newborn

P70-P74 特發於胎兒及新生兒的短暫性內分泌和(新陳)代謝(性)疾患

P70-P74 Transitory endocrine and metabolic disorders specific to fetus and newborn

P75-P78 胎兒及新生兒消化系統疾患

P75-P78 Digestive system disorders of fetus and newborn

P80-P83 侵及(侵犯、涉及)胎兒及新生兒體被[被膜、皮膚]和體溫調節的病況

P80-P83 Conditions involving the integument and temperature regulation of fetus and newborn

P90-P96 源於周產期的其他疾患

本章所屬星號分類項範圍如下：

P75* 胎便性腸阻塞

**胎兒及新生兒受母體因素和妊娠、產程
[臨產]及分娩併發症的影響 (P00-P04)**

包 含：所列屬之母體病況乃指特定為胎兒或新生兒死亡或罹病之原因(病因)者

**P00 胎兒及新生兒受母體病況影響，
此病況可能與本次妊娠無關**

排 除：下列影響胎兒及新生兒的：

- 母體妊娠併發症 (P01.-)
- 母體內分泌及(新陳)代謝(性)疾患 (P70-P74)
- 經由胎盤或母乳傳播毒害之影響 (P04.-)

P00.0 胎兒及新生兒受母體高血壓性疾患的影響

胎兒或新生兒受可歸類在 **O10-O11、O13-O16** 之母體病況之影響

**P00.1 胎兒及新生兒受母體腎臟及泌尿道
[尿路]疾病的影響**

胎兒或新生兒受可歸類在 **N00-N39** 之母體病況之影響

P00.2 胎兒及新生兒受母體感染症及寄生蟲疾病的影響

胎兒或新生兒受可歸類在 **A00-B99、J10-J11** 之母體感染(症)之影響，但母體本身並未發病

排 除：特發於周產期的感染(症)
(P35-P39)

**P90-P96 Other disorders originating in the
perinatal period**

**An asterisk category for this chapter is
provided as follows:**

P75* Meconium ileus

**Fetus and newborn affected by maternal
factors and by complications of pregnancy,
labour and delivery (P00-P04)**

Includes: the listed maternal conditions only when
specified as a cause of mortality or
morbidity in fetus or newborn

**P00 Fetus and newborn affected by
maternal conditions that may be
unrelated to present pregnancy**

Excludes: fetus and newborn affected by:

- maternal complications of pregnancy (P01.-)
- maternal endocrine and metabolic disorders (P70-P74)
- noxious influences transmitted via placenta or breast milk (P04.-)

**P00.0 Fetus and newborn affected by
maternal hypertensive disorders**

Fetus or newborn affected by maternal conditions classifiable to **O10-O11、O13-O16**

**P00.1 Fetus and newborn affected by
maternal renal and urinary tract
diseases**

Fetus or newborn affected by maternal conditions classifiable to **N00-N39**

**P00.2 Fetus and newborn affected by
maternal infectious and parasitic
diseases**

Fetus or newborn affected by maternal infectious disease classifiable to **A00-B99** and **J10-J11**, but not itself manifesting that disease

Excludes: infections specific to the perinatal period (P35-P39)

母體生殖道及其他局部性感染
(症) (P00.8)

maternal genital tract and other
localized infections (P00.8)

P00.3 胎兒及新生兒受其他母體循環及呼吸性疾病的影響

胎兒及新生兒受可歸類在 **I00-I99**、**J00-J99**、**Q20-Q34**，但不包括 **P00.0**、**P00.2** 在內的母體病況之影響

P00.4 胎兒及新生兒受母體營養疾患的影響

胎兒或新生兒受可歸類在 **E40-E64** 的母體疾患之影響
母體營養不良，其他未特定者

P00.5 胎兒及新生兒受母體傷害的影響

胎兒或新生兒受可歸類在 **S00-T79** 的母體病況之影響

P00.6 胎兒及新生兒受母體外科處置的影響

排除：此次分娩為剖腹(術)生產 (P03.4)

羊膜穿刺、剖腹(術)分娩或外科
引產導致的胎盤損傷 (P02.1)

先前的子宮或骨盆(腔)器官手術
(P03.8)

終止妊娠，胎兒 (P96.4)

P00.7 胎兒及新生兒受母體其他醫療處置的影響，他處未歸類者

胎兒及新生兒受母體接受放射線照射
(或暴露)之影響

排除：羊膜穿刺術、剖腹(術)分娩或外科
引產所致的胎盤損傷
(P02.1)

胎兒或新生兒受產程(臨產)及
分娩其他併發症之影響
(P03.-)

P00.8 胎兒及新生兒受其他母體病況的影響

胎兒或新生兒受下列病況之影響：

- 可歸類在 **T80-T88** 的病況

P00.3 Fetus and newborn affected by other maternal circulatory and respiratory diseases

Fetus or newborn affected by maternal conditions classifiable to I00-I99, J00-J99, Q20-Q34 and not included in P00.0, P00.2

P00.4 Fetus and newborn affected by maternal nutritional disorders

Fetus or newborn affected by maternal disorders classifiable to E40-E64
Maternal malnutrition NOS

P00.5 Fetus and newborn affected by maternal injury

Fetus or newborn affected by maternal conditions classifiable to S00-T79

P00.6 Fetus and newborn affected by surgical procedure on mother

Excludes: caesarean section for present delivery (P03.4)

damage to placenta from
amniocentesis, caesarean section
or surgical induction (P02.1)

previous surgery to uterus or pelvic
organs (P03.8)

termination of pregnancy, fetus
(P96.4)

P00.7 Fetus and newborn affected by other medical procedures on mother, not elsewhere classified

Fetus or newborn affected by radiology on mother

Excludes: damage to placenta from

amniocentesis, caesarean section or
surgical induction (P02.1)

fetus or newborn affected by other
complications of labour and
delivery (P03.-)

P00.8 Fetus and newborn affected by other maternal conditions

Fetus or newborn affected by:

- conditions classifiable to T80-T88

• 母體生殖道及其他局部感染(症)

• 母體全身性紅斑性狼瘡(症)

排除：新生兒短暫性內分泌及(新陳)代謝(性)疾患 (P70-P74)

• maternal genital tract and other localized infections

• maternal systemic lupus erythematosus

Excludes: transitory neonatal endocrine and metabolic disorders (P70-P74)

P00.9 胎兒及新生兒受未特定母體病況的影響

P00.9 Fetus and newborn affected by unspecified maternal condition

P01 胎兒及新生兒受母體妊娠併發症的影響

P01 Fetus and newborn affected by maternal complications of pregnancy

P01.0 胎兒及新生兒受子宮頸功(機)能(閉鎖)不全的影響

P01.0 Fetus and newborn affected by incompetent cervix

P01.1 胎兒及新生兒受胎膜早期破水的影響

P01.1 Fetus and newborn affected by premature rupture of membranes

P01.2 胎兒及新生兒受羊水過少的影響

P01.2 Fetus and newborn affected by oligohydramnios

排除：胎膜早期破水所致者 (P01.1)

Excludes: when due to premature rupture of membranes (P01.1)

P01.3 胎兒及新生兒受羊水過多的影響

P01.3 Fetus and newborn affected by polyhydramnios

羊水過多(症)

Hydramnios

P01.4 胎兒及新生兒受異位妊娠[子宮外孕]的影響

P01.4 Fetus and newborn affected by ectopic pregnancy

腹腔妊娠

Abdominal pregnancy

P01.5 胎兒及新生兒受多胎妊娠的影響

P01.5 Fetus and newborn affected by multiple pregnancy

三胞胎(妊娠)

Triplet (pregnancy)

雙胞胎(妊娠)

Twin (pregnancy)

P01.6 胎兒及新生兒受母體死亡[死因]的影響

P01.6 Fetus and newborn affected by maternal death

P01.7 胎兒及新生兒受臨產程(臨產)前先露異常[胎位不正]的影響

P01.7 Fetus and newborn affected by malpresentation before labour

產程[臨產]前 { 臀位
外轉術
(臉)面位
橫位
不穩定胎位(產式)

Breech presentation
External version
Face presentation
Transverse lie
Unstable lie } before labour

P01.8 胎兒及新生兒受其他母體妊娠併發症的影響

自發性流產，胎兒

P01.8 Fetus and newborn affected by other maternal complications of pregnancy

Spontaneous abortion, fetus

P01.9 胎兒及新生兒受母體妊娠併發症的影響，未特定者

P02 胎兒及新生兒受胎盤、臍帶及胎膜併發症的影響

P02.0 胎兒及新生兒受前置胎盤的影響

P02.1 胎兒及新生兒受其他類型胎盤剝離及出血的影響

胎盤早期剝離

意外出血

產前出血

羊膜穿刺術、剖腹(術)生產或外科引產所致的胎盤損傷

母體血液流失

胎盤早期剝離

P02.2 胎兒及新生兒受其他和未特定胎盤型態及功(機)能異常的影響

(下列病況之)胎盤：

- 功(機)能不良(障礙、失調、異常)
- 梗塞
- [功(機)能]不全或不足

P02.3 胎兒及新生兒受胎盤輸血症候群的影響

胎盤及臍帶異常所致的雙胞胎之間或其他通過(貫穿)胎盤的輸血

必要時，可使用附加的診斷編碼，以標示胎兒或新生兒後來之結果病況

P02.4 胎兒及新生兒受臍帶脫垂的影響

P02.5 胎兒及新生兒受臍帶其他壓迫的影響

臍(緊)繞頸

臍纏繞

臍打結

P01.9 Fetus and newborn affected by maternal complication of pregnancy, unspecified

P02 Fetus and newborn affected by complications of placenta, cord and membranes

P02.0 Fetus and newborn affected by placenta praevia

P02.1 Fetus and newborn affected by other forms of placental separation and haemorrhage

Abruptio placentae

Accidental haemorrhage

Antepartum haemorrhage

Damage to placenta from amniocentesis, caesarean section or surgical induction

Maternal blood loss

Premature separation of placenta

P02.2 Fetus and newborn affected by other and unspecified morphological and functional abnormalities of placenta

Placental:

- dysfunction
- infarction
- insufficiency

P02.3 Fetus and newborn affected by placental transfusion syndromes

Placental and cord abnormalities resulting in twin-to-twin or other transplacental transfusion

Use additional code, if desired, to indicate resultant condition in the fetus or newborn.

P02.4 Fetus and newborn affected by prolapsed cord

P02.5 Fetus and newborn affected by other compression of umbilical cord

Cord (tightly) around neck

Entanglement of cord

Knot in cord

P02.6 胎兒及新生兒受臍帶其他未特定病況的影響

短臍帶

前置血管

排除：單一臍動脈 (Q27.0)

P02.7 胎兒及新生兒受絨毛羊膜炎的影響

羊膜炎

胎膜炎

胎盤炎

P02.8 胎兒及新生兒受胎膜其他異常的影響

P02.9 胎兒及新生兒受胎膜異常的影響，未特定者

P03 胎兒及新生兒受產程[臨產]及分娩其他併發症的影響

P03.0 胎兒及新生兒受臀位分娩及牽引的影響

P03.1 胎兒及新生兒受產程[臨產]及分娩時其他先露異常、胎位不正及胎頭骨盆不稱的影響

骨盆狹窄

胎兒及新生兒受可歸類在 **O64-O66** 中病況之影響

持續枕後位

橫位

P03.2 胎兒及新生兒受產鉗分娩的影響

P03.3 胎兒及新生兒受真空吸引器[吸杯]分娩的影響

P03.4 胎兒及新生兒受剖腹(術)分娩的影響

P03.5 胎兒及新生兒受急產的影響

第 II 產程過快

P03.6 胎兒及新生兒受子宮異常收縮的影響

胎兒及新生兒受 **O62.3** 除外可歸類在 **O62.-** 中病況之影響

高張性產程[臨產]

P02.6 Fetus and newborn affected by other and unspecified conditions of umbilical cord

Short cord

Vasa praevia

Excludes: single umbilical artery (Q27.0)

P02.7 Fetus and newborn affected by chorioamnionitis

Amnionitis

Membranitis

Placentitis

P02.8 Fetus and newborn affected by other abnormalities of membranes

P02.9 Fetus and newborn affected by abnormality of membranes, unspecified

P03 Fetus and newborn affected by other complications of labour and delivery

P03.0 Fetus and newborn affected by breech delivery and extraction

P03.1 Fetus and newborn affected by other malpresentation, malposition and disproportion during labour and delivery

Contracted pelvis

Fetus or newborn affected by conditions classifiable to O64-O66

Persistent occipitoposterior

Transverse lie

P03.2 Fetus and newborn affected by forceps delivery

P03.3 Fetus and newborn affected by delivery by vacuum extractor [ventouse]

P03.4 Fetus and newborn affected by caesarean delivery

P03.5 Fetus and newborn affected by precipitate delivery

Rapid second stage

P03.6 Fetus and newborn affected by abnormal uterine contractions

Fetus or newborn affected by conditions classifiable to O62.-, except O62.3

Hypertonic labour

子宮無力

Uterine inertia

P03.8 胎兒及新生兒受其他特定產程[臨產]及分娩併發症的影響

母體軟組織異常

為促進分娩的破壞性手術

胎兒及新生兒受可歸類在 **O60-O75** 中之病況，以及非歸類在 **P02.-**、**P03.0-P03.6** 中之產程[臨產]及分娩醫療處置之影響

引產

P03.9 胎兒及新生兒受產程[臨產]及分娩併發症的影響，未特定者

P03.8 Fetus and newborn affected by other specified complications of labour and delivery

Abnormality of maternal soft tissues

Destructive operation to facilitate delivery

Fetus or newborn affected by conditions classifiable to O60-O75 and by procedures used in labour and delivery not included in P02.- and P03.0- P03.6

Induction of labour

P03.9 Fetus and newborn affected by complication of labour and delivery, unspecified

P04 胎兒及新生兒受經由胎盤或母乳傳播毒害的影響

包 含：經由(或透過)胎盤傳播物質之非致畸形效應(作用、影響)

排 除：先天性畸形 (Q00-Q99)

母體使用藥物或毒素所致的過度溶血所造成的新生兒黃疸 (P58.4)

P04.0 胎兒及新生兒受妊娠、產程[臨產]及分娩(所致)的母體麻醉及止痛影響

產程[臨產]及分娩時母體使用鴉片類(藥)劑及鎮靜(藥)劑(所致)的反應及中毒

P04.1 胎兒及新生兒受其他母體用藥的影響

癌症化學治療

細胞毒性藥物

排 除：warfarin 抗凝血劑所致的畸(變)形 (Q86.2)

胎兒內鹼脲(hydantoin)症候群 (Q86.1)

母體使用依賴或成癮性藥物 (P04.4)

P04.2 胎兒及新生兒受母體使用菸(烟)草的影響

P04.3 胎兒及新生兒受母體使用酒精的影響

P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast milk

Includes: nonteratogenic effects of substances transmitted via placenta

Excludes: congenital malformations (Q00-Q99)

neonatal jaundice from other

excessive haemolysis due to

drugs or toxins transmitted from mother (P58.4)

P04.0 Fetus and newborn affected by maternal anaesthesia and analgesia in pregnancy, labour and delivery

Reactions and intoxications from maternal opiates and tranquillizers administered during labour and delivery

P04.1 Fetus and newborn affected by other maternal medication

Cancer chemotherapy

Cytotoxic drugs

Excludes: dysmorphism due to warfarin (Q86.2)

fetal hydantoin syndrome (Q86.1)

maternal use of drugs of addiction (P04.4)

P04.2 Fetus and newborn affected by maternal use of tobacco

P04.3 Fetus and newborn affected by maternal use of alcohol

排除：胎兒酒精症候群 (Q86.0)

P04.4 胎兒及新生兒受母體使用依賴或成癮性藥物的影響

排除：母體的麻醉及止痛 (P04.0)

母體使用依賴或成癮性藥物的
戒斷症候群 (P96.1)

P04.5 胎兒及新生兒受母體使用營養性、化學性物質的影響

P04.6 胎兒及新生兒受母體暴露於環境中化學性物質的影響

P04.8 胎兒及新生兒受其他母體毒害的影響

P04.9 胎兒及新生兒受母體毒害的影響，未特定者

Excludes: fetal alcohol syndrome (Q86.0)

P04.4 Fetus and newborn affected by maternal use of drugs of addiction

Excludes: maternal anaesthesia and analgesia (P04.0)

withdrawal symptoms from maternal use of drugs of addiction (P96.1)

P04.5 Fetus and newborn affected by maternal use of nutritional chemical substances

P04.6 Fetus and newborn affected by maternal exposure to environmental chemical substances

P04.8 Fetus and newborn affected by other maternal noxious influences

P04.9 Fetus and newborn affected by maternal noxious influence, unspecified

妊娠期長短和胎兒生長有關的疾患 (P05-P08)

P05 胎兒生長緩慢及胎兒營養不良

P05.0 體重不足

通常是指體重低於妊娠週數的 **10** 個百分位，但身長卻大於妊娠週數的 **10** 個百分位。

體重不足[低體重兒]

P05.1 身體過小

通常是指體重及身長均低於該妊娠週數的 **10** 個百分位。

身體過小[過小兒]

身體過小及體重不足

P05.2 胎兒營養不良，未提及體重不足或身體過小者

嬰兒並無體重不足或身體過小但卻顯示胎兒營養不良徵候，如：皮膚乾燥、脫屑及皮下組織喪失。

排除：胎兒營養不良且提及：

- 體重不足 (P05.0)
- 身體過小 (P05.1)

Disorders related to length of gestation and fetal growth (P05-P08)

P05 Slow fetal growth and fetal malnutrition

P05.0 Light for gestational age

Usually referred to as weight below but length above 10th centile for gestational age.

Light-for-dates

P05.1 Small for gestational age

Usually referred to as weight and length below 10th centile for gestational age.

Small-for-dates

Small-and-light-for-dates

P05.2 Fetal malnutrition without mention of light or small for gestational age

Infant, not light or small for gestational age, showing signs of fetal malnutrition, such as dry, peeling skin and loss of subcutaneous tissue.

Excludes: fetal malnutrition with mention of:

- light for gestational age (P05.0)
- small for gestational age (P05.1)

P05.9 胎兒生長遲滯，未特定者
胎兒生長遲滯，其他未特定者

P07 妊娠週數不足及低出生體重有關的疾患，他處未歸類者

註：當出生體重及妊娠週數兩者皆可用時，優先以出生體重歸類

包含：新生兒死亡、罹病或需額外照護的原因(或病因)所列屬之病況而無進一步標示者。

排除：胎兒生長緩慢及胎兒營養不良所致的出生體重過低 (P05.-)

P07.0 極低出生體重
出生體重在 **999 克** 或以下。

P07.1 其他低出生體重
出生體重介於 **1,000~2,499 克** 之間。

P07.2 極度不成熟
妊娠少於 **28 週**(少於 **196 天**)。

P07.3 其他早產嬰兒
妊娠滿 **28 週** 以上而少於 **37 週**(滿 **196 天** 而少於 **259 天**)。

早產，其他未特定者

P08 妊娠過長(過月生產)及出生體重過重有關的疾患
註：當出生體重及妊娠週數兩者皆可用時，應優先以出生體重歸類。

包含：胎兒或新生兒的死亡、罹病或需額外照護的原因(或病因)所列屬之病況而無進一步標示者。

P08.0 超大嬰兒

P05.9 Slow fetal growth, unspecified
Fetal growth retardation NOS

P07 Disorders related to short gestation and low birth weight, not elsewhere classified

Note: When both birth weight and gestational age are available, priority of assignment should be given to birth weight.

Includes: the listed conditions, without further specification, as the cause of mortality, morbidity or additional care, in newborn

Excludes: low birth weight due to slow fetal growth and fetal malnutrition (P05.-)

P07.0 Extremely low birth weight
Birth weight 999 g or less.

P07.1 Other low birth weight
Birth weight 1,000-2,499 g.

P07.2 Extreme immaturity
Less than 28 completed weeks (less than 196 completed days) of gestation.

P07.3 Other preterm infants
28 completed weeks or more but less than 37 completed weeks(196 completed days but less than 259 completed days) of gestation.
Prematurity NOS

P08 Disorders related to long gestation and high birth weight

Note: When both birth weight and gestational age are available, priority of assignment should be given to birth weight.

Includes: the listed conditions, without further specification, as causes of mortality, morbidity or additional care, in fetus or newborn

P08.0 Exceptionally large baby

通常意指出生體重在 **4,500 克** 或以上。

排除：下列症候群：

- 糖尿病母體的嬰兒 (P70.1)
- 伴有(合併或併發)妊娠型糖尿病母體的嬰兒 (P70.0)

P08.1 其他體重過重嬰兒

指不論妊娠期長短，其體重重於或身體大於胎齡之其他胎兒或嬰兒。

P08.2 過月產嬰兒，體重未過重者

妊娠期大於或等於 **42 週(294 天)** 的胎兒或嬰兒，而體重未重於或身體大於胎齡者。

過度成熟，其他未特定者

Usually implies a birth weight of 4,500 g or more.

Excludes: syndrome of:

- infant of diabetic mother (P70.1)
- infant of mother with gestational diabetes (P70.0)

P08.1 Other heavy for gestational age infants

Other fetus or infant heavy- or large-for-dates regardless of period of gestation.

P08.2 Post-term infant, not heavy for gestational age

Fetus or infant with gestation period of 42 completed weeks or more (294 days or more), not heavy- or large-for-dates.

Postmaturity NOS

生產創傷 (P10-P15)

P10 生產傷害所致的顱內裂傷及出血

排除：(下列)胎兒或新生兒顱內出血：

- 其他未特定者 (P52.9)
- 缺氧或低氧所致者 (P52.-)

P10.0 生產傷害所致的硬腦膜下出血

生產傷害所致的(局部)硬腦膜下血腫

排除：硬腦膜下出血伴隨(合併或併發)腦幕的撕裂傷 (P10.4)

P10.1 生產傷害所致的腦出血

P10.2 生產傷害所致的腦室內出血

P10.3 生產傷害所致的蜘蛛膜下出血

P10.4 生產傷害所致的腦幕撕裂傷

P10.8 生產傷害所致的其他顱內裂傷及出血

P10.9 生產傷害所致未特定的顱內裂傷及出血

Birth trauma (P10-P15)

P10 Intracranial laceration and haemorrhage due to birth injury

Excludes: intracranial haemorrhage of fetus or newborn:

- NOS (P52.9)
- due to anoxia or hypoxia (P52.-)

P10.0 Subdural haemorrhage due to birth injury

Subdural haematoma (localized) due to birth injury

Excludes: subdural haemorrhage accompanying tentorial tear (P10.4)

P10.1 Cerebral haemorrhage due to birth injury

P10.2 Intraventricular haemorrhage due to birth injury

P10.3 Subarachnoid haemorrhage due to birth injury

P10.4 Tentorial tear due to birth injury

P10.8 Other intracranial lacerations and haemorrhages due to birth injury

P10.9 Unspecified intracranial laceration and haemorrhage due to birth injury

P11 中樞神經系統其他生產傷害

- P11.0 生產傷害所致的腦水腫
- P11.1 生產傷害所致其他特定的腦損傷
- P11.2 生產傷害所致未特定的腦損傷
- P11.3 顏面神經生產傷害
生產傷害所致的顏面神經麻痺
- P11.4 其他顱(腦)神經生產傷害
- P11.5 脊椎(柱)及脊髓生產傷害
生產傷害所致的脊椎(柱)骨折
- P11.9 中樞神經系統生產傷害，未特定者

P12 頭皮生產傷害

- P12.0 生產傷害所致的頭血腫
- P12.1 生產傷害所致的毳髮
- P12.2 生產傷害所致的顱骨外腱膜下出血
- P12.3 生產傷害所致的頭皮瘀傷
- P12.4 新生兒頭皮監視性傷害
取樣切開
頭皮夾(電極)傷害
- P12.8 頭皮其他生產傷害
- P12.9 頭皮生產傷害，未特定者

P13 骨骼生產傷害

- ~~排除~~：脊椎(柱)生產傷害 (P11.5)
- P13.0 生產傷害所致的(頭)顱骨骨折
- P13.1 (頭)顱骨其他生產傷害
~~排除~~：頭血腫 (P12.0)
- P13.2 股骨生產傷害
- P13.3 其他長骨生產傷害
- P13.4 生產傷害所致的鎖骨骨折
- P13.8 骨骼其他部位生產傷害
- P13.9 骨骼生產傷害，未特定者

P14 周邊神經系統生產傷害

- P14.0 生產傷害所致的 Erb (氏)麻痺
- P14.1 生產傷害所致的 Klumpke (氏)麻痺

P11 Other birth injuries to central nervous system

- P11.0 Cerebral oedema due to birth injury
- P11.1 Other specified brain damage due to birth injury
- P11.2 Unspecified brain damage due to birth injury
- P11.3 Birth injury to facial nerve
Facial palsy due to birth injury
- P11.4 Birth injury to other cranial nerves
- P11.5 Birth injury to spine and spinal cord
Fracture of spine due to birth injury
- P11.9 Birth injury to central nervous system, unspecified

P12 Birth injury to scalp

- P12.0 Cephalhaematoma due to birth injury
- P12.1 Chignon due to birth injury
- P12.2 Epicranial subaponeurotic haemorrhage due to birth injury
- P12.3 Bruising of scalp due to birth injury
- P12.4 Monitoring injury of scalp of newborn
Sampling incision
Scalp clip (electrode) injury
- P12.8 Other birth injuries to scalp
- P12.9 Birth injury to scalp, unspecified

P13 Birth injury to skeleton

- Excludes:* birth injury to spine (P11.5)
- P13.0 Fracture of skull due to birth injury
- P13.1 Other birth injuries to skull
Excludes: cephalhaematoma (P12.0)
- P13.2 Birth injury to femur
- P13.3 Birth injury to other long bones
- P13.4 Fracture of clavicle due to birth injury
- P13.8 Birth injuries to other parts of skeleton
- P13.9 Birth injury to skeleton, unspecified

P14 Birth injury to peripheral nervous system

- P14.0 Erb's paralysis due to birth injury
- P14.1 Klumpke's paralysis due to birth injury

- P14.2 生產傷害所致的膈神經麻痺
- P14.3 臂神經叢其他生產傷害
- P14.8 周邊神經系統其他部位的生產傷害
- P14.9 周邊神經系統生產傷害，未特定者

P15 其他生產傷害

- P15.0 肝生產傷害
生產傷害所致的肝破裂
- P15.1 脾生產傷害
生產傷害所致的脾破裂
- P15.2 生產傷害所致的胸骨乳突傷害
- P15.3 眼生產傷害
生產傷害所致的 { 結膜下出血
創傷性青光眼 }
- P15.4 顏面生產傷害
生產傷害所致的顏面充血
- P15.5 外生殖器生產傷害
- P15.6 生產傷害所致的皮下脂肪壞死
- P15.8 其他特定的生產傷害
- P15.9 生產傷害，未特定者

特發於周產期的呼吸和心臟血管疾患 (P20-P29)

P20 子宮內低氧(症)

包 含：異常胎兒心(搏)率

(下列)胎兒或子宮內病況：

- 酸中毒
- 缺氧
- 窒息
- 窘迫
- 低氧

羊水含胎便

胎便排出

排 除：缺氧或低氧所致的顱內出血
(P52.-)

- P14.2 Phrenic nerve paralysis due to birth injury
- P14.3 Other brachial plexus birth injuries
- P14.8 Birth injuries to other parts of peripheral nervous system
- P14.9 Birth injury to peripheral nervous system, unspecified

P15 Other birth injuries

- P15.0 Birth injury to liver
Rupture of liver due to birth injury
- P15.1 Birth injury to spleen
Rupture of spleen due to birth injury
- P15.2 Sternomastoid injury due to birth injury
- P15.3 Birth injury to eye
Subconjunctival haemorrhage } due to
Traumatic glaucoma } birth injury
- P15.4 Birth injury to face
Facial congestion due to birth injury
- P15.5 Birth injury to external genitalia
- P15.6 Subcutaneous fat necrosis due to birth injury
- P15.8 Other specified birth injuries
- P15.9 Birth injury, unspecified

Respiratory and cardiovascular disorders specific to the perinatal period(P20-P29)

P20 Intrauterine hypoxia

Includes: abnormal fetal heart rate

fetal or intrauterine:

- acidosis
- anoxia
- asphyxia
- distress
- hypoxia

meconium in liquor

passage of meconium

Excludes: intracranial haemorrhage due to
anoxia or hypoxia (P52.-)

P20.0 產程開始[臨產]前覺察到的子宮內低氧(症)

P20.1 產程[臨產]及分娩時覺察到的子宮內低氧(症)

P20.9 子宮內低氧(症)，未特定者

P21 出生窒息

註：本分類項不適用於未提及窒息或其他呼吸問題的低Apgar得分者。

排除：子宮內低氧或窒息 (P20.-)

P21.0 重度出生窒息

出生時心(搏)率持續地少於每分鐘**100**下，並逐漸下降或穩定、呼吸停止或喘息、膚色差、無肌肉張力。

窒息伴有(合併或併發)1分鐘Apgar得分**0~3**分

白色窒息

P21.1 輕度及中度出生窒息

出生一分鐘內尚未有正常呼吸，但心(搏)率在(每分鐘)**100**次或以上，具有一些肌肉張力，且對刺激有些反應。

窒息伴有(合併或併發)1分鐘Apgar得分**4~7**分

藍色窒息

P21.9 出生窒息，未特定者

缺氧 }
窒息 } ，其他未特定者
低氧 }

P22 新生兒呼吸窘迫(症)

排除：新生兒呼吸衰竭 (P28.5)

P22.0 新生兒呼吸窘迫症候群

透明膜疾病

P20.0 Intrauterine hypoxia first noted before onset of labour

P20.1 Intrauterine hypoxia first noted during labour and delivery

P20.9 Intrauterine hypoxia, unspecified

P21 Birth asphyxia

Note: This category is not to be used for low Apgar score without mention of asphyxia or other respiratory problems.

Excludes: intrauterine hypoxia or asphyxia (P20.-)

P21.0 Severe birth asphyxia

Pulse less than 100 per minute at birth and falling or steady, respiration absent or gasping, colour poor, tone absent.

Asphyxia with 1-minute Apgar score 0-3

White asphyxia

P21.1 Mild and moderate birth asphyxia

Normal respiration not established within one minute, but heart rate 100 or above, some muscle tone present, some response to stimulation.

Asphyxia with 1-minute Apgar score 4-7

Blue asphyxia

P21.9 Birth asphyxia, unspecified

Anoxia }
Asphyxia } NOS
Hypoxia }

P22 Respiratory distress of newborn

Excludes: respiratory failure of newborn (P28.5)

P22.0 Respiratory distress syndrome of newborn

Hyaline membrane disease

- P22.1 新生兒短暫性呼吸急促(症)
P22.8 新生兒其他呼吸窘迫(症)
P22.9 新生兒呼吸窘迫(症)，未特定者

P23 先天性肺炎

包含：子宮內或出生時罹患感染性肺炎

排除：吸入所致的新生兒肺炎 (P24.-)

P23.0 病毒原(所致)的先天性肺炎

排除：先天性風疹[德國麻疹]肺炎
(P35.0)

P23.1 披衣菌(所致)的先天性肺炎

P23.2 葡萄球菌(所致)的先天性肺炎

P23.3 B 群鏈球菌(所致)的先天性肺炎

P23.4 大腸桿菌(所致)的先天性肺炎

P23.5 綠膿桿菌(所致)的先天性肺炎

P23.6 其他細菌(所致)的先天性肺炎

流行性感 冒嗜血桿菌

肺炎克雷氏桿菌

微漿菌(屬)

鏈球菌，其 B 群除外

P23.8 其他病原體(所致)的先天性肺炎

P23.9 先天性肺炎，未特定者

P24 新生兒吸入性症候群

包含：吸入所致的新生兒肺炎

P24.0 新生兒吸入胎便

P24.1 新生兒吸入羊水及黏液

吸入羊(膜)水

P24.2 新生兒吸入血液

P24.3 新生兒吸入牛奶及回(逆)流的食物

P22.1 Transient tachypnoea of newborn

P22.8 Other respiratory distress of newborn

P22.9 Respiratory distress of newborn, unspecified

P23 Congenital pneumonia

Includes: infective pneumonia acquired in utero or during birth

Excludes: neonatal pneumonia resulting from aspiration (P24.-)

P23.0 Congenital pneumonia due to viral agent

Excludes: congenital rubella pneumonitis (P35.0)

P23.1 Congenital pneumonia due to Chlamydia

P23.2 Congenital pneumonia due to staphylococcus

P23.3 Congenital pneumonia due to streptococcus, group B

P23.4 Congenital pneumonia due to Escherichia coli

P23.5 Congenital pneumonia due to Pseudomonas

P23.6 Congenital pneumonia due to other bacterial agents

Haemophilus influenzae

Klebsiella pneumoniae

Mycoplasma

Streptococcus, except group B

P23.8 Congenital pneumonia due to other organisms

P23.9 Congenital pneumonia, unspecified

P24 Neonatal aspiration syndromes

Includes: neonatal pneumonia resulting from aspiration

P24.0 Neonatal aspiration of meconium

P24.1 Neonatal aspiration of amniotic fluid and mucus

Aspiration of liquor (amni)

P24.2 Neonatal aspiration of blood

P24.3 Neonatal aspiration of milk and regurgitated food

- P24.8 其他新生兒吸入性症候群
P24.9 新生兒吸入性症候群，未特定者

新生兒吸入性肺炎，其他未特定者

P25 源於周產期的間質性肺氣腫及有關病況

- P25.0 源於周產期的間質性肺氣腫
P25.1 源於周產期的氣胸
P25.2 源於周產期的縱隔積氣
P25.3 源於周產期的心包積氣
P25.8 源於周產期有關間質性肺氣腫的其他病況

P26 源於周產期的肺出血

- P26.0 源於周產期的氣管支氣管出血
P26.1 源於周產期的肺大量出血
P26.8 源於周產期的其他肺出血
P26.9 源於周產期未特定的肺出血

P27 源於周產期的慢性呼吸(道)疾病

- P27.0 Wilson-Mikity (二氏)症候群
肺成熟度不良
P27.1 源於周產期的支氣管肺發育不良
P27.8 源於周產期的其他慢性呼吸(道)疾病
先天性肺纖維化[纖維變性]
新生兒呼吸器使用(所致)的肺(病變)
P27.9 源於周產期未特定的慢性呼吸(道)疾病

P28 源於周產期的其他呼吸(道)病況

- P24.8 Other neonatal aspiration syndromes
P24.9 Neonatal aspiration syndrome, unspecified
Neonatal aspiration pneumonia NOS

P25 Interstitial emphysema and related conditions originating in the perinatal period

- P25.0 Interstitial emphysema originating in the perinatal period
P25.1 Pneumothorax originating in the perinatal period
P25.2 Pneumomediastinum originating in the perinatal period
P25.3 Pneumopericardium originating in the perinatal period
P25.8 Other conditions related to interstitial emphysema originating in the perinatal period

P26 Pulmonary haemorrhage originating in the perinatal period

- P26.0 Tracheobronchial haemorrhage originating in the perinatal period
P26.1 Massive pulmonary haemorrhage originating in the perinatal period
P26.8 Other pulmonary haemorrhages originating in the perinatal period
P26.9 Unspecified pulmonary haemorrhage originating in the perinatal period

P27 Chronic respiratory disease originating in the perinatal period

- P27.0 Wilson-Mikity syndrome
Pulmonary dysmaturity
P27.1 Bronchopulmonary dysplasia originating in the perinatal period
P27.8 Other chronic respiratory diseases originating in the perinatal period
Congenital pulmonary fibrosis
Ventilator lung in newborn
P27.9 Unspecified chronic respiratory disease originating in the perinatal period

P28 Other respiratory conditions originating in the perinatal period

排除：呼吸系統先天性畸形 (Q30-Q34)

P28.0 新生兒原發性肺擴張不全

原發性終末端呼吸單位擴張不能

肺(部)：

- (與)胎齡過短相關的肺發育不全
- 未成熟，其他未特定者

P28.1 新生兒其他及未特定的肺擴張不全

(下列)肺擴張不全：

- 其他未特定者
- 部份性
- 續發性

未伴有(未合併或未併發)呼吸窘迫症候群的吸收性肺擴張不全

P28.2 新生兒發紺發作

排除：新生兒呼吸暫停 (P28.3-P28.4)

P28.3 新生兒原發性睡眠呼吸暫停

新生兒睡眠呼吸暫停，其他未特定者

P28.4 新生兒其他呼吸暫停

P28.5 新生兒呼吸衰竭

P28.8 新生兒其他特定的呼吸(道)病況

新生兒鼻塞

排除：早期先天性梅毒性鼻炎 (A50.0)

P28.9 新生兒呼吸(道)病況，未特定者

P29 源於周產期的心臟血管疾患

排除：循環系統先天性畸形 (Q20-Q28)

P29.0 新生兒心衰竭

P29.1 新生兒心律不整

P29.2 新生兒高血壓

P29.3 持續性胎兒循環

動脈導管延遲閉合

P29.4 新生兒短暫性心肌缺血

Excludes: congenital malformations of the respiratory system (Q30-Q34)

P28.0 Primary atelectasis of newborn

Primary failure to expand terminal respiratory units

Pulmonary:

- hypoplasia associated with short gestation
- immaturity NOS

P28.1 Other and unspecified atelectasis of newborn

Atelectasis:

- NOS
- partial
- secondary

Resorption atelectasis without respiratory distress syndrome

P28.2 Cyanotic attacks of newborn

Excludes: apnoea of newborn (P28.3-P28.4)

P28.3 Primary sleep apnoea of newborn

Sleep apnoea of newborn NOS

P28.4 Other apnoea of newborn

P28.5 Respiratory failure of newborn

P28.8 Other specified respiratory conditions of newborn

Snuffles in newborn

Excludes: early congenital syphilitic rhinitis (A50.0)

P28.9 Respiratory condition of newborn, unspecified

P29 Cardiovascular disorders originating in the perinatal period

Excludes: congenital malformations of the circulatory system (Q20-Q28)

P29.0 Neonatal cardiac failure

P29.1 Neonatal cardiac dysrhythmia

P29.2 Neonatal hypertension

P29.3 Persistent fetal circulation

Delayed closure of ductus arteriosus

P29.4 Transient myocardial ischaemia of newborn

P29.8 源於周產期的其他心臟血管疾患

P29.9 源於周產期的心臟血管疾患，未特定者

特發於周產期的感染(症) (P35-P39)

包含：子宮內或出生時的感染(症)

排除：無症狀性人類免疫缺乏病毒[HIV]感染狀態 (Z21)

(下列)先天性：

- 淋球菌性感染(症) (A54.-)
- 肺炎 (P23.-)
- 梅毒 (A50.-)

人類免疫缺乏病毒[HIV]疾病 (B20-B24)

出生後的感染性疾病 (A00-B99, J10-J11)

腸道感染性疾病 (A00-A09)

人類免疫缺乏病毒[HIV]感染的實驗室(檢驗)證據 (R75)

母體感染性疾病為胎兒或新生兒死亡或罹病的原因(或病因)，但母體本身並未發病 (P00.2)

新生兒破傷風 (A33)

P35 先天性病毒性疾病

P35.0 先天性風疹[德國麻疹]症候群

先天性風疹[德國麻疹]肺炎

P35.1 先天性巨細胞病毒感染(症)

P35.2 先天性疱疹病毒性[單純性疱疹]感染(症)

P35.3 先天性病毒性肝炎

P35.8 其他先天性病毒性疾病

先天性水痘

P35.9 先天性病毒性疾病，未特定者

P36 新生兒細菌性敗血症

包含：先天性菌血症

P36.0 B 群鏈球菌(所致)的新生兒敗血症

P36.1 其他及未特定鏈球菌(所致)的新生兒敗血症

P29.8 Other cardiovascular disorders originating in the perinatal period

P29.9 Cardiovascular disorder originating in the perinatal period, unspecified

Infections specific to the perinatal period (P35-P39)

Includes: infections acquired in utero or during birth

Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)

congenital:

- gonococcal infection (A54.-)
- pneumonia (P23.-)
- syphilis (A50.-)

human immunodeficiency virus [HIV] disease (B20-B24)

infectious diseases acquired after birth (A00-B99, J10-J11)

intestinal infectious disease (A00-A09)

laboratory evidence of human

immunodeficiency virus[HIV] (R75)

maternal infectious disease as a cause of mortality or morbidity in fetus or newborn not itself manifesting the disease (P00.2)

tetanus neonatorum (A33)

P35 Congenital viral diseases

P35.0 Congenital rubella syndrome

Congenital rubella pneumonitis

P35.1 Congenital cytomegalovirus infection

P35.2 Congenital herpesviral [herpes simplex] infection

P35.3 Congenital viral hepatitis

P35.8 Other congenital viral diseases

Congenital varicella [chickenpox]

P35.9 Congenital viral disease, unspecified

P36 Bacterial sepsis of newborn

Includes: congenital septicaemia

P36.0 Sepsis of newborn due to Streptococcus, group B

P36.1 Sepsis of newborn due to other and unspecified streptococci

- P36.2 金黃色葡萄球菌(所致)的新生兒敗血症
- P36.3 其他及未特定葡萄球菌(所致)的新生兒敗血症
- P36.4 大腸桿菌(所致)的新生兒敗血症
- P36.5 厭氧菌(所致)的新生兒敗血症
- P36.8 新生兒其他細菌性敗血症
- P36.9 新生兒細菌性敗血症，未特定者

P37 其他先天性感症及寄生蟲疾病

排除：先天性梅毒 (A50.-)

胎兒或新生兒壞死性腸炎[NEC]
(P77)

(下列)新生兒腹瀉：

- 感染性 (A00-A09)
- 非感染性 (P78.3)

淋球菌(所致)的新生兒眼炎
(A54.3)

新生兒破傷風 (A33)

- P37.0 先天性結核病
- P37.1 先天性弓蟲(病)症
先天性弓蟲(病)症(所致)的水腦[腦水腫]
- P37.2 新生兒(散播性)李士德菌(病)症
- P37.3 先天性惡性瘧(疾)
- P37.4 其他先天性瘧疾
- P37.5 新生兒念珠菌(病)症
- P37.8 其他特定的先天性感症及寄生蟲疾病
- P37.9 先天性感症或寄生蟲疾病，未特定者

P38 新生兒臍炎伴有(合併或併發)或未伴有(未合併或未併發)輕度出血

P39 特發於周產期的其他感染(症)

- P39.0 新生兒感染性乳房(腺)炎

排除：新生兒乳房腫脹 (P83.4)

- P36.2 Sepsis of newborn due to *Staphylococcus aureus*
- P36.3 Sepsis of newborn due to other and unspecified staphylococci
- P36.4 Sepsis of newborn due to *Escherichia coli*
- P36.5 Sepsis of newborn due to anaerobes
- P36.8 Other bacterial sepsis of newborn
- P36.9 Bacterial sepsis of newborn, unspecified

P37 Other congenital infectious and parasitic diseases

Excludes: congenital syphilis (A50.-)

necrotizing enterocolitis of fetus or newborn (P77)

neonatal diarrhoea:

- infectious (A00-A09)
- noninfective (P78.3)

ophthalmia neonatorum due to gonococcus (A54.3)

tetanus neonatorum (A33)

- P37.0 Congenital tuberculosis
- P37.1 Congenital toxoplasmosis
Hydrocephalus due to congenital toxoplasmosis
- P37.2 Neonatal (disseminated) listeriosis
- P37.3 Congenital falciparum malaria
- P37.4 Other congenital malaria
- P37.5 Neonatal candidiasis
- P37.8 Other specified congenital infectious and parasitic diseases
- P37.9 Congenital infectious or parasitic disease, unspecified

P38 Omphalitis of newborn with or without mild haemorrhage

P39 Other infections specific to the perinatal period

- P39.0 Neonatal infective mastitis

Excludes: breast engorgement of newborn (P83.4)

新生兒非感染性乳房(腺)炎
(P83.4)

P39.1 新生兒結膜炎及淚囊炎

新生兒披衣菌性結膜炎

新生兒眼炎，其他未特定者

排除：淋球菌性結膜炎 (A54.3)

P39.2 胎兒羊膜腔內感染(症)，他處未歸類者

P39.3 新生兒泌尿道[尿路]感染(症)

P39.4 新生兒皮膚感染(症)

新生兒膿毒症

排除：新生兒天疱瘡 (L00)

葡萄球菌性燙傷樣皮膚症候群
(L00)

P39.8 特發於周產期的其他特定感染(症)

P39.9 特發於周產期的感染(症)，未特定者

noninfective mastitis of newborn
(P83.4)

P39.1 Neonatal conjunctivitis and dacryocystitis

Neonatal chlamydial conjunctivitis

Ophthalmia neonatorum NOS

Excludes: gonococcal conjunctivitis (A54.3)

P39.2 Intra-amniotic infection of fetus, not elsewhere classified

P39.3 Neonatal urinary tract infection

P39.4 Neonatal skin infection

Neonatal pyoderma

Excludes: pemphigus neonatorum (L00)

staphylococcal scalded skin syndrome
(L00)

P39.8 Other specified infections specific to the perinatal period

P39.9 Infection specific to the perinatal period, unspecified

**胎兒及新生兒出血和血液疾患
(P50-P61)**

排除：膽管先天性狹窄及縮窄 (Q44.3)

Crigler-Najjar (二氏)症候群 (E80.5)

Dubin-Johnson (二氏)症候群 (E80.6)

Gilbert (氏)症候群 (E80.4)

遺傳性溶血性貧血 (D55-D58)

Haemorrhagic and haematological disorders of fetus and newborn (P50-P61)

Excludes: congenital stenosis and stricture of bile duct
(Q44.3)

Crigler-Najjar syndrome (E80.5)

Dubin-Johnson syndrome (E80.6)

Gilbert's syndrome (E80.4)

hereditary haemolytic anaemias (D55-D58)

P50 胎兒失血

排除：胎兒失血(所致)的先天性貧血
(P61.3)

P50.0 前置血管(所致)的胎兒失血

P50.1 臍帶破裂(所致)的胎兒失血

P50.2 胎盤(所致)的胎兒失血

P50.3 流入另一個雙胞胎的出血

P50.4 流入母體血液循環的出血

P50.5 雙胞胎另一胎兒臍帶斷端的胎兒失血

P50.8 其他胎兒失血

P50.9 胎兒失血，未特定者

胎兒出血，其他未特定者

P50 Fetal blood loss

Excludes: congenital anaemia from fetal blood
loss (P61.3)

P50.0 Fetal blood loss from vasa praevia

P50.1 Fetal blood loss from ruptured cord

P50.2 Fetal blood loss from placenta

P50.3 Haemorrhage into co-twin

P50.4 Haemorrhage into maternal circulation

P50.5 Fetal blood loss from cut end of co-twin's cord

P50.8 Other fetal blood loss

P50.9 Fetal blood loss, unspecified

Fetal haemorrhage NOS

P51 新生兒臍帶出血

排除：臍炎伴有(合併或併發)輕微出血 (P38)

P51.0 新生兒臍帶大量出血**P51.8 新生兒其他臍帶出血**

臍帶扎線滑脫，其他未特定者

P51.9 新生兒臍帶出血，未特定者**P52 胎兒及新生兒非創傷性顱內出血**

包含：缺氧或低氧所致的顱內出血

排除：(下列)傷害所致的顱內出血：

- 生產 (P10.-)
- 母體 (P00.5)
- 其他 (S06.-)

P52.0 胎兒及新生兒(非創傷性)腦室內出血，I 級

腦室膜下出血(未伴有、未合併或未併發腦室內之延伸或擴散)

P52.1 胎兒及新生兒(非創傷性)腦室內出血，II 級

腦室膜下出血伴有(合併或併發)腦室內之延伸或擴散

P52.2 胎兒及新生兒(非創傷性)腦室內出血，III 級

腦室膜下出血伴有(合併或併發)腦室內及大腦內之延伸或擴散

P52.3 胎兒及新生兒未特定的(非創傷性)腦室內出血**P52.4 胎兒及新生兒(非創傷性)(大)腦內出血****P52.5 胎兒及新生兒(非創傷性)蜘蛛膜下出血****P51 Umbilical haemorrhage of newborn**

Excludes: omphalitis with mild haemorrhage (P38)

P51.0 Massive umbilical haemorrhage of newborn**P51.8 Other umbilical haemorrhages of newborn**

Slipped umbilical ligature NOS

P51.9 Umbilical haemorrhage of newborn, unspecified**P52 Intracranial nontraumatic haemorrhage of fetus and newborn**

Includes: intracranial haemorrhage due to anoxia or hypoxia

Excludes: intracranial haemorrhage due to injury:

- birth (P10.-)
- maternal (P00.5)
- other (S06.-)

P52.0 Intraventricular (nontraumatic) haemorrhage, grade 1, of fetus and newborn

Subependymal haemorrhage (without intraventricular extension)

P52.1 Intraventricular (nontraumatic) haemorrhage, grade 2, of fetus and newborn

Subependymal haemorrhage with intraventricular extension

P52.2 Intraventricular (nontraumatic) haemorrhage, grade 3, of fetus and newborn

Subependymal haemorrhage with both intraventricular and intracerebral extension

P52.3 Unspecified intraventricular (nontraumatic) haemorrhage of fetus and newborn**P52.4 Intracerebral (nontraumatic) haemorrhage of fetus and newborn****P52.5 Subarachnoid (nontraumatic) haemorrhage of fetus and newborn**

P52.6 胎兒及新生兒(非創傷性)小腦及後腦窩出血

P52.8 胎兒及新生兒其他(非創傷性)顱內出血

P52.9 胎兒及新生兒(非創傷性)顱內出血，未特定者

P53 胎兒及新生兒出血性疾病

新生兒維生素(維他命)K 缺乏(症)

P54 其他新生兒出血

排除：胎兒失血 (P50.-)

源於周產期的肺出血 (P26.-)

P54.0 新生兒吐血

排除：吞入母體血液 (P78.2)

P54.1 新生兒黑便

排除：吞入母體血液所致者 (P78.2)

P54.2 新生兒直腸出血

P54.3 其他新生兒胃腸出血

P54.4 新生兒腎上腺出血

P54.5 新生兒皮膚出血

胎兒或
新生兒

{	瘀傷
	瘀斑
	瘀點
	表淺性血腫

排除：生產傷害所致的頭皮瘀傷 (P12.3)

生產傷害所致的頭血腫 (P12.0)

P54.6 新生兒陰道出血

假性月經

P54.8 其他特定的新生兒出血

P54.9 新生兒出血，未特定者

P55 胎兒及新生兒溶血性疾病

P52.6 Cerebellar (nontraumatic) and posterior fossa haemorrhage of fetus and newborn

P52.8 Other intracranial (nontraumatic) haemorrhages of fetus and newborn

P52.9 Intracranial (nontraumatic) haemorrhage of fetus and newborn, unspecified

P53 Haemorrhagic disease of fetus and newborn

Vitamin K deficiency of newborn

P54 Other neonatal haemorrhages

Excludes: fetal blood loss (P50.-)

pulmonary haemorrhage originating in the perinatal period (P26.-)

P54.0 Neonatal haematemesis

Excludes: that due to swallowed maternal blood (P78.2)

P54.1 Neonatal melaena

Excludes: that due to swallowed maternal blood (P78.2)

P54.2 Neonatal rectal haemorrhage

P54.3 Other neonatal gastrointestinal haemorrhage

P54.4 Neonatal adrenal haemorrhage

P54.5 Neonatal cutaneous haemorrhage

Bruising	{	in fetus or newborn
Ecchymoses		
Petechiae		
Superficial haematomata		

Excludes: bruising of scalp due to birth injury (P12.3)

cephalhaematoma due to birth injury (P12.0)

P54.6 Neonatal vaginal haemorrhage

Pseudomenses

P54.8 Other specified neonatal haemorrhages

P54.9 Neonatal haemorrhage, unspecified

P55 Haemolytic disease of fetus and newborn

- P55.0** 胎兒及新生兒 Rh(血型)同種免疫
- P55.1** 胎兒及新生兒 ABO(血型)同種免疫
- P55.8** 胎兒及新生兒其他溶血性疾病
- P55.9** 胎兒及新生兒溶血性疾病，未特定者

P56 溶血性疾病所致的胎兒水腫

排除：胎兒水腫，其他未特定者 (P83.2)
• 溶血性疾病 (P83.2)

- P56.0** 同種免疫所致的胎兒水腫
- P56.9** 其他及未特定溶血性疾病所致的胎兒水腫

P57 核黃疸

- P57.0** 同種免疫所致的核黃疸
- P57.8** 其他特定的核黃疸
排除：Crigler-Najjar (二氏)症候群 (E80.5)
- P57.9** 核黃疸，未特定者

P58 其他過量溶血所致的新生兒黃疸

排除：同種免疫所致的黃疸 (P55-P57)

- P58.0** 瘀傷所致的新生兒黃疸
- P58.1** 出血所致的新生兒黃疸
- P58.2** 感染所致的新生兒黃疸
- P58.3** 紅血球過多症所致的新生兒黃疸
- P58.4** 母體傳給新生兒的藥物或毒素所致的新生兒黃疸

若為藥物引發，必要時可使用附加的外因編碼(第二十章)，以確認藥物。

- P58.5** 吞入母體血液所致的新生兒黃疸
- P58.8** 其他特定過量溶血所致的新生兒黃疸
- P58.9** 過量溶血所致的新生兒黃疸，未特定者

- P55.0** Rh isoimmunization of fetus and newborn
- P55.1** ABO isoimmunization of fetus and newborn
- P55.8** Other haemolytic diseases of fetus and newborn
- P55.9** Haemolytic disease of fetus and newborn, unspecified

P56 Hydrops fetalis due to haemolytic disease

Excludes: hydrops fetalis NOS (P83.2)
• not due to haemolytic disease (P83.2)

- P56.0** Hydrops fetalis due to isoimmunization
- P56.9** Hydrops fetalis due to other and unspecified haemolytic disease

P57 Kernicterus

- P57.0** Kernicterus due to isoimmunization
- P57.8** Other specified kernicterus
Excludes: Crigler-Najjar syndrome (E80.5)
- P57.9** Kernicterus, unspecified

P58 Neonatal jaundice due to other excessive haemolysis

Excludes: jaundice due to isoimmunization (P55-P57)

- P58.0** Neonatal jaundice due to bruising
- P58.1** Neonatal jaundice due to bleeding
- P58.2** Neonatal jaundice due to infection
- P58.3** Neonatal jaundice due to polycythaemia
- P58.4** Neonatal jaundice due to drugs or toxins transmitted from mother or given to newborn
Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.
- P58.5** Neonatal jaundice due to swallowed maternal blood
- P58.8** Neonatal jaundice due to other specified excessive haemolysis
- P58.9** Neonatal jaundice due to excessive haemolysis, unspecified

P59 其他及未特定原因(或病因)所致的新生兒黃疸

排除：先天性(新陳)代謝(性)缺陷所致者
(E70-E90)
核黃疸 (P57.-)

P59.0 (與)早產(早期分娩)相關的新生兒黃疸

早產兒高膽紅素血症
(與)早產(早期分娩)相關之(膽紅素)延遲
結合反應所致的黃疸

P59.1 膽汁濃縮症候群

P59.2 其他及未特定肝細胞損害所致的新生兒黃疸

排除：先天性病毒性肝炎 (P35.3)

P59.3 母乳抑制劑所致的新生兒黃疸

P59.8 其他特定原因(或病因)(所致)的新生兒黃疸

P59.9 新生兒黃疸，未特定者

(強烈的)(過長的)生理性黃疸，其他未特定者

P60 胎兒及新生兒散播性血管內凝血 [DIC]

胎兒或新生兒脫纖維素蛋白症候群

P61 其他周產期血液(學)疾患

排除：嬰兒短暫性低丙(γ-)球蛋白血症 (D80.7)

P61.0 短暫性新生兒血小板減少(症)

(下列)所致的新生兒血小板減少(症)：

- 交換輸血[換血]
- 不明原因(特發)性母體血小板減少(症)
- 同種免疫

P61.1 新生兒紅血球增生

P61.2 早產兒貧血

P61.3 胎兒失血所致的先天性貧血

P61.4 其他先天性貧血，他處未歸類者

先天性貧血，其他未特定者

P61.5 短暫性新生兒中性白血球減少(症)

P59 Neonatal jaundice from other and unspecified causes

Excludes: due to inborn errors of metabolism
(E70-E90)
kernicterus (P57.-)

P59.0 Neonatal jaundice associated with preterm delivery

Hyperbilirubinaemia of prematurity
Jaundice due to delayed conjugation associated with preterm delivery

P59.1 Inspissated bile syndrome

P59.2 Neonatal jaundice from other and unspecified hepatocellular damage

Excludes: congenital viral hepatitis (P35.3)

P59.3 Neonatal jaundice from breast milk inhibitor

P59.8 Neonatal jaundice from other specified causes

P59.9 Neonatal jaundice, unspecified

Physiological jaundice (intense)(prolonged)
NOS

P60 Disseminated intravascular coagulation of fetus and newborn

Defibrination syndrome of fetus or newborn

P61 Other perinatal haematological disorders

Excludes: transient hypogammaglobulinaemia of infancy (D80.7)

P61.0 Transient neonatal thrombocytopenia

Neonatal thrombocytopenia due to:

- exchange transfusion
- idiopathic maternal thrombocytopenia
- isoimmunization

P61.1 Polycythaemia neonatorum

P61.2 Anaemia of prematurity

P61.3 Congenital anaemia from fetal blood loss

P61.4 Other congenital anaemias, not elsewhere classified

Congenital anaemia NOS

P61.5 Transient neonatal neutropenia

P61.6 其他短暫性新生兒凝血疾患

P61.8 其他特定的周產期血液(學)疾患

P61.9 周產期血液疾患，未特定者

特發於胎兒及新生兒的短暫性內分泌和 (新陳)代謝(性)疾患 (P70-P74)

包 含：嬰兒對母體內分泌及(新陳)代謝(性)因子的反應，或是嬰兒對子宮外生存環境的調節所致的短暫性內分泌及(新陳)代謝(性)障礙(失調、紊亂、偏差)

P70 特發於胎兒及新生兒的短暫性醣類(新陳)代謝(性)疾患

P70.0 母體妊娠型糖尿病的嬰兒症候群

P70.1 糖尿病母體的嬰兒症候群

母體(既存之)糖尿病影響胎兒或新生兒
(伴有或合併或併發低血糖)

P70.2 新生兒糖尿病

P70.3 醫源性新生兒低血糖(症)

P70.4 其他新生兒低血糖(症)

短暫性新生兒低血糖(症)

P70.8 胎兒及新生兒其他短暫性醣類(新陳)代謝(性)疾患

P70.9 胎兒及新生兒短暫性醣類(新陳)代謝(性)疾患，未特定者

P71 新生兒短暫性鈣及鎂(新陳)代謝(性)疾患

P71.0 新生兒餵食牛奶(所致)的低血鈣(症)

P71.1 其他新生兒低血鈣(症)

排 除：新生兒副甲狀腺低能症 (P71.4)

P71.2 新生兒低鎂血症

P71.3 未伴有(未合併或未併發)鈣或鎂缺乏的新生兒強直性痙攣

P61.6 Other transient neonatal disorders of coagulation

P61.8 Other specified perinatal haematological disorders

P61.9 Perinatal haematological disorder, unspecified

Transitory endocrine and metabolic disorders specific to fetus and newborn (P70-P74)

Includes: transitory endocrine and metabolic disturbances caused by the infant's response to maternal endocrine and metabolic factors, or its adjustment to extrauterine existence

P70 Transitory disorders of carbohydrate metabolism specific to fetus and newborn

P70.0 Syndrome of infant of mother with gestational diabetes

P70.1 Syndrome of infant of a diabetic mother

Maternal diabetes mellitus (pre-existing) affecting fetus or newborn (with hypoglycaemia)

P70.2 Neonatal diabetes mellitus

P70.3 Iatrogenic neonatal hypoglycaemia

P70.4 Other neonatal hypoglycaemia

Transitory neonatal hypoglycaemia

P70.8 Other transitory disorders of carbohydrate metabolism of fetus and newborn

P70.9 Transitory disorder of carbohydrate metabolism of fetus and newborn, unspecified

P71 Transitory neonatal disorders of calcium and magnesium metabolism

P71.0 Cow's milk hypocalcaemia in newborn

P71.1 Other neonatal hypocalcaemia

Excludes: neonatal hypoparathyroidism (P71.4)

P71.2 Neonatal hypomagnesaemia

P71.3 Neonatal tetany without calcium or magnesium deficiency

新生兒強直性痙攣，其他未特定者

P71.4 新生兒短暫性副甲狀腺低能症

P71.8 新生兒其他短暫性鈣及鎂(新陳)代謝(性)疾患

P71.9 新生兒短暫性鈣及鎂(新陳)代謝(性)疾患，未特定者

P72 新生兒其他短暫性內分泌疾患

排除：伴有(合併或併發)或未伴有(未合併或未併發)甲狀腺腫的先天性甲狀腺低能症(E03.0-E03.1)
荷爾蒙調控不良性甲狀腺腫(E07.1)

Pendred (氏)症候群 (E07.1)

P72.0 新生兒甲狀腺腫，他處未歸類者
伴有(具備)正常機(功)能的短暫性先天性甲狀腺腫

P72.1 新生兒短暫性甲狀腺高能症
新生兒甲狀腺毒症

P72.2 新生兒其他短暫性甲狀腺機(功)能疾患，他處未歸類者

新生兒短暫性甲狀腺低能症

P72.8 新生兒其他特定的短暫性內分泌疾患

P72.9 新生兒短暫性內分泌疾患，未特定者

P74 新生兒其他短暫性電解質及(新陳)代謝(性)障礙(失調、紊亂、偏差)

P74.0 新生兒晚發性(新陳)代謝(性)酸中毒(症)

P74.1 新生兒脫水

P74.2 新生兒鈉離子平衡障礙(失調、紊亂、偏差)

P74.3 新生兒鉀離子平衡障礙(失調、紊亂、偏差)

P74.4 新生兒其他短暫性電解質障礙(失調、紊亂、偏差)

P74.5 新生兒暫時性酪(酞)胺酸血症

P74.8 新生兒其他暫時性(新陳)代謝(性)障礙(失調、紊亂、偏差)

Neonatal tetany NOS

P71.4 Transitory neonatal hypoparathyroidism

P71.8 Other transitory neonatal disorders of calcium and magnesium metabolism

P71.9 Transitory neonatal disorder of calcium and magnesium metabolism,unspecified

P72 Other transitory neonatal endocrine disorders

Excludes: congenital hypothyroidism with or without goitre (E03.0-E03.1)

dysormogenetic goitre (E07.1)

Pendred's syndrome (E07.1)

P72.0 Neonatal goitre, not elsewhere classified

Transitory congenital goitre with normal function

P72.1 Transitory neonatal hyperthyroidism
Neonatal thyrotoxicosis

P72.2 Other transitory neonatal disorders of thyroid function, not elsewhere classified

Transitory neonatal hypothyroidism

P72.8 Other specified transitory neonatal endocrine disorders

P72.9 Transitory neonatal endocrine disorder, unspecified

P74 Other transitory neonatal electrolyte and metabolic disturbances

P74.0 Late metabolic acidosis of newborn

P74.1 Dehydration of newborn

P74.2 Disturbances of sodium balance of newborn

P74.3 Disturbances of potassium balance of newborn

P74.4 Other transitory electrolyte disturbances of newborn

P74.5 Transitory tyrosinaemia of newborn

P74.8 Other transitory metabolic disturbances of newborn

P74.9 新生兒短暫性(新陳)代謝(性)障礙
(失調、紊亂、偏差)，未特定者

P74.9 Transitory metabolic disturbance of
newborn, unspecified

胎兒和新生兒消化系統疾患 (P75-P78)

Digestive system disorders of fetus and newborn (P75-P78)

P75* 胎便性腸阻塞 (E84.1†)

P75* Meconium ileus (E84.1†)

P76 新生兒其他腸阻塞

P76 Other intestinal obstruction of newborn

排除：可歸類於 **K56.-** 的腸阻塞

Excludes: intestinal obstruction classifiable to
K56.-

P76.0 胎便堵塞症候群

P76.0 Meconium plug syndrome

P76.1 新生兒短暫性腸阻塞

P76.1 Transitory ileus of newborn

排除：Hirschsprung (氏)病 (Q43.1)

Excludes: Hirschsprung's disease (Q43.1)

P76.2 濃縮乳汁所致的腸阻塞

P76.2 Intestinal obstruction due to inspissated
milk

P76.8 其他特定的新生兒腸阻塞

P76.8 Other specified intestinal obstruction of
newborn

P76.9 新生兒腸阻塞，未特定者

P76.9 Intestinal obstruction of newborn,
unspecified

P77 胎兒及新生兒壞死性腸炎[NEC]

P77 Necrotizing enterocolitis of fetus and newborn

P78 其他周產期消化系統疾患

P78 Other perinatal digestive system disorders

排除：新生兒胃腸出血 (P54.0-P54.3)

Excludes: neonatal gastrointestinal
haemorrhages (P54.0-P54.3)

P78.0 周產期腸穿孔

P78.0 Perinatal intestinal perforation

胎便性腹膜炎

Meconium peritonitis

P78.1 其他新生兒腹膜炎

P78.1 Other neonatal peritonitis

新生兒腹膜炎，其他未特定者

Neonatal peritonitis NOS

P78.2 吞入母體血液所致的新生兒吐血及
黑便

P78.2 Neonatal haematemesis and melaena
due to swallowed maternal blood

P78.3 非感染性新生兒腹瀉

P78.3 Noninfective neonatal diarrhoea

新生兒腹瀉，其他未特定者

Neonatal diarrhoea NOS

排除：其他未特定的新生兒腹瀉在某些
國家被推定為感染源性的病
況 (A09)

Excludes: neonatal diarrhoea NOS in countries
where the condition can be
presumed to be of infectious
origin (A09)

P78.8 其他特定的周產期消化系統疾患

P78.8 Other specified perinatal digestive
system disorders

先天性(肝)硬化

Congenital cirrhosis (of liver)

新生兒消化性潰瘍

P78.9 周產期消化系統疾患，未特定者

Peptic ulcer of newborn

P78.9 Perinatal digestive system disorder, unspecified

侵及(侵犯、涉及)胎兒及新生兒體被[被膜、皮膚]和體溫調節的病況 (P80-P83)

Conditions involving the integument and temperature regulation of fetus and newborn (P80-P83)

P80 新生兒低體溫(症)

P80.0 冷傷害症候群

嚴重且常與粉潮紅色外觀、水腫及神經(學)性及生物化學(性)異常相關的慢性低溫。

排除：新生兒輕度低體溫(症) (P80.8)

P80.8 其他新生兒低體溫(症)

新生兒輕度低體溫(症)

P80.9 新生兒低體溫(症)，未特定者

P80 Hypothermia of newborn

P80.0 Cold injury syndrome

Severe and usually chronic hypothermia associated with a pink flushed appearance, oedema and neurological and biochemical abnormalities.

Excludes: mild hypothermia of newborn (P80.8)

P80.8 Other hypothermia of newborn

Mild hypothermia of newborn

P80.9 Hypothermia of newborn, unspecified

P81 其他新生兒體溫調節障礙(失調、紊亂、偏差)

P81.0 新生兒環境性高體溫(症)

P81.8 其他特定的新生兒體溫調節障礙(失調、紊亂、偏差)

P81.9 新生兒體溫調節障礙(失調、紊亂、偏差)，未特定者

新生兒發燒，其他未特定者

P81 Other disturbances of temperature regulation of newborn

P81.0 Environmental hyperthermia of newborn

P81.8 Other specified disturbances of temperature regulation of newborn

P81.9 Disturbance of temperature regulation of newborn, unspecified

Fever of newborn NOS

P83 特發於胎兒及新生兒的其他體被[被膜、皮膚]病況

排除：先天性皮膚及體被[被膜、皮膚]畸形 (Q80-Q84)

頭脂漏 (L21.0)

尿布皮膚炎 (L22)

溶血性疾病(所致)的胎兒水腫 (P56.-)

新生兒皮膚感染(症) (P39.4)

葡萄球菌性燙傷樣皮膚症候群 (L00)

P83.0 新生兒硬化[硬腫]症

P83.1 新生兒毒性紅斑(症)

P83 Other conditions of integument specific to fetus and newborn

Excludes: congenital malformations of skin and integument (Q80-Q84)
cradle cap (L21.0)
diaper [napkin] dermatitis (L22)
hydrops fetalis due to haemolytic disease (P56.-)
neonatal skin infection (P39.4)
staphylococcal scalded skin syndrome (L00)

P83.0 Sclerema neonatorum

P83.1 Neonatal erythema toxicum

P83.2 非溶血性疾病所致的胎兒水腫

胎兒水腫，其他未特定者

P83.3 特發於胎兒及新生兒其他及未特定的水腫

P83.4 新生兒乳房腫脹

新生兒非感染性乳房(腺)炎

P83.5 先天性陰囊水腫

P83.6 新生兒臍息肉

P83.8 特發於胎兒及新生兒其他特定的體被[被膜、皮膚]病況

古銅色嬰兒症候群

新生兒硬皮症

新生兒蕁麻疹

P83.9 特發於胎兒及新生兒未特定的體被[被膜、皮膚]病況

P83.2 Hydrops fetalis not due to haemolytic disease

Hydrops fetalis NOS

P83.3 Other and unspecified oedema specific to fetus and newborn

P83.4 Breast engorgement of newborn

Noninfective mastitis of newborn

P83.5 Congenital hydrocele

P83.6 Umbilical polyp of newborn

P83.8 Other specified conditions of integument specific to fetus and newborn

Bronze baby syndrome

Neonatal scleroderma

Urticaria neonatorum

P83.9 Condition of integument specific to fetus and newborn, unspecified

源於周產期的其他疾患 (P90-P96)

Other disorders originating in the perinatal period (P90-P96)

P90 新生兒痙攣(抽搐)

~~排除~~: 良性(家族性)新生兒痙攣(抽搐)
(G40.3)

P90 Convulsions of newborn

Excludes: benign neonatal convulsions
(familial) (G40.3)

P91 新生兒腦狀態其他障礙(失調、紊亂、偏差)

P91.0 新生兒腦缺血

P91.1 後天性新生兒腦室周圍囊腫

P91.2 新生兒腦白質軟化症

P91.3 新生兒腦躁動

P91.4 新生兒腦抑制

P91.5 新生兒昏迷

P91.8 其他特定的新生兒腦狀態障礙(失調、紊亂、偏差)

P91.9 新生兒腦狀態障礙(失調、紊亂、偏差)，未特定者

P91 Other disturbances of cerebral status of newborn

P91.0 Neonatal cerebral ischaemia

P91.1 Acquired periventricular cysts of newborn

P91.2 Neonatal cerebral leukomalacia

P91.3 Neonatal cerebral irritability

P91.4 Neonatal cerebral depression

P91.5 Neonatal coma

P91.8 Other specified disturbances of cerebral status of newborn

P91.9 Disturbance of cerebral status of newborn, unspecified

P92 新生兒餵食問題

P92.0 新生兒嘔吐

P92.1 新生兒食物回(逆)流及反芻

P92 Feeding problems of newborn

P92.0 Vomiting in newborn

P92.1 Regurgitation and rumination in newborn

- P92.2 新生兒餵食過慢
P92.3 新生兒餵食不足(過少)
P92.4 新生兒餵食過量(過度、過多)
P92.5 新生兒母乳餵食困難
P92.8 新生兒其他餵食問題
P92.9 新生兒餵食問題，未特定者

P93 胎兒及新生兒用藥所致的反應及中毒

新生兒使用氯黴素所致的 Grey(氏)症候群

排除：母體傳給新生兒之藥物或毒素所致的黃疸 (P58.4)
母體使用鴉片類(藥)劑、鎮靜(藥)劑及其他藥物所致的反應及中毒 (P04.0-P04.1, P04.4)

(下列所致的)戒斷症狀：

- 母體使用依賴或成癮藥物 (P96.1)
- 新生兒使用治療性藥物 (P96.2)

P94 新生兒肌肉張力疾患

- P94.0 新生兒短暫性重症肌無力
排除：重症肌無力 (G70.0)
P94.1 先天性肌肉張力過大(症)
P94.2 先天性肌肉張力低下(症)
非特定性嬰兒鬆垂症候群
P94.8 其他新生兒肌肉張力疾患
P94.9 新生兒肌肉張力疾患，未特定者

P95 未特定原因(或病因)的胎兒死亡

胎兒死產，其他未特定者
死產，其他未特定者

P96 源於周產期的其他病況

- P96.0 先天性腎衰竭
新生兒尿毒症

- P92.2 Slow feeding of newborn
P92.3 Underfeeding of newborn
P92.4 Overfeeding of newborn
P92.5 Neonatal difficulty in feeding at breast
P92.8 Other feeding problems of newborn
P92.9 Feeding problem of newborn, unspecified

P93 Reactions and intoxications due to drugs administered to fetus and newborn

Grey syndrome from chloramphenicol administration in newborn

Excludes: jaundice due to drugs or toxins transmitted from mother (P58.4)
reactions and intoxications from maternal opiates, tranquilizers and other medication (P04.0-P04.1, P04.4)
withdrawal symptoms from:
• maternal use of drugs of addiction (P96.1)
• therapeutic use of drugs in newborn (P96.2)

P94 Disorders of muscle tone of newborn

- P94.0 Transient neonatal myasthenia gravis
Excludes: myasthenia gravis (G70.0)
P94.1 Congenital hypertonia
P94.2 Congenital hypotonia
Nonspecific floppy baby syndrome
P94.8 Other disorders of muscle tone of newborn
P94.9 Disorder of muscle tone of newborn, unspecified

P95 Fetal death of unspecified cause

Deadborn fetus NOS
Stillbirth NOS

P96 Other conditions originating in the perinatal period

- P96.0 Congenital renal failure
Uraemia of newborn

P96.1 母體使用依賴或成癮藥物所致的新生兒戒斷症候群
藥物依賴母體之嬰兒的藥物戒斷症候群

排除：母體在產程[臨產]及分娩時使用鴉片類(藥)劑及鎮靜(藥)劑的反應及中毒 (P04.0)

P96.2 新生兒使用治療性藥物的戒斷症狀

P96.3 新生兒顱骨骨縫過寬
新生兒顱骨軟化(症)

P96.4 終止妊娠，胎兒及新生兒

排除：(母體)終止妊娠 (O04.-)

P96.5 子宮內醫療處置併發症，他處未歸類者

P96.8 源於周產期的其他特定病況

P96.9 源於周產期的病況，未特定者

先天性虛弱，其他未特定者

P96.1 Neonatal withdrawal symptoms from maternal use of drugs of addiction
Drug withdrawal syndrome in infant of dependent mother

Excludes: reactions and intoxications from maternal opiates and tranquilizers administered during labour and delivery (P04.0)

P96.2 Withdrawal symptoms from therapeutic use of drugs in newborn

P96.3 Wide cranial sutures of newborn
Neonatal craniotabes

P96.4 Termination of pregnancy, fetus and newborn

Excludes: termination of pregnancy (mother) (O04.-)

P96.5 Complications of intrauterine procedures, not elsewhere classified

P96.8 Other specified conditions originating in the perinatal period

P96.9 Condition originating in the perinatal period, unspecified
Congenital debility NOS